

品质第一 顾客至上
Quality First Customers Supreme



工厂地址：宁波市北仑区小港街道渡头董工业园区创富路108号
Add: 108 Chuangfu Road Dutoudong Industry Zone Xiaogang Beilun Ningbo
电话(T): 0086-0574-88328363
传真(F): 0086-0574-86196667
邮箱(E): sales@ysmount.com
网址(W): www.nbbestview.com

宁波夏盛电子科技有限公司
Ningbo Sharesun Electronic Technology Co., Ltd.

BestView,Supplier!

15,000 square meter factory and 40,000 square building thirteen years manufacturing & business worldwide 300 workers, 40R & D staff for technical , and 20QC staff PassedISO 9001:2000 quality management system and GS/UL certification.



Automatic Assembling Line



Auto Production Line



Shearing Machine



Automatic powder Coating Line




Welding Machine




Wire-electrode cutting room

(Untis:mm)


MSD004MTAX




MSD005MTAX



MSD006MT



MSD007LT



(Unit:mm)

MSD003MT

Min 1454-Max 1660

±15°

32"-70" TV Size

Max Load Capacity-TV 88 lbs / 40 kg

Max Load Capacity-Shelf 11 lbs / 5 kg

235 370

892

MSD003MTA

Min 1145-Max 1660

±15°

32"-75" TV Size

VESA Size 600x400

Max Mount Capacity 110 lbs / 50 kg

Max Shelf Capacity 11 lbs / 5 kg

235 370 160

593 690 117

MSD003STXS

Min 1315-Max 1452

±15°

32"-70" TV Size

VESA Size 400x400

Max Mount Capacity 77 lbs / 35 kg

Max Shelf Capacity 11 lbs / 5 kg

235 370

113-128 736 504

MSD003MTAX

Min 1330-Max 1640

±15°

32"-75" TV Size

VESA Size 600x400

Max Mount Capacity 110 lbs / 50 kg

Max Shelf Capacity 11 lbs / 5 kg

235 370

848.5

T901SF

32"-60" VESA (max) 400x400 Max 30 kg 11mm

T901MF

32"-75" VESA (max) 600x400 Max 45 kg 11mm

T901BF

42"-80" VESA (max) 800x400 Max 50 kg 11mm

327CT TILT

-5°/+15°

13"-42" VESA (max) 200x200 Max 25 kg 57mm

327ST TILT

-5°/+15°

32"-60" VESA (max) 400x400 Max 30 kg 57mm

327MT TILT

-5°/+15°

32"-75" VESA (max) 600x400 Max 40 kg 57mm

NOTE!

- Suitable TV range
- Max Loading Weight
- Distance from TV to wal
- Max VESA standard
- Mounting holes range Length unit:mm

326CF

FIXED



13"-42"

VESA (max)
200x200

Max
25 kg

23mm

326CT

TILT



10°

13"-42"

VESA (max)
200x200

Max
25 kg

29mm

326SF

FIXED



32"-60"

VESA (max)
400x400

Max
35 kg

23mm

326ST

TILT



10°

32"-60"

VESA (max)
400x400

Max
35 kg

29mm

326MF

FIXED



32"-75"


VESA (max)
600x400

Max
45 kg

23mm

326MT

TILT



10°


32"-75"

VESA (max)
600x400

Max
45 kg

29mm

PMA101



-15° 15°

360°

Max
10 kg

PMA102




-15° 15°

360°

Max
10 kg

MSD01CT



30°

1128-1408


463 424

13"-42"

VESA (max)
200x200

Max
20 kg

MSD002ST



-5° +15°

1350-1500

235 370 415.2 509.8

32"-65" TV Size

Max
Load Capacity-TV
66 lbs / 30 kg


Max
Load Capacity-Shelf
11 lbs / 5 kg

C23CT




- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 629-929

C23DCT




- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 629-929

C20ST




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 717-1017

C20DST




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 717-1017

C33MTE



- 32"-75"
- VESA (max) 600x400
- Max 40 kg
- 730-1030

C33DMT




- 32"-75"
- VESA (max) 600x400
- Max 40 kg
- 730-1030

213SFA1



- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 20mm

213STA1




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 28mm

213MFA1



- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 20mm

213MTA1




- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 26mm

213BF




- 42"-80"
- VESA (max) 800x400
- Max 60 kg
- 23mm

213BT




- 42"-80"
- VESA (max) 800x400
- Max 60 kg
- 30mm

213STPL



- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 30mm

213XLF




- 42"-80"
- VESA (max) 800x600
- Max 60 kg
- 25mm

C001AT



- 10"-27"
- VESA (max) 100x100
- Max 15 kg
- 464-664

C33MTR



- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 726-976

213MTPL




- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 30mm

214XXLF




- 42"-100"
- VESA (max) 900x600
- Max 100 kg
- 25mm

C20STE




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 650-930

C20STR




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 702-952

213BTPL



- 42"-80"
- VESA (max) 800x400
- Max 60 kg
- 30mm

117LTE



- 42"-80"
- VESA (max) 800x500
- Max 60 kg
- 62mm

C23CTE



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 515-715

C23CTR



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 600-850

322STDV



- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 55mm

WD001CB



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 60mm

WD003CB



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 54-325

WD004CB




- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 54-425

214SF



- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 20mm

214MT




- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 62mm

215ST




- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 48mm

215MT




- 32"-75"
- VESA (max) 600x400
- Max 40 kg
- 48mm

215SDN



- 32"-60"
- VESA (max) 400x400
- Max 35 kg
- 76-350

215MDN




- 32"-75"
- VESA (max) 600x400
- Max 40 kg
- 86-368


216SF




216STN




216MF




216MTN




217CT




217ST




217MT




DVD101S



DVD102S



DVD103S



D201CT



DV203S



D201ES2



SB-05



MB03





Monitor Riser

MHB04P



MHB04P
Material: Plastics
Size: 370x270x132mm
Weight Capacity: 10kg
Color: Black
Adjustable: 2.3"/3.7"/2.5"

MHB01



MHB01
Material: Steel Platform&Plastics Legs
Size: 370x235x140mm
Weight Capacity: 10kg
Color: Black
Adjustable: 4.0"/4.7"/5.5"

NLS01





NLS01
Weight Capacity: 5kg


286CFL FIXED




286CTL TILT




286SFL FIXED



286STL TILT



286MFL FIXED



286MTL TILT




206DFE




- 13"-42"
- VESA (max) 300x300
- Max 35 kg
- 23mm

206DTE




- 13"-42"
- VESA (max) 300x300
- Max 35 kg
- 63mm

322CF




- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 23mm

322CT



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 55mm

E26CBL




- 13"-42"
- VESA (max) 200x200
- Max 35 kg
- 54-480

E26SBL



- 13"-65"
- VESA (max) 400x400
- Max 35 kg
- 54-480

EPM4SB



- 32"-60"
- VESA (max) 400x400
- Max 25 kg
- 84-386

EPM4SD



- 32"-65"
- VESA (max) 400x400
- Max 35 kg
- 84-373

WS04KB



Item No.	WS04KB
Worksurface Dimensions	655x430mm(25.7"x16.9")
Material	MDF + PVC
Worksurface Thickness	12mm
Height Adjustable Range	43-382mm(1.69"-15")
Weight Capacity	8kg / 17.6lbs

WS04KBNL



Item No.	WS04KBNL
Worksurface Dimensions	640x430mm(25.1"x16.9")
Material	MDF + PVC
Worksurface Thickness	12mm
Height Adjustable Range	43-382mm(1.69"-15")
Weight Capacity	3-8kg / 6.6-17.6lbs

WS05B




Item No.	WS05B
Worksurface Dimensions	800x300mm(31.5"x11.8")
Material	MDF + PVC
Worksurface Thickness	12mm/15mm
Height Adjustable Range	120-490mm(4.7"-19.3")
Weight Capacity	15kg / 33lbs

WS05S




Item No.	WS05S
Worksurface Dimensions	720x300mm(28.3"x11.8")
Material	MDF + PVC
Worksurface Thickness	12mm/15mm
Height Adjustable Range	92-400mm(3.6"-15.7")
Weight Capacity	15kg / 33lbs


E20SB




E20MB




E20SDNL




E20MDNL




E20SDWB




E20MDWB



E21SD



E21MD




E22CB1




E22CB



E22SB1



E22SB



SIT-STAND
DESKTOP WORKSTATIONS



WS05B



Embedded groove holds most tablets and phones


DW203AN





DW204AN



NE27MD



E27BDE




WS01S




400mm/15.7"

42mm Ultra-Slim Profile


- > Ideal for Small and Compact Work Areas
- > Save Space When Not in Use
- > Height Adjustable from 1.6 inch to 15.7 inch




E27XXLB




E27XXLDN



912F




EPG13DBP




Rotation: 360°




E23CBL4015



E23SBL4015




E23SBXLN



D308AS/D3N08MAS



D308AD/D3N08MAD



LP001AF




LP001CF



D2N09MAS



D2N09MAD





D208AS



- 15"-34"
- VESA (max) 100x100
- Max 2.5-10kg

D208AD




- 15"-34"
- VESA (max) 100x100
- Max 2.5-10kg

D309AS



- 17"-42"
- VESA (max) 100x100
- Max 2.5-15kg

D309AD



- 17"-35"
- VESA (max) 100x100
- Max 2.5-15kg

E33MDP3




- 37"-80"
- VESA (max) 600x400
- Max 50 kg
- 70-400

E33MDXS




- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 72-365

E33MDP17




- 37"-80"
- VESA (max) 600x400
- Max 50 kg
- 70-400

E33MBXLW



- 32"-75"
- VESA (max) 600x400
- Max 45 kg
- 72-1000

P17B



E33MBXL



- 32"-75"
- VESA (max) 600x400
- Max 40 kg
- 70-810

E02CBPA




- 13"-42"
- VESA (max)
200x200
- Max
25 kg
- 55-228

E03CBPA



- 13"-42"
- VESA (max)
200x200
- Max
25 kg
- 57-326

E04CBPA




- 13"-42"
- VESA (max)
200x200
- Max
25 kg
- 50-424

E04SBPA



- 13"-65"
- VESA (max)
400x400
- Max
30 kg
- 53-430

E11ACB



- 13"-42"
- VESA (max)
200x200
- Max
25 kg
- 59-249

E11CBN



- 13"-42"
- VESA (max)
200x200
- Max
25 kg
- 55-485



ED201AWE

- 10°-27°
- VESA (max)
100x100
- Max
8 kg




ED204AWN

- 10°-32°
- VESA (max)
100x100
- Max
8 kg




ED205AWN

- 10°-27°
- VESA (max)
100x100
- Max
8 kg




ED206AW

- 10°-27°
- VESA (max)
100x100
- Max
8 kg



ED206A

- 10°-27°
- VESA (max)
100x100
- Max
8 kg



E14AB




- 10"-27"
- VESA (max) 100x100
- Max 15 kg
- 59-322

E14ABC




- 13"-42"
- VESA (max) 200x200
- Max 20 kg
- 63-368

E14CBN




- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 52-328

E16CB



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 59-185

E15CBHL



- 13"-42"
- VESA (max) 200x200
- Max 25 kg
- 54-360


E15SBHL



- 13"-65"
- VESA (max) 400x400
- Max 35 kg
- 59-365



Integrated with removable VESA plate for easy installation



Neat and efficient cable management



Both grommet and desk clamp mounting available

Extended Arm and Free Rotated Double Joint

ED204AHP

- 10"-32"
- VESA (max) 100x100
- Max 8 kg



Individual VESA plate Height Adjustment helps monitors to be perfectly aligned.



TVPM4SF



32"-55"

400x400

35 kg

TVPM4SFS



32"-55"

400x400

35 kg

Swiveling mount provides maximum viewing flexibility

Built-in level adjustment

Tilting -12° up and +12° down

Cable management

90°
-90°

-3°
+3°

-12°
+12°

E25CB

13"-42"

200x200

25 kg

59-400




E25ACB

13"-42"

200x200

25 kg

59-228




E25SB

13"-65"

400x400

30 kg

65-406




E22SD

13"-65"


400x400

30 kg

50-387



WMS002CBN



Meeting Your Needs Under Different Scenarios
Living Room, Study Room, Bedroom, Kitchen, Basement, Conference Room.....




STVMF001

TVMFE33

A Wide Range of Movement


The screen can be moved closer or further away from the wall, rotated and tilted effortlessly in any direction.



Gas Spring Counterbalance ensures freely positioning of your screen with a slight touch.




Built-in Spring Gauge can be easily adjusted to fit varied weights the arm holds.



Cable management routes cables under the arm for clean clutter-free look.




Decorative Cover conceals assembly and mounting hardware for a finished appearance.



Swivel: ±50°

±3°



Swivel: ±30°

WMS001CBN



WMS001SBN



WMS002SBN

