



Think **Power**, Think **Beiste**, Enjoy your life



Beiste Group (HK) Limited




Address: 1-5/F, NO.40 Building, Baolai Industrial District, Pinghu Town, Longgang District, Shenzhen, China.
Tel: 0086-755-89693360 mobile phone/wechat: 0086-158-1550-6866
Fax :0086-755-84253513 Skype account: beiste00
E-mail: sales@beiste-group.com or 2101268907@qq.com
Http: //www.beistegroup.com
<http://www.globalsources.com/besite-group.co>



Beiste Group (HK) Limited

Cell Phone Accessories Manufacturer



Think **Power**, Think **Beiste**, Enjoy **your life**

No matter where you are, Beiste will be there to power your life



Power Your Life

The world we live is an ever-changing environment.
We understand that you always need to be powered and connected.

Discover the true power with Beiste

Explore our innovative solutions to achieve more in your digital life.
Stay connected with our stylish ,reliable ,and energy efficient products.

No matter where you are, Beiste will be there to power your life.

360 degree Magnetic Absorption

Hold your phone vertically or horizontally without limitation



BST-W20

Qi15W Transparent Magnetic in car wireless charger holder for iPhone

BST-W23

17pcs Strong Magnetics make your phone more stable



Foreign Object Detection



Up to 15W output Wireless charging

15W Fast Wireless Charger

Stand with Heavy metal
and Rubber coating

BST-1064



Qi certified



2 coils make portrait and landscape charging



LED indicator shows device's charging status



Foreign Object Detection



Up to 15W output Wireless charging



BST-1040



BST-1094

Angle Adjustable Wireless Charger Stand



BST-1102



Qi certified



2 coils make portrait and landscape charging



LED indicator shows device's charging status



Foreign Object Detection



Up to 15W output Wireless charging

2 IN 1 Wireless Charger Stand

BST-1109



Qi certified



Foreign Object Detection




2 coils make portrait and landscape charging



Up to 15W output Wireless charging



LED indicator shows device's charging status




Dual 15W Wireless Charger Pad

With Heavy Metal,Rubber coating surface
Metal Coating Frame



BST-1093

QI 15W Wireless Charger Pad with Heavy Metal,Rubber coating



BST-1092

QI 15W Round Shape Wireless Charger Pad with LED

BST-1100



BST-1068



BSR-1020

QI 15W Square Wireless Charger Pad with LED



BST-1098


Hot Sell Mini Size GaN charger

GAN33W-02

Input: AC100-240V


Available Spec: GAN33W, GAN33W A+C, PD20W,
PD20W Share QC, QC18W

Protection Function: OCP, OVP, OTP, SCP



GaN

BST-PD011




GaN

PD20W, GAN33W-03, GAN65W-03 series
For mobile phone/Notebook/Tablets, etc

Available Spec: GAN33W, GAN33W A+C, PD20W, PD20W Share QC,
GAN65W, GAN65W A+C

Protection Function: OCP, OVP, OTP, SCP

PCompatible Protocol: PD3.0/QC4+/PPS/APPLE 2.4A/AFC/FCP/
MTK PE/PE/SCP/QC3.0/QC2.0




GaN65W

GaN33W

PD20W

GaN



GaN33W Family Charger

GaN

BST-GAN33W-04

Input: AC100-240V, 50/60Hz

Available spec: GAN33W, PD30W share QC, PD20W

Power: 33W

Protection Function: OCP, OVP, OTP, SCP



GaN45W Family Charger

BST-GAN33W-04

Input: AC100-240V, 50/60Hz

Available spec: GAN45W/GAN33W

Power: 45W

Protection Function: OCP, OVP, OTP, SCP

GaN





GaN

GaN100W

GaN45W with LED indicator

BST-PD030

Input: AC100-240V

Available spec: GAN45W, PD 20W / PD20W share QC,
PD30W,PD30W Share QC

Protection Function: OCP, OVP, OTP, SCP



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



GaN45W

GaN

New Design Round shape side ports Family charger

GAN33W-01

Input: AC100-240V

Available Spec:GAN33W,GAN33W A+C, PD20W,
PD20W Share QC, QC18W

Protection Function: OCP, OVP, OTP, SCP



GaN65W GaN

Charger series for Computer / Notebook / Tablets / Smartphone



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



BST-GAN651

Input: 100-240V~50/60HZ

Available Spec:GAN65W,GAN65W A+C, GAN65W A+C+C

Protection Function: OCP, OVP, OTP, SCP

Compatible Protocol: PD3.0/QC4+/PPS/APPLE 2.4A/AFC/FCP/MTK
PE/PE/SCP/QC3.0/QC2.0

BST-GAN652

Input: 100-240V~50/60HZ

Available Spec:GAN65W,GAN65W A+C, GAN65W A+C+C

Protection Function: OCP, OVP, OTP, SCP

Compatible Protocol: PD3.0/QC4+/PPS/APPLE 2.4A/AFC/FCP/MTK
PE/PE/SCP/QC3.0/QC2.0





BST-PD032

Input: 100-240V~50/60HZ

Available Spec:PD20W,PD30W

Protection Function: OCP, OVP, OTP, SCP



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



BST-PD031

Input: 100-240V~50/60HZ

Available Spec:PD20W,PD30W

Protection Function: OCP, OVP, OTP, SCP



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



BST-T304

Input: Input: AC100-240V, 50/60Hz
 Available spec: PD45W, PD65W,
 PD share QC65W
 Protection Function: OCP, OVP, OTP, SCP

PD Share QC 65W



Max PD 65W

BST-T305

Input: AC100-240V, 50/60Hz
 Output 1: USB C: 3.3V-20V/3A; 5V/3A, 9V/3A, 12V/3A,
 20V/3.25A, 65W MAX
 Output 2: USB A: 3.3V-10V/3A, 5V/3A, 9V/3A, 12V/2.5A,
 15V/2A, 20V/1.5A, 20W max
 Output 1+2: 3 * USB A: 5V/2.4A
 Power: 65W total
 Available spec: 65W Max
 Protection Function: OCP, OVP, OTP, SCP



BST-T306

Input: AC100-240V, 50/60Hz
 Output 1: USB C: 5V-15V 3A, 20V 3.25A, 65W
 Output 2: USB A: 5V/3A, 9V/3A, 10V/2.25A, 12V/2.5A,
 15V/2A, 20V/1.5A, 30W MAX
 Output 1+2: USB A+USB C: 5V/4.5A
 Power: 65W total
 Available spec: PD65W, PD share QC65W
 Protection Function: OCP, OVP, OTP, SCP



Computer / Notebook / Tablets / Smartphone all in one Foldable Charger

PD Share QC 65W

BST-T309

Input: AC100-240V, 50/60Hz

Output1: Output:5V-15V 3A, 20V 3.25A

Power: 65W

Available spec: PD65W,PD share QC65W

Protection Function: OCP, OVP, OTP, SCP



PD Share QC 100W

BST-PD101

Input: AC100-240V, 50/60Hz

Output 1: USB-C:100W MAX * 2 (5V3A, 9V3A,12V/3A,15V/3A,20V/5A)

Output 2: QC18W Max *2 (5V/3A,9V/2A,12V/1.5A)

Power: 100W

Available spec: 100W

Protection Function: OCP, OVP, OTP, SCP



PD Share QC 100W

BST-PD102

Input: AC100-240V, 50/60Hz

Output 1: USB-C:100W MAX * 2 (5V3A, 9V3A,12V/3A,15V/3A,20V/5A)

Output 2: QC18W Max *2 (5V/3A,9V/2A,12V/1.5A)

Power: 100W

Available spec: 100W

Protection Function: OCP, OVP, OTP, SCP



BST-PD103

Input: AC100-240V, 50/60Hz

Output 1: USB-C: 5V3A, 9V3A,12V/3A,15V/3A,20V/5A

Output 2: 3.6-6V/3A,-9V/2A,9-12V/1.5A

Power: 100W

Available spec: 100W

Protection Function: OCP, OVP, OTP, SCP



Computer / Notebook / Tablets / Smartphone all in one Foldable Charger



Newest PD20W

BST-PD021

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD20W, PD20W Share QC,
QC18W, 2USB
Protection Function: OCP, OVP, OTP, SCP



Matt PD charger Serials

BST-T365

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD25W/PD20W/QC18W
PD20W share QC/ 2USB
Protection Function: OCP, OVP, OTP, SCP



Newest PD20W

BST-PD107

Input: AC100-240V, 50/60Hz
Available spec: PD 20w/ QC18W PD share QC20W
Protection Function: OCP, OVP, OTP, SCP



Newest PD20W

BST-PD203

Input: AC100-240V, 50/60Hz
Available spec: PD share QC 20W
Protection Function: OCP, OVP, OTP, SCP



PD20W/25W/30W

BST-T112

Input: AC100-240V, 50/60Hz
Available spec: D20W; PD Share QC20W,
PD25W, PD30W, PD share QC 30W
Protection Function: OCP, OVP, OTP, SCP



PD20W/25W/30W

BST-T113

Input: AC100-240V, 50/60Hz
Available spec: D20W; PD Share QC20W,
PD25W, PD30W, PD share QC 30W
Protection Function: OCP, OVP, OTP, SCP



PD Share QC 20W with LED indicator

BST-T321

Input: AC100-240V, 50/60Hz
available spec: PD Share QC 20W/PD 20W
Protection Function: OCP, OVP, OTP, SCP



PD Share QC30W with LED indicator

BST-T368

Input: AC100-240V, 50/60Hz
Available spec: PD Share QC 30W/PD share
QC20W/PD30W
Protection Function: OCP, OVP, OTP, SCP



Newest 2USB C 35W

BST-PD035

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD35W
Protection Function: OCP, OVP, OTP, SCP



Super MINI PD20W Charger

BST-PD012-20W

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD20W, PD20W Share QC
Protection Function: OCP, OVP, OTP, SCP



MINI PD20W

BST-PD022-20W

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD20W, PD20W Share QC
Protection Function: OCP, OVP, OTP, SCP



New PD Charger Serials

T364-20W

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD25W/PD20W/QC18W
PD20W share QC/ 2 USB
Protection Function: OCP, OVP, OTP, SCP



Colorful PD Chargers

BST-PD107

Input: AC100-240V, 50/60Hz
Available spec: PD 20w/ QC18W PD share QC20W
Protection Function: OCP, OVP, OTP, SCP



High Glossy PD Charger Serials

BST-PD028

Input: AC100-240V, 50/60Hz
Available spec: PD20W, PD Share QC 20W,
QC18W
Protection Function: OCP, OVP, OTP, SCP



Newest PD20W

BST-PD013

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD20W, PD share QC 20W
Plug: NA
Protection Function: OCP, OVP, OTP, SCP



Newest PD25W

BST-T310

Input: AC100-240V, 50/60Hz
Available spec: PD Share QC25W
Protection Function: OCP, OVP, OTP, SCP



Newest PD20W

BST-T310

Input: AC100-240V, 50/60Hz
Available spec: PD 20w/ QC18W/ PD share QC 20W
Protection Function: OCP, OVP, OTP, SCP



PD20W Utral Slim Wall Charger

BST-T216U

Input: AC100-240V, 50/60Hz
Available spec: PD 20w/ QC18W/
PD share QC 20W, 2 USB, 1 USB
Protection Function: OCP, OVP, OTP, SCP



Newest PD20W+2.4A

BST-T149

Input: AC100-240V, 50/60Hz
Output1: USB C :5V/3A,9V/2A,12V/1.5A
Power: 20W
Available spec: PD 20w/ QC18W PD share QC20W
Protection Function: OCP, OVP, OTP, SCP



Compact Size 66W Chargers

BST-T368

Input: AC100-240V, 50/60Hz
Output1: 5V/2A, 5V/4.5A, 10V/4A, 11V/6A
Power: 66W
Available spec: 66W
Protection Function: OCP, OVP, OTP, SCP



Portable PD charger

BST-T366-20W

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: QC20W/ QC 18W/ PD20W
share QC
Protection Function: OCP, OVP, OTP, SCP



Portable PD charger

BST-T036

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: PD20W share QC
Protection Function: OCP, OVP, OTP, SCP



Portable PD charger

BST-T368-20W

Input: AC100-240V, 50/60Hz 0.5A Max
Available spec: QC20W/ QC 18W/ PD20W
share QC
Protection Function: OCP, OVP, OTP, SCP



PD20W

BST-PD038

Input: AC100-240V, 50/60Hz
 Available spec: PPD20W
 Protection Function: OCP, OVP, OTP, SCP



PD45W

BST-PD045

Input: AC100-240V, 50/60Hz
 Available spec: PPD20W, PD30W, PD45W
 Protection Function: OCP, OVP, OTP, SCP

Max PD 40W



PD20W

for charging 2 PD device
 in the same time

BST-T401

Input: AC100-240V, 50/60Hz
 Available spec: PD20W, PD30W, PD20W+PD Share
 QC20W; PD20W+PD20W
 Protection Function: OCP, OVP, OTP, SCP

Max PD 45W



PD40W

BST-PD040

Input: AC100-240V, 50/60Hz
 Available spec: PD20W, PD30W, PD20+PD20(40W max),
 PD20W+PD20W Share QC
 Protection Function: OCP, OVP, OTP, SCP



Newest 22.5W

BST-T225

Input: AC100-240V, 50/60Hz
 Available spec: 22.5W
 Protection Function: OCP, OVP, OTP, SCP



Newest Ultra Slim Charger

BST-T92

Input: AC100-240V, 50/60Hz
 Available spec: 5V1A, 5V/2.4A
 Protection Function: OCP, OVP, OTP, SCP



(Show 66W or 100W)

BST-T065

Input: AC100-240V, 50/60Hz
 available spec: 22.5W display 66w or 100w
 Protection Function: OCP, OVP, OTP, SCP



Newest PD for Family Charger

BST-T93 series

Input: AC100-240V, 50/60Hz
 Available spec: PD20W, PD Share QC 20W, 1USB,
 2USB, 5V/2.1A, 5V/2.4A
 Protection Function: OCP, OVP, OTP, SCP

Newest Basic 2A for Family Charger



BST-T114 serials

Input: AC100-240V, 50/60Hz
Available spec: PPD20W, PD Share QC 20W,
1USB,2USB,5V/2.1A,5V/2.4A
Protection Function: OCP, OVP, OTP ,SCP



BST-T110 serials

Input: AC100-240V, 50/60Hz
Available spec: PPD20W,PD30W, PD45W
Protection Function: OCP, OVP, OTP ,SCP

Newest Slim 2A for Family Charger



BST-T105 serials

Input: AC100-240V, 50/60Hz
Available spec: 5V/2.1A
Protection Function: OCP, OVP, OTP ,SCP



BST-T103 serials

Input: AC100-240V, 50/60Hz
Available spec: 5V/2.1A
Protection Function: OCP, OVP, OTP ,SCP

Shiny finish family charger for tablets & Smart phones




T88 wall charger

Input: AC100-240V, 50/60Hz
Available spec: 1USB,2USB,5V/2.1A,5V/3.4A,PD20W,
PD20W share QC,PD30W,PD30W share QC
Protection Function: OCP, OVP, OTP ,SCP



T109 Family chargers

Input: AC100-240V, 50/60Hz
Available spec: 1USB,2USB,5V/2.1A,5V/3.4A,PD20W,
PD20W share QC,PD30W,PD30W share QC
Protection Function: OCP, OVP, OTP ,SCP





Zinc Alloy + Carbon Fibre
High quality Housing Car Charger

BST-S043

Output USB C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 30W MAX

USB A: 5V/3A, 9V/2.77A, 22.5W

Power: PD30W+22.5W, 52.5W Total

Protection Function: OCP, OVP, OTP, SCP



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



Super slim car charger with
zinc alloy finger ring

BST-S36

Input: 12-24V

Output USB C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A,
30W MAX

Output2: 5V/3A, 9V/2A, 12V/1.5A, QC18W

Power: PD30W Share QC

Available Spec: PD30W share QC, PD20W share QC,
2USB/2.4A

Protection Function: OCP, OVP, OTP, SCP



Over-voltage
Protection



Over-current
Protection



Temperature
Control



Fire-proof
Material



Basic 2USB/2A In-car charger

BST-S158

Input: 12-24V

Output1: 5V/2A

Power: 12W

Available spec: 1USB/2A, 2USB/2A,
QC18W, 2USB/3A

Protection Function: OCP, OVP, OTP ,SCP



48W USB Type-C PD (30W) + QC3.0 In-car charger

BST-S94

Input: 12-24V

Output1: USB-C:5V/3A, 9V/3A,12V/2.5A,15V/2A,
20V/1.5A,30W

Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W

Power: 48W

Available spec: PD share QC30W; PD20W+QC18W,
PD30W+QC18W

Protection Function: OCP, OVP, OTP ,SCP



Aluminum high level Charger

BST-S88

Input: 12-24V

Output1: 5V/3A,9V/2.22A,12V/1.67A,20W

Power: 20W

Available spec: PD20W,PD Share QC20W,QC18W+2.4A,
QC18W+Fixed cable

Protection Function: OCP, OVP, OTP ,SCP



High level PD Charger

BST-S151

Input: 12-24V

Output1: 5V/3A,9V/2.22A,12V/1.67A,20W

Power: 20W

Available spec: PD20W,QC18W,2USB

Protection Function: OCP, OVP, OTP ,SCP



20W PD Share QC3.0 In-car Aluminum charger

BST-S131

Input: 12-24V

Output1: USB-C:5V/3A, 9V/2.22A,12V/1.67A,20W

Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W

Power: 20W

Available spec: PD share QC20W; PD20W

Protection Function: OCP, OVP, OTP ,SCP



High Level Car Charger

BST-S93

Input: 12-24V

Output1: 5V/3A,9V/2.22A,12V/1.67A,PD20W

Output2: 5V/3A,9V/2A,12V/1.5A,QC18W

Power: 20W

Available spec: 1USB,2USB,PD share QC20W; PD20W+2.1A

Protection Function: OCP, OVP, OTP ,SCP



Aluminum high level Charger

BST-S132

Input: 12-24V

Output1: 5V/3A,9V/2.22A,12V/1.67A,20W

Power: 20W

Available spec: PD20W,PD Share QC20W,QC18W+2.4
QC18W+Fixed cable

Protection Function: OCP, OVP, OTP ,SCP



38W Carbon Fiber Car Charger

BST-S155

Input: 12-24V

Output1: USB-C:5V/3A, 9V/2.22A,12V/1.67A,20W

Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W

Power: 38W

Available spec: PD share QC30W; PD20W+QC18W,
2USB/2A,QC18W+2.4A

Protection Function: OCP, OVP, OTP ,SCP



48W USB Type-C PD (30W) + QC3.0 In-car Aluminum charger

BST-S481

Input: 12-24V
Output1: USB-C:5V/3A, 9V/3A,12V/2.5A,
15V/2A, 20V/1.5A,30W
Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W
Power: 48W
Available spec: PD share QC30W;
PD20W+QC18W,PD30W+QC18W
Protection Function: OCP, OVP, OTP ,SCP



38W PD20 + QC3.0 18W In-car Aluminum charger

BST-S381

Input: 12-24V
Output1: USB-C:5V/3A, 9V/2.22A,12V/1.67A,20W
Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W
Power: 38W
Available spec: PD20W+ QC18W; PD20W
Protection Function: OCP, OVP, OTP ,SCP



38W PD20 + QC3.0 18W In-car high glossy charger

BST-S150

Input: 12-24V
Output1: USB-C:5V/3A, 9V/2.22A,12V/1.67A,20W
Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W
Power: 38W
Available spec: PD20W+ QC18W; PD20W
Protection Function: OCP, OVP, OTP ,SCP



38W PD20 + QC3.0 18W In-car Aluminum charger

BST-S152

Input: 12-24V
Output1: USB-C:5V/3A, 9V/2.22A,12V/1.67A,20W
Output2: USB-A:5V/3A,9V/2A,12V/1.5A,18W
Power: 38W
Available spec: PD20W+ QC18W; PD20W
Protection Function: OCP, OVP, OTP ,SCP



40W PD In-car Aluminum charger

BST-S382

Input: 12-24V
USB-C 1:5V/3A, 9V/2.22A,12V/1.67A,20W
USB-C 2:5V/3A,9V/2A,12V/1.5A,18W
Power: 40W
Available spec: PD20W+PD20W
Protection Function: OCP, OVP, OTP ,SCP



BST-S151

Input: 12-24V
Available spec: 1USB/2.4A, 2USB/2.4A
Power: 12W
Protection Function: OCP, OVP, OTP ,SCP



48W In-car charger with LED PD (30W) & 12W *2 USB A(5V/3A)

BST-S042

Input: 12-24V
Output1: USB-C:PD30W, 5V/3A,9V/3A,
15V/2A ,20V/1.5A
Output2: 2 USB-A:5V/2.4A or 5V/3A
Power: 42W
Available spec: 42W total,48W total
Protection Function: OCP, OVP, OTP ,SCP



BST-S37

Input: 12-24V
Output: USB-C 5V/3A,9V/2.22A,12V/1.67A,20W
USB-A 5V/3A,9V/2A,12V/1.5A, 18W
Available Spec: PD30W Share QC, PD20W Share QC
Protection Function: OCP,OVP,OTP,SCP



BST-D023



Liquid silicone zinc alloy
180° connector data cable
BST -D043



BST-D049



BST-D101



Silicone + premium plated trim

BST -D040



Skin-friendly material



3A

3A Fast Charge



Smart adaptation 99% models



Durable without breaking

Silicon/PVC for high end level Data Cable

BST -D003



Skin-friendly material



3A

3A Fast Charge



Smart adaptation 99% models



Durable without breaking

Transparent connector + Fabric braided Cable

BST -D030



Skin-friendly material



3A

3A Fast Charge



Smart adaptation 99% models



Durable without breaking

Double color injection TPE Data Cable

BST -D009



Skin-friendly material



3A

3A Fast Charge



Smart adaptation 99% models



Durable without breaking

100W PD USB C cables Super-speed Charging

20V Max
Power Cable

Copper Power cable

Copper Signal Cable

Aluminum Foil



 100W High Power

 40Gbps data Transmission


 8K60Hz HD screen

 5A Current

 E-Marker Smart chip



3.5mm Aux cables



BST- A001



OTG USB 2.0/3.0 Adapter
BST -D401



Fabric Braided OTG USB 2.0 Adapter
BST -D304



Aluminum housing+Fabric Braided OTG
USB 3.0 Adapter

BST -D305



Headphone converter cable
BST -D402



About Beiste



Beiste at a Glance

Founded in 2006. Beiste is the world's leading power products manufacturer.

Beiste Group(HK)Limited is one of the world's fastest growing suppliers of mobile phone accessories, as well as imaging and power supply solutions.

Our dedication to constantly raising the bar in performance, value and support is what has made us-and will always make us-your ideal partner for long-term sales and profit growth.

For over 17 years, we have crafted the best products. developed the most innovative solutions and discovered the best ways to enhance peoples' lives. Being a part of our ever-expanding company enables you to think creatively on a daily basis. while being a part of the developmen of some of the best accessories that the industry has to offer.

Beiste is able to provide the world's smallest ,most efficient universal power adaptor and innovative power solutions.

Today Beiste Product Development teams understand our customers'needs better than our competitors. We take advantage of the latest technology advancements to meet the even- demanding needs of the market.

Our mission is to provide effective products with reliable quality. quick lead-time and good after-sale service to our customers

Beiste = Best products with specialist

Attributes

Smart

Smart is being visionary ,being able to think-ahead and redefine existing notions and perceptions of power, creating innovative products with strong insight.

Responsible

Beiste acts the reliable,trustworthy power leader-who promise to deliver good quality and efficient-power solutions for a greener tomorrow.

Engage

Engage refers to the empathy of user's needs and problems. It supports activities in the context of usage ,beyond a simplistic single-dimensional-product.

Product Overview

