Since 2002

avi®

ELECTRONIC

DATA CABLE • CHARGER • ADAPTER



CHANGZHOU AVI ELECTRONIC CO., LTD.

www.avitronic.com www.globalsources.com/avi.co

AVI Style




Cable Workshop


High Frequency Spark Test


Laying-Up


Automatic Welding


Hot-Bar


HDMI 2.1 8K Test


RoHS Test


TDR Test


SMT Workshop



Charger Assembly Workshop


Automatic Component Insertion Machine


Multi-function Power Tester


Aging Test


Power Performance Lab


Drum Drop Test


Surge Test

INTRODUCTION OF **AVI**

Changzhou AVI Electronic

Founded 2002 | 24 Years | 15,000 m² | 200 Employees | USD 25 Mil. Annual Sales.

Products

Mobile & PC Accessories: Data cables, Chargers, Hubs, Adapters, HDMI & MIC Cables.

Markets

USA, Europe, SEA; OEMs & top-tier brands.

Certifications

ISO 9001/14001/45001, CE, RoHS, REACH, FCC, USB-IF, MFi, BSCI.

Vision

Integrity & Quality—driving sustainable, trusted partnerships worldwide.



Contents

GaN PD Wall Charger....03
Digital Display Wall Charger....04
Portable Retractable Wall Charger....05
Ultra-Thin Series Wall Charger....06
Multi-function Charger....07
USB 3.2/4.0 Cable....08
TPE/Silicone Cable....10
Ultra-Thin Flat Cable....11
LED Cable....12
Magnetic Cable....13
Multi-function Cable....14
Classic Styling....17
Car Charger....18
Wireless Charger....20
HUB....22
Conversion Cable & Adapter....23
Package....25







LM06-2079

Transparent Shell PD Wall Charger
Input: AC110-240V 50/60Hz
A: Single Type-C 20W/25W/30W
B: USB A+Type-C 20W/25W/30W
US/EU/UK



LM06-2083

Spray Painting GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 30W/65W
B: USB A+Type-C 30W/65W
C: Dual Type-C 30W
D: USB A+2*Type-C 65W
US/EU



LM06-2084

Spray Painting GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 20W/30W/45W/65W
B: USB A+Type-C 20W/30W/45W/65W
C: Dual Type-C 20W/30W/45W/65W
D: USB A+2*Type-C 45W/65W
US/EU/UK



LM06-2130

65W GaN PD Wall Charger
With TFT Display & 0.65M Portable
Retractable Magnetic Cable
Input: AC 110-240V 50/60Hz
Output:
USB-C1/C2: 5V3A 9V3A 12V3A 15V3A
20V3.25A (65W)
USB A: 5V2.4A 9V2A 12V1.5A
Type-C1+Type-C2: 45W+20W
Type-C1+A: 45W+18W
Type-C2+USB A: 5V2.4A
UK/EU



LM06-2131

65W GaN PD Wall Charger With TFT Display
Input: AC 110-240V 50/60Hz
Output:
USB-C1/C2 : 5V3A 9V3A 12V3A 15V3A
20V3.25A (65W)
USB-A: 5V2.4A 9V2A 12V1.5A
USB-C1+USB-C2: 45W+20W
USB-C1+A: 45W+18W
USB-C2+USB-A: 5V2.4A
C1+C2+A: 45W+12W
UK/EU



LM06-2133

GaN PD Wall Charger With LED Display
Input: AC 100-240V 50/60Hz
Output:
USB A+Type-C 30W/45W
US/EU/UK



LM06-2086

High Power GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: USB A+2*Type-C 65W
B: USB A+3*Type-C 100W/140W
EU/UK/AU/IN



LM06-2093

65W GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
USB A+2*Type-C
US/EU/UK/AU/IN



LM06-2095

GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C
20W/25W/30W/45W/65W
B: USB A+Type-C
20W/25W/30W/45W/65W/100W
C: Dual Type-C 30W/45W/65W
D: USB A+2Type-C 65W/100W
Plug: EU/US/AU/UK(Folding Prongs)
/UK（Fixed Prongs)



LM06-2140

Spray Painting GaN PD Wall Charger
With LCD Display
Input: AC 110-240V 50/60Hz
Output:
A: USB A+2*Type-C 65W
B: USB A+2*Type-C 100W
US/EU/UK



LM06-2141

GaN PD Wall Charger With TFT Display
Input: AC 110V-240V 50/60Hz
Output:
Type-C: 5V3A 9V3A 12V3A 15V3A 20V2.25A
US/EU/UK



LM06-2151

GaN PD Wall Charger With TFT Display
Input: AC 100-240V 50/60Hz
Output:
A: Type-C 45W
B: Type-C 65W
EU/UK

Portable Retractable Charger



LM06-2142

GaN PD Wall Charger
With 80CM Portable Retractable Cable
Input: AC 100-240V 50/60Hz
Output:
A: Dual Type-C 20W/30W/45W/65W
B: USB+Type-C 20W/30W/45W
C: USB+2*Type-C 45W/65W
US/EU/UK/AU/IN

Ultra-Thin Series



LM06-2137

Ultra-Thin Series GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C
20W/25W/30W/45W/65W
B: USB A+Type-C
20W/25W/30W/45W/65W
C: Dual Type-C 30W/45W/65W
Plug: EU



LM06-2128

65W GaN PD Wall Charger
With Portable Retractable Magnetic Cable
Input: AC 110-240V Total: 65W
Output:
Cable Type-C1: 5V3A 9V3A 12V3A 15V3A
20V3.25A PPS: 3.3-21V3A
Type-C2: 5V3A 9V3A 12V3A 15V3A
20V3.25A PPS: 3.3-21V3A
USB A: 5V3A 9V2A 12V1.5A
C1+C2 45W+20W C2+A 5V3A
Plug: US/EU



LM06-2134

45W GaN PD Wall Charger
With Portable Retractable Cable
Input: 100-240VAC 50/60Hz
Output:
USB-C/Cable-C: PD3.0: 5V3A 9V2.77A
12V2.08A
USB A: QC: 5V3A 9V2A 12V1.5A
Cable-L: PD3.0: 5V3A 9V2.22A 12V1.67A
USB-C+USB A: 25W+18W,Max 43W
Cable-C+Cable-L: 25W+20W,Max 45W
US/EU/UK



LM06-2135

GaN PD Wall Charger
With Portable Retractable Cable
Input: 100-240VAC 50/60Hz
Output:
A: Dual Type-C 36W
B: Dual Type-C 65W
EU



LM06-2077

Ultra-Thin Series GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 20W/25W/30W
B: USB A+Type-C 20W/25W/30W
C: Dual Type-C 20W/25W/30W
Plug: EU



LM06-2085

Ultra-Thin Series GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 20W/30W/45W/65W
B: USB A+Type-C 20W/30W/45W/65W
Plug: US/EU



LM06-2087

Ultra-Thin Series
100W GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
4*Type-C+2*USB A
With 1.5 Meters Power Cable
Plug: US/EU/UK



LM06-2143

45W GaN PD Wall Charger
With 0.7Meter Portable Retractable Magnetic Cable
Input: AC 100-240V 50/60Hz
Output:
USB+2*Type-C
Plug: US/EU



LM06-2144

Mirror Surface GaN PD Wall Charger
With Portable Retractable Magnetic Cable
Input: AC 110-240V
Output:
A: USB+2*Type-C 45W
B: USB+2*Type-C 65W
Plug: US/EU



LM06-2152

Ultra-Thin Series 65W GaN PD Wall Charger
With Portable Retractable Magnetic Cable
Input: AC 110-240V Total: 65W
Output:
C1/C2: 5V3A 9V3A 12V3A 15V3A 20V3.25A
USB-A: 5V2.4A 9V2A 12V1.5A
C1+C2: 45W+20W
C1+A: 45W+18W
C2+A: 12W
C1+C2+A: 45W+12W
Plug: EU/UK/KR



LM06-2088

Ultra-Thin Series GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 45W/65W
B: USB A+Type-C 45W/65W
C: Dual Type-C 45W/65W
Plug: US/EU/UK/AU



LM06-2089

Ultra-Thin Series GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
A: Single Type-C 20W/30W/35W
B: USB A+Type-C 20W/30W/35W
C: Dual Type-C 20W/30W/35W
Plug: US/EU



LM06-2136

Ultra-Thin Series
65W GaN PD Wall Charger
Input: AC 100-240V 50/60Hz
Output:
USB A+Type-C
Foldable EU Prongs



LM06-2414

105W Multifunctional Desktop Charger
With Retractable Cable & Wireless Charger
Input: AC 100-240V 50/60Hz
Output:
USB A+Type-C+2*Type-C Cable+15W
Wireless Charger+5W Airpods Charger
Plug: US/EU/UK



LM06-1647

Type-C M-M 240W Full-function Elbow
Cable With Portable Keychain
A:10Gbps B:20Gbps C:40Gbps D:80Gbps

LM06-2415

105W Multifunctional Desktop Charger
With 1.5 Meter Power Cable & Stand
Input: AC 100-240V 50/60Hz
Output:
Type-C1 65W+Type-C2/3
20W+USB A1/A2 QC18W
Plug: US/EU/UK



LM06-2416

130W Multifunctional Desktop Charger
With 1.5 Meter Power Cable & Stand
Input: AC110-240V 50/60Hz
Output:
USB-C1/C2: 140W(MAX) USB-C3/C4: 100W(MAX)
USB-C5/C6: 65W(MAX) USB-A1/A2 60W(MAX)
USB-C1/C2+USB-C3/C4/C5/C6:
65W+65W 130(MAX)
USB-C1/C2/C3/C4/C5/C6+USB-A1/A2:
65W+60W 125W(MAX)
Total Output: USB-C1+USB-C2+
(USB-C3+USB-C4)+(USB-C5+USB-C6)+
(USB-A1+USB-A2)=65W+20W+15W+
15W+15W 130W(MAX)
Plug: US/EU/UK





LM06-1648

Type-C M-M Full-function Cable
Coaxial Or Twisted
A: 10Gbps B: 20Gbps C: 40Gbps D: 80Gbps
Metal Shell Insert Molding



LM06-1649

Type-C M-M Full-function Cable
Coaxial Or Twisted
A: 10Gbps B: 20Gbps C: 40Gbps D: 80Gbps
Metal Shell Insert Molding

LM06-2417

Intelligent Multi Outlets Socket Charger
Travel Adapter With TFT Display
Input: 100-250V 10A Max, 50/60Hz
250V-10A/2500W 100V 10A/1000W
Output:
C1/C2 100W(MAX)
C3 20W(MAX)
A1 18W(MAX)
C1+C2+(C3+A1) Total Output:
45W+35W+15W(100.0W Max)



LM06-2418

Multifunctional Power Cube With 1.8 Meter Power Cable
Separable Light Desktop Charger
Rated Power: 250V@4000W
Rated Current: 16A
A: 2C1A(20W)+AC Receptacle*4
B: 2C2A(30W)+AC Receptacle*4
Optional Matching Part: Night Light
Plug: US/EU/UK





LM06-1650

Type-C M-M Full-function Cable
A: 10Gbps B: 20Gbps C: 40Gbps D: 80Gbps
Metal Shell Insert Molding



LM06-1651

Type-C M-M Full-function Cable
A: 10Gbps B: 20Gbps C: 40Gbps D: 80Gbps
Metal Shell Insert Molding

LM06-2419

Intelligent Multi Outlets Socket Power Strip
With 2 Meter Power Cable & Retractable Cable
Rated Power: 110-250V @2500W
Rated Current: 10A
Output:
A: 2C2A(20W)+Type-C Cable(20W)+
AC Receptacle*2 EU/UK/General
B: 2C2A(20W)+Type-C Cable(20W)+
AC Receptacle*4 US
Plug: US/EU/UK/General



LM06-2420

Intelligent Multi Outlets Socket Power Strip
With 1.5 Meter Power Cable
Rated Power: 250V@4000W
Rated Current: 16A
Output:
2C1A(30W)+AC Receptacle*2
Plug: US/EU/UK





LM06-1635

Type-C M-M Full-function Cable
A:10Gbps B:20Gbps C:40Gbps D:80Gbps
Metal Shell Insert Molding



LM06-1308

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning



LM06-1614

USB 3.2/4.0 Type-C M-M
A: 10Gbps B: 20Gbps C: 40Gbps
Metal Shell Insert Molding



LM06-1625

USB 3.2/4.0 Type-C M-M
A: 10Gbps B: 20Gbps C: 40Gbps
Metal Shell Insert Molding



LM06-1628

USB 4.0 Type-C M-M
40Gbps 100W-240W
Digital Display Cable



LM06-1652

USB 4.0 Type-C M-M
40Gbps 100W-240W
Digital Display Cable



LM06-1185

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Gradient Dual Color



LM06-1291

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Dual Color Molding



LM06-1292

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Dual Color Molding
TPE/Silicone Cable



LM06-1646

USB 3.2/4.0 Type-C M-M
A: Type-C M-M 10/20/40/80Gbps
B: Type-C M-F 10/20/40Gbps
Molding Type



LM06-1653

USB 3.2/4.0 Type-C M-M
A: 10Gbps B: 20Gbps C: 40Gbps
Molding Type



LM06-1654

USB 3.2/4.0 Type-C M-M
A: Type-C M-M 10/20/40/80Gbps
B: USB AM-Type-C M 5/10Gbps
Metal Shell Insert Molding



LM06-1508

USB 3.0 A+Type-C M-Type-C M
2 in 1
Metal Shell



LM06-1234

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
TPE/Silicone Cable



LM06-1196

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Metal Shell+Nylon Braid



LM06-1223

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Dual Color Molding Type



LM06-1842

Ultra-Thin Series
2 in 1 Zinc Shell+Nylon Braid Flat Cable
Type-C To Type-C+Lightning



LM06-1163

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Zinc Alloy Shell
Geek Cable With LED Lamp



LM06-1289

Ultra-Thin Series
Zinc Shell+Nylon Braid Flat Cable
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1294

Blade Series Transparent
Double-Layer Silicone Cable
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1229

Ultra-Thin Series
AL/ABS Shell+Nylon Braid Flat Cable
A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning



LM06-1199

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Metal Shell With Colorful LED



LM06-1319

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Metal Shell With Colorful LED



LM06-1310

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Metal Shell With Colorful LED



LM06-1218

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
ABS Shell (Gradient Color)



LM06-1298

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Zinc Shell+Nylon Braid



LM06-1299

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Zinc Shell+Nylon Braid



LM06-1307

OLED Intelligent Digital Display Cable
Type-C To Type-C
240W/100W/60W



LM06-1316

OLED Intelligent Digital Display Cable
A: Type-C To Type-C 100W
B: Type-C To Lightning



LM06-1318

Digital Display Silicone Cable
A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning



LM06-1193

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning



LM06-1729

4 in 1 Cable
Type-C+USB AM to
Type-C+Lightning
Metal Shell



LM06-1194

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Magnetic+Silicone Cable



LM06-1198

Ultra-Thin Series Magnetic Flat Cable
AL Shell+Nylon Braid
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1315

Dual Color Magnetic Cable
A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning



LM06-1726

2 in 1 Cable
A: Type-C To Type-C+iWatch
B: Type-C To Lightning+iWatch
Metal Shell+Nylon Braid



LM06-1727

Multi-function Cable
A: Type-C To Type-C+Lightning
B: USB A+Type-C To Type-C+Lightning
Metal Shell+Nylon Braid



LM06-1730

2 in 2 Cable
Type-C+USB AM To Type-C
+Lightning
Metal Shell



LM06-1185

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Magnetic+Metal Shell



LM06-1290

A: USB AM to Lightning
B: USB AM to Type-C
C: Type-C to Type-C
D: Type-C to Lightning
Metal Shell Magnetic Cable



LM06-1845

USB AM+Type-C To Type-C+Lightning
2 in 2 Magnetic Cable



LM06-1737

Zinc Digital Display Cable
A: Type-C To 2*Type-C
B: Type-C To Type-C+Lightning



LM06-1828

Geek Multi-function Flat Cable
A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
E: 2 in 2 USB AM+Type-C To
Type-C+Lightning



LM06-1861

2 in 2 Multi-function Cable
With Colorful LED
Type-C+USB AM To Type-C+Lightning
Metal Shell+Silicone/Nylon Braid



LM06-1777

A: Type-C To Type-C
B: Type-C To Lightning
C: Type-C To Type-C+Lightning
Zinc Lanyard Cable



LM06-1722

A: Type-C to Type-C
B: Type-C to Lightning
Zinc Lanyard Cable



LM06-1723

A: Type-C To Type-C
B: Type-C To Lightning
Metal Lanyard Cable



LM06-1778

Zinc Lanyard Cable
Silicone/Nylon Braid
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1733

Ultra-Thin Series
Portable Keychain Cable
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1734

Portable Keychain Silicone Cable
Type-C To Type-C



LM06-1735

Ultra-Thin Series
Lanyard Cable
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1197

Full-Protocol Intelligent Conversion Cable
Type-C To Type-C 140W



LM06-1738

Retractable Keychain Portable Cable
A: Type-C To Type-C
B: Type-C To Lightning



LM06-1740

Multi-function 2 in 1 Retractable Keychain Portable Cable
Type-C To Type-C+Lightning



LM06-1841

Zinc Alloy Bracket Cable
Type-C M-M 60W/240W



LM06-1847

Zinc Alloy Bracket Cable
Type-C M-M 60W/240W



LM06-1844

Zinc Alloy Bracket Cable
Type-C M-M 60W/240W



LM06-1843

Zinc Alloy Bracket Adapter



LM06-1848

Zinc Alloy Bracket Adapter



LM06-1849

Type-C Adapter
Cigarette Lighter



LM06-1249

A: USB AM To Lightning
B: USB AM To Type-C
C: Type-C To Type-C
D: Type-C To Lightning
Visual Connector



LM06-1217

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Dual Color Molding Type



LM06-1221

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Molding Type Flat Cable



LM06-1137

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell+Nylon Braid



LM06-1184

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell Insert Molding



LM06-1186

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell Insert Molding



LM06-1122

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell Insert Molding



LM06-1103

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell+Nylon Braid



LM06-1104

A: USB AM To Lightning
B: USB AM To Android Micro
C: USB AM To Type-C
D: Type-C To Type-C
E: Type-C To Lightning
Metal Shell Insert Molding



LM06-2629

Input: DC12-24V
Output:
USB-A: QC 18W 5V/3A 9V/2A 12V/1.5A
Type-C: PD 30W 5V/3A 9V/3A 12V/2.5A
Total: 48W Max

LM06-2625

Zinc Transparent Shell Car Charger
Input: DC12-24V
Output:
USB-A: QC 18W 5V/3A 9V/2A
12V/1.5A
Type-C1/C2: PD 25W 5V3A 9V2.78A
12V2.25A
Total: 68W Max



LM06-262601

Car Charger With Ambient Light & LED Display
Input: DC12-24V
Output:
USB-A: 5V/3.1A
Type-C1: PD 30W 5V3A 9V3A 12V2.5A
Type-C2: PD 5V3.1A
Total: 45W Max



LM06-2628

Car Charger With Ambient Light
Input: DC12-24V
Output:
USB-A1/A2: QC 18W 5V/3A 9V/2A
12V/1.5A
Type-C1/C2: PD 30W 5V3A 9V3A
12V2.5A
Total: 60W Max



LM06-263001

Car Charger With Ambient Light
Input: DC12-24V
Output:
USB-A1: QC 18W 5V/3A 9V/2A
12V/1.5A
Type-C1/C2: PD 30W 5V3A 9V3A
12V2.5A
Total: 78W Max



LM06-2626

Car Charger With Ambient Light
Input: DC12-24V
Output:
USB-A1: QC 18W 5V/3A 9V/2A
12V/1.5A
USB-A2: 5V/3.1A
Type-C1: PD 30W 5V3A 9V3A 12V2.5A
Type-C2: PD 5V3.1A
Total: 63W Max



LM06-2627

Car Charger With Ambient Light
Input: DC12-24V
Output:
USB-A: QC 18W 5V/3A 9V/2A
12V/1.5A
Type-C1/C2: PD 30W 5V3A 9V3A
12V2.5A
Total: 60W Max



LM06-2630

Car Charger With Ambient Light
Input: DC12-24V
Output:
USB-A1: QC 18W 5V/3A 9V/2A
12V/1.5A
Type-C1: PD 30W 5V3A 9V3A 12V2.5A
Total: 48W Max



LM06-2631

Car Charger With LED Display
Input: DC12-24V
Output:
USB-A1: QC 18W 5V/3A 9V/2A 12V/1.5A
USB-A2: 5V/3.1A
Type-C1: PD 30W 5V3A 9V3A 12V2.5A
Type-C2: PD 5V3.1A
Total: 63W Max





LM06-2634

Multifunctional Car Charger With One Microphone
FM Transmitter & Bluetooth Audio Receiver & U-Disk Playback
Charger Output
Charger Output Type-C/USB-A: 5V 3.1A
Battery Capacity: 800mAh
HFP&A2DP Music Streaming





LM03-2552

Input: 5V/3A 9V/3A 12V/3A 15V/3A
Output:
25W Max For iPhone
5W Max For iWatch
5W Max For AirPods
Material: Zinc Alloy
With Heat Dissipation & Night Light

LM06-2620

Car Charger With LED Display & Portable Retractable Cable
Input: DC12-24V
Output:
Cable: 5V3A 9V3A 12V2.5A 15V2A 20V1.5A (30W Max)
USB-C: 5V3A 9V2.22A 12V1.67A (20W Max)
USB A: 5V3A 9V2A 12V1.5A (18W Max)



LM06-2621

Car Charger With Retractable Cable
Input: DC12-24V Output: 125W/96W
TYPE-C Cable(65W/33W Max): 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A
PPS3.3-11V/3.25A
USB-C (30W Max): 5V/3A 9V/3A 12V/2.5A
USB-A (30W Max): 5V/3A 9V/3A 12V/2.5A
Type-C Cable+USB-C+USB A
=65W+30W+30W=125W





LM03-2555

Qi2.2 Magnetic Wireless Charger
Input: 3.3V-21V
Output:
5W/7.5W/10W/15W/25W(MAX)
Material: AL Alloy



LM03-2549

Qi2.2 3 in 1 Magnetic Wireless Charger Foldable & Liftable & Night Light
Input: 12V/3A
Output:
Mobile Phone:
5W/7.5W/10W/15W/25W(MAX)
iWatch: 3W(MAX)
Wireless Earphone: 2.5W(MAX)



LM03-2550

3 in1 Magnetic Wireless Charger Qi2.2
Input: DC 9V/3A 12V/3A 15V/3A
Output: 25W/15W/10W/7.5W/5W
Earbuds Output: 5W
Watch Output: 2.5W

LM06-2623

Car Charger With Retractable Cable & LED Display
Input: DC12-24V
Output:
Type-C1 Cable/C2: (30W Max) 5V3A 9V3A 12V2.5A
PPS: 3.3-11V3A
USB-A (30W Max): 5V3A 9V3A 12V2.5A
Total: 90W Max



LM06-2624

Car Charger With Retractable Cable
Input: DC12-24V
Output:
Type-C1 Cable/C2: (30W Max) 5V3A 9V3A 12V2.5A
PPS: 3.3-11V3A
USB-A (30W Max): 5V3A 9V3A 12V2.5A
Total: 60W Max



LM06-2632

Multifunctional Car Charger With Ambient Lighting
FM Transmitter & Bluetooth Audio Receiver & U-Disk Playback
Charger Output Type-C/USB-A: 5V 3.1A
Hands Free Calling



LM06-2633

Multifunctional Car Charger With RGB Colorful Light
FM Transmitter & Bluetooth Audio Receiver & U-Disk Playback
Charger Output
Type-C: (30W Max) 5V3A 9V3A 12V2.5A
USB-A: 5V 3.1A
Total: 45W Max
HFP & A2DP Music Streaming





LM03-2551

Semiconductor Cooling Magnetic 3 in 1 Wireless Charger
Input: 9V/3A 12V/3A 15V/3A
Output: 25W (Max)
Mobile Phone: 5W/7.5W/10W/15W/25W(MAX)
iWatch/Samsung: 3W(MAX)
Wireless Earphone: 5W(MAX)
Cooling Fan: 10W




LM03-2553

3 in 1 MagSafe Magnetic Wireless Charger Holder With Cooling Fan
Input: 9V/3A 12V/3A 15V/3A
Output: 25W (Max)
Mobile Phone: 5W/7.5W/10W/15W/25W(MAX)
iWatch/Samsung: 3W(MAX)
Wireless Earphone: 5W(MAX)
Cooling Fan: 10W



LM03-2554

Qi2.2 3 in 1 Foldable Magnetic Wireless Charger
Input: 12V/3.5A 15V/2.8A
Output:
Mobile Phone: 5W/7.5W/10W/15W/25W(MAX)
iWatch: 2.5W(MAX)
Wireless Earphone: 5W(MAX)



Qi2.2 Magnetic Wireless Power Bank with 67cm Retractable Cable

LM03-2231

Capacity: 20000mAh
Type-C1 Input/Output: PD 100W
Type-C Cable Input/Output: PD 60W
USB A Output: QC3.0 18W/SCP40W/UFCS105W
Wireless Output: 25W/15W/10W/7.5W/5W & 2.5W (iWatch)



10 in 1 USB-C Docking Station For MAC MINI2024

LM03-2077

A: 1*HDMI(4K@60Hz) **B**: 1*DP(4K@60Hz)
2*USB3.0-A(5G/10G)
2*USB2.0-A(480Mbps)
1*TF(SD4.0-312M/s)
1*SD(SD4.0-312M/s)
1*M.2(NvMe/SATA)
1*AUDIO/MIC
1*USB-C/F Power(+5V2A)



LM03-2556

Holder Desktop Qi2.2 MagSafe Magnetic Wireless Charger
With Cooling Fan & Ambient Lighting
Input: 5V-20V 3A
Output: 5W/7.5W/10W/15W/25W



LM03-2557

Holder Desktop Qi2.2 Magnetic Wireless Charger
Input: 5V/2A 9V/3A 15V/3A
Output: 5W/7.5W/10W/15W/25W



LM03-2558

Holder Desktop Qi2.2 Magnetic Wireless Charger
Input: 5V/2A 9V/2A
Output: 5W/7.5W/10W/15W



LM03-2078

USB-C Desktop Docking Station With Base
A: 13 in 1 HDMI 4K30Hz*2+USB3.2*2+ USB3.0*1+USB-C3.0*2+PD100W*1+ RJ451000M*1+SD/TF*1+3.5MM Audio*1
B: 13 in 1 HDMI 4K30Hz+PD100W+VGA+ USB3.0*4+RJ45 1000M+SD/TF+ USB-C3.0*2+audio
C: 15 in 1 HDMI 4K60Hz*2+DP*1+USB3.0*2 +USB3.0*1+USB2.0*2+USB-C3.0*2 +PD100W*1+RJ45 1000M*1+SD/TF*1 +3.5MM Audio*1
D: 15 in 1 HDMI 4K60Hz*3+DP*1+USB3.0*3+ USB2.0*2+USB-C3.0*2+PD100W*1+ RJ451000M*1+SD/TF*1+3.5MM Audio*1



LM03-2079

The Portable Laptop Stands With Docking Station
1*PD+4*USB3.0+1*VGA+1*HDMI(4K 30Hz)+1*RJ45 100M+1*SD+1*TF+1*USB C+1*Audio



LM03-2080

USB C HUB With 0.5 Meter USB C Cable
A: 10 IN 1 1*PD 100W+1*USB-C 3.0 5Gbps+ 1*RJ45 1000M+2*HDMI4K@60Hz+ 1*USB-A 2.0+2*USB-A 3.0+SD/TF 2.0
B: 8 IN 1 1* PD 100W+1*USB-C 3.0 5Gbps+ 1*RJ45 1000M+2*HDMI4K@60Hz+ 1*USB-A 2.0+2*USB-A 3.0



LM03-2559

Heat Dissipation Qi2.2 Magnetic Wireless Charger
With RGB Colorful Light
Input: 5V/2A 9V/3A 15V/3A
Output: 5W/7.5W/10W/15W/25W



LM03-2458

MagSafe Car Wireless Charger
With Ambient Light
Input: 9V/2A
Output: 5W/7.5W/10W/15W



LM03-2230

Magnetic Wireless Power Bank With TFT Display & Stand Qi2.2
Capacity: 10000mAh/5000mAh
Input: USB-C 5V/2A 9V/2A
Output: USB-C PD
5V/2.4A 9V/2.22A 12V/1.67A(20W)
Wireless Output: 25W/15W/10W/7.5W/5W/2W



LM03-2081

5 IN 1 USB C HUB With AI & Voice Button
1*HDMI 4K30Hz+1*USB3.0+1*USB2.0+1*PD 100W+1*3.5MM Audio



LM03-2082

7 IN 1 USB C HUB
A: 1*HDMI 4K@30Hz+1*USB C PD 100W+2*USB A 3.2 10Gbps +1*USB C 3.2 10Gbps+1*SD+1*TF
B: 1*HDMI 4K@30Hz+1*USB C PD 100W+1*USB A 3.0 5Gbps+1*USB A 2.0+1*USB C 2.0+1*SD+1*TF



LM03-2083

USB C HUB ABS Type
A: USB C to: 1*USB A 3.0+2*USB C 2.0
B: 2*USB C to: 1*USB C PD 100W+1*USB A 3.0+1*USB C 2.0 +1*USB A 2.0



LM05-2627

A: RJ45 M-M 1000M With Screw
B: USB 3.0 AM-BM
C: USB 3.0 AM-Micro BM
D: USB 3.0 AM-Type-CM

High-Speed Industrial Grade Data Cable



Multifunctional Audio Conversion AUX Cable

LM03-1764

A: Type-C M To 3.5 Stereo F
B: Lightning M To 3.5 Stereo F
C: Type-C M To 3.5 Stereo M
D: Lightning M To 3.5 Stereo M
E: 3.5 Stereo M-M
F: Type-C M To 3.5 Stereo F+Type-C F
G: Type-C M To 2*Type-C F



LM05-2620

1000Mbps Ethernet Converter Cable
A: Type-C M To RJ45 M
B: USB AM To RJ45 M



LM05-262301

Type-C Conversion Cable
4K30Hz/4K60Hz/8K60Hz
A: Type-C To HDMI AM
B: Type-C To Displayport M
ABS Shell



LM03-1765

Multifunctional Audio Conversion Adapter
A: Type-C M To 3.5 Stereo F+Type-C F 100W
B: Type-C M To Lightning F+Type-C F 100W



LM03-1766

Zinc Alloy Bracket Audio Adapter
A: Type-C M To 2*Type-C F
B: Lightning M To 2*Type-C F
Music Playback & Charging & OTG



LM05-262302

Type-C Conversion Cable
4K30Hz/4K60Hz/8K60Hz
A: Type-C To HDMI AF
B: Type-C To Displayport F
ABS Shell



LM05-2625

Type-C Conversion Cable
4K30Hz/4K60Hz/8K60Hz
A: Type-C To HDMI AM
B: Type-C To Displayport M
C: Type-C To HDMI AF
AL Shell



LM03-1767

USB To DC PD Trigger Cable
A: Type-C M-DC M 5.5*2.1 60W/100W
B: Type-C M-DC M 5.5*2.5 60W/100W



LM03-1768

USB To DC PD Trigger Adapter
A: Type-C M-DC F 5.5*2.1 60W/100W
B: Type-C M-DC F 5.5*2.5 60W/100W



LM05-2628

Type-C Conversion Cable
8K60Hz
Type-C To HDMI AM
AL Shell



LM05-2629

Type-C Conversion Cable 4K60Hz
A: Type-C To HDMI AM
B: Type-C To Displayport M
AL Shell



LM03-1769

1000Mbps Ethernet Converter Adapter
Type-C F To RJ45 M



LM05-2632

Wireless HDMI Screen Mirroring Dongle
With Type-C Power Input
A: 1TX & 1RX
B: 8TX & 1RX
C: 1TX & 4RX



LM05-2630

Type-C Conversion Cable
4K60Hz
A: Type-C To HDMI AF
B: Type-C To Displayport F
AL Shell



LM05-2631

4 in 1 Cable With IC Control Type-C +USB AM To Type-C +USB AM
A: USB 3.0 5Gbps
B: USB 2.0 480Mbps
Bidirectional Data Transmission Only
Metal Shell



LM03-1770

CarPlay Box
Aluminum-Alloy
With Type-C Adapter



LM03-1771

Bluetooth Receiver
A: Support TF Card Function
B: Without TF Card Function
Li-Battery: 120mAh
Working Time: 6-7H







LM11-1066 Gift Box Series



















LM11-1063 Gift Box Series











LM11-1212 Blister Box











LM11-1406 Paper Suspension Card











LM11-1407 Paper Hanging Card



LM11-1314

Display Stand
Material: Plastic/Paper
Size: 60*40*170cm



LM11-1315

Display Box
Material: Corrugated Paper



LM11-1316

360° Rotation Display Stand
Material: PVC Foam Board
Size: 60*80cm



CHANGZHOU AVI ELECTRONIC CO., LTD.

Add.: Xilin Industrial Zone Zhonglou
Changzhou Jiangsu 213024 China.
TEL: 0086-519-85152932
Mobile: 0086-13951232696
E-mail: av1001@avitronic.com
laimeidz@lemicable.cn

WeChat: LMDZ1001
WhatsApp: 0086-13951232696
Teams: avitronics01
LinkedIn: Hua Zou Changzhou AVI
Website: www.avitronic.com
www.globalsources.com/avi.co