



**GUANG ZHOU BAI TAI RUI TE TRADING CO., LTD**  
**廣州柏泰銳特商貿有限公司**

[www.wotaer.com](http://www.wotaer.com)





*A Brand That Satisfied Consumer, That Make Money For Dealers*



# COMPANY PROFILE



Why do we engage in foreign trade?

Because every cross-border transaction is a journey of trust that transcends mountains and seas.

When our products enter the homes of different countries and gain recognition from foreign customers, we not only realize commercial value but also weave the bonds between people and cultures.

This is not merely business; it is a stage for the world to see us and a journey where our efforts shine brightly.

---

*Only for best quality.*



# SCREEN PROTECTOR CUTTING MACHINE SERIES



Infinite cutting Free of charge forever



# 390-AUTO Cutting Machine

## High Hardness Film

Perfectly cuts 3-9H high hardness films.

BREAKTHROUGH ON-DEMAND CUTTING TECHNOLOGY  
LEADING THE HIGH HARDNESS PROTECTIVE FILM MARKET



Automatic  
Adjustment of Blade  
Tip Length & Cutting  
Pressure

# NB900 SMART CLOUDDATA DIE CUTTING MACHINE

PROVIDE PERSONALIZED CUSTOMIZATION SERVICES  
FOR DIGITAL PRODUCTS ANYTIME ANYWHERE



Camera positioning customizable  
cutting accurately identifying  
pattern contours



1. SWITCH PAPER SIZE
2. SCAN THE QR CODE TO ADD AN IMAGE
3. ADD MARKER POINTS
4. CONNECTING A PRINTER
5. CREATE A PROFILE
6. CLICK TO CUT



Equipped with speaker function,  
operation is broadcasted through voice  
**optional:** There is also AI dialogue function

## NB886

- Supports making screen protectors for mobile phones, tables, smartwatches and laptops;
- Unlimited cutting, no need to scan QR code;
- Huge database data, free update of new templates;
- Directly connected to printer, DIY back film pattern;
- Offline database, supports local template editing.
- Support sending PLT files from computers to achieve custom file cutting.
- Supports the function of cutting along the edge (optional)
- Supports laser preview function (optional)

### Model

- NB886-230 Max size support: 14 inches  
Netweight: 5.6kg Gross weight: 7.4kg  
Product size: 491\*180\*157mm  
Packing dimensions: 560\*265\*195mm
- NB886-290 Max size support: 16 inches  
Netweight: 5.9kg Gross weight: 7.7kg  
Product size: 536\*180\*157mm  
Packing dimensions: 620\*265\*195mm





## ND310

- Offline database, run independent on network;
- Direct connection to printer, support DIY back film patterns;
- Support screen protector under 20 inches;
- Offline database, supports local template editing.
- Support sending PLT files from computers to achieve custom file cutting.
- Supports the function of cutting along the edge (optional)
- Supports laser preview function (optional)

### Model

- ND310 Max size support: 14 inches  
Netweight: 5.4kg Gross weight: 6.5kg  
Product size: 550\*210\*180mm  
Packing dimensions: 625\*300\*252mm
- ND390 Max size support: 16 inches  
Netweight: 7.5kg Gross weight: 8.5kg  
Product size: 630\*210\*180mm  
Packing dimensions: 720\*310\*265mm
- ND500 Max size support: 20 inches  
Netweight: 10.5kg Gross weight: 11.5kg  
Product size: 740\*210\*180mm  
Packing dimensions: 770\*310\*265mm



16 inches

14 inches

20 inches



# DIY to create wonderful

By connecting the screen protector machine to the printer, you can customize a variety of wonderful back films.





PT4pro



PT4

## PT4 / PT4pro

- Offline database, run independent on network;
- Direct connection to printer, support DIY back film patterns;
- New design appearance, high-performance, silent and fast cutting;
- Offline database, supports local template editing.

### Model

- PT4  
Netweight: 4.8kg    Gross weight: 6.8kg  
Product size: 310\*280\*160mm  
Packing dimensions: 385\*390\*285mm
- PT4pro Max size support: 7 inches  
Netweight: 5.6kg    Gross weight: 7.6kg  
Product size: 310\*280\*160mm (Without a display screen)  
Packing dimensions: 470\*390\*285mm



## NB998

- Efficient induction automatic induction film feeding;
- Unlimited cutting, no need to scan QR code;
- Huge database data, free update of new templates;
- Cutting and paste all in-one machine;
- Directly connected to printer, DIY back film pattern;
- Offline database, supports local template editing.

### Model

- NB998  
Netweight: 9.3kg    Gross weight: 10.3kg  
Product size: 450\*210\*235mm  
Packing dimensions: 520\*300\*300mm





## A5 UV Printer

- Automatic cleaning, Intelligent printing;
- Variable ink dot white color prints simultaneously;
- Intelligent Positioning, High-Jet Printing;
- Wireless operation, freer printing with mobile phones;
- High resolution printing Restore the real picture.

### Model

- A5 UV Printer Printing area Epson Gen 10 XP600  
Netweight: 26kg Gross weight: 40kg  
Product size: 550\*370\*370mm  
Packing dimensions: 660\*480\*480mm




## Thermal sublimation printer

---

- 16 million widecolor gamut strong color fastness never fade;
- Easy connecting, one click print;
- Photo print available, available for multi demand;
- DIY back film pattern;
- Dye sublimation print gently concealing Colorful, authentic.

### Model

- Thermal sublimation printer  
Netweight: 1.4kg    Gross weight: 2.45kg  
Product size: 205\*125\*86mm  
Packing dimensions: 265\*265\*165mm



# ONE STOP SERVICE FROM MACHINE TO MATERIAL



One-stop shopping





## Scraping card/Anti-skid pad/Tool kit.

- Small scraping card size: 55\*92mm
  - Large scraping card size: 60\*160mm
  - Anti-skid pad size: 220\*130mm
  - Tool kit size: 65\*130mm
- \* The above sizes can be customized.

## HD / Matte Hydraulic Screen Protector.

- Size: 120\*190mm
- Material: 160U TPU
- Applicable for: all kinds of screen such as mobile/tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*30\*195mm

1850 PCS / Carton: 470\*380\*300mm





## HD / Matte Flexible hydrog Screen Protector.

- Size: 120\*190mm
- Material: TPH
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*30\*195mm

1850 PCS / Carton: 470\*380\*300mm

## HD / Matte Auto-repairing Screen Protector.

- Size: 120\*190mm
- Material: 250U EPU
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*30\*195mm

1850 PCS / Carton: 470\*380\*300mm





## HD / Matte Privacy-selfrepairing Screen Protector.

- Size: 120\*180mm
- Material: EPU PRIVACY
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*30\*195mm

1850 PCS / Carton: 470\*380\*300mm

## 9H Nano Screen Protector.

- Size: 120\*180mm
- Material: 8H / 9H
- Applicable for: suitable for all kinds of flat mobile phones

### Packing specification

25 PCS / BOX: 124\*21\*185mm

1300 PCS / Carton: 480\*390\*28mm





## HD Privacy Screen Protector.

- Size: 120\*180mm
- Material: HD PRIVACY
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*23\*193mm

1600 PCS / Carton: 470\*380\*280mm



## HD / Matte Flexible Explosion-proof Screen Protector.

- Size: 120\*190mm
- Material: HD/MATTE
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*23\*193mm

1600 PCS / Carton: 470\*380\*280mm

## HD / Matte privacy Screen Protector.

- Size: 120\*180mm
- Material: TPU
- Applicable for: all kinds of screen such as mobile /tablet/laptop etc.

### Packing specification

50 PCS / BOX: 125\*23\*193mm

1600 PCS / Carton: 470\*380\*280mm





## 250UV Anti-oil pollution Screen Protector.

- Size: 120\*180mm
- Material: 250U silica gel
- Applicable for: mobile phone screen
- Anti-oil-stain, super smooth

### Packing specification

100 PCS / BOX: 262\*88\*162mm

800 PCS / Carton: 530\*370\*180mm



## UV HD / Matte Privacy Screen Protector.

- Size: 120\*180mm
- Material: 250U privacy silica gel
- Applicable for: mobile phone screen

### Packing specification

100 PCS / BOX: 262\*88\*162mm

800 PCS / Carton: 530\*370\*180mm

## UV HD / Matte Screen Protector.

- Size: 120\*180mm
- Material: 185U
- Applicable for: mobile phone screen

### Packing specification

100 PCS / BOX: 262\*88\*162mm

800 PCS / Carton: 530\*370\*180mm



## UV HD / Matte Screen Protector.

- Size: 120\*180mm
- Material: 250U silica gel
- Applicable for: mobile phone screen

### Packing specification

100 PCS / BOX: 262\*88\*162mm

800 PCS / Carton: 530\*370\*180mm



## UV HD / Matte Screen Protector.

- Size: 120\*180mm
- Material: 185U mixed glue
- Applicable for: mobile phone screen

### Packing specification

100 PCS / BOX: 262\*88\*162mm

800 PCS / Carton: 530\*370\*180mm





## Crocodile / Geometric texture

- Size: 120\*190mm
- Material: PVC three-layer structure
- Features: Texture is full, and the feel experience is good

### Packing specification

50 PCS / BOX: 210\*130\*24mm

1600 PCS / Carton: 440\*290\*240mm

Customized orders are welcome.

## Luminous.

- Size: 120\*190mm
- Material: PVC three-layer structure
- Features: High luminous brightness and long service life

### Packing specification

50 PCS / BOX: 210\*130\*24mm

1600 PCS / Carton: 440\*290\*240mm

Customized orders are welcome.





## 3M Leather Stickers.

---

- Size: 120\*190mm
- Material: PVC two-layer structure
- Features: Clear surface texture, with obvious concave-convex feeling

### Packing specification

50 PCS / BOX: 210\*130\*24mm

1600 PCS / Carton: 440\*290\*240mm

Customized orders are welcome.

## 4PA / 6PA / 8PA Mobile phone skin stickers.

- Size: 120\*190mm
- Material: PVC three-layer structure
- Features: Clear pattern and good touch feel, preserve original back colour

### Packing specification

50 PCS / BOX: 210\*130\*24mm


1600 PCS / Carton: 440\*290\*240mm

Customized orders are welcome.



## Skin Scroll.

- Size: 300\*1000mm
- Material: PVC two-layer structure
- Features: Suitable for various electrical appliances and various electronic equipment surfaces for skin-like protective bonding. In high demand in the Indian region.



Scan the code to view  
more skin styles



# Tempered glass protective series

Ten years of quality casting, only for the best quality





## 45KG Super Rock Harchess Glass.

- Glass material: 0.4mm high aluminum
- AB glue: 280
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Drop ball test: 110G 2meters 3 time no broken
- Edge pressure: 45kg
- Model: iPhone
- MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm

## 300C Large Window HD/Privacy.

- Glass material: 0.65mm high aluminum
- AB glue: 280and380and410
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Edge pressure: 300C 35kg
- Model: iPhone      MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200PCS / Carton: 480\*470\*400mm





## 360° O HD / Privacy Share Bending Foldingc Glass.

- Glass material: 0.33mm high aluminum
- AB glue: 280and380and410 PRIVACY
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Edge pressure: 200C 35kg
- Model: iPhone      MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm

## 300C Large Curve HD / Privacy.

- Glass material: 0.6mm high aluminum
- AB glue: 280and380and410
- Water drop angle: 115°
- Oil: Electroplating fingerprint oil
- Edge pressure: 300C 35kg
- Model: iPhone      MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 104\*10\*182mm

2 BOX: 575\*415\*125mm

200 PCS / Carton: 590\*435\*290mm





## 360° Privacy Protection Four Directions Glass.

- Glass material: 0.4mm high aluminum
- AB glue: 280
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Privacy perspective: 26°
- Scope: Peeping on all sides
- Edge pressure: 35kg
- Model: iPhone
- MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm

## Fingerprint Unlock 0.18mm HD / Privacy Glass .

- Glass material: 0.188mm high aluminum
- AB glue: 0.188
- Water drop angle: 115°
- Oil: Electroplating fingerprint oil
- Model: iPhone
- MOQ: 100pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm





## Full Cover Big Window-Full Glue.

- Glass material: Samsung: 0.18mm; others: 0.2mm
- AB glue: Side/back fingerprint: 400mm jelly glue; Under-display fingerprint: Mid 380mm, sides 160mm unlocking glue.
- Water drop angle: 115° before grinding and 105° after grinding
- Oil: Electroplating fingerprint oil
- Edge pressure: Ball drop of 50cm
- Model: Samsung & Huawei & Honor & Xiaomi & Oppo & Vivo & 1+ & Google & Moto & Tecno
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm

## One-Minute UV Glass.

- Glass material: Samsung: 0.25mm; others: 0.3mm
- AB glue: ACOMO UV glue from Japan
- Water drop angle: >115°
- Oil: Plasma oiling
- Drop ball test: The falling ball has a diameter of 80cm and weighs 64 grams, and it does not break.
- Transmittance: >93%
- Model: Samsung & Huawei & Honor & Xiaomi & Oppo & Vivo & 1+ & Google & Moto & Tecno & Left-right folding series
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 115\*15\*207mm

200 PCS / Carton: 480\*470\*400mm





## ESD Superedge Anti-Static Glass.

- Glass material: 0.4mm high aluminum
- AB glue: 280
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Edge pressure: 35kg
- Model: iPhone
- MOQ: 100pcs/model

### Packing specification

10 PCS / BOX: 91\*24\*174mm

1500 PCS / Carton: 460\*390\*600mm



## ESD 28°Privacy Anti-Static Glass.

- Glass material: 0.33mm high aluminum
- AB glue: 280
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Model: All model
- MOQ: 100pcs/model

### Packing specification

10 PCS / BOX: 91\*24\*174mm

500 PCS / BOX: 470\*230\*290mm

1000 PCS / Carton: 490\*420\*280mm

## ESD HD Anti-Static Glass.

- Glass material: 0.33mm high aluminum
- AB glue: 280
- Water drop angle: 113°
- Oil: Electroplating fingerprint oil
- Model: All model
- MOQ: 100pcs/model

### Packing specification

10 PCS / BOX: 91\*24\*174mm

500 PCS / BOX: 470\*230\*290mm

1000 PCS / Carton: 490\*420\*280mm





## 3D Magic Whach Glass.

- Glass material: PMMA
- AB glue: 0.45/0.38
- Product advantages: Equipped with a positioning artifact, it fits perfectly. Instant film, not afraid of crooked pasting. Composite nano polymer material, strong and resistant to pressure. Smooth texture and full screen protection.
- Oil: Anti fingerprint coating
- Model: iPhone
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 92\*24\*160mm

200 PCS / Carton: 505\*365\*475mm

# Lens film series

## AR+AF+PVC



Ninety-five explosion-proof glass





## Crystal Diamond LensFilm AR+AF+PVD.

- Glass material: 0.3mm high alumina
- Metal frame : aviation aluminum
- Edge pressure: 95% temper , 45KG resist compression
- AB glue: High-Strength Waterproof Tape: 0.1mm Thin, Holds 2500g
- Water drop angle: The initial water drop angle  $\geq 115^\circ$  , wear-resistant 5000 times, and the water drop angle after grinding  $\geq 105^\circ$
- Oil: Vacuum plating AF
- Silk screen : 0.003mm ultra-thin ink
- Model: iphone
- Transmittance : Vacuum electroplating AR anti-reflection layer, increase reflection and reduce reflection, light transmittance of more than 95%.
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 105\*20\*104mm  
400 PCS / Carton: 460\*460\*540mm

## Dual-color Anti-radiation Lens Film AR+AF+PVD.

- Glass material: 0.3mm high alumina
- Metal frame : aviation aluminum
- Edge pressure: 95% temper, 45KG resist compression
- AB glue: High-Strength Waterproof Tape: 0.1mm Thin, Holds 2500g
- Water drop angle: The initial water drop angle  $\geq 115^\circ$ , wear-resistant 5000 times, and the water drop angle after grinding  $\geq 105^\circ$
- Oil: Vacuum plating AF
- Silk screen : 0.003mm ultra-thin ink
- Model: iphone
- Transmittance : Vacuum electroplating AR anti-reflection layer, increase reflection and reduce reflection, light transmittance of more than 95%.
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 72\*10\*128mm

900 PCS / Carton: 380\*440\*600mm





## Octagonal Lens Film AR+AF+PVD.

- Glass material: 0.3mm high alumina
- Metal frame : aviation aluminum
- Edge pressure: 95% temper, 45KG resist compression
- AB glue: High-Strength Waterproof Tape: 0.1mm Thin, Holds 2500g
- Water drop angle: The initial water drop angle  $\geq 115^\circ$ , wear-resistant 5000 times, and the water drop angle after grinding  $\geq 105^\circ$
- Oil: Vacuum plating AF
- Silk screen : 0.003mm ultra-thin ink
- Model: iphone
- Transmittance : Vacuum electroplating AR anti-reflection layer, increase reflection and reduce reflection, light transmittance of more than 95%.
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 72\*10\*128mm

900 PCS / Carton: 380\*440\*600mm

## Monochrome Anti-radiation Lens Film AR+AF+PVD.

- Glass material: 0.3mm high alumina
- Metal frame : aviation aluminum
- Edge pressure: 95% temper, 45KG resist compression
- AB glue: High-Strength Waterproof Tape: 0.1mm Thin, Holds 2500g
- Water drop angle: The initial water drop angle  $\geq 115^\circ$ , wear-resistant 5000 times, and the water drop angle after grinding  $\geq 105^\circ$
- Oil: Vacuum plating AF
- Silk screen : 0.003mm ultra-thin ink
- Model: iphone
- Transmittance : Vacuum electroplating AR anti-reflection layer, increase reflection and reduce reflection, light transmittance of more than 95%.
- MOQ: 200pcs/model

### Packing specification

1 PCS / BOX: 105\*20\*104mm

400 PCS / Carton: 460\*460\*540mm





Instagram



WeChat Channel



Official Website



Facebook

GUANG ZHOU BAI TAI RUI TE TRADING CO., LTD  
廣州柏泰銳特商貿有限公司

---

Room 314, 3rd Floor, Kangjun Commercial Building, No. 628, Shitian Road,  
Shijing Street, Baiyun District, Guangzhou City

 + (86) 13503048181

 wotaer@outlook.com

 www.wotaer.com