



Docking Stations

OTN-9188S

USB-C Multi-Function Docking Station

USB-C Multi-Function Docking Station

OTN-95109

- HDMI: 4K
- VGA: 2K
- RJ45: 1000/100/10M
- SD Card Reader
- TF Card Reader
- USB 3.0 (×2): 5Gbps
- USB-C: 5Gbps
- USB-C: Host connection
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output
- Wireless Charging



Laptop Docking Station

OTN-95107

- HDMI: 4K
- HDMI: 2K
- RJ45: 100/10M
- SD Card Reader
- TF Card Reader
- USB (×2): USB 3.0+USB 2.0
- USB-C: 480Mb/s
- USB-C: PD 3.0 (100W)
- USB-C: Host connection



12 in 1 Docking Station

OTN-9199

- HDMI (×2): 4K@30Hz
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- TF 3.0 Card Reader
- USB 3.0 (×4): 5Gbps
- USB-C (×1): 5Gbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Mic input and audio output



13 in 1 Docking Station

OTN-9199A

- HDMI: 4K
- VGA: 2K
- RJ45: 100/10M
- SD 2.0 Card Reader
- TF 2.0 Card Reader
- USB 3.0 (×1): 5Gbps
- USB 2.0 (×3): 480Mbps
- USB C (×2): 480Mbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output



onten® | Docking Stations

13 in 1 Docking Station

OTN-9199A+



- HDMI: 4K
- VGA: 2K
- RJ45: 100/10M
- SD Card Reader
- TF Card Reader
- USB 3.0 (×4): 5Gbps
- USB-C (×2): 480Mbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output

11 in 1 Docking Station

OTN-9199S



- HDMI: 4K
- DP: 4K
- VGA: 2K
- RJ45: 100/10M
- SD Card Reader
- TF Card Reader
- USB3.0 (×2): 5G
- USB-C: 5G
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output

USB-C Multi-Function Docking Station

OTN-95116



- HDMI: 4K
- SD 3.0 Card Reader
- TF 3.0 Card Reader
- USB 3.0 (×2): 5Gbps
- USB-C: PD 3.0 (100W)

USB-C Multi-Function Card Reader

OTN-95116B



- SD 3.0 Card Reader
- TF 3.0 Card Reader
- USB 3.0 (×3): 5Gbps
- USB-C: PD 3.0 (100W)

USB-C 4-Port Hub

OTN-95116S



- USB 3.0 (×4): 5Gbps
- USB-C: PD 3.0 (100W)

USB-C Multi-Function Docking Station

OTN-95116D



- HDMI: 4K
- SD Card Reader
- TF Card Reader
- USB 3.0 (×1)+USB 2.0 (×1)
- USB-C: PD 3.0 (100W)

onten® | Docking Stations

9 in 1 USB-C Docking Station

OTN-UC961



- HDMI: 4K
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- TF 3.0 Card Reader
- USB 3.0 (×3): 5Gbps
- USB-C: PD 3.0 (100w)
- 3.5 mm Jack: Mic input / Audio output

10 in 1 USB-C Docking Station

OTN-UC962



- HDMI: 4K
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- TF 3.0 Card Reader
- USB 3.0 (×4): 5Gbps
- USB-C: PD 3.0 (100w)
- 3.5 mm Jack: Mic input / Audio output

USB-C to HDMI (4K) Adapter

OTN-UC902S



- HDMI: 4K
- SD Card Reader
- TF Card Reader
- USB-A (×2): USB 3.0+USB 2.0
- USB-C: 480Mb/s
- USB-C: PD 3.0 (100W)

USB-C to HDMI (4K) Adapter

OTN-UC907



- HDMI: 4K@30Hz
- USB 3.0: 5Gbps
- USB 2.0 (×2): 480Mbps
- USB-C: PD 3.0 (100W)

USB-C Multi-Function Docking Station

OTN-UC601



- HDMI (×2): 4K
- VGA: 2K
- RJ45: 1000/100/10M
- SD Card Reader
- TF Card Reader
- USB 3.0 (×3): 5Gbps
- USB-C: 5Gbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output

USB-C Multi-Function Docking Station

OTN-95117



- HDMI: 4K
- VGA: 2K
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- USB 3.0 (×2): 5Gbps
- USB-C: 480Mbps
- USB-C: PD (65W)
- 3.5mm Jack: Audio output

USB-C Multi-Function Docking Station

OTN-95113



- HDMI: 4K
- VGA: 2K
- SD Card Reader
- TF Card Reader
- USB 3.0 (×2): 5Gbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output

Thank you

New products are coming soon

onten®

Shortcut Button Docking Stations



USB-C Multi-Function Docking Station

OTN-UC601+



- HDMI (x2): 4K
- VGA: 1080P
- RJ45: 1000/100/10M
- SD Card Reader
- TF Card Reader
- USB 3.0 (x3): 5Gbps
- USB-C: 5Gbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output

Shortcut Button Docking Station

OTN-UC125+



- HDMI: 4K
- USB 3.0 (x2): 5Gbps
- USB-C: PD 3.0 (100w)
- 3.5mm Jack: Audio output / Mic output
- USB-C: 15W output

Shortcut Button Docking Station

OTN-UC123+



- HDMI: 4K
- USB 3.0 (x3): 5Gbps
- USB-C: PD 3.0 (100W)
- 3.5mm Jack: Audio output / Mic output

Thank you

New products are coming soon

onten® | Docking Stations

USB-C to Ethernet Adapter

OTN-UC101

• RJ45: 1000/100/10M



USB-C to HDMI Adapter

OTN-UC102

• HDMI: 4K@60Hz



USB-C to DisplayPort Adapter

OTN-UC103

• DP: 8K@60Hz / 4K@120Hz



USB-C to Mini DP Adapter

OTN-UC103M

• Mini DP: 8K@60Hz / 4K@120Hz



USB-C to VGA Adapter

OTN-UC105

• VGA: 2K



USB-C to Ethernet Adapter

OTN-UC101H

• RJ45: 100M/10M



onten® | Docking Stations

USB-C to HDMI Adapter

OTN-UC102H

- HDMI: 4K



USB-C to HDMI Adapter

OTN-UC301

- HDMI: 4K@60Hz
- USB 3.0: 5Gbps
- USB-C: PD 3.0 (100W)



USB-C & USB-A to HDMI Adapter

OTN-UCA303

- HDMI: 4K
- USB 3.0: 5Gbps
- USB-C: 480Mbps



USB-C to HDMI Adapter

OTN-UC302

- HDMI: 4K
- USB 3.0: 5Gbps
- USB-C: 480Mbps



Multi-Function Docking Station

OTN-95123

- HDMI: 4K
- USB 3.0 (×3): 5Gbps
- USB-C: PD 3.0 (100W)



USB-C to HDMI Adapter with PD

OTN-9592A

- HDMI: 4K@60Hz
- USB-C: PD (65W)



onten® | Docking Stations

USB-C to HDMI Adapter with RJ45

OTN-UC288

- HDMI: 4K@60Hz
- RJ45: 100/10M



USB-C to VGA Adapter with RJ45

OTN-UC289

- VGA: 2K
- RJ45: 100/10M



USB-C to HDMI & VGA Adapter

OTN-UC901

- HDMI: 4K@60Hz
- VGA: 2K



USB-C to HDMI & VGA Adapter

OTN-UC901D

- HDMI: 4K
- VGA: 2K



USB-C to HDMI & VGA Adapter

OTN-9573S

- HDMI: 4K
- VGA: 2K
- USB 3.0: 5Gbps
- USB-C: PD (65W)
- 3.5mm Jack: Audio output



Thank you

New products are coming soon



onten[®]

Docking Stations

Microsoft Surface Docking Station

OTN-SD11



- Mini DP (×2): 4K@60Hz
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- USB-C: 5Gbps
- USB 3.0 (×2): 5Gbps
- USB 2.0 (×2): 480Mbps
- USB-A: QC 3.0
- 3.5mm Jack: Mic input / Audio output
- Power Supply: DC 5.5 (5-20V)

Microsoft Surface Docking Station

OTN-SD12



- HDMI: 4K@60Hz
- Mini DP: 4K@60Hz
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- USB-C: 5Gbps
- USB 3.0 (×2): 5Gbps
- USB 2.0 (×2): 480Mbps
- USB: QC 3.0
- 3.5mm Jack: Mic input / Audio output
- Power Supply: DC 5.5 (5-20V)

Microsoft Surface Docking Station

OTN-SD13



- HDMI (×2): 4K@60Hz
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- USB-C: 5Gbps
- USB 3.0 (×2): 5Gbps
- USB 2.0 (×2): 480Mbps
- USB: QC 3.0
- 3.5mm Jack: Mic input / Audio output
- Power supply: DC 5.5 (5-20V)

Microsoft Surface Docking Station

OTN-65002



- HDMI: 4K
- Mini DP: 4K
- RJ45: 1000/100/10M
- SD 3.0 Card Reader
- USB-C: 5Gbps
- USB 3.0 (×2): 5Gbps
- USB 2.0 (×2): 480Mbps
- USB: QC 3.0
- 3.5mm Jack
- Power supply: DC 5.5 (12V)

onten® | Docking Stations

USB-C to Dual HDMI Docking Station

OTN-UC126



- HDMI (×2) : 4K@60Hz (MST)
- USB 2.0 (×2): 480Mb/s
- USB-C: PD 3.0 (100W)

USB-C to 4-Port USB Hub

OTN-UC119



- USB 2.0 (×3): 480Mbps
- USB-C: 5V input

USB-C Card Reader

OTN-UC120



- SD Card Reader
- TF Card Reader
- USB 3.0: 5Gbps
- USB 2.0 (×2): 480Mb/s
- USB-C: 5V input

USB-C to Ethernet Adapter

OTN-UC121



- RJ45: 100/10M
- USB 3.0: 5Gbps
- USB 2.0 (×2): 480Mb/s
- USB-C: 5V input

USB-C Docking Station

OTN-UC122



- RJ45: 100/10M
- SD Card Reader
- TF Card Reader
- USB-A (×2): USB 3.0+USB 2.0
- USB-C: 5V input

USB-C to HDMI Docking Station

OTN-UC123



- HDMI: 4K
- USB 3.0 (×1): 5Gbps
- USB 2.0 (×2): 480Mbps
- USB-C: 5V input

USB-C to HDMI Docking Station

OTN-UC125



- HDMI: 4K
- RJ45: 100/10M
- USB-A (×3): USB 3.0+2×USB 2.0
- USB-C: PD 3.0 (100W)

Thank you

New products are coming soon



onten®

Docking Stations | Multi-Stream Transport(MST)

Type-C to Dual HDMI Converter

OTN-9175K

- HDMI (x2): 4K@60Hz
- USB-A: 480Mbps
- USB-C: PD 3.0 (100W)



USB-C to HDMI & VGA with PD Charging

OTN-M205

- HDMI: 4K@60Hz
- VGA: 2K
- USB-C: PD 3.0 (100W)



USB-C to Dual HDMI Adapter

OTN-9175B

- HDMI (x2): 4K@60Hz



USB-C to HDMI Adapter


OTN-9175S

- HDMI (x2): 4K@60Hz
- USB 3.0: 5Gbps
- USB-C: PD 3.0 (100W)



onten[®]

USB-C Hub



USB 3.0 4-Port Hub

OTN-5701



- USB 3.0: 5Gbps
- USB 2.0 (x3) : 480Mbps

USB-C 4-Port Hub

OTN-9701



- USB 3.0: 5Gbps
- USB 2.0 (x3) : 480Mbps

USB-C 7-Port Hub

OTN-9702



- USB 3.0: 5Gbps
- USB 2.0 (x6) : 480Mbps

USB-C 4-Port Hub (3C+1A)

OTN-9703



- USB-A: 5Gbps
- USB-C (x3) : 480Mbps

onten[®] | USB-C Hub

USB-C 4-Port Hub (3C+1A)

OTN-9703S



- USB 3.0: 5Gbps
- USB-C (x3) : 5Gbps

USB-C Card Reader (3A+SD/TF)

OTN-9705



- SD Card Reader
- TF Card Reader
- USB 3.0: 5Gbps
- USB 2.0 (x2) : 480Mbps

USB-C 3-Port Hub (3A+Audio)

OTN-9706



- USB 2.0 (x3) : 480Mbps
- 3.5 mm Jack: Audio input / Audio output

USB-A/C 4-Port Hub

OTN-UCA9701



- USB 3.0: 5Gbps
- USB 2.0 (X3) : 480Mbps

USB-A/C 7-Port Hub

OTN-UCA9702



- USB 3.0: 5Gbps
- USB 2.0 (x6) : 480Mbps

USB-A/C 4-Port Hub (3C+1A)

OTN-UCA9703



- USB 3.0: 5Gbps
- USB-C (x3) : 480Mbps

onten® | USB-C Hub

USB-A/C 4-Port Hub (3C+1A)

OTN-UCA9703S



- USB 3.0: 5Gbps
- USB-C (x3) : 5Gbps

USB-A/C Card Reader (3A+SD/TF)

OTN-UCA9705



- SD Card Reader
- TF Card Reader
- USB 3.0: 5Gbps
- USB 2.0 (x2) : 480Mbps

USB-A/C 3-Port Hub with Audio

OTN-UCA9706



- USB 2.0 (x3) : 480Mbps
- 3.5 mm Jack: Audio input / Audio output

USB-A/C 4-Port Hub

OTN-UCA971



- USB 3.0: 5Gbps
- USB2.0 (x3) : 480Mbps

USB-A/C 7-Port Hub

OTN-UCA972



- USB 3.0: 5Gbps
- USB 2.0 (x6) : 480Mbps

USB-A/C 4-Port Hub (3C+1A)

OTN-UCA973



- USB 3.0: 5Gbps
- USB-C (x3) : 480Mbps

USB-A/C Card Reader (3A+SD/TF)

OTN-UCA975



- SD Card Reader
- TF Card Reader
- USB 3.0: 5Gbps
- USB 2.0 (x2) : 480Mbps

USB-A/C 3-Port Hub with Audio

OTN-UCA976



- USB 2.0(x3): 480Mbps
- 3.5mm Jack

onten® | USB-C Hub

USB 3.0 to Ethernet Adapter

OTN-5220



- RJ45: 1000/100/10M
- USB 3.0 (x3) : 5Gbps

USB 3.0 to Ethernet Adapter

OTN-5221



- RJ45: 100/10M
- USB 3.0 (x3) : 5Gbps

USB 3.0 4-Port Hub

OTN-5222



- USB 3.0 (x4) : 5Gbps

USB 3.0 Combo

OTN-5223



- USB 3.0 (x3) : 5Gbps
- SD Card Reader
- TF Card Reader
- Cable Length: 0.2M/0.5M/1M

USB 3.0 Gigabit Ethernet Adapter

OTN-5225S



- RJ45: 1000/100/10M

USB-A Ethernet Adapter

OTN-5226



- USB 2.0 (x3) : 480Mbps
- RJ45: 100/10M

USB 3.0 Ethernet Adapter

OTN-5225D



- RJ45: 100/10M

USB-C Gigabit Ethernet Adapter

OTN-9598/9598D



- RJ45: 1000/100/10M (9598)
- RJ45: 100/10M (9598D)

onten® | USB-C Hub

USB-A/C Gigabit Ethernet Adapter

OTN-UE101



- RJ45: 1000/100/10M
- Cable Length: 0.5M

USB 3.0 Gigabit Ethernet Adapter

OTN-UE105



- RJ45: 1000/100/10M
- Cable Length: 0.12M

USB-A/C to Ethernet Adapter

OTN-UE106+



- RJ45: 1000/100/10M
- Cable Length: 0.5M

USB-C to 2.5G Ethernet Adapter

OTN-UC602



- RJ45: RJ45: 2500/1000/100/10M
- Cable Length: 0.11M

USB-C to Ethernet Adapter

OTN-95226



- RJ45: 100/10M
- USB 2.0 (x3) : 480Mbps
- Cable Length: 0.19M

USB-C to Gigabit Ethernet Adapter

OTN-9593



- RJ45: 1000/100/10M
- USB 3.0 (x3) : 5Gbps
- Cable Length: 0.2M

USB-C 3-Port Hub with SD/TF

OTN-9597



- USB 3.0(x3): 5Gbps
- SD Card Reader
- TF Card Reader
- Cable Length: 0.2M

USB-C 4-Port Hub

OTN-9596



- USB 3.0(x4): 5Gbps
- Cable Length: 0.2M

onten® | USB-C Hub

USB-C 3-Port Hub

OTN-9595



- USB 3.0 (x3) : 5Gbps
- RJ45: 100/10M
- Cable Length: 0.2M

USB-C to HDMI Adapter

OTN-95118H



- HDMI: 4K
- USB 3.0 (x3) : 5Gbps

USB-C 4-Port USB Hub

OTN-95118U



- USB 3.0 (x4) : 5Gbps

UsB-C to Gigabit Ethernet Adapter

OTN-95118R



- RJ45: 1000/100/10M
- USB 3.0 (x3) : 5Gbps

USB 3.0 4-Port Hub

OTN-8102A/B



- 8102A
- USB 2.0 (x4) : 480Mbps
- 8102B
- USB 3.0 (x4) : 5Gbps

USB-C 4-Port Hub

OTN-9102A/B



- 9102A
- USB 2.0 (x4) : 480Mbps
- 9102B
- USB 3.0 (x4) : 5Gbps

USB-A/C 4-Port Hub

OTN-UCA310



- USB 3.0(x4): 5Gbps
- USB-C: DC 5V

10G USB 3.2 Gen2 Hub

OTN-UCA610



- USB 3.2 GEN 2 (x4) : 10Gbps
- USB-C: DC 5V

onten® | USB-C Hub

USB 10G 6-Port Hub

OTN-UC615



- USB3.2 Gen2(×4): 10Gbps(3A+1C)
- USB 2.0(×2): 480Mbps
- USB-C:5V input

10G USB 3.2 Gen 2 Hub with Ethernet

OTN-UC616



- USB 3.2 Gen 2 (×3): 10G (2A+1C)
- USB 2.0 (×2): 480Mbps
- RJ45: 1000/100/10M
- USB-C: 5V input

USB 3.2 Gen 2 4-Port 10G Hub

OTN-UCA611+



- USB 3.2GEN 2(x4): 10Gbps
- USB-C: 5V input

USB 3.2 Gen 2 4-Port 10G Hub

OTN-UCA612+



- USB 3.2 Gen 2 (x4): 10G (2A+2C)
- USB-C: 5V input

USB 3.2 Gen2 3-Port 10G Hub

OTN-UCA613+



- USB 3.2 Gen 2 (x3): 10G
- SD: SD4.0 (312MB/S)
- TF: TF4.0 (312MB/S)
- USB-C: 5V input

USB-C 10G 4-Port Hub

OTN-UC620



- USB 3.2 GEN 2 (x4): 10Gbps

10-Port USB Hub

OTN-5308



- USB 3.0 (X10) : 5Gbps
- Type - B: Host Connect

10-Port USB Hub

OTN-5309



- USB 3.0 (X10) : 5Gbps (8A+2C)
- Type - B: Host Connect

onten® | USB-C Hub

USB 3.0 4-Port USB Hub

OTN-5210/35210



5210
• USB 2.0 (x4) : 480Mbps

35210
• USB 3.0 (x4) : 5Gbps

USB-C/USB 3.0 7-Port HUB

OTN-UCA5306/UCA2306



UCA5306
• USB 3.0 (x4) : 5Gbps
• USB-C (x3) : 5Gbps

UCA2306
• USB3.0 (×1) : 5Gbps
• USB2.0 (×3) : 480Mbps
• USB-C (×3) : 480Mbps

USB 3.0 7-Port Smart Hub

OTN-5307



- USB 3.0 (x4) : 5Gbps
- USB 2.0 (x3) : 480Mbps
- Independent switch indicator light

USB3.0 4-Port Hub

OTN-5301



- USB 3.0 (x4) : 5Gbps
- Independent switch indicator light

USB-C Multi-function dock station

OTN-9601



- USB 3.0(x3): 5Gbps
- SD Card Reader
- TF Card Reader

USB-C Multi-function dock station

OTN-9602



- USB 3.0(x4): 5Gbps
- USB-C: PD

7-Port USB 3.0 Hub

OTN-8108



- UsB 3.0 (x7) : 5Gbps

Thank you

New products are coming soon

onten® | USB-C Hub

USB-A 4-Port Hub

OTN-5302

- USB 2.0 (x4) : 480Mbps



USB 3.0 4-Port Hub

OTN-5305/2305

- 5305
 - USB 3.0 (x4) : 5Gbps
- 2305
 - USB 3.0 (x1) : 5Gbps
 - USB 2.0 (x3) : 480Mbps



USB-A/C 4-Port Hub

OTN-UCA5310/UCA2310

- UCA5310
 - USB 3.0 (x3) : 5Gbps
 - USB-A: 5V output
 - USB-C: 5V input
- UCA2310
 - USB 3.0: 5Gbps
 - USB 2.0 (x3) : 480Mbps
 - USB-C: 5Vinput



USB-A/C to Ethernet Adapter with 3-Port USB 3.0

OTN-UCA5311

- RJ45: 1000/100/10M
- USB 3.0 (x3) : 5Gbps
- USB-A: 5V output
- USB-C: 5V input



USB 3.0 to 4-Port USB 3.0 Hub

OTN-5312/2312

- 5312
 - USB 3.0(x4):5Gbps
- 2312
 - USB 2.0(x3): 480Mbps(2312)
 - USB 3.0: 5Gbps(2312)



4-Port USB Hub

OTN-5208

- USB 2.0(x4): 480Mbps



onten[®]

Card Reader



10G CFexpress Type B Card Reader

OTN-KSSP1



- CFexpress Type B
Read: 900Mb/s
Write: 780Mb/s
- XQD Card Reader
Read: 300Mb/s
Write: 230Mb/s

10G CFexpress Type B Card Reader

OTN-KSSP2



- CFexpress Type B
Read: 900Mb/s
Write: 780Mb/s
- SDXC Card Reader
Read: 312Mb/s
Write: 312Mb/s

10G CFexpress Type A Card Reader

OTN-KSSP3



- CFexpress Type A
Read: 688Mb/s
Write: 605Mb/s
- XQD Card Reader
Read: 300Mb/s
Write: 230Mb/s

Compact Flash Card Reader

OTN-KSSP3+



- CF Card Reader
Read: 300Mb/s
Write: 250Mb/s
- SDXC/TFXC Card Reader
Read: 312Mb/s
Write: 312Mb/s

onten® | Card Reader

Dual SDXC Card Reader

OTN-KSSP5

- SDXC (x2) : SD 4.0 (312Mb/s)
- Automatic pop-up feature



SDXC & Micro SDXC Card Reader

OTN-KSSP6

- SDXC: SD 4.0 (312Mb/s)
- Micro SD: TF4.0(312Mb/s)
- Automatic pop-up feature



CFexpress Type-B Card Reader

OTN-C11

- CFexpress Type-B
Read: 900Mb/s
Write: 780Mb/s
- SD Card Reader
- TF Card Reader



CFexpress Type-A Card Reader

OTN-C12

- CFexpress Type-A
Read: 688Mb/s
Write: 605Mb/s
- SD Card Reader
- TF Card Reader



XQD Card Reader

OTN-C13

- XQD
Read: 330Mb/s
Write: 152Mb/s
- SD Card Reader
- TF Card Reader



CFast 2.0 Card Reader

OTN-C15

- CFast 2.0
Read: 409Mb/s
Write: 395Mb/s
- SD Card Reader
- TF Card Reader



onten® | Card Reader

CFexpress Type-A Card Reader

OTN-UCA12



- CFexpress Type-A
Read: 688Mb/s
Write: 605Mb/s
- SD Card Reader
- TF Card Reader

XQD Card Reader

OTN-UCA13



- XQD
Read: 330Mb/s
Write: 152Mb/s
- SD Card Reader
- TF Card Reader

CFexpress Type-B Card Reader

OTN-UCA11



- CFexpress Type-B
Read: 900Mb/s
Write: 780Mb/s
- SD Card Reader
- TF Card Reader

CFast 2.0 Card Reader

OTN-UCA15



- CFast 2.0
Read: 409Mb/s
Write: 395Mb/s
- SD Card Reader
- TF Card Reader

USB-A/C to SD3.0&TF3.0 Card Reader

OTN-CR531A



- Input: UBC-C/USB-A
- SD 3.0 Card Reader
- TF 3.0 Card Reader
- Multi-card read and copy each other

USB-A/C to SD/TF Card Reader

OTN-CR532



- Input: UBC-C/USB-A
- TF Card Reader
- SD Card Reader

USB 3.2 Gen I SD & NM Card Reader

OTN-CR531N



- Input: UBC-C/USB-A
- SD Card Reader
- NM Card Reader

USB-C Card Reader

OTN-CR533



- Input: USB-C
- TF Card Reader

onten® | Card Reader

USB-C CFast Card Reader

OTN-91182



- Input: USB-C
- CF Card Reader
- TF Card Reader
- USB 3.0 (x2): 5Gbps

USB 3.0 SD/TF Card Reader

OTN-CR536



- Input: USB 3.0
- SD 3.0 Card Reader
- TF 3.0 Card Reader

XOD/SD High-speed card reader

OTN-5212B



- Input: USB 3.0
- SD Card Reader
- XQD 3.0 Card Reader
- USB 3.0: 5Gbps

3.0 Multi-functional Card Reader

OTN-5215B



- Input: USB 3.0
- XQD Card Reader
- CF Card Reader
- TF Card Reader
- SD Card Reader
- USB 3.0 (x2): 5Gbps

Compact Flash Card Reader

OTN-8107



- Compact Flash Card Reader
- SD Card Reader
- TF Card Reader
- USB 3.0 (x2): 5Gbps

Professional XQD USB-C Reader

OTN-9189



- Input: USB-C
- XQD Card Reader
- SD Card Reader
- USB 3.0: 5Gbps

USB 3.2 Gen I Card Reader

OTN-KSSC1



- SD Card Reader: SD 4.0 (312Mb/s)
- TF Card Reader: TF 4.0 (312Mb/s)

USB 3.2 Gen I Dual SD Card Reader

OTN-KSSC3



- SD 3.0 (x2) Card Reader



onten
MST

OTN-M201

USB 3.0 External Video Graphics Card

Support: Windows, MacOS

One computer can connect up to three devices simultaneously,
with the possibility of expanding to six screens in total.

USB 3.0 to HDMI/VGA Adapter

OTN-5201B

- HDMI: 2K
- VGA: 2K
- Support: Windows



USB 3.0 to Dual HDMI Interface Output

OTN-59175

- HDMI (x2) : 2K
- Support: Windows



USB 3.0 to VGA Adapter

OTN-5201

- VGA: 2K
- Support: Windows



USB 3.0 TO HDMI Adapter

OTN-5202

- HDMI: 2K
- Support: Windows



onten®

Hard Drive Enclosure

2.5" HDD External Case

OTN-UHD1

- The Maximum Support Capacity 5000GB
- Hard Disk: For 2.5 Inch Hard Disk or SSD



2.5 inch External Hard Drive Box HDD

OTN-UHD2

- Input: USB A & USB C
- Supports 2.5 inch SATA SSD
- Transmission speed is USB 3.0 standard (5Gbps)



3.5 inch External Hard Drive Box HDD

OTN-UHD3

- Input: USB 3.0
- Supports 3.5 inch SATA HDD/SSD
- Supports 6Gbps ultra high speed data transmission rate and UASP



Dock Station 2.5/3.5 Sata

OTN-UHD6

- Input: USB 3.0
- Supports 3.5 inch SATA HDD/SSD
- Offline Clone Function
- The transmission speed is USB 3.0 standard (5Gbps)
- Supports up to 10TB high capacity SATA interface hard drives



M. 2 (5Gbps) NGFF Protocol SSD Enclosure

OTN-UCA321

- Input: USB-A/USB C
- The 5Gbps NFGG Enclosure
- Toolless SSD Enclosure
- Supports NGFF protocol B&M keys and SSDs, up to 8TB



M. 2 (10Gbps) NVMe Protocol SSD Enclosure

OTN-UCA322

- Input: USB A&USB C
- 10Gbps NVMe Enclosure
- Toolless SSD Enclosure
- Supports NVMe protocol M and B&M keys, as well as SSD Max 8TB of size 2230/2242/2260/2280



USB to SATA adapter with power supply

OTN-5211

- Input: USB 3.0
- Supported drives: 2.5 "
- SSD read/write speed is between 40-60MB/S, and the HDD read/write speed is generally below 30MB/S.



USB 3.0/USB-C to SATA Adapter

OTN-UCA312

- Data transmission: SATA III up to 5 Gbps, SATA II up to 3Gbps
- Hard disk support: up to 10TB
- Supported drives: 2.5 "
- Plug and Play device - no additional drivers required
- USB 3.0 (x3) : 5Gbps
- Power in: DC 5V



USB 3.0/USB-C to SATA Adapter

OTN-UCA311

- Data transmission: SATA III up to 5 Gbps, SATA II up to 3 Gbps
- Hard disk support: up to 10TB
- Supported drives: 2.5 "
- Plug and Play device - no additional drivers required
- Power in: DC 5V



Thank you

New products are constantly being developed
onten will continue to serve you

onten[®]

USB-C Cable



Super Fast Charging Data Cable

OTN-CC201

- Charger: PD 240W 5A/48V
- Data Transmission: 480Mbps
- Cable Length: 1M



USB 4 and Thunderbolt 4 Data Charging Cable

OTN-CC202

- Charger: PD 100W 5A/20V
- Data Transmission: 40Gbps
- Cable Length: 1M



USB 4 and Thunderbolt 4 Data Charging Cable

OTN-CC203

- Charger: PD 100W 5A/20V
- Data Transmission: 40Gbps
- Maximum Resolution: 8K@60Hz
- Cable Length: 1M/2M



OTN-UC981

- Input: USB-C
- HDMI Female 2.1:
8K (7680*4320)@60Hz
4K@120Hz (3840*2160)
4K@144Hz



onten® | USB-C Cable

USB-C 8K High Speed Cable

OTN-UC982



- Input: USB-C
- HDMI Male 2.1:
8K (7680*4320)
4K@120Hz (3840*2160)
4K@144Hz

USB-C to HDMI Adapter

OTN-UC523



- Input: USB-C
- HDMI: 4K

USB-C to HDMI Adapter

OTN-9587S



- Input: USB-C
- HDMI: 4K

USB-C to Displayport Adapter

OTN-9528



- Input: USB-C
- DP: 4K@60Hz

USB-C to HDMI Video Cable

OTN-9572PD



- Input: USB-C
- HDMI: 4K@60Hz
- Charger: PD 3.0
- Cable Length: 1.8M

USB-C to HDTV Cable

OTN-UC508



- Input: USB-C
- HDMI: 4K
- Cable Length: 1.8M
- Made for iPhone 15

onten® | USB-C Cable

USB-C to HDMI Cable

OTN-9572D

- Input: USB-C
- HDMI: 4K
- USB-C (Female): PD (60W)
- Cable Length: 1.8M



USB-C to HDMI Video Cable

OTN-9572

- Input: USB-C
- HDMI: 4K
- Cable Length: 1.8M



USB-C to HDMI 2.0 Cable

OTN-UC501

- Input: USB-C
- HDMI: 4K@60Hz
- Cable Length: 1.8M



USB-C to HDMI Cable

OTN-UC502

- Input: USB-C
- HDMI: 4K@60Hz
- USB 2.0: 5V/1A
- Cable Length: 1.8M



USB-C to HDMI Cable

OTN-UC503

- Input: USB-C
- HDMI: 4K
- Cable Length: 1.8M



USB-C to HDMI Cable

OTN-UC505

- Input: USB-C
- HDMI: 4K
- USB 2.0: 5V/1A
- Cable Length: 1.8M



USB-C to HDMI Cable

OTN-UC515

- Input: USB-C
- HDMI: 4K
- USB: 5V/1A
- Cable Length: 1.8M

USB-C to DP Video Cable

OTN-9538

- Input: USB-C
- DP: 4K@60Hz
- Cable Length: 1.8M

USB-C to DP Cable

OTN-UC938

- Input: USB-C
- DP: 4K@60Hz
- Cable Length: 1.8M

USB-C to HDMI Cable

OTN-9582B

- Input: USB-C
- HDMI: 4K@60Hz
- Cable length: 1.8M

Thank you

New products are constantly being developed
onten will continue to serve you



onten[®]

Ethernet Cable

Network Cable

OTN-E601



- Network Cable Category: Cat 6
- Cable Length: 1M/1.5M/2M/3M/5M/8M/10M/15M/20M



Network Cable

OTN-E701

- Network Cable Category: Cat 7
- Cable Length: 1M/1.5M/2M/3M/5M/8M/10M/15M



Network Cable

OTN-E801

- Network Cable category: Cat 8
- Cable Length: 1M/1.5M/2M/3M/5M/8M/10M/15M



Thank you

New products are constantly being developed
onten will continue to serve you

onten®

DP Series

OTN-DP201

DP (male) to HDMI (female) Cable

OTN-DP301

- HDMI: 1080P
- Cable Length: 0.2M



DP (male) to HDMI (male) Cable

OTN-DP302

- HDMI: 1080P
- Cable Length: 1.8M/3M



DP (male) to HDMI (male) Cable

OTN-DP303

- HDMI: 4K
- Cable Length: 1.8M/3M



DP (male) to DVI (male) Cable

OTN-DP305

- DVI: 1080P
- Cable Length: 1.8M



onten[®] | DP Series

Mini DP (male) to DP (male) Cable

OTN-DP101

- DP: 4K
- Cable Length: 2M



DP (male) to DP (male) Cable

OTN-DP102

- DP: 4K
- Cable Length: 2M/3M



DP (male) to DP (female) Cable

OTN-DP106

- DP: 4K
- Cable Length: 0.3M



Mini DP (male) to DP (female) Cable

OTN-DP107

- DP: 4K
- Cable Length: 0.3M



DP (male) to Mini DP (female) Cable

OTN-DP108

- Mini DP: 4K
- Cable Length: 0.3M



Mini DP (male) to HDMI (male) Video Cable

OTN-5130B

- HDMI: 4K@60Hz
- Cable Length: 1.8M



Mini DP to HDMI/VGA Video Adapter

OTN-5131B

- HDMI: 4K
- VGA: 1080P



Mini DP to HDMI Cable

OTN-5130

- HDMI: 1080P
- Cable Length: 1.8M



Mini DP to HDMI Adapter

OTN-5113

- HDMI: 1080P
- Cable Length: 0.2M



Mini DP to VGA Adapter

OTN-5110

- VGA: 1080P
- Cable Length: 0.2M



Thank you

New products are constantly being developed
onten will continue to serve you

onten[®] | HDMI Cables

8K HDMI 2.1 Cable

OTN-HD181



- HDMI: 8K@60Hz/4K@144Hz/4K@120Hz
- HDMI Version: 2.1
- Maximum Data Rate: 48Gbps
- Cable Length: 1.5M/3M/5M

Optical Fiber HDMI Cable

OTN-HD261



- HDMI: 4K@60Hz
- HDMI Version: 2.0
- Cable Length: 10M/15M/20M/30M/40M/50M/60M/80M/100M

HDMI (male) to Micro HDMI (male) Cable

OTN-HD102



- HDMI: 4K
- Cable Length: 1.5M

Micro HDMI (male) to HDMI (male) Cable

OTN-HD105



- HDMI: 4K
- Cable Length: 1.5M

4K HDMI 2.0 Cable

OTN-8309



- HDMI: 4K@60Hz
- HDMI Version: 2.0
- Cable Length: 1.5M/3M/5M

HDMI 2.0 Cable

OTN-HD161



- HDMI: 4K@60Hz
- HDMI Version: 2.0
- Cable Length: 1.5M
- OD: 3.3

4K HDMI Cable

OTN-8307



- HDMI: 4K
- HDMI Version: 2.0
- Cable Length: 1M/1.5M/2M/3M/5M

4K HDMI 1.4 Cable

OTN-8305



- HDMI: 4K
- HDMI Version: 1.4
- Cable Length: 1M/1.5M/3M/5M



Video Adapters

3 in 1 HDMI Cable

OTN-7537A

- Input: USB-C/Lightning/Micro USB
- Output: HDMI (1080P)
- Cable Length: 1.8M



2 in 1 HDMI Cable

OTN-7537T

- Input: USB-C/Lightning
- Output: HDMI (2K)
- Cable Length: 1.8M



USB-C to HDMI Cable

OTN-9572S

- Input: USB-C
- Output: HDMI (4K)
- Cable Length: 1.8M



3 in 1 HDMI Cable

OTN-7537S

- Input: USB-C/Lightning/Micro USB
- Output: HDMI (1080P)
- Cable Length: 1.8M



Lightning HDMI Cable

OTN-7575S

- Input: Lightning
- Output: HDMI (1080P)
- Cable Length: 1.8M



Lightning Network Adapter

OTN-7502

- Input: Lightning
- RJ45: 100/10M



Lightning to HDMI Cable

OTN-7522AA

- Input: Lightning
- Output: HDMI (1080P)
- Cable Length: 1.8M



Lightning Digital AV Cable

OTN-7562

- Input: Lightning
- Output: HDMI (1080P)
- Cable Length: 1.5M



Thank you

New products are coming soon

Lightning to HDMI Adapter

OTN-7565S

- HDMI : 1080P
- Lightning: DC 5V



Lightning Multi-Function Docking Station

OTN-75215

- HDMI: 1080p
- SD Card Reader
- TF Card Reader
- USB-A: 480Mbps
- Lightning (female) : 5V/1A
- No need charger



Lightning Multi-Function Docking Station

OTN-75216

- HDMI: 1080P
- USB-A (x2): 480Mbps
- Lightning (female): 5V/1A
- No need charger



Lightning Digital AV Adapter

OTN-7585S

- HDMI: 1080P
- VGA: 1080P
- 3.5mm Jack: Audio output
- Charger: DC 5V



Lightning to HDMI/VGA Adapter

OTN-7585C

- HDMI: 1080P
- VGA: 1080P
- 3.5mm Jack: Audio output
- Charger: DC 5V



Lightning Multi-Function Docking Station

OTN-79591

- HDMI: 1080P
- RJ45: 100/10M
- USB-A (x3): 480Mbps
- Lightning (female): 5V/1A



onten® | Video Adapters

Lightning to HDMI Video Converter

OTN-LT7565

- Input: Lightning
- Output: HDMI (1080P)
- Lightning (female): Charge



Lightning to HDMI Cable

OTN-LT750


- Input: Lightning
- Output: HDMI (1080P)
- Cable Length: 1.8M



Lightning digital AV Cable

OTN-7522N

- Input: Lightning
- Output: HDMI (1080P)
- Cable Length: 1.8M



3 in 1 HDMI Cable

OTN-7539

- Input: USB-C/Lightning/MicroUSB
- Output: HDMI (1080P)
- Cable Length: 1.8M



Lightning to VGA Adapter

OTN-755106

- Input: Lightning
- Output: VGA (1080P)



MiraScreen HDMI Adapter

OTN-7571

- Wireless Network
- Output: HDMI (1080P)
- Power In: DC 5V
- Cable Length: 1.1M



onten® | Video Adapters

HDMI to VGA Video Adapter

OTN-5169



- Input: HDMI
- Output: VGA (1080P)
- 3.5mm Jack: Audio output

HDMI to VGA Adapter

OTN-5125



- Input: HDMI
- Output: VGA (1080P)
- 3.5mm Jack: Audio output

HDMI to HDMI/VGA Adapter

OTN-5165HV



- Input: HDMI
- Output: HDMI/VGA (1080P)
- 3.5mm Jack: Audio output

HDMI to HDMI+VGA

OTN-5166HV



- Input: HDMI
- Output: HDMI/VGA (1080P)
- 3.5mm Jack: Audio output

VGA to HDMI Video Cable

OTN-5152



- Input: VGA
- Output: HDMI (1080P)
- 3.5mm Jack: Audio in
- Power: 5V

HDMI to VGA Video Cable

OTN-5137



- Input: HDMI
- Output: VGA (1080P)
- 3.5mm Jack: Audio output
- Power: 5V/1A
- Cable Length: 1.8M

DVI to VGA Cable

OTN-C5173



- Input: DVI
- Output: VGA (1080P)
- Cable Length: 1.8M

HDMI to VGA Cable

OTN-5173D



- Input: HDMI
- Output: VGA (1080P)
- Cable Length: 1.8M



OTN-983

Switch Dock

onten®

Wireless Mirroring Adapter

Wireless Display Adapter

OTN-7573Q



- Output: HDMI (1080P)
- 3.5mm Jack: Audio output
- Power: 5V/2A
- Wireless Projection Mode
- WIFI: 2.4G

Wireless Display Adapter

OTN-7576



- Output: HDMI (1080P)
- USB: Connector to Pad/Phone
- Power: DC 5V
- WIFI: 5G

Thank you

New products are constantly being developed,
Onten will continue to serve you



onten® Video Adapters

HDMI to VGA Video Adapter

OTN-7557

- Input: HDMI
- Output: VGA (1080P)
- Power: DC 5V
- 3.5mm Jack: Audio output



HDMI to VGA Adapter with Audio

OTN-7557A

- Input: HDMI
- Output: VGA (1080P)
- 3.5mm Jack: Audio input



HDMI to VGA Adapter

OTN-7557S

- Input: HDMI
- Output: VGA (1080P)
- Power: 5V/1A
- 3.5mm Jack: Audio output



HDMI to VGA Adapter

OTN-5165

- Input: HDMI
- Output: VGA (1080P)





VGA Cable



HDMI Cable



onten®

Video Adapters

DP to VGA Adapter

OTN-5118

- Input: DP
- Output: VGA (1080P)
- Power: 5V/1A
- 3.5mm Jack: Audio Output



VGA to HDMI Video Adapter

OTN-5138S

- Input: VGA
- Output: HDMI (1080P)
- Power: DC 5V
- 3.5mm Jack: Audio input



VGA to HDMI Adapter with Audio

OTN-7508

- Input: VGA
- Output: HDMI (1080P)
- Power: DC 5V
- 3.5mm Jack: Audio input



VGA to HDMI/VGA Adapter

OTN-5138HV

- Input: VGA
- Output: HDMI/VGA (1080P)
- Power: 5V/1A
- 3.5mm Jack: Audio input



OTN-288

USB-C Audio Adapter with PD Charger

onten[®] Audio Series



Headphone Adapter

OTN-133

- Input: Lightning
- Output: Lightning (QC 5V)
- Output: 3.5mm Jack (Audio output)
- Audio Decoding Rate: 44KHz/16bit



USB-C to 3.5mm Jack Cable

OTN-292

- Input: USB-C
- Output: 3.5mm Jack (Audio output)
- Audio Decoding Rate: 48KHz/16bit



USB-C to 3.5mm Jack Cable

OTN-293

- Input: USB-C
- Output: 3.5mm Jack (Audio output)
- Audio Decoding Rate: 48KHz/16bit



Headphone and Charger Adapter

OTN-289

- Input: USB-C
- Output: USB-C (PD 2.0)
- Output: 3.5mm Jack (Audio output)
- Audio Decoding Rate: 48KHz/16bit



onten® | Audio Series

Lightning Audio Cable

OTN-131



- Input: Lightning
- Output: 3.5mm Jack (male)
- Audio Decoding Rate: 44KHz/16bit

USB-C Audio Adapter with PD Charger

OTN-290



- Input : USB-C
- Output : USB-C (PD 2.0)
- Output : USB-C (Audio output)
- Audio Decoding Rate: 384KHz/32bit

USB-C Audio Adapter with PD Charger

OTN-253



- Input: USB-C
- Output: USB-C (PD 2.0)
- Output: USB-C (Audio output)
- Audio Decoding Rate: 48KHz/16bit

Audio Cable

OTN-A101



- Cable Length: 0.5M / 1M / 1.5M / 2M / 3M / 5M

Audio Cable

OTN-A102



- Cable Length: 0.5M / 1M / 1.5M

Digital Toslink / Coaxial to Audio Converter

OTN-37506



- Input
 - Digital Toslink
 - Coaxial
- Power: DC 5V
- output
 - R / L: Audio output
 - 3.5mm Jack: Audio output

Digital Audio Switcher

OTN-37507



- Input: Digital Toslink (×3)
- Output: Digital Toslink (×1)
- Power: 5V/1A
- IR Receiver
- Switch

Optical Fiber Cable

OTN-7515



- Cable Length: 1M-5M



OTN-HD710

HDMI (male) to HDMI (female) Converter



onten Interface Converters

Mini HDMI to HDMI Converter

OTN-HD701

- Input: Mini HDMI (male)
- Output: HDMI (female)
- Maximum Resolution: 8K



Micro HDMI to HDMI Converter

OTN-HD702

- Input: Micro HDMI
- Output: HDMI
- Maximum Resolution: 8K



HDMI to HDMI Converter

OTN-HD703

- Input: HDMI (male)
- Output: HDMI (female)
- Maximum Resolution: 8K



VGA to VGA Converter

OTN-HD705

- Input: VGA (male)
- Output: VGA (male)
- Maximum Resolution: 2K



VGA to VGA Converter

OTN-HD706

- Input: VGA (female)
- Output: VGA (female)
- Maximum Resolution: 2K



HDMI to HDMI Converter

OTN-HD707

- Input: HDMI (female)
- Output: HDMI (female)
- Maximum Resolution: 8K



HDMI 2 in 1 Converter

OTN-HD708

- Input: HDMI (female)
- Output: Micro HDMI (male) & Mini HDMI (male)
- Maximum Resolution: 8K



HDMI to HDMI Converter

OTN-HD709

- Input: HDMI (male)
- Output: HDMI (male)
- Maximum Resolution: 8K



HDMI to HDMI Converter

OTN-HD711

- Input: HDMI (male)
- Output: HDMI (female)
- Maximum Resolution: 8K



USB-A to USB-C Converter

OTN-5311T

- Input: USB-A (male)



USB-C to USB 3.0 Converter

OTN-9130

- Input: USB-C (male)



USB-C to USB 3.0 Converter

OTN-9130T

- Input: USB-C (male)



USB-A to USB-C Converter

OTN-US107

- Input: USB-A (male)



DVI to VGA Converter

OTN-7587

- Input: DVI (24+5)
- Output: VGA (male)
- Maximum Resolution: 1080P



DVI to VGA Converter

OTN-7588

- Input: DVI(24+5)
- Output: VGA (female)
- Maximum Resolution: 1080P



AV to VGA Adapter

OTN-7109

- Input: AV
- Output: VGA (female)
- Maximum Resolution: 1080P





Fangweida Teachnology Co., Ltd.
Add: Building 1, Xinyi Street, Dongfa Road,
Guangming District, Shenzhen, China
Tel: +86 0755 28170081 Fax: +86 0755 81781714
Web: <http://www.onten.com.cn>
Email: onten@fangweida.com