



SCALE



Wuyi Yiquan Electronics Co., Ltd

Wuyi Center Electronic Co., Ltd

Add: Wangdalu, Baiyang Street, Wuyi Town, Jinhua City, Zhejiang Province, China

TEL: +86 0579-87827921

E-mail: info@yiquanelectronics.com

Website: www.yiquanelectronics.com

WUYI YIQUAN ELECTRONICS CO., LTD.
Wuyi Center Electronic Co.,Ltd.



- >> **Factory Square metres : 20,000m²**
- >> **R & D staff : 3 persons**
- >> **Staff & Worker : 500 persons**
- >> **Capacity: 2 millions pcs/month**
- >> **Certifications: CE, ROHS, REACH, LFGB, BSCI**



Kitchen Scale Workshop >>>

300 Workers

Capacity: 45,000pcs/day

Workshop 1 - Regular / Economic kitchen scale

Workshop 2 - High-end kitchen scale with Single Sensor

Workshop 3 - Mid-range kitchen scale



Bathroom Scale Workshop >>>

100 Workers

Capacity: 500,000pcs/month



Sensor Decides Scale Precision

We are Engaged in SENSOR & SCALE
High Precision Sensor
The Most Competitive Price

HIGH PRECISION MEASUREMENT



Sensor Workshop

- Capacity : 3 millions pcs /month
- 60% for our factory to produce scales
- 40% offer to other scale factory



CONTENTS

ELECTRONIC APPLIANCE

- Kitchen Scale 02-15

- Nutrition / Jug / Coffee Scale 16-17

- Bathroom Scale 18-25

- Bluetooth Scale 26-29

- Bodyfat Scale 30-31

- Luggage / Pocket Scale 32-33

- Spoon Scale / Bady Scale 34-37

- Mechanical Scale 38-39

KITCHEN SCALE



YQ-K01 **NEW**

LCD display: 51.7x23.2mm
 Product size: 20.34x15.21x1.84cm
 High precision weighing sensor
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 Unit conversion: g/oz/lb/tl/kg/water-ml/milk-ml
 capacity: 10kg/22lb/352oz
 division: 0.035oz/1g
 2*AAA battery
 weight: 259g

Paper card board inner packing
 Pcs/ctn: 40
 color box size:
 16.5*2.3*21.5cm
 carton size:
 44.5*24.5*34.5cm
 N.W.: 13KG
 G.W.: 13.5KG
 1x20'FCL: 28080pcs
 1x40'FCL: 61200pcs
 1x40'HQ: 65520pcs



YQ-K02 **NEW**

LCD display: 54.6*24.3mm
 Product size: 21.7x15.84x1.69cm
 High precision weighing sensor
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 Unit conversion: g/oz/lb/tl/kg/water-ml/milk-ml
 capacity: 10kg/22lb/352oz
 division: 0.035oz/1g
 2*AAA battery
 weight: 296g

Paper card board inner packing
 Pcs/ctn: 40
 color box size:
 17.1*2.2*23cm
 carton size:
 47.5*23.5*36.5cm
 N.W.: 15.3KG
 G.W.: 14.8KG
 1x20'FCL: 25920pcs
 1x40'FCL: 54000pcs
 1x40'HQ: 58800pcs



YQ-K03 **NEW**

LCD display: 54.6*24.3mm
 Product size: 21.2x15.1x1.71cm
 High precision weighing sensor
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 Unit conversion: g/oz/lb/tl/kg/water-ml/milk-ml
 capacity: 10kg/22lb/352oz
 division: 0.035oz/1g
 2*AAA battery
 weight: 266g

Paper card board inner packing
 Pcs/ctn: 40
 color box size:
 17*2.9*24.8cm
 carton size:
 51*30.5*35.5CM
 N.W.: 14.5KG
 G.W.: 15KG
 1x20'FCL: 18480pcs
 1x40'FCL: 38640pcs
 1x40'HQ: 45080pcs



YQ-K06 **NEW**

LED display with white backlit: 85X19mm
 Product size: 190x154x28mm
 Unit conversion: g/lb/oz
 304 Stainless steel platform
 Timer function
 High precision weighing sensor
 automatic turn off function
 Low battery/Overload indicator
 Capacity : 3KG
 Division : 0.1g
 3*AAA battery
 Weight: 326g

pcs/ctn: 24
 color box size: 17.8x21.5x3.2cm
 carton size: 33.5x23x37cm
 N.W.: 15kg
 G.W.: 14.5kg
 1x20'FCL: 25920pcs
 1x40'FCL: 54000pcs
 1x40'HQ: 58800pcs

KITCHEN SCALE



Hot Sale

ZD-K376 *NEW*

REMOVABLE STAINLESS STEEL BOWL CAPACITY (2 L)

Backlit LCD display: 47x22mm

Product size: 215x215x143mm

Capacity:5kg

Division:1g

Room temperature

Tare function

selection: g/oz/kg/lb'oz

Overload indicator

Low battery indicator

Auto switch off

Battery:2xAAA batteries

Bowl weight: 205g

Weight: 560g (Scale + Bowl)

pcs/ctn: 12

color box: 21.5x10.5x21.5cm

carton size: 64.5x23x45 cm

Gross Weight: 9.6kgs

1x20' GP: 4800 PCS

1x40' GP: 9720 PCS

1x40' HQ: 11880 PCS



ZD-412 *NEW*

Stainless steel bowl capacity (1L)

LCD display size: 40.5 x 19 mm

LCD with backlight

High precision strain gauge sensor

Measure volume unit: water "ml", milk "ml"

Max weight capacity: 5 kg / 11 lb

Division: 1 g / 0.1 oz

Touch button/Press on

Auto zero/Auto off

Low battery power indication (Lo)

Overload indication (Err)

2 x AAA Battery



ZD-204+BOWL

REMOVABLE BOWL IN STAINLESS STEEL (1L)

LCD display: 53x22mm ;

Stainless steel platform and Top panel

High precision weighing sensor ;

automatic turn off function;

Low battery/Overload indicator ;

Unit conversion:(g/kg/TL/ml/oz/fl'oz/lb:oz)

Capacity :5KG

Division :1g

2*AAA battery

Size:220x170x30mm

Weight:638g

pcs/ctn:24

color box size: 22.8x7.5x19.5cm

carton size:47x46.5x41cm

N.W.:15.5kg

G.W.:16.5kg

1x20' GP: 5760 PCS

1x40' GP: 12000 PCS

1x40' HQ: 14400 PCS

KITCHEN SCALE



Hot Sale

B-05 PP Material Bowl: 600ml

Size: 162x30x121mm
High precision weighing sensor
LCD display: 40X16mm
automatic turn off function
Low battery/Overload indicator
Unit conversion: (g/oz/lb)
Capacity: 5kg
Division: 1g
2*AAA battery
Weight(unit): 0.23kg

pcs/ctn: 20
color box: 16.5x6.3x17.3 cm
carton : 34.5x34x37 cm
N.W.: 5.5 kgs/ctn
G.W.: 6 kgs /ctn
1x20' GP: 11520 PCS
1x40' GP: 24480PCS
1x40' HQ: 28560PCS



NEW

B09 PP Material Bowl: 1 L

Transparent Bowl capacity: 1L
LCD display: 12X41mm
Product size: 150X180X45mm
Unit conversion: g/oz/lb/TL/ml
High precision weighing sensor
Tare function/Switch on button/Auto turn off
Low battery:Lo/Overload indicator :o-Ld
Capacity :5KG
Division :1g
2xAAA Battery
Weight:221g

pcs/ctn: 40
carton size: 58.5*42*38cm
color box size: 20*17.5*5.4cm
G.W.: 17.1KGS
N.W.: 16.2KGS



NEW

KE-2

High precision weighing sensor
LCD display: 33x13mm
Capacity:5kg d=1g
Unit conversion:oz/lb/g
Automatic return to zero
Automatic turn off function
Low battery indicator
Overload indicator
battery:2xAA batteries

QTY:24 PCS
COLOR BOX:
20.1x6.5x27.3cm
N.W.:11.5 KGS
G.W.:11.8 KGS
MEAS:56X44X43CM
1x20'FCL:5760pcs
1x40'FCL:12600pcs
1x40'HQ:15120pcs



NEW

ZD-K331

Transparent Bowl
LCD display: 44X25mm
Size(unit): 19x19x8.2cm
Capacity: 3kg
Division: 1g
Touch switch on button/ Auto turn off function
Tare/Zero function
Unit conversion: g/ fl oz/ lb oz/ ml
Low battery/Overload indicator
Battery: 1xCR2032 Lithium battery
Weight(unit): 350g

Pcs/ctn: 8
Size ctn: 37X22.5X44cm
Gross weight ctn: 3.6kg
1x20'FCL: 5292pcs
1x40'FCL: 10920pcs
1x40'HQ: 13104pcs

KITCHEN SCALE



ZD-K301

LCD display: 39x18mm
 Capacity: 3kg/5kg
 Division: 1g
 Sensor: 1 strain gauge sensors
 Auto switch on/Auto switch off
 Tare function/Hold function
 g/oz selection
 Low battery/Overload indicator
 Battery: 1xCR2032 Lithium battery
 Size(unit): 20x18.6x3.5cm
 Weight(unit): 300g

Pcs/ctn: 6
 Size ctn: 375x230x230mm
 Gross weight ctn: 3.22kg
 1x20'FCL: 8100pcs
 1x40'FCL: 16524pcs
 1x40'HQ: 20196pcs



ZD-9 Square

1*CR2032 Lithium battery
 High precision weighing sensor
 LCD display: 45x18mm
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/ml/fl'oz/lb:oz/kg)
 5KG/d=1g
 Product size:28x18x6cm
 weight:327g

QTY:24pcs
 N.W.: 10.1KG
 G.W.: 10.7KG
 Gift box size: 19.5*7*22CM
 Carton MEAS: 44*40.5*45CM
 1x20'FCL:7992
 1x40'FCL:16296
 1x40'HQ:18960



ZD-9 Round

LCD display
 High precision weighing sensor
 ABS+PS Plastic parts
 Automatic return to zero
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/ml/fl'oz/lb/kg)
 1xCR2032 Lithium battery
 5KG/d=1g

QTY: 24pcs
 N.W.: 6.9kg
 G.W.: 9.3kg
 Product size: 183x205x60mm
 Gift box size: 195x70x220mm
 Carton MEAS: 440x405x450mm
 1x20'FCL: 8400pcs
 1x40'FCL: 17400pcs
 1x40'HQ: 19440pcs

KITCHEN SCALE



Hot Sale

ZD-406

LCD display: 52x18mm
 Product size: 200x145x20mm
 Glass size: 200x145x4mm
 Capacity: 5kg
 Division: 1g
 High precision weighing sensor
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (lb/g/fl oz/oz/ml)
 2*AAA battery
 Weight: 410g

Pcs/ctn: 24
 Size ctn: 185x290x245mm
 G.W: 6.25kg
 1x20'FCL: 21600pcs
 1x40'FCL: 44280pcs
 1x40'HQ: 49200pcs



ZD-417 **NEW**

LCD display: 52x18mm
 Product size: 200x145x16mm
 Glass size: 200x145x4mm
 Capacity: 5kg
 Division: 1g
 High precision weighing sensor
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: g / oz / oz lb / ml / fl oz
 1xCR2032 battery
 Weight: 410g



ZD-407 **NEW**

Square tempered glass
 LCD display: 23x51mm
 Product size: 152X152X15mm
 Unit conversion: g / oz / lb / kg
 Capacity: 5kg
 Division: 1g
 High precision weighing sensor
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 1xCR2032
 weight: 324g

Pcs/ctn: 24
 Color box size:
 155x158x25mm
 Size ctn:
 185x290x245mm
 G.W: 8.7kg
 1x20'FCL: 21600pcs
 1x40'FCL: 44280pcs
 1x40'HQ: 49200pcs



KE-A **NEW**

LCD display: 57X21mm
 High precision weighing sensor
 Product size :160x230x20mm
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/kg/lb/oz)
 5kg/d=1g
 2*AAA battery
 weight: 336g

QTY: 24 PCS
 N.W.: 14 KGS
 G.W.: 15.5 KGS
 Product size: 22.8*15.8*2CM
 Carton MEAS: 37.5X35X25CM
 1x20'FCL: 19752
 1x40'FCL: 40224
 1x40'HQ: 46824

KITCHEN SCALE



ZD-K345

LCD display: 43X18mm
 Glass size: 151x216x4mm
 Capacity: 5kg
 Division: d=1g
 High precision weighing sensor
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (kg/lb:oz/ml/fl'oz/g)
 1*CR2032 Lithium battery

Pcs/ctn: 12
 Size ctn: 308x238x170mm
 G.W: 6.3kg
 1x20'FCL: 26088pcs
 1x40'FCL: 53388pcs
 1x40'HQ: 61620pcs



ZD-K321

LCD display: 48x18.5mm
 Product size: 200x145x14mm
 Capacity: 5kg
 Division: 1g
 Sensor: 4 strain gauge sensor
 Touch switch ON/Auto switch off
 Over loading indicator
 Low battery indicator
 g/oz/lb/ml/fl selection
 Battery: 1xCR2032 lithium battery
 Weight(unit): 0.332kg

Pcs/ctn: 10
 Size ctn: 185x290x245mm
 G.W: 6.25KG
 1x20'FCL: 21600pcs
 1x40'FCL: 44280pcs
 1x40'HQ: 49200pcs



ZD-415 **NEW**

LCD display: 56x25mm
 Product size: 200x182x17mm
 High precision weighing sensor
 Automatic return to zero, a
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: g/lb/oz/kg
 capacity: 5000g
 division: 0.035oz/1g
 1XCR2032 Lithium battery
 weight: 483g

pcs/ctn: 6
 color box : 19x2.8x21 cm
 carton : 22.5x18.5x20.5 cm
 N.W: 3.2 KGS/CTN
 G.W.: 3.6 KGS/CTN
 1x20' GP: 19800 PCS
 1x40' GP: 40920 PCS
 1x40' HQ: 43320 PCS



ZD-404 **NEW**

LCD display: 58X22mm
 Product size: 160x220x17mm
 Unit conversion: g/lb/oz/kg
 Touch switch on/auto turn off function
 High precision weighing sensor
 Tare function
 Low battery: Lo/Overload indicator : O-Ld
 Capacity : 5KG
 Division : 1g
 ABS material
 2xAAA
 Weight: 215g

KITCHEN SCALE



KE-A **NEW**

LCD display: 57X21mm
 High precision weighing sensor
 Product size :200X146X20mm
 Automatic return to zero,
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/kg/lb/oz)
 5kg/d=1g
 2*AAA battery
 weight:336g

QTY:24 PCS
 N.W.:14 KGS
 G.W.:15.5 KGS
 Product size:22.8*15.8*2CM
 Carton MEAS:37.5X35X25CM
 1x20'FCL:19752
 1x40'FCL:40224
 1x40'HQ:46824



ZD-K406 Bamboo

LCD display: 52X18MM
 Capacity:5kg
 Division: 1g
 2*AAA battery
 High precision weighing sensor ;
 Automatic return to zero, automatic turn off function ;
 Low battery/Overload indicator ;
 Unit conversion: (lb/g/fl oz/oz/ml)
 Capacity:5kg
 Division: 1g

Pcs/ctn:10
 Size ctn:185x290x245mm
 G.W: 6.25KG
 1x20'FCL: 21600pcs
 1x40'FCL: 44280pcs
 1x40'HQ: 49200pcs

KITCHEN SCALE



ZD-K348

LCD Display: 56X25mm
High precision weighing sensor
Automatic turn off function
Low battery/Overload indicator
Unit conversion: (g/kg/ml/ml/oz/fl'oz/lb:oz)
Capacity: 15kg
Division: 1g
Tempered glass platform
2*AAA battery
Size: 210x210x21mm
Weight(unit): 0.64kg

Pcs/ctn: 8pcs
Gift box size: 233x219x30mm
Size ctn: 260x250x245mm
Net weight ctn: 6.3kg
Gross weight ctn: 6.7kg
1x20'FCL: 14256pcs
1x40'FCL: 29160pcs
1X40' HQ: 32400pcs



ZD-K349

LCD Display: 56X25mm
High precision weighing sensor
Automatic turn off function
Low battery/Overload indicator
Unit conversion: (g/kg/ml/ml/oz/fl'oz/lb:oz)
Capacity: 15kg
Division: 1g
Tempered glass platform
2*AAA battery
Size: 225x185x21mm
Weight(unit): 0.62kg

Pcs/ctn: 8pcs
Gift box size: 233x219x30mm
Size ctn: 260x250x245mm
Net weight ctn: 6.3kg
Gross weight ctn: 6.7kg
1x20'FCL: 14256pcs
1x40'FCL: 29160pcs
1X40' HQ: 32400pcs

KITCHEN SCALE



ZD-419

LCD display: 48X18.5mm
Capacity: 5kg / Division: 1g
Sensor: 4 strain gauge sensor
Touch switch ON/Auto switch off
Over loading indicator
Low battery indicator
g/oz/lb/ml/fl selection
Battery: 1xCR2032 lithium battery
Size: dia 18.4x1.4cm
Weight(unit): 0.38kg

Pcs/ctn: 10
Size ctn: 215x290x235mm
Gross weight ctn: 6.25kg
1x20'FCL: 18000pcs
1x40'FCL: 36900pcs
1x40'HQ: 45100pcs



KE-F

LCD display: 44x20mm
Size: 20x20x2.1cm
Capacity: 5kg
Division: d=1g
High precision weighing sensor
Unit conversion: (fl/lb/oz/ml/g)
2 x AAA Battery

Pcs/ctn: 20
Carton Size: 345x265x245mm
Gross weight ctn: 15kg
1x20'FCL: 24480pcs
1x40'FCL: 48960pcs
1x40'HQ: 55440pcs


KITCHEN SCALE



KE-4

LCD display: 50x20mm
 Product size: 190x160x40mm
 High precision weighing sensor
 Unit conversion: (g/oz)
 5kg/d=1g
 4mm thick tempered glass
 Clock function
 ABS Plastic parts
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 1*CR2032 Lithium battery

QTY:24 PCS
 N.W.:14 KGS
 G.W.:16 KGS
 MEAS:61X48.5X30.5CM
 1x20'FCL:7104
 1x40'FCL:14496
 1x40'HQ:16872



KE-5

LCD display: 47x20mm
 Product size:21*16.5*4.5CM
 4mm thick tempered glass;
 High precision weighing sensor ;
 Automatic return to zero, automatic turn off function;
 Low battery/Overload indicator ;
 Unit conversion: (g/lb/oz)
 5kg/d=1g
 1*CR2032 Lithium battery(

QTY:24 PCS
 N.W.:12 KGS
 G.W.:14 KGS
 MEAS:51.5X49.5X23CM
 1x20'FCL:10800
 1x40'FCL:21984
 1x40'HQ:25584



ZD-8

High precision weighing sensor
 LCD display: 46X15mm
 Size: 167x134x44mm
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/kg/lb/oz/TL)
 Capacity: 5kg
 Division: 1g
 Tempered glass platform: 13.4cm
 2*AAA battery
 Weight(unit): 0.29kg

Pcs/ctn: 40pcs
 Gift box size: 138x45x176mm
 Size ctn: 510x360x290mm
 Net weight ctn: 11.6kg
 Gross weight ctn: 14.1kg
 1x20'FCL: 21120pcs
 1x40'FCL: 42240pcs
 1X40' HQ: 47520pcs

KITCHEN SCALE



Hot Sale

ZD-3

LCD display size: 41x18mm
2*AAA batteries
Capacity:5kg
Division:d=1g
stainless steel platform
High precision weighing sensor
LCD display with blue backlight
Unit conversion: (kg/lb/oz/ml)
Size:18x13.8x1.5cm
Weight: 240g

Pcs/ctn: 20

Carton Size: 455x2

Gross weight ctn: 6.6kg

1x20'FCL: 16200pcs

1x40'FCL: 33600pcs

1x40'HQ: 39600pcs



ZD-416

LCD display:53X20mm
SS Size:143x197mm
Product size: 145x200x13mm
Unit conversion: g/oz/lb'oz/ml/fl'oz
Stainless steel platform and Top panel
High precision weighing sensor
Low battery:LO/Overload indicator :EEEE
Capacity :5KG
Division :1g
1xCR2032
Weight:243g



ZD-411

LCD display:58X22mm
Stainless steel platform and Top panel
High precision weighing sensor
automatic turn off function/Timing function
Temperature display
when long press the Switch on button
Low battery/Overload indicator
Unit conversion: g/lb/oz/kg
Capacity :5KG
Division :1g
1xCR2032
Size:200X200X20mm

Packing details:

Pcs/ctn:12

Size ctn:380x230x230mm

Gross weight ctn:6.3kg

1x20'FCL:17904pcs

1x40'FCL:37104pcs

1x40'HQ:40824pcs



ZD-409

LCD display
Product size: 28x81.5cm
Unit conversion: g/lb oz/ml/fl.oz
Stainless steel material
High precision weighing sensor
Low battery/Overload indicator
Auto shut off /Tare function
Capacity :5KG
Division :1g
1xCR2032
Weight:180g
pcs/ctn:24
Ctn size: 31x28x14cm
N.W.:4.5kg
G.W.:5.5kg

ZD-408



LCD display:58X25mm with blue backlit
Product size: 163x245mm R12
Unit conversion: g/ml/lb'oz/fl'oz
Stainless steel material
High precision weighing sensor
Low battery/Overload indicator
Touch switch on/Auto shut off
Tare/ with hanging function
Capacity :5KG
Division :1g
2xCR2032
Weight:475g

KITCHEN SCALE



ZD-10

LCD display: 59x21mm
 Product size: 220x160x17mm
 High precision weighing sensor
 Stainless steel surface
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 Unit conversion : (g/lb/oz/fl'oz/kg/ml)
 5KG/d=1g
 3*AAA battery
 weight: 321g

QTY: 40pcs
 N.W.: 11.6KG
 G.W.: 14.1KG
 Product size: 16*22*1.6CM
 Gift box size: 16.5*2.3*22.5CM
 Carton MEAS: 48.5*24*35CM
 1x20' FCL: 26320
 1x40' FCL: 53640
 1x40' HQ: 62400



ZD-204

LCD display: 44x20mm ;
 Stainless steel platform and Top panel
 High precision weighing sensor ;
 automatic turn off function ;
 Low battery/Overload indicator ;
 Unit conversion: g/kg/TL/ml/ml/oz/fl'oz/lb'oz
 Capacity : 5KG
 Division : 1g
 2*AAA battery
 Size: 170x218x26mm
 Weight: 497g

Pcs/ctn: 6pcs
 Color box: 22.5*17.5*3.5cm
 Size ctn: 375x230x230mm
 Gross weight ctn: 3.2kgs
 1x20' FCL: 8100pcs
 1x40' FCL: 16524pcs
 1X40' HQ: 20196pcs



ZD-K378

LCD display: 46x22mm
 Stainless steel platform
 High precision weighing sensor ;
 automatic turn off function ;
 Low battery/Overload indicator ;
 Unit conversion: g/kg/TL/ml/ml/oz/fl'oz/lb'oz
 Capacity : 5KG
 Division : 1g
 2*AAA battery
 Size: 170x215x26mm

Pcs/ctn: 6pcs
 Size ctn: 375x230x230mm
 Gross weight ctn: 3.2kgs
 1x20' FCL: 8100pcs
 1x40' FCL: 16524pcs
 1X40' HQ: 20196pcs



ZD-403

LCD display: 58x21mm ;
 Capacity: 5kg
 Division: d=1g
 High precision weighing sensor ;
 Automatic return to zero,
 automatic turn off function ;
 Low battery/Overload indicator ;
 Unit conversion: (kg/oz/lb/g)
 Product size: 198x198x17mm
 2*AAA battery

Pcs/ctn: 10
 Size ctn: 295x215x235cm
 G.W: 6.3kg
 1x20' FCL: 18000pcs
 1x40' FCL: 36900pcs
 1x40' HQ: 45100pcs



ZD-K377

LCD display: 46x22mm
 Stainless steel platform
 High precision weighing sensor ;
 automatic turn off function ;
 Low battery/Overload indicator ;
 Unit conversion: g/kg/TL/ml/ml/oz/fl'oz/lb'oz
 Capacity : 5KG
 Division : 1g
 2*AAA battery
 Size: 170x220x25mm

Pcs/ctn: 6pcs
 Size ctn: 375x230x230mm
 Gross weight ctn: 3.2kgs
 1x20' FCL: 8100pcs
 1x40' FCL: 16524pcs
 1X40' HQ: 20196pcs

KITCHEN SCALE



ZD-210

Stainless steel platform
 LCD display: 58x28mm with backlight
 Product size: 210x150x32mm
 Unit conversion: g/kg/TL/ml/oz/fl'oz/lb'oz
 Capacity:5kg
 Division: 1g
 High precision weighing sensor
 Automatic return to zero, automatic turn off function
 Low battery/Overload indicator
 2xAAA(not included)
 weight:314g



ZD-4

Capacity :15KG

Tempered glass surface with ruler printing on two sides
 Tempered glass in right Angle
 Size:350x260x25mm
 LCD Display: 92x34mm
 Unit: kg / lb / oz / ml / g



ZD-2

LCD display:46x15mm
 Product size: 165x68x195mm
 Unit:g/lb/oz
 Tare function
 Battery type: 2 x AA
 Capacity/Division:5000g/d=1g
 Low battery/ Overload indicator
 Weight:278g

Pcs/ctn:40pcs
 color box :165X67X195mm
 Size ctn:71X35X41CM
 Net weight ctn:13.1kgs
 Gross weight ctn:13.8kgs
 1x20'FCL:9600pcs
 1x40'FCL:19800pcs
 1x40'HQ:23760pcs



ZD-1

2*AAA battery
 High precision weighing sensor
 LCD display: 44X18mm
 automatic turn off function
 Low battery/Overload indicator
 Unit conversion: (g/ lb oz/ml/ fl oz)
 Capacity :5KG/7KG
 Division :1g
 Size:190x165x42mm
 Weight(unit):0.3kg

Pcs/ctn:40pcs
 Gift box size :170x50x196mm
 Size ctn:570x415x360mm
 Net weight ctn:16kgs
 Gross weight ctn:17kgs
 1x20'FCL: 13440pcs
 1x40'FCL:25920pcs
 1X40' HQ:30240pcs

KITCHEN SCALE



Hot Sale

SF-400

LCD display: 51x19mm
Size: 238X167X42mm
Capacity: 5kg
Division: 1g
Sensor: one strain gauge sensor
press button switch ON/Auto switch off
Tare function
g/oz selection
Low battery/Overload indicator
Battery: 2xAA battery
Weight(unit): 270g

Pcs/ctn: 40
Size ctn: 51.5x46x39.5cm
G.W: 16KG
1x20' FCL: 11480pcs
1x40' FCL: 24240pcs
1x40' HQ: 26800pcs



SF-400A

High precision weighing sensor ;
Unit conversion: g/oz/lb/kg
Battery: 2*AA
LCD Display: 60x23mm;
Product size: 153x226x45mm

pcs/ctn: 40
color box: 24x16.5x5.5cm
carton size: 58.5x50x35cm
N.W.: 16.3KG
G.W.: 17KG
1x20' FCL: 9400PCS
1x40' FCL: 20920PCS
1x40' HQ: 22600PCS



ZD-205

Capacity: 30KG

LCD display: 63x24mm
Product size: 215x240x65mm
Unit conversion: g/oz/lb/kg/tl/ct
Battery: 2xAAA
Weight: 775g

pcs/ctn: 20
color box: 242x247x70mm
carton size: 50.5x37x50cm

NUTRITION SCALE / JUG SCALE



ZD-402

NUTRITION SCALE

Memory Function

LCD display size 63x45mm, No backlight

Glass size: 160x230x4mm

Product size: 160x230x15mm

Capacity: 5kg

Division: 1g

High precision weighing sensor

Automatic return to zero, automatic turn off function

Low battery/Overload indicator

Unit conversion: (g/oz/ml/fl.oz)

2*CR2032 Lithium battery

Pcs/ctn: 10

Size ctn: 185x290x245mm

G.W: 6.25kg

1x20'FCL: 21600pcs

1x40'FCL: 44280pcs

1x40'HQ: 49200pcs



ZD-206 **NEW**

NUTRITION SCALE

Memory function

LCD display size 90x35mm with backlight

Glass size: 150x150x4mm

Product size: 140x240x24mm

Capacity: 5kg

Division: 1g

Unit conversion : g / lb'oz / oz

Mesurement range : PORT/ FAT / CARB / BE / JK / KCAL / CHOL

High precision weighing sensor

Automatic return to zero, automatic turn off function

Low battery/Overload indicator : Lo / o-Ld

2XCR2032 Lithium battery

Weight : 465g

Pcs/ctn:40

Size ctn:51.5x46x39.5cm

G.W:16KG

1x20'FCL: 11480pcs

1x40'FCL: 24240pcs

1x40'HQ: 26800pcs



JUG SCALE **NEW**

LCD display: 25x17.5mm

Capacity:13kg/6.6lb Division :1 g / 8 oz

Product size: 210x140x146mm

Sensor:4 strain gauge sensors

Over loading indicator Low battery indicator

Kg/lb selection

Battery : 1xCR2032

Measure volume unit: water "ml", milk "ml", oil "ml", flour "cup"

Measuring cup capacity : 1 L (Detachable)

Weight: 315g

COFFEE SCALE



ZD-203 COFFEE SCALE

LCD display: 60X26mm With blue backlight

Product Size: 205x150x33mm

Division: 0.1g when capacity within 1kg

Unit conversion: (g/oz)

Capacity: 2kg

1g when capacity over 1kg

High precision weighing sensor

Low battery/Overload indicator

Automatic turn off function

Tare function

Weight(unit): 0.31kg

Pcs/ctn: 6pcs

Size ctn: 375x230x230mm

Gross weight ctn: 3.2kg

1x20'FCL: 8100pcs

1x40'FCL: 16524pcs

1X40' HQ: 20196pcs



ZD-328 COFFEE SCALE

Stainless steel platform

LCD display: 54x18mm With Red and Yellow backlight

Product Size: 180x120x25mm

Glass size: 120x126mm

Division: 0.1g

Capacity: 3kg

Unit conversion: g/ml

Touch Switch on /Timer /Tare function

High precision weighing sensor

Low battery: Lo /Overload indicator: EEEE

Automatic turn off function

Material : Stainless steel platform,
wooden grain plastic material

2 x AAA Battery type

Weight(unit): 0.36kg

Pcs/ctn: 6pcs

Size ctn: 375x230x230mm

Gross weight ctn: 3.2kg

1x20'FCL: 8100pcs

1x40'FCL: 16524pcs

1X40' HQ: 20196pcs

BATHROOM SCALE



Hot Sale

YQ-201

LCD display: 70x28mm
Capacity: 180kg/396lb Division: 0.05kg/0.1lb
Sensor: 4 strain gauge sensors
Tempered glass size: 280x280x5mm R3
Step on switch /Auto switch off
Low battery/Overload indicator
Kg/lb selection
Battery: 1xCR2032 Lithium battery
Size (unit): 28x28x2.1cm
Weight (unit): 1.4kg

Packing details:
pcs/ctn: 6
bubble bag inner packing
color box: 28.6x3x29 cm
carton: 30x19.5x30 cm
N.W. : 6.9 kgs
G.W. : 7.2kgs
1x20' GP: 8778 PCS
1x40' GP: 18018 PCS
1x40' HQ: 20592 PCS

YQ-247

LCD display: 73x29mm
Capacity: 180kg/396lb Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
Tempered glass size: 280x280x5mm R3
Step on switch /Auto switch off
Low battery/Overload indicator
Kg/lb selection
Battery: 2xAAA battery
Size (unit): 28x28x2.3cm
Weight (unit): 1.3kg

Packing details:
Bubble inner packaging
Pcs/ctn: 6
Size ctn: 300x195x300mm
Gross weight ctn: 9.3kg
1x20'FCL: 8718pcs
1x40'FCL: 17958pcs
1x40'HQ: 20532pcs

BATHROOM SCALE



Hot Sale

YQ-B12

Glass: **260x260X4mm** R10
 Product size : 260x260X25mm
 LCD display: 58X24mm
 Capacity:180kg. d:100g
 4 strain gauge sensors
 Auto switch off Over loading indicator
 Low battery indicator
 Kg/lb selection
 Battery:1xCR2032 battery

Packing details :
 Bubble inner packaging
 Pcs/ctn:10
 Color box: 26.5X3X26.8cm
 Size ctn:32X27.5X28.5cm
 Net weight/ctn:15kg
 Gross weight/ctn:15.5kg
 1x20'FCL:10080pcs
 1x40'FCL:23040pcs
 1x40'HQ :26240pcs



YQ-B11

Glass size: 210x250x4mm
 Product size : 210x250X25mm
 LCD display: 58X24mm
 Capacity:180kg. d:100g
 4 strain gauge sensors
 Auto switch off Over loading indicator
 Low battery indicator
 Kg/lb selection
 Battery:2xAAA battery

Packing details:
 Bubble inner packaging
 Pcs/ctn:20
 Size ctn:46x31.5x28cm
 Net weight/ctn:14kg
 Gross weight/ctn:15kg
 1x20'FCL:13500pcs
 1x40'FCL:28700pcs
 1x40'HQ :30620pcs



YQ-B13

LCD display: 60x25mm
 Capacity:180kg
 Division:50g
 Sensor:4 strain gauge sensors
 tempered glass platform with safe corner
 Step switch on/Auto switch off
 Kg unit
 2xAAA batteries
 Glass size: 230x130x6mm
 Size:13x23x2.5cm

Packing details:
 Bubble inner packaging
 Pcs/ctn:20
 Carton size :30x29x25.5cm
 Gross weight ctn:13.5kg
 1x20'FCL:21280pcs
 1x40'FCL:43680pcs
 1x40'HQ:54600pcs

BATHROOM SCALE



Transparent & Pattern
(For selection)

YQ-2003A

LCD size: 56x22mm
Tempered glass size: 280x280x5mm
Capacity: 180kg
Division: 0.1kg
Auto switch off
Low battery/Overload indicator
Kg/lb selection
2xAAA Battery

Packing details:
Bubble inner packaging Pcs/ctn: 5pcs
color box: 283x30x286mm
Size ctn: 29.5x17x30.5cm
G.W.: 5.6kgs
1x20' FCL: 8165pcs
1x40' FCL: 17265pcs
1X40' HQ: 19925pcs

YQ-B10

LCD size: 56x22mm
Tempered glass size: 300x300x5mm
Capacity: 180kg
Division: 0.1kg
Auto switch off
Low battery/Overload indicator
Kg/lb selection
Battery: 2xAAA battery (not included)

Packing details:
Bubble inner packaging Pcs/ctn: 5pcs
color box: 305x30x310mm
Size ctn: 31x17x32.5cm
G.W.: 5.7kgs
1x20' FCL: 7710pcs
1x40' FCL: 16355pcs
1X40' HQ: 18875pcs



YQ-2005D

LCD display: 60X25mm
Capacity: 180kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
tempered glass platform
Step switch on/Auto switch off
Kg/lb selection
Battery: 1xCR2032 Battery
Glass size: 280x280x5mm
Size: 28.0x28.0x2.7cm

Packing details:
Bubble inner packaging
pcs/ctn: 6
color box: 30.5x3x31 cm
carton: 31.5x20x32.5 cm
N.W.: 9.5 KGS
G.W.: 10 KGS
1x20' GP: 8286 PCS
1x40' GP: 17064 PCS
1x40' HQ: 19458 PCS



YQ-2003B

LCD Display size: 60x25mm
Capacity: 180kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
tempered glass platform
Step switch on/Auto switch off
Kg/lb selection
Power: 1 x CR2032 Battery
Glass size: 32.5x32.5x6mm

Packing details:
Pcs/ctn: 10
color box: 33.5x33.5x4cm
carton size: 42x35.5x35cm
G.W.: 20kgs
1x20' FCL: 4680pcs
1x40' FCL: 10080pcs
1X40' HQ: 11760pcs

BATHROOM SCALE



YQ-B19 **NEW**

LCD display: 73x30mm

Capacity:180kg/396lb Division:0.1kg/0.2lb

Sensor:4 strain gauge sensors

Tempered glass size:290x290x5mm

Auto switch on/Auto switch off

Low battery/Overload indicator

Kg/lb selection

2xAAA Battery type

Size (unit):29x29x2.5cm

Weight (unit):1.4kg

Packing details:

pcs/ctn: 6

bubble bag inner packing

color box : 30.3x3x30.6 cm

carton : 31.5x20x32cm

N.W. : 9.5 kgs

G.W. : 10kgs

1x20' GP: 8286 PCS

1x40' GP: 17064 PCS

1x40' HQ: 19506 PCS



YQ-B20 **NEW**

LCD display: 60x25mm

Capacity:180kg/396lb Division:0.1kg/0.2lb

Sensor:4 strain gauge sensors

Tempered glass size:290x290x5mm

Auto switch on/Auto switch off

Low battery/Overload indicator

Kg/lb selection

1xCR2032 Battery type

Size (unit):29x29x2.2cm

Weight (unit):1.4kg

Packing details:

pcs/ctn: 6

bubble bag inner packing

color box : 30.3x3x30.6 cm

carton : 31.5x20x32cm

N.W. : 9.5 kgs

G.W. : 10kgs

1x20' GP: 8286 PCS

1x40' GP: 17064 PCS

1x40' HQ: 19506 PCS

BATHROOM SCALE



YQ-B04

LED display
Capacity: 180Kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
Scale size: 30x30x3.2cm
Auto switch on/Auto switch off
Kg/lb selection
Battery: 1xCR2032 Lithium battery
Weight (unit): 1.5 kgs

Pcs/ctn: 6
GB: 338x440x334mm
Size ctn: 353x279x364mm
1x20' FCL: 4680pcs
1x40' FCL: 9504pcs
1x40' HQ: 11088pcs



YQ-B06

LCD display: 70x29mm
Capacity: 180Kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
Bamboo platform size: 280x280mm
Auto switch on/Auto switch off
Kg/lb selection
Battery: 1xCR2032 Lithium battery
Size (unit): 28x28x2.5cm
Weight (unit): 1.5 kg

Pcs/ctn: 6
GB: 338x440x334mm
Size ctn: 353x279x364mm
1x20' FCL: 4680pcs
1x40' FCL: 9504pcs
1x40' HQ: 11088pcs



YQ-B30

LCD display: 73x30mm
Capacity: 180Kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
Bamboo platform size: 310x300x15mm
Auto switch on/Auto switch off
Kg/lb selection
battery: 1xCR2032 Lithium battery
Size (unit): 31x31x2.1cm
Weight (unit): 1.1 kgs

Packing details:
Foam packaging
Pcs/ctn: 6
GB: 338x44x334mm
size ctn: 353*279*364mm
1x20' FCL: 4680pcs
1x40' FCL: 9504pcs
1x40' HQ: 11088pcs



YQ-B09

LCD display: 73x29mm
Tempered Glass size: 280x280x5mm R3
Glass platform:
stainless steel & stick with wooden pattern
Product size: 280x280x23mm
Capacity: 180kg/396lb
Division: 50g
Sensor: 4 strain gauge sensors
Auto switch on/Auto switch off
Over loading indicator
Low battery indicator
Kg/lb selection
2 X AAA Battery type

Packing details:
pcs/ctn: 6
bubble bag inner packing
color box: 28.6x3x29 cm
carton: 30x19.5x30 cm
N.W. : 6.9 kgs
G.W. : 7.2kgs
1x20' GP: 8778 PCS
1x40' GP: 18018 PCS
1x40' HQ: 20592 PCS


BATHROOM SCALE



YQ-B02

LCD display: 75X29.5mm
Capacity: 180kg/396lb
Division: 0.1kg/0.2lb
Sensor: 4 strain gauge sensors
Tempered glass platform with safe corner
Step switch on/Auto switch off
Kg/lb selection
2xAAA Battery
Glass size: 30x30x6cm
Size: 30x30x2.5cm

Packing details:
Bubble inner packaging
Pcs/ctn:6
Carton size :32x20x32.5cm
Gross weight ctn:10.5kg
1x20'FCL:8256pcs
1x40'FCL:17034pcs
1x40'HQ:19476pcs



YQ-B17

Tempered Glass Size: 324 x 324 x 6 mm
Max capacity: 180kg/397lb
Division:100g/0.2lb
Dimensions = 12" x 12" (height from floor 3/4")
76x32mm LCD display
6mm tempered glass
2 X AAA batteries type
Equipped with high strain gauge sensors
Auto-on
Weighing unit switch between kg/lb
Automatic zero and switch off
Low battery and overload indication

Packing details:
pcs/ctn: 6
1x20' GP: 3024 PCS
1x40' GP: 6480 PCS
1x40' HQ: 7560 PCS



YQ-B15

LCD display: 73X31mm
Capacity:180kg/396lb
Division:50g/0.2lb
Sensor:4 strain gauge sensors
stainless steel platform with safe corner
Step switch on/Auto switch off
Kg/lb selection
2xCR2032
Product Size:298x298x20mm
weight: 1.513g

Packing details:
Bubble inner packaging
pcs/ctn: 6
color box: 30.5x3x31 cm
carton: 31.5x20x32.5 cm
1x20' GP: 8286 PCS
1x40' GP: 17064 PCS
1x40' HQ: 19458 PC

BATHROOM SCALE



YQ-B08

Glass size :300x300x6mm
 LCD size: 98x62mm
 optional: LCD with backlight in blue
 Graduation: 100g, 0.2st, 1lb
 capacity: 180 kg
 Operating range: 3 - 180 kg
 Displays kg / lb / st (switchable)
 Switching technique: Step-On
 Automatic switch-off
 overload indicator
 2x AAA batteries

Packing details:
 Foam Packaging
 Pcs/ctn:6
 Size ctn:36×31.5×36.5cm
 Gross weight ctn:11.5kgs
 1x20' FCL:4032 pcs
 1x40' FCL:8316 pcs
 1x40' HQ:9702 pcs



YQ-B16

LCD display: 71.5X45 mm
 Capacity:200kg
 Division:0.1kg
 Sensor:4 strain gauge sensors
 Step switch on/Auto switch off
 Kg/LB unit
 2xAAA batteries
 Glass size:Size:360x300x8mm
 Product size:360x300x26mm

Packing details:
 Foam packing
 pcs/ctn: 5
 carton: 45x34.6x24.5 cm
 1x20' GP: 3600 PCS
 1x40' GP: 7575 PCS
 1x40' HQ: 8425 PC



YQ-B21

Large LCD display size : 89X40mm
 Product Size (unit):280x280x21mm
 Tempered glass size:280x280x5mm, R10
 Capacity:180kg Division: 50g
 Sensor:4 strain gauge sensors
 Auto switch on/Auto switch off
 Low battery/Overload indicator
 Kg/lb selection
 1xCR2032
 Weight (unit): 1.07kg

Packing details:
 pcs/ctn: 6
 bubble bag inner packing
 color box: 28.6x3x29 cm
 carton: 30x19.5x30 cm
 N.W. : 6.9 kgs
 G.W. : 7.2kgs
 1x20' GP: 8778 PCS
 1x40' GP: 18018 PCS
 1x40' HQ: 20592 PCS

LED Bathroom Scale



YQ-B12Z-LED

LED White light

Glass: 260x260x4mm R10

Product size : 260x260x25mm

Capacity:180kg. d:50g

4 strain gauge sensors

Auto switch off Over loading indicator

Low battery indicator

Kg/lb/st:lb for selection

Battery:2xAAA battery(not included)

Foam packing

Pcs/ctn: 10

Color box: 29x4.7x29cm

Size ctn:49x30.5x31cm

G.W.: 10.5 kgs

N.W.:9.5 kgs

1x20'FCL:6100pcs

1x40'HQ :13700pcs



YQ-B22-LED

LED RED light

Product Size (unit):280x280x24mm

Tempered glass size:280x280x5mm R10

Capacity:180kg / Division: 50g

Sensor: 4 strain gauge sensors

Auto switch on/Auto switch off

Low battery / Overload indicator

Kg / lb selection

2 X AAA (not included)

Weight (unit): 1.13kg

Packing details:

pcs/ctn: 6

bubble bag inner packing

color box: 28.6x3x29 cm

carton: 30x19.5x30 cm

N.W. : 6.9 kgs

G.W. : 7.2kgs

1x20' GP: 8778 PCS

1x40' GP: 18018 PCS

1x40' HQ: 20592 PCS



YQ-B14

LCD display: 71.5X45 mm

Capacity:180kg

Division:100g

Sensor:4 strain gauge sensors

Step switch on/Auto switch off

Kg/LB unit

2xAAA batteries(not included)

Glass size:Size:300x300x5mm

Product size:302x302x22mm

Packing details:

Foam packing

pcs/ctn: 6

color box size: 30.3x3x30.6 cm

carton size: 32x20x32.5 cm

1x20' GP: 8070 PCS, 1345ctns

1x40' GP: 16620 PCS, 2770ctns

1x40' HQ: 18990 PCS, 3165ctns

LED Smart Bluetooth Body Scale



YQ-S08

LED White light
Capacity:180kg, Division:50g
Sensor:4 strain gauge sensors
Tempered glass platform: 320x254x5mm Big Round angle
Product size: 320x254x22mm
Measuring:Body fat ,body water,bone,muscle,daily caloric,BMI
Step-on switch on/Auto switch off
Over loading indicator /Low battery indicator
Unit : lb/kg
Battery: 3xAAA Battery
Weight (unit):1.2kg. Bluetooth 4.0 .
Android 4.3 / iOS system
One way transmission

Packing details:
Bubble bag inner packing
pcs/ctn:10
Size ctn:35x30x30cm
G.W:19.5kg
N.W:19kg
1x20'FCL:7980pcs
1x40'FCL:16660pcs
1x40'HQ 19040pcs



YQ-S10

LCD display size : 6.5cm dia. with backlight
Glass platform: 280X280X5mm R25
Product size: 280X280X23mm
Capacity:180kg, Division:50g
Measuring range:Body fat ,body water,bone,
muscle,daily caloric,BMI
Sensor:4 strain gauge sensors
Step-on switch on/Auto switch off
Over loading indicator
Low battery indicator
Unit : Kg/Lb
Battery: 2xAAA Battery
Weight (unit):1.325kg. Bluetooth connection
Android 4.3 / iOS system
One way transmission

Packing Details:
Foam packing
Pcs/ctn:10
Color box:30.8x5x31cm
Master carton:53.5x33x32cm
G.W: 13.5KG
1x20'GP:4760pcs
1x40'GP:8140pcs
1x40'HQ:9500pcs



YQ-S11

LED display
Glass: 280x280x5mm R10
Product size :280x280x23mm
Capacity:180kg. d:50g
Measurement range:Body fat ,body water,bone,
muscle,daily caloric,BMI
4 strain gauge sensors
Step-on switch/Auto switch off
Over loading indicator
Low battery indicator
Kg/lb for selection
Battery:2xAAA
Bluetooth connection
Android 4.3 / iOS system
One way transmission

Packing Details:
Foam packing
Pcs/ctn: 10
Color box: 29x4.7x29cm
Size ctn:49x30.5x31cm
G.W.: 10.5 kgs
N.W.:9.5 kgs
1x20'FCL:6100pcs
1x40'HQ :13700pcs

Smart Bluetooth Body Scale



YQ-S30

NEW

LED or LCD display:75x30mm
Capacity:180kg, Division:0.1kg
Body fat ,body water,bone,muscle,daily caloric
Sensor:4 strain gauge sensors
Tempered glass platform: 300x300x6mm
Auto switch on/Auto switch off
Over loading indicator
Low battery indicator
Battery: 3xAAA Battery
Size (unit): 300x300x26mm
Weight (unit):1.6kg. Bluetooth 4.0 .
Android 4.3
One way trasmission

Pcs/ctn: 5
Color box: 325x50x328mm
Master carton: 345x280x350mm
NW: 8.9kg
GW: 9.3kg
20'GP: 3820pcs
40'GP: 8140pcs
40'HQ: 9500pcs



YQ-S31

LCD display: 75X29.5mm
Capacity:180kg/396lb
Division:0.1kg/0.2lb
Body fat,body water,bone,muscle,daily caloric
Sensor:4 strain gauge sensors
tempered glass platform with safe corner
Step switch on/Auto switch off
Kg/lb/st selection
2xAAAbattery
Size: .28x28x2.6cm
One way trasmission



Packing details:
Pcs/ctn:6
Size ctn:31.6x31.4x42cm
Gross weight ctn:13.1kg
1x20'FCL:4896pcs
1x40'FCL:10080pcs
1x40'HQ:11760pcs

Smart Bluetooth Body Scale



YQ-S03 **NEW**

LED or LCD display :75x30mm
 Capacity:180kg, Division:0.1kg
 Body fat ,body water,bone,muscle,daily caloric
 Sensor:4 strain gauge sensors
 Tempered glass platform: 280X280X6mm R40
 Auto switch on/Auto switch off
 Over loading indicator
 Low battery indicator
 Battery: 3xAAA Battery
 Size unit : 280x280x25mm
 Weight (unit):1.1kg. Bluetooth 4.0 .
 Android 4.3
 One way transmission

Pcs/ctn:5
 Color box:325X50X328mm
 Master carton:345*280*350mm
 NW:8.9KG; GW:9.3KG
 20'GP:3820pcs
 40'GP:8140pcs
 40'HQ:9500pcs



YQ-S07

LCD display :75x30mm
 Capacity:180kg, Division:0.1kg
 Body fat ,body water,bone,muscle,daily caloric
 Sensor:4 strain gauge sensors
 Tempered glass platform: 338x338x6mm
 Auto switch on/Auto switch off
 Over loading indicator
 Low battery indicator
 Battery: 2xAAA Battery(not included)
 Weight (unit):1.1kg. Bluetooth 4.0 .
 Android 4.3 / iOS system
 One way transmission

Packing details:
 pcs/ctn:6
 Size ctn:35.5x34x29.2cm
 Gross weight ctn:12kgs
 1x20'FCL:3024pcs
 1x40'FCL:6480 pcs
 1X40' HQ:11604 pcs

Smart Bluetooth Body Scale



YQ-S04A



YQ-S04B



YQ-S05



YQ-S02

LED or LCD display :75x30mm
Capacity:180kg, Division:0.1kg
Body fat ,body water,bone,muscle,daily caloric
Sensor:4 strain gauge sensors
Tempered glass platform : 280X280X6mm R10
Auto switch on/Auto switch off
Over loading indicator
Low battery indicator
Battery: 2xAAA Battery
Size unit : 280x280x25mm
Weight (unit):1.1kg. Bluetooth 4.0 .
Android 4.3
One way transmission

Packing details:
Foam packing
Pcs/ctn:6
Size ctn:31.6x31.4x42cm
Gross weight ctn:13.1kg
1x20'FCL:4896pcs
1x40'FCL:10080pcs
1x40'HQ:11760pcs

LED display :75x30mm
Capacity:180kg, Division:0.1kg
Body fat ,body water,bone,muscle,daily caloric
Sensor:4 strain gauge sensors
Tempered glass platform : 280X280X6mm R10
Auto switch on/Auto switch off
Over loading indicator
Low battery indicator
Battery: 2xAAA Battery
Size unit : 280x280x25mm
Weight (unit):1.1kg. Bluetooth 4.0 .
Android 4.3
One way transmission

Packing details:
Foam packing
Pcs/ctn:6
Size ctn:31.6x31.4x42cm
Gross weight ctn:13.1kg
1x20'FCL:4896pcs
1x40'FCL:10080pcs
1x40'HQ:11760pcs

LCD display: 75X29.5mm
Capacity:180kg/396lb
Division:0.1kg/0.2lb
Body fat,body water,bone,muscle,daily caloric
Sensor:4 strain gauge sensors
tempered glass platform with safe corner
Step switch on/Auto switch off
Kg/lb/st selection
2xAAA batteries
Size: 28x28x2.6cm
Glass size: 280X280X6mm
One way transmission

Packing details:
Foam packing
Pcs/ctn:6
Size ctn:31.6x31.4x42cm
Gross weight ctn:13.1kg
1x20'FCL:4896pcs
1x40'FCL:10080pcs
1x40'HQ:11760pcs

BODY FAT SCALE



YQ-F01

LCD display:75x30mm
Capacity:180kg/396lb Division:0.1kg/0.2lb
Body fat ,body water,bone,muscle,daily caloric ,BMI
Touch keys
Sensor:4 strain gauge sensors
Step on switch/Auto switch off
Over loading indicator Low battery indicator
Kg/lb selection
Battery:2xAAA battery
Size (unit):28x28x2.3cm
Weight (unit):1.8kgs

Packing details:

Pcs/ctn:6
Size ctn:300x195x300mm
Gross weight ctn:12kg
1x20'FCL:8718pcs
1x40'FCL:17958pcs
1x40'HQ:20532pcs



YQ-F02

LCD display:75x30mm
Capacity:180kg/396lb Division:0.1kg/0.2lb
Body fat ,body water,bone,muscle,daily caloric,BMI
Touch keys
Sensor:4 strain gauge sensors
step on switch/Auto switch off
Over loading indicator Low battery indicator
Kg/lb selection
Battery:2xAAA battery
Size (unit):28x28x2.3cm
Weight (unit):1.8kgs

Pcs/ctn: 6

Size ctn: 300x195x300mm
Gross weight ctn: 9.7kg
1x20'FCL: 8718pcs
1x40'FCL: 17958pcs
1x40'HQ: 20532pcs



YQ-F03

LCD display: 72X28MM
Capacity:180kg/396lb Division:0.1kg/0.2lb
Body fat ,body water,bone,muscle,daily caloric,BMI
Touch keys
Sensor:4 strain gauge sensors
Tempered glass platform:300x300x6mm
step on switch/Auto switch off
Over loading indicator Low battery indicator
Kg/lb selection
Battery:2xAAA battery
Size (unit):30x30x2.3cm
Weight (unit):1.5kgs

Packing details:

Pcs/ctn:6
Size ctn:35.5x34x29.2cm
Gross weight ctn:12kgs
1x20'FCL:4800 pcs
1x40'FCL:9900 pcs
1X40' HQ:11604 pcs

BODY FAT SCALE



YQ-F04

LCD display:75x30mm
 Capacity:180kg/396lb Division:0.1kg/0.2lb
 Body fat ,body water,bone,muscle,daily caloric,BMI
 Touch keys
 Sensor:4 strain gauge sensors
 Step on switch/Auto switch off
 Over loading indicator Low battery indicator
 Kg/lb selection
 Battery:2xAAA battery
 Size (unit):26x29x2.3cm
 Weight (unit):1.8kgs

Packing details:

Pcs/ctn:6
 Size ctn:300x195x300mm
 Gross weight ctn:12kg
 1x20'FCL:8718pcs
 1x40'FCL:17958pcs
 1x40'HQ:20532pcs



YQ-F08

LCD display: 75x31mm no backlit
 Capacity:180kg/396lb
 Division:0.1kg/0.2lb
 Sensor:4 strain gauge sensors
 Body fat ,body water,bone,muscle,daily caloric
 Touch keys
 Tempered glass platform:338x338x6mm
 Auto step on switch/Auto switch off
 Over loading indicator Low battery indicator
 Kg/lb selection
 Battery:2x AAA
 Weight (unit):1.84kgs

Packing details:

Pcs/ctn:6
 Size ctn:35.5x34x29.2cm
 Gross weight ctn:12kgs
 1x20'FCL:4800 pcs
 1x40'FCL:9900 pcs
 1X40' HQ:11604 pcs



YQ-443

LCD display:75x30mm

Capacity:180kg/396lb Division:0.1kg/0.2lb
 Body fat ,body water,bone,muscle,daily caloric,BMI
 Touch keys
 Sensor:4 strain gauge sensors
 Step on switch/Auto switch off
 Over loading indicator Low battery indicator
 Kg/lb selection
 Battery:2xAAA battery type

Packing details:

Pcs/ctn:6
 Size ctn:32.5*20*33CM
 Net weight: 9.5kgs
 Gross weight ctn:10.3kgs
 1x20'FCL:7830 pcs
 1x40'FCL:9900 pcs
 1X40' HQ:18114 pcs

LUGGAGE SCALE



YQ-L01

1. NICE DESIGN
2. PORTABLE TRAVELLING
3. CHECK LUGGAGE WEIGHT
4. ROOM TEMPERATURE DISPLAY
5. ZERO AND TARE
6. 28.5x21mm LCD digits
7. Low battery/over load indication
8. Capacity:40kg/110lb
9. Graduation:50g/0.1lb
- 10.Power:1x3V lithium cell(CR2032)

White box size:59x49x146mm
 Inner Carton:249x150x303mm
 Carton size:51x31.2x32.7cm
 100PCS/CTN,25pcs per inner carton.
 Belt:length 125mmx25mm(width)
 N.W. : 8.9 Kg
 G.W.: 14kg



YQ-L02

LCD display with backlight.
 digit display.
 Portable travelling check luggage weight
 Keypad Tone.
 Auto Zero and Tare function
 Low battery indication

white box size:59x43x167mm.
 Inner carton:222x173x306mm.
 Master Carton:460x362x333mm.
 G.W: 14.5kg
 100pcs per carton.
 25pcs per inner carton.



YQ-L03

LCD display: 42x18mm
 Capacity50kg
 Graduation:10g
 Low battery/over load indication
 Power:2xAAA batteries
 Product weight: 0.1kg
 Unit selection: g/lb/oz/kg
 With Blue backlight

Packing details:
 Pcs/ctn:12
 Size ctn:305X250X165mm
 Gross weight ctn:2.1kg
 1x20'FCL:25704pcs
 1x40'FCL:55944pcs
 1x40'HQ:59940pcs



YQ-L05

Capacity:50kg
 Division:10g
 LCD display with blue backlit
 LCD Display: 33x19mm
 2*AAA batteries

Packing details:
 Pcs/ctn:20
 Size ctn:455x211x356mm
 Gross weight ctn:6.6kg
 1x20'FCL:16200pcs
 1x40'FCL:33600pcs
 1x40'HQ:39601pcs



YQ-832

Mechanical Luggage Hanging Scale

Capacity: 35kg
 Division: 1LB/1KG
 Product Size: 13.3x10x5cm
 Unit selection: KG/LB
 Tape Measure: 1 meter
 Tare function / Compact design
 Low battery/over load indication
 Product weight: 155g

Packing details:
 Pcs/ctn:50
 Color box size:13.2x10.4x5cm
 Size ctn: 53.5x27x28cm
 G.W: 10.5kg

LUGGAGE SCALE



YQ-0906

LCD display no backlit
 Product Size: 3.8X13.6X3.4CM
 Capacity:50kg
 Division:10g
 Tare function
 Low battery/over load indication
 Unit selection: KG/LB
 Power:1xCR2032
 Product weight:75g

Packing details:

Pcs/ctn:50
 Color box size:7.3x4.5x17.8cm
 Size ctn: 38x46.5x19.5cm
 Gross weight ctn:5.5kg



YQ-0907

LCD display
 Product Size: 15x3x5.8 CM
 Capacity: 50kg
 Division: 10g
 Tape Measure:: 1 meter
 Tare function
 Low battery/over load indication
 Unit selection: kg/lb/oz
 Battery :1xCR2032
 Product weight: 110g

Packing details:

Pcs/ctn:50
 Color box size:7.3x4.5x17.8cm
 Size ctn: 38x46.5x19.5cm
 Gross weight ctn:8kg



YQ-0812-B Stainless Steel

LCD display
 Product Size: 15x3x5.8CM
 Capacity: 50kg
 Division: 10g
 Tare function
 Low battery/over load indication
 Unit selection: kg/lb/g/oz
 Battery :1xCR2032
 Battery cover fixed with screw
 Product weight:86g
 Stainless steel surface

Packing details:

Pcs/ctn:100
 Color box size:17.5X4.5X9cm
 Size ctn: 45X47X36.5cm
 G.W: 14.5kg



YQ-0804

LCD display
 Product Size: 10X3.6X2.3 CM
 Capacity: 40kg
 Division: 100g
 Tare function
 Low battery/over load indication
 Unit selection: KG/LB
 Battery :1xCR2032
 Product weight:58g

Packing details:

Double blister packing
 Pcs/ctn:100
 Color box size:9.5x17.5x4cm
 Size ctn: 51x30x38cm
 Gross weight ctn:9kg



YQ-0806

LCD display with blue backlight
 Product Size: 12.3x8.2x2.8cm
 Capacity: 50kg
 Division: 10g
 Tare function
 Low battery/over load indication
 Unit selection: kg/lb/g/oz
 Battery : 2 x AAA (not included)
 Product weight: 140g

Packing details:

Pcs/ctn:100
 Color box size:14.5X14.5X3.9cm
 Size ctn: 72.5X29X39cm
 G.W: 17.5kg

POCKET SCALE



I-2000

Power: 2xAAA Battery
Capacity: 3000g,500g
Div 0.1g,0.01g
Stainless steel platform
High precision weighing sensor
LCD display with blue backlight
Unit conversion: (g/gn/oz/ozt/dwt/ct)
Size: 12.8x10.5x1.7cm



ZD-101

LCD display: 37x14mm
LCD display with blue backlight
Product Size:122x64x21mm
Unit selection: g/oz/tl/ct/gn
Capacity:200g
Division:0.01g
Low battery:Lo/over load indication:o-Ld
Power:2xAAA Battery
Product weight: 88g



YQ-12

LCD display
Capacity: 100G/0.01G 500g/0.1g 200g/0.01g
Unit : g oz t1 ct gn
Scale size:8.9*6*2cm
Scale weight:69g
Scale weight include color box:89g
100pcs per carton
Carton size:31*26*24cm
N/W:8.9KG
G/W:9.25KG



YQ-17

LCD display with backlight
Capacity:500G/0.01G 2KG/0.1G
Unit : g oz gn ct pcs
Scale size: 16.7x12x2.3cm
Scale weight:251g
Scale weight include color box:272g
60pcs per carton
Carton size: 49*44*20cm
N/W:16.32kg G/W:18.35kg

POCKET SCALE



YQ-20

LCD display with backlight
Capacity:500G/0.1G 100G/0.01G 200G/0.01G
Unit : g oz gn ct t1 ozt dwt
Scale size: 11.2x7.3x1.6cm
Scale weight:96g
Scale weight include color box:133g
100pcs per carton
Carton size:50*26*30cm
N/W:13.3kg G/W:13.85kg



YQ-21

LCD display with backlight
Capacity:500G/0.1G 100G/0.01G 200G/0.01G
Unit : g oz gn ozt ct t1 dwt
Scale size:9.5*9.5*2cm
Scale weight:133g
Scale weight include color box:173g
100pcs per carton
Carton size:58*29.5*29.5cm
N/W:17.3kg G/W:17.82kg



YQ-25

LCD display with backlight
Capacity:500G/0.1G 100G/0.01G 200G/0.01G
Unit : g oz gn ozt ct t1 dwt
Scale size:10.2*7.5*2.1cm
Scale weight:84g
Scale weight include color box:110g
100pcs per carton
Carton size:40.5*26.5*24.5CM
N/W:11KG G/W:11.36KG



YQ-28

LCD display
Capacity:500G/0.1G 100G/0.01G 200G/0.01G
Unit : g oz gn ozt ct t1 dwt
Scale size:12.8*7.7*1.9cm
Scale weight:107g
Scale weight include color box:132g
100pcs per carton
Carton size:52*27.5*30cm
N/W:13.2kg G/W:13.86kg



YQ-76

LCD display with backlight
Capacity:500G/0.1G 100G/0.01G 200G/0.01G
Unit : g oz gn ozt ct t1 dwt
Scale size:10.4*5.6*1.9cm
Scale weight:63g
Scale weight include color box:85g
100pcs per carton
Carton size:31*24.3*24.9cm
N/W: 8.5kg G/W:8.95kg

SPOON SCALE



Hot Sale YQ-L11 **NEW**

Detachable Spoon Head (25ML / 50ML)

LCD display: 33X12mm

Product Size: 160x30x24mm
(without spoon head)

255x30x38mm (big head)

235x30x32mm (small head)

Unit selection: g/oz

Capacity: 500g

Division: 0.1g

Tare function

Overload indicator

Low battery indicator

Auto switch off

Battery: 1xCR2032

QTY: 40pcs/ctn

packaging size: 12.7x24cm

carton size: 49.5x29x28cm

N.W.: 4kg

G.W.: 5kg

1x20' FCL: 24320PCS

1x40' FCL: 51200PCS

1x40' HQ: 57600PCS



YQ-L13 **NEW**

Detachable Spoon Head (25ML / 50ML)

LCD display: 31X11mm

Product Size: 142x25x28mm (without spoon head)

Size W/50ML: 232x57x28mm (w/bigger spoon head)

Size W/25ML: 215x49x22mm (w/small spoon head)

Capacity: 500g

Division: 0.1g

Unit selection: g/oz/ct/gn

Tare function

Overload indicator

Low battery indicator

Auto switch off

Battery type: 1xCR2032 lithium

QTY: 40pcs/ctn

packaging size: 12.7x24cm

carton size: 49.5x29x28cm

N.W.: 4kg

G.W.: 5kg

1x20' FCL: 24320PCS

1x40' FCL: 51200PCS

1x40' HQ: 57600PCS



Hot Sale YQ-L12 **NEW**

Color: Cream White / Blue (for selection)

Spoon head capacity: 312ml

LCD display: 25X13MM

Capacity: 800g

Division: 1g

Tare function

Unit selection: g/oz/ml/fl'oz/cup

Overload indicator

Low battery indicator

Auto switch off

Battery: 1xCR2032

Material: ABS

Product Size: 230x92x50mm

QTY: 60pcs/ctn

Packing: color box with tray

Color box: 152x55x142mm

carton size: 58x48x30.5 cm

N.W.: 8.5kgs

G.W.: 9.2kgs

1x20' GP: 20040 PCS

1x40' GP: 40320 PCS

1x40' HQ: 46080 PCS



BABY SCALE



Baby Scale-A

LCD display: 55x24mm
 Capacity:100kg/222lb Division:10g/0.02lb
 Sensor:4 strain gauge sensors
 Switch on button/Auto switch off
 Low battery(Lo)/Overload indicator(Err)
 Unit:Kg/oz/lb
 Battery:2xAAA battery (3V)
 Size (unit):25x30x2.8cm
 Weight (unit):725g+777g(scale base+tray)
 Color box size:40x29x12cm



Baby Scale-B **NEW**

LCD display: 60X26mm
 Size (unit):27x12.7x2.7cm
 Capacity:20kg/d=10g
 Sensor:4 strain gauge sensors
 Switch on button/Auto switch off
 Low battery/Overload indicator
 Unit:Kg/lb/oz
 Battery:2xAAA battery (3V)(not included)
 Material: Plastic cover
 Weight (unit):1.65kg

Packing details:
 Pcs/ctn:5
 color box size:56x33.8x4.5cm
 carton size:57x27x37cm
 G.W.:9.3kgs
 N.W.:8.5kgs
 1x20'GP:2400
 1x40'FCL:5160
 1x40'FCL:6020

Mechanical Kitchen Scale



Hot Sale

YQ-MK01

Capacity weight range:

1kg/2kg/3kg/5kg

Red pointer line indicates weight.

Compact design, Spring Platform

High quality, Tray with steel construction

SIZE: 18.5x12x19.5cm

201 Stainless steel Dial Plate size: 16cm

Weight: 700g

Pcs/ctn: 16pcs

Carton size: 59x41x36cm

Net Weight: 13.3kg

Gross Weight: 14.3kg

1x20'GP: 4960PCS

1x40'FCL: 10480PCS

1x40'HQ: 12304PCS



YQ-MK05

Capacity: **10KG**/Division: 50g

201 Stainless steel plate diameter : Φ 22.5cm

Pointer Display size: 16x16cm

Plastic Red pointer line indicates weight

High quality, Tray with steel construction

SIZE: 22x14.5x26cm

Weight: 1500g

Zero rotating setting : Plastic screw nut

Plastic Red Pointer

Pcs/ctn: 12pcs

Color box size: 22x18.5x23cm

Carton size: 57x50x48.5cm

Net Weight: 18.3kg

Gross Weight: 19.3kg

1x20GP : 2868pcs

1x40GP : 5748pcs

1x40HQ : 7200pcs



Hot Sale

YQ-MK02

Capacity: **2kg/3kg/5kg**

Graduation: 10g

Red pointer line indicates weight.

Compact design.

Spring Platform

SIZE: 13.5x17.8x15.5cm

Dial Plate Diameter size: 17cm

Max. dial weight range: 1kg/2kg/3kg/5kg

Weight: 430g

Pcs/ctn: 24pcs

Carton size: 60x40.5x55.5cm

Net Weight: 13.5kg

Gross Weight: 14.5kg

1x20'GP: 6384PCS

1x40'FCL: 14016PCS

1x40'HQ: 16512PCS



YQ-MK02

Capacity: **2kg/3kg/5kg**

Graduation: 10g

Red pointer line indicates weight.

Compact design.

Spring Platform

SIZE: 13.5x17.8x15.5cm

Dial Plate Diameter size: 17cm

Max. dial weight range: 1kg/2kg/3kg/5kg

Weight: 430g

Pcs/ctn: 24pcs

Carton size: 60x40.5x55.5cm

Net Weight: 13.5kg

Gross Weight: 14.5kg

1x20'GP: 4512PCS

1x40'FCL: 10080PCS

1x40'HQ: 11880PCS

Mechanical Body Scale



Hot Sale MB01A

Rotating dial scale.
Easy-to-clean, PVC Anti-slip leather
Red pointer line indicates weight.
Compact design.
High quality, all steel construction.
SIZE: 266 x243x40mm
Display:70x42mm

Packing details:
pcs/ctn: 10
color box:28x27.3x4CM
carton size: 43.5x29x28.5 cm
Net Weight: 10.2kgs
Gross Weight: 10.7kgs
1x20' GP: 7600 PCS
1x40' GP: 16000PCS
1x40' HQ: 18000PCS



YQ-MB02

Rotating dial scale.
Easy-to-clean,
ivory board
Red pointer line indicates weight.
High quality, all steel construction.
SIZE: 26.5x24x4CM
Display:90x37mm
Capacity:130kg/280lbs
Graduation:1kg/2lb

Packing details:
pcs/ctn: 10
color box size:28x27.3x4CM
carton size: 58x28.5x22CM
Net Weight: 10.2kgs
Gross Weight: 10.7kgs
1x20' GP: 8100pcs
1x40' HQ: 18500pcs

Wuyi Yiquan Electronics Co.Ltd

Add: Wangdalu, Baiyang Street, Wuyi Town, jinhua City, Zhejiang Province, China

TEL: +86 0579-87827921

Email: info@yiquanelectronics.com

Website: www.yiquanelectronics.com