

MollyShines®

QIANXI

PRODUCT GUIDE



Scan For Product Details



Scan To Be Friend

Address: Room 528, Liantang Business Plaza, No. 195, Commercial Avenue, Xinhua Street, Guangzhou, Guangdong, China
Telephone: 86-020-39479082, 86-13922452881
<https://qianxipc.en.alibaba.com>

Guangzhou Qianxi Electronic Co., Ltd


目录 CONTENT

Company profile	1-2
New product	3-7
Computer case	8-22
Power supply	23-24
Liquid cpu cooler and Cooling fan	25-30

COMPANY PROFILE ABOUT US

Guangzhou Qianxi Electronic Co., Ltd is specialized in manufacturing Computer case, Power supply, Cooling Fan and CPU cooler Products together with R&D, mold designing, punching, injection, assembly and sales. With more than 13 years manufacturing and export experiences, we established stable business relationship with Core Clients, we provide high performance products, competitive price and the best service to all customers, welcome to contact us!

Guangzhou Qianxi Electronic Co., Ltd



Industry experience
13 years

Factory Space
15000m²

Total Employees:
200

Production Capacity(Monthly)
400,000 pcs

Annually Sales
10-15 million Dollars

Countries Exported
100+



305 ARGB

ATX CUBE GAMING CASE WITH ARGB EFFECT



280 Rhythm

LIGHTS CHANGE WITH THE BEATS OF MUSIC



NEW



NO:305-ARGB

Structure Size	420(L)*308(W)*365(H)mm
Product Size	425(L)*308(W)*377 (H)mm
Carton Size	435(L)*375(W)*515 (H)mm
Motherboard	ATX/Micro-ATX/Mini-ITX
Materials	0.8MM thickness Spcc Black Coating
Front panel	Front panel Metal Mesh
USB PORT	1*USB3.0+*USB2.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slots	7+3pcs (Vertical GPU)
VGA card length	400 mm
CPU Height	185 mm
Packing	K=K carton,1*40HQ 814pcs
Supporting Fans	Besides M/B:120/140mm*2, Top:120/140mm*3, Rear:120mm*1,Bottom:120/140mm*3
Supporting Water Cooling	Besides M/B:240/280mm,Top/Bottom:240/360mm, Rear:120mm

NEW



NO:280W RHYTHM



NO:280B RHYTHM



NO:280B-2



NO:280W-2



Structure Size	410(L)*280(W)*412(H)mm
Product Size	415(L)*280(W)*427(H)mm
Carton Size	510(L)*395(W)*530(H)mm
Motherboard	ATX/Micro ATX/Mini-ITX
Materials	0.8MM SPCC Black Coating
Front panel	Tempered glass Front Panel+ARGB Strip
USB	1*USB3.0+2*USB2.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slots	7pcs
VGA card length	400 mm
CPU Height	160 mm
Packing	K=K carton,1*40HQ 630pcs
Supporting Fans	Beside M/B:120mm*3,Top:120/140mm*3, Rear:120mm*1,Bottom:120/140mm*3
Supporting Water Cooling	Bottom:120/240/360mm, Top:120/240/360mm, Beside M/B:120/240/360mm,Rear:120mm

C270 Micro Series

Double Chambers Super Space

Structure Size	380 (L)*270 (W)*350 (H)mm
Product Size	390 (L)*270 (W)*375 (H)mm
Carton Size	420 (L)*340 (W)*460 (H)mm
Motherboard	Micro ATX/ITX
Front panel	Hardware 0.5mm SPCC Black Panel Metal Plastic
USB PORT	1*USB3.0+2*USB2.0+HD Audio
HDD/SSD	1*HDD,2*SSD
Expansion Slots	4pcs
VGA card length	370 mm
CPU Height	155 mm
Packing	K=K carton,1*40HQ,1010pcs
Supporting Fans	Bottom:120mm*3,Beside M/B:120mm*2, Top:120mm*3,Rear:120mm*1
Supporting Water Cooling	Top:240mm,Beside M/B:240mm,Bottom:240mm



NO.C270B-GLOSS



NO.C270W-GLOSS

NEW



NO.C280B-GLOSS



NO.C280W-GLOSS



NO.C240B-GLOSS



NO.C240W-GLOSS

Structure Size	420 (L)*280 (W)*350 (H)mm
Product Size	420 (L)*280 (W)*375 (H)mm
Carton Size	505 (L)*350 (W)*420 (H)mm
Motherboard	Micro ATX/ITX
Front panel	Hardware 0.5mm SPCC Black Panel Metal Plastic
USB PORT	1*USB3.0+2*USB2.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slots	4pcs
VGA card length	400 mm
CPU Height	160 mm
Packing	K=K carton,1*40HQ,890pcs
Supporting Fans	Bottom:120mm*3,Beside M/B:120mm*2, Top:120mm*3,Rear:120mm*1
Supporting Water Cooling	Top:360mm,Beside M/B:240mm,Bottom:240mm,Rear:120mm

Structure Size	420 (L)*280 (W)*350 (H)mm
Product Size	415 (L)*280 (W)*377 (H)mm
Carton Size	435 (L)*340 (W)*490 (H)mm
Motherboard	Micro ATX/ITX
Front panel	Hardware 0.5mm SPCC Black Panel Metal Plastic
USB PORT	1*USB3.0+1*USB2.0+HD Audio
HDD/SSD	2*HDD,3*SSD
Expansion Slots	4pcs
VGA card length	400 mm
CPU Height	157 mm
Packing	K=K carton,1*40HQ,910pcs
Supporting Fans	Bottom:120mm*3,Beside M/B:120mm*2, Top:120mm*3,Rear:120mm*1
Supporting Water Cooling	Top:360mm,Beside M/B:240mm,Rear:120mm

NEW



NO.C420B-MESH



NO.C420W-MESH



NO.C420B-GLOSS



NO.C420W-GLOSS



Structure Size	420(L)*230(W)*480(H)mm
Product Size	465(L)*230(W)*495(H)mm
Carton Size	548(L)*305(W)*530(H)mm
Motherboard	EATX/ATX/Micro ATX/Mini-ITX
Materials	0.8MM SPCC Black Coating
Front panel	Tempered glass Front Panel+ARGB Strip
USB	1*USB3.0+2*USB2.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slots	7pcs
VGA card length	410 mm
CPU Height	185 mm
Packing	K=K carton,1*40HQ,750pcs
Supporting Fans	Front:120/140mm*3,Beside M/B:120mm*2,Top:120/140mm*3, Rear:120/140mm*1,Bottom:120mm*2
Supporting Water Cooling	Front:120/240/360mm,Top:120/240/360mm, Beside M/B:120/240mm,Rear:120mm

420-F MESH/GLASS BLACK/WHITE MID-TOWER EATX CASE





L1 GLASS/MESH BLACK /WHITE MIDDLE TOWER CASE



X06 MESH/GLASS

Powerful Airflow and Compact Mid-Tower Case



NEW



NO.118 GLASS



NO.11W GLASS



NO.118 MESH



NO.11W MESH



NO.12B MESH

Structure Size	340 (L)*216 (W)*385 (H)mm
Product Size	365 (L)*255 (W)*405 (H)mm
Carton Size	429 (L)*276 (W)*463 (H)mm
Motherboard	Micro ATX/ITX
Front panel	Hardware 0.8mm SPCC Black Panel Metal Black
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	1*HDD,2*SSD
Expansion Slots	4pcs
VGA card length	330 mm
CPU Height	175 mm
Packing	K+A carton,1*40HQ 1210pcs
Supporting Fans	Front:120/140mm*2,Top:120/140mm*2,Rear:120mm*1
Supporting Water Cooling	Top:240mm



NO.X01 BLACK



NO.X01 WHITE



NO.350-S MESH



NO.350-S GLASS



Structure Size	330(L)*200(W)*410(H)mm
Product Size	370(L)*200(W)*426(H)mm
Carton Size	452(L)*250(W)*420(H)mm
Motherboard	Micro-ATX/Mini-ITX
Materials	0.5mm Spcc Black Coating
Front panel	ABS Plastic + Metal Mesh/Glass
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slot	4pcs
VGA card length	310 mm
CPU Height	160 mm
Packing	K+A carton,1*40HQ 1370pcs
Supporting Fans	Front:120/140mm*3,Top:120mm*2, Rear:120mm*1,PSU Cover:120mm*2
Supporting Water Cooling	Front:120mm,Top:240mm,Rear:120mm
Net Weight (Kg)	3.5 KGS (left glass weight)
Gross Weight (Kg)	4.1 KGS (left glass weight)

Structure Size	350(L)*210(W)*408(H)mm
Product Size	395(L)*210(W)*425(H)mm
Carton Size	470(L)*275(W)*453(H)mm
Motherboard	Micro-ATX/Mini-ITX
Materials	0.5mm Spcc Black Coating
Front panel	ABS Plastic + Tempered glass /Metal Mesh
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slot	4pcs
VGA card length	330 mm
CPU Height	160 mm
Packing	K+A carton,1*40HQ 1200pcs
Supporting Fans	Front:120/140mm*3,Top:120/140mm*2, Rear:120mm*1,PSU Cover:120mm*2
Supporting Water Cooling	Front:120mm,Top:240mm,Rear:120mm
Net Weight (Kg)	4.8 KGS (left glass weight)
Gross Weight (Kg)	5.5 KGS (left glass weight)



225 SERIES RGB MESH/GLASS MID-TOWER ATX GAMING CASE

H15 MESH/GLASS

Mesh and Glass ARGB Mid-Tower Case

Excellent cooling, plenty of space for upgrading, a sleek design and a tempered glass window to see all your components in action. If you're looking for this



H15 GLASS



H15 MESH



NO.225-1 B/W



NO.225 MESH/GLASS



NO.225-06

Structure Size	360(L)*225(W)*455(H)mm
Product Size	400(L)*225(W)*470(H)mm
Carton Size	465(L)*295(W)*530(H)mm
Motherboard	ETX/ATX/Micro-ATX/Mini-ITX
Materials	0.6MM SPCC Black Coating
Front panel	ABS Plastic + Tempered glass/Metal Mesh/ARGB Strip
USB	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slot	7+3pcs(Vertical GPU)
VGA card length	350 mm
CPU Height	160 mm
Packing	K=A carton,1*40HQ 900pcs
Supporting Fans	Front:120/140mm*3,Top:120/140mm*2, Rear:120mm*1,PSU Cover:120mm*2
Supporting Water Cooling	Rear:120mm,Top:240/280mm,Front:240/280/360mm



NO.H05



NO.H09



NO.H11



Structure Size	370(L)*200(W)*467(H)mm
Product Size	420(L)*210(W)*485(H)mm
Carton Size	514(L)*252(W)*470(H)mm
Motherboard	EATX/ATX/Micro-ATX
Materials	0.8MM Spcc Black Coating
Front panel	Front panel Metal Mesh/tempered Glass/ARGB Strip
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD,2*SSD
Expansion Slots	7pcs
VGA card length	350 mm
CPU Height	159 mm
Packing	K=A carton,1*40HQ 1085pcs
Supporting Fans	Front:120/140mm*3, Top:140mm*2,Rear:120mm*1
Supporting Water Cooling	Front:280mm,Top:280mm,Rear:120mm
Net Weight (Kg)	5.8 KGS (left glass weight)
Gross Weight (Kg)	6.6 KGS (left glass weight)

R21 Series ATX Case

Black/White
Mesh/Glass/Metal



NO.R01 GLASS

NO.R03 METAL

NO.R06 MESH

NO.R6 GLASS

NO.R12 BLACK

NO.R12 WHITE



NO.R17 BLACK



NO.R17 WHITE

Structure Size	330(L)x200(W)x440(H)mm
Product Size	360(L)x200(W)x455(H)mm
Carton Size	480(L)x247(W)x520(H)mm
Motherboard	ATX/Micro-ATX/Mini-ITX
Materials	0.5MM SPCC Black Coating
Front panel	ABS Plastic/Metal Mesh/Glass/ARGB Strip
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD, 2*SSD
Expansion Slot	7pcs
VGA card length	310 mm
CPU Height	160 mm
Packing	K+A carton, 1*40HQ 1280pcs
Supporting Fans	Front: 120/140mm*3, Top: 120mm*2, Rear: 120mm*1
Supporting Water Cooling	Front: 120mm/240/280mm, Rear: 120mm
Net Weight (Kg)	3.9 KGS (left glass weight)
Gross Weight (Kg)	4.6 KGS (left glass weight)



NO.305-A1 BLACK

NO.305-A1 WHITE



NO.305-A3 METAL



NO.305-A3 GLASS



NO.305-A7



NO.305-A8 BLACK



NO.305-A8 WHITE



Structure Size	305(L)x192(L)x435(H)mm
Product Size	335(L)x192(W)x445(H)mm
Carton Size	340(L)x236(W)x483(H)mm
Motherboard	ATX/MATX/Mini-ITX
Materials	0.4MM SPCC Black Coating
Front panel	Glass Plastic/Metal Mesh/ARGB strip
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2*HDD, 2*SSD
Expansion Slots	7pcs
VGA card length	280 mm
CPU Height	155 mm
Packing	K+A carton, 1*40HQ 1600pcs
Supporting Fans	Front: 120/140mm*3, Top: 120mm*2, Rear: 120mm*1
Supporting Water Cooling	Front: 240/280mm, Rear: 120mm
Net Weight (Kg)	4.9KGS (left glass weight)
Gross Weight (Kg)	5.8KGS (left glass weight)



192-15

Distinctive RGB Mid-Tower Case



330-7 MESH

MESH FRONT PANEL DESIGN



Structure Size
Product Size
Carton Size
Motherboard
Materials
Front panel
USB PORT
HDD/SSD
Expansion Slots
VGA card length
CPU Height
Packing
Supporting Fans
Supporting Water Cooling
Net Weight (Kg)
Gross Weight (Kg)

375(L)x192(W)x435(H)mm
400(L)x195(W)x450(H)mm
400(L)x245(W)x470(H)mm
ATX/Micro ATX/Mini-ITX
0.55MM SPCC Black Coating
ABS Plastic/Metal Mesh /ARGB strip
1*USB3.0+2*USB1.0+HD Audio
2*HDD,2*SSD
7pcs
300 mm
160 mm
K=A carton,1*40HQ 1099pcs
Front:120/140mm*3, Top:120mm*2,Rear:120mm*1
Front:120mm/240/280mm ,Rear:120mm
5.5 KGS (left glass weight)
6.5 KGS (left glass weight)



Structure Size
Product Size
Carton Size
Motherboard
Materials
Front panel
USB PORT
HDD/SSD
Expansion Slot
VGA card length
CPU Height
Packing
Supporting Fans
Supporting Water Cooling
Net Weight (Kg)
Gross Weight (Kg)

330(L)x192(W)x435(H)mm
360(L)x192(W)x450(H)mm
490(L)x245(W)x430(H)mm
ATX/Micro ATX/Mini-ITX
0.5MM SPCC Black Coating
ABS Plastic + Metal Mesh/Glass/ARGB Strip
1*USB3.0+2*USB1.0+HD Audio
2*HDD,2*SSD
7pcs
300 mm
155 mm
K=A carton,1*40HQ 1099pcs
Front:120mm*3, Top:120mm*2,Rear:120mm*1
Front:120mm/240mm ,Rear:120mm
4.0 KGS (left glass weight)
4.7 KGS (left glass weight)



NO.320-1

NO.320-3

320 series

Premium and Stylish ARGB ATX Tower Case



NO.320-2

NO.320-7

NO.320-16

NO.320-18

NO.320-19

NO.320-20

NO.320-21



NO.320-25

PSU TOP PLACED

PSU BOTTOM PLACED

Structure Size	320(L)*180(W)*410(H)mm
Product Size	350(L)*180(W)*420(H)mm
Carton Size	457(L)*222(W)*400(H)mm
Motherboard	ATX/Micro ATX/Mini-ITX
Materials	0.45MM SPCC Black Coating ARGB Strip
Materials	Black panel/RGB LED strip /Plastic/Metal Mesh
USB PORT	U1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	1*HDD 2*SSD
Expansion Slots	7pcs
VGA card length	280 mm
CPU Height	160 mm
Packing	K+A carton, 1*40HQ 1370pcs
Supporting Fans	Front:120mm*3, Rear:120mm*1,
Supporting Water Cooling	Front:240mm,Rear:120mm
Net Weight (Kg)	3.5 KGS (left glass weight)
Gross Weight (Kg)	4.2 KGS (left glass weight)



335-2 BLACK/WHITE

Distinctive Mid-Tower Case

335-2 Black/White sports an attractive and compact design with The integrated lighting button with built-in LED controller allows it to display amazing lighting effects. With a massive tempered glass left panel, 335-2 RGB showcases a clean and tidy build. It has wider but more compact and powerful design, which allows you to have high-performance and abundant storage space.



NO.200-1

NO.200-2 MESH

NO.200-2 METAL

NO.200-3

NO.200-6

NO.200-12 GLASS



NO.200-22 GLASS

Structure Size	375(L)* 200(W)*450(H)mm
Product Size	410(L)*205(W)*460(H)mm
Carton Size	520(L)*250(W)*480(H)mm
Motherboard	ATX/Micro-ATX/Mini-ITX
Materials	0.55mm Spcc Black
Front panel	ABS Plastic Metal Mesh/Glass/ARGB Strip
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	3*HDD,2*SSD
Expansion Slots	7pcs
VGA card length	350 mm
CPU Height	160 mm
Packing	K+A carton, 1*40HQ 1057pcs
Supporting Fans	Front:120/140mm*3, Top:120/140mm*2,Rear:120mm*1
Supporting Water Cooling	Front:120mm/240/280mm,Rear:120mm
Net Weight (Kg)	5.6 KGS (left glass weight)
Gross Weight (Kg)	6.3 KGS (left glass weight)



V13 ARGB LED

Eight kinds of color choice



M SERIES

SLIM TOWER CASE



NO-V1

NO-V6

NO-V9

NO-V11

NO-V15



NO-M02



NO-M12



NO-M15B



NO-M15W



Structure Size	340(L)*188(W)*380(H)mm
Product Size	380(L)*188(W)*400(H)mm
Carton Size	430(L)*235(W)*440(H)mm
Motherboard	Micro ATX/Mini-ITX
Materials	0.5MM SPCC Black Coating
Front panel	ABS/Acrylic/Tempered glass/Metal
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2"HDD,2"SSD
Expansion Slots	4pcs
VGA card length	320 mm
CPU Height	180 mm
Packing	K+A carton, 1*40HQ 1370pcs
Supporting Fans	Front: 120mm*3, Top: 120mm*2, Rear: 120mm*1
Supporting Water Cooling	Front: 240mm, Rear: 120mm
Net Weight (Kg)	4.6 KGS (left glass weight)
Gross Weight (Kg)	5.3 KGS (left glass weight)



Structure Size	380(L)*100(W)*300(H)mm
Product Size	355(L)*148(W)*473(H)mm
Carton Size	415(L)*116(W)*300(H)mm
Motherboard	Micro ATX/Mini-ITX
Materials	0.45MM SPCC Black
Characteristic	Simple and Clean Design with Wiredrawing Black
USB PORT	1*USB3.0+2*USB1.0+HD Audio
HDD/SSD	2"HDD,1"SSD,1"ODD
Expansion Slots	4pcs
VGA card length	230 mm
CPU Height	70 mm
Packing	K+A carton, 1*40HQ 2300pcs
Supporting Fans	Top: 80mm*1
Net Weight (Kg)	2.5 KGS (left glass weight)
Gross Weight (Kg)	3.0 KGS (left glass weight)



NO.320-951 BLACK

320 Series ATX office computer case

99 Series ATX Tower Desktop PC



NO.997 BLUE

NO.952 BLUE



NO.320-6 BLACK



NO.320-950



NO.320-953



NO.320-955



Structure Size
Product Size
Carton Size
Motherboard
Materials
Front panel
USB PORT
HDD/SSD
Expansion Slot
VGA card length
CPU Height
Packing
Supporting Fans
Supporting Water Cooling
Net Weight (Kg)
Gross Weight (Kg)

320(L)*180(W)*410(H)mm
350(L)*180(W)*420(H)mm
457(L)*222(W)*400(H)mm
ATX/Micro-ATX/Mini-ITX
0.48mm Spcc Black Coating
ABS Plastic/Metal Mesh /Acrylic
2*USB1.0+Audio
1*ODD, 3.5 HDD*1, 2.5 SSD*2
7pcs
280 mm
160 mm
K8-B carton, 1*40HQ, 165pcs
Front: 120mm*3, Rear: 120mm*1
Front: 240mm, Rear: 120mm
4.6 KGS (left glass weight)
5.3 KGS (left glass weight)



NO.928 BLUE
BLUE AND RED TO CHOOSE



NO.930 RGB LED



NO.931



NO.933 RED



NO.938 BLUE



NO.996 MESH



Structure Size
Product Size
Carton Size
Motherboard
Materials
Front panel
USB PORT
HDD/SSD
Expansion Slot
VGA card length
CPU Height
Packing
Supporting Fans
Supporting Water Cooling
Net Weight (Kg)
Gross Weight (Kg)

375(L)*180(W)*410(H)mm
405(L)*180(W)*410(H)mm
452(L)*222(W)*465(H)mm
ATX/Micro-ATX/Mini-ITX
0.48mm Spcc Black Coating
ABS Plastic /Metal Mesh
2*USB1.0+Audio
1*ODD, 3*SSD, 3*HDD
7pcs
240 mm
180 mm
A-B carton, 1*40HQ, 1420pcs
Rear: 120mm*1, Side Panel: 120mm*1
Rear: 1x120mm water Cooling
3.1 KGS (left glass weight)
3.6 KGS (left glass weight)



V12 Micro-ATX

Office Desktop PC Case



NO.168-8 GLASS

NO.117

Micro Office Case

This mini tower cases perfect for business, home, or gaming use.



NO.609



NO.608



NO.605



NO.603 BLACK



NO.601 BLUE



NO.601 RED



Structure Size	350(L)*170(W)*350(H)mm
Product Size	352(L)*170(W)*355(H)mm
Carton Size	352(L)*212(W)*427(H)mm
Motherboard	Micro ATX/Mini-ITX
Materials	0.45mm Spcc Black Coating
Front panel	Plastic, Matt Black, High Drivny/Wiredrawing
USB PORT	1*USB3.0+2*USB2.0+HD Audio
HDD/SSD/QDD	2*HDD, 1*SSD, 2*QDD
Expansion Slots	4pcs
VGA card length	320 mm
CPU Height	140 mm
Packing	A+B carton, 1*40HQ 1880pcs
Supporting Fans	Rear:80/90mm*1, Left:120mm*1
Net Weight (Kg)	4.6 KGS (left glass weight)
Gross Weight (Kg)	5.3 KGS (left glass weight)



NO.727



NO.119



NO.112



NO.168-8



NO.168-7



NO.168-6



NO.168-1



Structure Size	265(L)*165(W)*350(H)mm
Product Size	265(L)*165(W)*355(H)mm
Carton Size	360(L)*196(W)*336(H)mm
Motherboard	Micro-ATX/Mini-ITX
Materials	0.4MM Spcc Black Coating
Front panel	ABS Plastic/Metal Panel/ARGB Strip
USB PORT	1*USB1.0+HD Audio
HDD/SSD	1*HDD, 2*SSD
Expansion Slots	4pcs
VGA card length	230 mm
CPU Height	130 mm
Packing	A+B carton, 1*40HQ 2500pcs
Supporting Fans	Front:120MM*1, Left:120mm*1, Rear:80mm*1
Net Weight (Kg)	1.85 KGS (left glass weight)
Gross Weight (Kg)	2.1 KGS (left glass weight)



ARGB PSU Series

400W / 500W / 600W / 700W

APFC Version Power Supply With ARGB Cooling Fan
APFC,80 Version can Option Amazing ARGB Effect
can be controlled by LED Button and Sync. With Other
Devices High Value and Religble Power Supply



QS-1800W

LLC Resonant Circuit Layout Topology
DC to DC Circuit Design
MultiPle OutPut (24PIN,P8,P6,SATA,Molex)
140mm Low Noise Cooling Fan
Designed for Mining and Gaming System
80 Plus Gold Efficiency



1800W/2000W



NO.ATX-200W-F08



NO.ATX-200W-F12



NO.ATX-230W



NO.ATX-250W



NO.ATX-300W



NO.ATX-350W



NO.ATX-400W



NO.ATX-500W



NO.ATX-600W



NO.ATX-700W

Model Name	ATX-200W-F08	ATX-200W/ATX-230W/ATX-250W/ATX-300W/ATX-350W	ATX-400W/ATX-500W/ATX-600W/ATX-700W
Version	INTEL ATX 12V 2.3 Version	INTEL ATX 12V 2.3 Version	INTEL ATX 12V 2.3 Version
Enclosure	0.6MM SECC or Black Color enclosure	0.6MM SECC or Black Color enclosure	0.6MM Black Color enclosure
Power	Rated Power: 200W/300W	Rated Power: 230W/300W	Rated Power: 400W/600W
Power cord	1.2 Meters standard international line	1.2 Meters standard international line	1.2 Meters standard international line
Product size	150*85*140MM	150*85*140MM	150*85*140MM
Carton size	520*350*250MM	520*350*250MM	520*350*250MM
Output line	2 x SATA, 2 x Molex, 24 PIN+P4	24PIN 1, 2DE *2.5-ATA* 2 P8(4+4)* 1 P8(6+2)*1	24PIN 1, 2DE *2.5-ATA* 2 P8(4+4)* 1 P8(6+2)*1
Line length	450MM standard line	450MM standard line	450MM standard line
Operating temperature	-10°C ~ 50°C	-10°C ~ 50°C	-10°C ~ 50°C
Storage temperature	-20°C ~ 40°C	-20°C ~ 40°C	-20°C ~ 40°C
Support	Support INTEL, AMD processor	Support INTEL, AMD processor	Support INTEL, AMD processor
Certification	CE / FCC, 3C authority certification	CE / FCC, 3C authority certification	CE / FCC, 3C authority certification
Cooling fan	8CM cooling fan	12CM cooling fan	12CM cooling fan
Application	for office and home	for office and home	for office and home



NO.SFX-200W



NO.SFX-230W



RAINBOW PSU



ARGB PSU



NO.ATX-850W



NO.ATX-1000W



NO-QS-1800W



NO-QS-2000W

Model Name	SFX-200W/SFX-230W	ATX-850W/ATX-1000W	QS-1800W/QS-2000W
Version	INTEL ATX 12V 2.3 Version	INTEL ATX 12V 2.3 Version	ATX PSU Cover-Mining PSU 1800W/220V
Enclosure	0.6MM SECC enclosure	0.6MM Black Color enclosure	0.6MM Black Color Enclosure
Power	Rated power: 200W/300W	Rated Power Supply 400W-700W	Rated Power Supply 400W-700W
Power cord	1.2 Meters standard international line	1.2 Meters standard international line	1.0m Black Coating Cover
Product size	150*85*140MM	150*85*140MM	150*150*140MM
Carton size	520*350*250MM	520*350*250MM	520*350*250MM
Output line	2 x SATA, 2 x Molex, 24 PIN+P4	4x SATA,2x Molex,24 PIN with mesh	24P,P8(4+4), 4*DE,P8SATA,16*P8(P8+2)
Line length	450MM standard line	450MM standard line	480MM standard line
Operating temperature	-10°C ~ 50°C	-10°C ~ 50°C	-10°C ~ 50°C
Storage temperature	-20°C ~ 40°C	-20°C ~ 40°C	-20°C ~ 40°C
Support	Support INTEL,AMD processor	Support INTEL,AMD processor	Support INTEL,AMD processor
Certification	CE / FCC, 3C authority certification	CE / FCC, 3C authority certification	CE / FCC, 3C authority certification
Cooling fan	8CM cooling fan	12CM cooling fan	14CM cooling fan
Application	for office and home	for office and home	for office and home

ARGB LIQUID COOLER

120/240/360


Three phase ten stage motor
LED Screen display (CPU Temperature,
water Pump Temperature, water pump RPM)
Universal Metal Mounting Tooling
Dual Platforms Intel and AMD Support
Infinite Mirror Argb effect Sync.
Support AURA SYNC.




Liquid Cpu Cooler

120/240/360

High Performance AIO liquid Cpu Cooler
Universal Metal Mounting Tooling Support
Dual Platforms Intel and AMD Support
Latest LGA1700 Fan and Water Block
ARGB effect Sync Support Aura Sync



NO-QCJ-120



NO-QCJ-240



NO-QCJ-360

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 153x120x27mm
Radiator Material Aluminum
Tube Length 400mm
Water block Dimension 70x70x54.5mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2650RPM ±10%
Pump Life Expectancy 4000 Hours
Noise 26db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x1
Fan Speed 450mA ±20%(FAN) 350mA±20%(LED)
Max. Air Flow 65CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 5.4W+1.5W(Per Pcs Fan)

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 276x120x27mm
Radiator Material Aluminum
Tube Length 400mm
Water block Dimension 70x70x54.5mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2650RPM ±10%
Pump Life Expectancy 4000 Hours
Noise 26db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x1
Fan Speed 450mA ±20%(FAN) 350mA±20%(LED)
Max. Air Flow 65CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 5.4W+1.5W(Per Pcs Fan)

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 394x120x27mm
Radiator Material Aluminum
Tube Length 400mm
Water block Dimension 70x70x54.5mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2650RPM ±10%
Pump Life Expectancy 4000 Hours
Noise 26db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x1
Fan Speed 450mA ±20%(FAN) 350mA±20%(LED)
Max. Air Flow 65CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 5.4W+1.5W(Per Pcs Fan)



NO-LS-120



NO-LS-240



NO-LS-360

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 154x120x52mm
Radiator Material Aluminum
Tube Length 395mm
Water block Dimension 78.5x83.5x31.7mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2300RPM ±10%
Pump Life Expectancy 6000 Hours
Noise 26.8db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x1
Fan Speed 600~2000±10%RPM
Max. Air Flow 72.2CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 3.36W(Per Pcs Fan)

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 274x120x52mm
Radiator Material Aluminum
Tube Length 395mm
Water block Dimension 78.5x83.5x31.7mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2300RPM ±10%
Pump Life Expectancy 6000 Hours
Noise 26.8db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x2
Fan Speed 600~2000±10%RPM
Max. Air Flow 72.2CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 3.36W(Per Pcs Fan)

CPU Compatibility Intel 2066/2011/1150/1151/1155/1156/775/1366/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM1/AM5
Radiator Dimension 394x120x52mm
Radiator Material Aluminum
Tube Length 395mm
Water block Dimension 78.5x83.5x31.7mm
Cold Plate Material oxygen-free Copper
Pump Current 0.25A
Pump Speed 2300RPM ±10%
Pump Life Expectancy 6000 Hours
Noise 26.8db
RGB Version AURA 5V 3Pin addressable
RGB Connector AURA 3PIN Connector male +Female x3
Fan Speed 600~2000±10%RPM
Max. Air Flow 72.2CFM(Per Pcs Fan)
Rated Voltage 12VDC
Start Voltage ≤7V
Rated Current 0.25A (Fan Moto)+0.3A/(RGB)
Power Input 3.36W(Per Pcs Fan)



K600-S-T

6x6MM Copper Powder Heat Pipes Black Painting Anti-oxidation Protective Layer Infinite Mirror ARGB Effect Top Cover Sync with Front Fan Universal Metal Mounting Tooling Support Dual Platforms Intel and AMD Support Latest LGA1700
TDP: 160W



Dual Fan Tower

6X6MM Copper Heat Pipes ,120MM Dual ARGB Fans ,Twin tower, rapid heat transfer, durable,Multi platform compatibility for Intel and AMD, Perfect support for Overclock .
TDP: 220W



NO.K400S

CPU Compatibility
Radiator Dimension
Radiator Material
Surface Treatment
Heat Base Material
Water Block Dimension
Heat Pipes
Weight/L loading
Included Fans
Fan Speed
Max. Air Flow
Connector
Rated Voltage
Rated Current
Power Input
Bearing Type
Max. Static Pressure

NO.K400-S-T

Intel 2066/2011/1150/1151/1155/1156/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM4/AM5
124.5(L)x84(W)x148(H)mm
Aluminum
Anti-oxidation Protective Layer (Silver Color)
395mm
45X38mm HDT (Heat pipes Direct Touch)
4X6mm Copper powder heat pipes 4*U type
807g
1pcs Infinite Mirror ARGB Effect
800-2200RPM, PWM
63.67CFM
4PIN (PWM) *1 + AURA Male+Female 3PIN
12V
0.28(Fan Moto)
3.36W
Hydraulic Bearing
2.14mmH2O

NO.K400-B-T

NO.K600S

CPU Compatibility
Radiator Dimension
Radiator Material
Surface Treatment
Heat Base Material
Water Block Dimension
Heat Pipes
Weight/L loading
Included Fans
Fan Speed
Max. Air Flow
Connector
Rated Voltage
Rated Current
Power Input
Bearing Type
Max. Static Pressure

NO.K600-B-T

Intel 2066/2011/1150/1151/1155/1156/1700
AMD FM2+/FM2/FM1/AM3+/AM3/AM2+/AM2/AM4/AM5
126(L)x84(W)x148(H)mm
Aluminum
Anti-oxidation Protective Layer (Silver Color)
395mm
45X38mm HDT (Heat pipes Direct Touch)
6X6mm Copper powder heat pipes 4*U type
807g
1pcs Infinite Mirror ARGB Effect
800-2200RPM, PWM
63.67CFM
4PIN (PWM) *1 + AURA Male+Female 3PIN
12V
0.28(Fan Moto)
3.36W
Hydraulic Bearing
2.14mmH2O

NO.K600-S-T



NO-YELLOW RIVER

CPU Compatibility
Intel LGA775/1155 /1156/LGA1150/1366
AMD 939/940/AM2/AM2+/AM3/FM1/FM2
Radiator Dimension
Fan Size
Bearing Type
Rated Voltage
Rated Current
Wind Speed
Noise
Fan RPM
Life Expectancy



NO-JHS DOWNCOMER COOLER

Intel LGA775/1155 /1156/LGA1150/1366
AMD 939/940/AM2/AM2+/AM3/FM1/FM2
124(L)x127(W)x32(H)mm
120(L)x120(W)x25(H)mm
Long life
12VDC
0.28Amp
52CFM
25dB
1500RPM±10%
30000hours



NO-POISONOUS BEE 12

Intel LGA775/1155 /1156/LGA1150/1366
AMD 939/940/AM2/AM2+/AM3/FM1/FM2
112(L)x110(W)x42(H)mm
90(L)x90(W)x25(H)mm
Long life
12VDC
0.28Amp
55.9CFM
24dB
2200RPM±10%
30000hours



NO-DLS

Intel LGA775/1155 /1156/LGA1150/1366/1700
AMD 939/940/AM2/AM2+/AM3/FM1/FM2/FM4/FM5
95(L)x65(W)x125(H)mm
90(L)x25(W)x90(H)mm
Long life
12VDC
0.28Amp
52CFM
25dB
2100RPM±10%
30000hours



NO-V400 ARGB

122(L)x73(W)x152(H)mm
120(L)x25(W)x120(H)mm
Long life
12VDC
0.28Amp
55.9CFM
28dB
1800RPM±10%
30000hours

210 Series ARGB Fan

Latest ARGB New model
Inner +Outer Ring Lighting
Infinite Mirror Argb Effect
Support Remote ,Button,Aura Sync Control
4pcs Shockproof foot pads
1500±10% RPM



DragonBall Fan

Latest ARGB New model
Inner +Outer Ring Lighting
Infinite Mirror Argb Effect
Support Remote ,Button,Aura Sync Control
4pcs Shockproof foot pads
1500±10% RPM



NO.INFINITY MIRROR-210



NO.211-ARGB



NO.LIGHTING X



NO.118



NO.INFINITY MIRROR-118



NO.DUAL RINGS ARGB -V1



NO.DUAL RINGS ARGB -V2



NO.NEON-ARGB



NO.JADE RING -V1



NO.DRAGONBALL FAN



NO.F1-ARGB V1



NO.PRISM-FAN-1



NO.SNAKE-PINK



NO.SNAKE-WHITE



NO.165



CONTROLLER V1



CONTROLLER V2



CONTROLLER V3



CONTROLLER V4



NO. RAINBOW V1



NO.RAINBOW V2



NO.M05-ARGB



NO.F2-ARGB



NO. SING RING LED

Fan Dimensions	120*120*25mm
Fan Frame Colour	Black/White/Transparent Color (P/B/C)
Fan Blade	Black/White/Transparent Color
Lighting	Inner /Outer /Outer+Inner Lighting
Mode Mode	Black /Single Color/Random /ARGB
Fan Speed	1200-1500RPM(±10%)
Max Air Flow	32-40CFM(R/min)
Noise Level(max)	21.8dB(A)
Max Static Air Pressure	1.85mm-H2O
Cable Length	350-500mm
Connector(s)	4PIN/3PIN/5PIN/AURA 3PIN/PWM/SATA
Life Expectancy	40,000hrs 25°C
Anti Vibration Pad	Option
Package	Bulk /ColorBox /Combo