



BESTO HOME & GARDEN

**FENCE
HANGING BASKET
OUTDOOR FURNITURE
PET PRODUCT**

Your one-stop-shop partner

Qingdao Besto Industrial Co.,LTD.

ABOUT US

Qingdao Besto Industrial Co.,LTD. is located in Qingdao.The primary product lines are: **Home & Garden, Tool & Storage, and Outdoor & Leisure ranges.** Our products hold certifications such as GS and CE. The products are exported to the US, UK, Germany, France, Denmark, Sweden, the Philippines,and many other countries.Our clients span from DIY supermarkets to importers, retailers to online stores, and from the Construction range to the Hardware range.....

At Besto, you can confidently rely on the following commitments

Uncompromising Quality: Our promise is quality. Our products withstand the test of time and elements.Every detail speaks of our commitment.

In-depth Market Insight: With 18 years in the Home and Garden range, our heightened sensitivity to products and markets ensures you always get what you desire. We can provide you with valuable market and product information.

Client-Centric Approach: We treat clients' challenges as our own, prioritizing their interests above numbers. This approach has been the hallmark of my entire business journey.

Honesty and Transparency: We believe in forthrightness and honesty in all business dealings. Even if something goes awry, we maintain transparency. This approach nurtures healthy, enduring business relationships.

Promises Kept: We promise only what we can deliver and ensure that promises are kept. A promise is more valuable than gold.

Your One-Stop-Shop Partner



Content


-Fence	P1
-Garden Fence	P5
-Gabion	p13
-Animal Fence	P17
-PVC strip/PVC double fence/Balcony sight	P29
-Hanging Chair	P37
-Outdoor Furniture	P38
-Cat tree/Dog bed	P41



Material: High-quality low carbon steel wire
 Beautiful and practical, smooth net surface, solid structure, not easy to corrosion, long service life

Application:

1. Agriculture
2. Construction and decoration field
3. Horticulture and Landscape Design
4. Industry and environmental protection
5. Creative handicrafts



	Mesh	Wire Thickness	Width	Length
Galvanized Chain Link Fence	25x25mm	1.5-4.5mm	0.5-5.0m	5-25m
	40x40mm			
	50x50mm			
	60x60mm			
PVC Coated Chain Link Fence	Mesh	Wire Thickness	Width	Length
	40x40mm	3.0-5.0mm	0.5-5.0m	5-25m
Package: In compressed roll, plastic film used for layers separate the top and bottom wrapped with thick plastic film.				

Material: Low carbon steel wire

Manufacturing process: The fence is welded from high-quality galvanized steel wire with corrugation in the middle and then coated with PVC

Characteristics: Beautiful and generous, durable, and aging with good anti-corrosion performance. Convenient transportation, easy and quick installation.

Applications: Used in gardens, parks, agriculture, infrastructure, traffic fencing, decoration or protection



Mesh		Wire Thickness(mm)		Height(cm)	Length(m)
In Inch	InMM	Before Coating	After Coating		
2"X2"	50.8X50.8	1.6-2.5	2.0-3.0	50-200	5-25
2"X3"	50.8X76.2				
2"X4"	50.8X101.6				
3"X4"	76.2X101.6				

Package :

Each roll with plastic film was absorbed.

Carton packing, pallet packing, or packing as per the customer's request


Double wire panel fence is an extremely strong fence system with a special structure and a super strong degree of resistance to impact damage making it an ideal choice for industrial and commercial areas.

Material: Low carbon steel wire

Surface Finish: Hot dipped galvanized electro galvanized wire + powder coated, Hot dipped galvanized wire + powder coated

Application: Widely used in the home, garden, commercial industrial decoration, and protection



	Height x Width Panel (mm)	Mesh Size (mm)	Wire Thickness (mm)	Wire Thickness (mm)	Post Of Height (mm)
	830x2500	50X200	8x2+6	6x2+5	1300
	1030X2500	50X200	8x2+6	6x2+5	1500
	1230X2500	50X200	8x2+6	6x2+5	1700
	1430X2500	50X200	8x2+6	6x2+5	1900
	1630X2500	50X200	8x2+6	6x2+5	2100
	1830X2500	50X200	8x2+6	6x2+5	2400
	2030X2500	50X200	8x2+6	6x2+5	2600
Package : With plastic film and pallet.					

The 3D panel is reinforced with “V” folding to increase the rigidity and strength. All the panels have a 30mm barbed top edge for anti-climbing.

Choose high-quality of wire as raw materials, through wire drawing, straightening, and welding. bending, phosphatizing powder coating, or PVC coated.

Application: As a protective fence, it should be used in the following places:

Transportation places: Roads, railways, urban transportation.

Industrial park: factories, sightseeing park. Private garden courtyard, villa.

Public places: parks, zoos, train stations, lawns. Business places: companies, hotels, supermarkets.



Height(mm)	Width(mm)	Mesh Size(mm)	Wire Thickness(mm)
830	2200 2500	50X100 50X200	4.0-5.0
1030			
1230			
1530			
1730			
1830			
2030			


Material: Low carbon steel wire

Type: Weaving border fence. Welded border fence

Application: Used as a fence for garden borders or flower beds





	Mesh	Wire Thickness	Height	Length
	mm	mm	cm	m
Weave Border Fence	150x90	1.4/2.4 and 2.0/3.0	25	5
			40	10
			65	15
			90	20
			120	25
	Mesh	Wire Thickness	Height	Length
	mm	mm	cm	m
Welded Border Fence	150x90	2.0/2.4	25	5
			40	10
			65	15
			90	20
			120	25
Package: Each roll with plastic film was absorbed. Carton packing, and pallet packing as customer request.				




Item No.:BG001

Dimension:47.5x41cm(LXH)



Item No.:BG002

Dimension:47.5x41 cm(LXH)



Item No.:BG004

Dimension:47.5x41cm(LXH)



Item No.:BG005



Item No.:BG006

Garden Trellis



Item NO.:BGT001



Item NO.:BGT002



Item NO.:BGT003

Steel fencing is generally made out of steel for superior strength. These fences are designed to keep intruders out and can come with barbed wire or spiked tops for extra security.



Item NO.:Spear Top BSTF001



Item NO.:Garrison fence BSTF002



Item NO.:Three Rail BSTF003



Item NO.:Square Top BSTF004



Item NO.:Loop Top BSTF005



Item NO.:Rod Top BSTF006



Item NO.: Flat Top BSTF007



Item NO.: Curved Top BSTF008



Item NO.: Single Gate BSTF009



Item NO.: Sliding gate BSTF010

Materials	Pre-galvanized steel hollow tube
Panel height(mm)	1200,1500,1800,2100,2400,3000 etc
Panel width(mm)	2400.3000 etc
Horizontal rails(mm)	40x40RHS etc
Vertical pickets(mm)	25x25RHSetc
Post(mm)	65x65RHS 80X80RHS,100X100RHS etc
Surface finish	Galvanised then Black powder coating
Accessories	Brackets and Fasteners
	Custom designs are available

Temporary Fencing–AU standard

All of temporary fencing meet to Australian Standard AS 4687–2007. Temporary fence panels can either be ordered as a standard item or made to the customers requirements. welded mesh chain wire mesh can be used for the infill



Item NO.:BSTF011



Item NO.:BSTF012

Panel Size	2400mm(L)X2100mm(H)
Frame	32mm O.D.–2mm Pipe Wall Thickness
Infill Mesh	4mm horizontal.4mm vertical, 150mmx60mm spacing
Finish	Hot Dipped Galvanized to Australian Standard–42Microns
Custom designs are available	

Temporary chain link fence is usually called portable chain link fencing. It is common used as permanent fences for houses, parks, roads, sometimes it as temporary fence in some events or some places. They are used in all types of construction sites –commercial, residential, heavy construction, demolition, renovation, renovation.




Item NO.:BSTF013



Item NO.:BSTF014

Features: Easy Installation, Cost-effective, Acid-resistant, alkali-resistant, firm welding, strong anti-rust and anti-corrosion ability, beautiful, and wide usage.



Mesh Size(mm)	Wire Thickness(mm)	Height(mm)	Width (mm)
250X50	8/6	750	2000
		1000	
		1250	
		1500	
		1750	

Post

Round post, Square post, T post, Y post, L post.
Used farm fence posts, garden fence posts, or field fence posts.



ROUND POST

Outer Dia(mm)	Thickness (mm)	Height (mm)
32	1.0,1.2,1.5	800-2000
34	1.0,1.2,1.5	800-2000
38	1.0,1.2,1.5	800-2000
40	1.0,1.2,1.5	800-2500
48	1.5, 2.0	800-3000
60	1.5, 2.0	800-3000



SQUARE POST


Outer Dia(mm)	Thickness (mm)	Height (mm)
40x40	1.2,1.5	800-2500
60x40	1.5, 2.0	800-3000
60x60	1.5, 2.0	800-3000
80x80	1.5,2.0,2.5	800-3000
100x100	2.0, 2.5	800-3000



The building Panel is to be used as a concrete wall for strengthening because it is to be used as a wealth. The material is usually to be electro galvanised wire which can save costs for the customer.



Assortments available: Galvanized Welded mesh panel PVC-Coated Welded mesh panel Stainless Steel Welded mesh Panel.

Application: Widely used in exhibition sample shelves, construction industry, municipal construction, and breeding industry.



Mesh Size (mm)	Wire Thickness(mm)	Height (mm)	Width(mm)
25X25	1.5-3.0	2000	1000 1500 2000
30X30	2.9-4.0	2000	
40X40	3.9-4.0	2000	
50X50	1.5-4.0	2000	
100X50	3.5-5.0	2000	
200X50	3.5-5.0	2000	
Package: With plastic film and pallet.			



This gabion is made of galvanized welded mesh panels, is easy to assemble, and is filled with hard stone that can become a stone wall. Size is OEM.



Mesh (mm)	Wire Thickness(mm)	Size(cm)
5X5	3.5,4	80x20x20
5X5	3.5,4	100x20x20
5X5	3.5,4	150x20x20
5X5	3.5,4	200x20x20
5X5	3.5,4	250x20x20
5X10	4	30X30X30
5X10	4	40X40X40
5X10	4	80X40X40
5X10	4	100X40X30
5X10	4	150X100X30
5X10	4	200 X 50X 50
10X10	4	60 X 60 X 60
10X10	4	100 X 50 X 30
10X10	4	100X80X30
10X10	4	100X100X50
10X10	4	150X50X50
10X10	4	200X250X50

Gabion Box are wire containers made of hexagonal wire netting through woven. Wire thickness depends on the mesh wire. Galvanized hexagonal wire netting PVC coated hexagonal wire netting.

Applications: Spillway and diversion DAMS, coastal area defense works, bridge protection, road protection.



Mesh(mm)	Wire Thickness (mm)	Selvedge Wire Thickness (mm)	Size(m)
60x80	2.0-4.0	3.0-4.0	2.0X0.5X0.5 2.0X1.0X0.5 4.0X1.0X0.5 2.0X1.0X1.0 4.0X1.0X1.0 2.0X1.5X1.0
80x100			
80x120			
100x120			
100x150			
120x150			

Round Post, Garden Gata Square Post Single Gate

Made of galvanized circular or galvanized square tube with welded panel and hot dipped galvanized, outer powder coated. The color can be as per the customer's selection. Complete shrink packing for the DIY assembly. Another size may be available upon request.



Round Post Single Gate	Full Set		Mesh and frame		Post	
	width	height	mesh size	frame size	size	height
	cm	cm	mm	mm	mm	cm
		80	50x50 50x100	640	660	130
	100	100				150
	125	125				175
		150				200
		175				225
	150	200				250

Square Post Single Gate	Full Set		Mesh and frame		Post	
	width	height	mesh size	frame size	size	height
	cm	cm	mm	mm	mm	cm
		80	50X50 50X100 50x200	40X40	60X60	130
	100	100				150
	125	125				175
	150	150				200
		175				225
		200				250

Package:
Each set with plastic film or packed in pallet as client request



Garden Staples

These pins hold securely in strong winds.

The full 6-inch length makes our stakes perfect for anchoring fencing including electric dog fence and holding down sod and garden edging.

Anchor bird netting, holiday decorations, floating row covers, and more!

Great for securing landscape fabric and plastic, fences, tents, tarps, garden cloth, hoses, wires, and more.



MULTIPLE



USAGE

Material: Low carbon steel wire stainless steel wire

Manufacturing process :


Hot-Dipped Galvanized Before Welding

Hot-Dipped Galvanized After Welding

Electro Galvanized Before Welding

Electro Galvanized After Welding

Application: Widely used in breeding, plant fencing, construction, and industry.



Opening		Wire Thickness(mm)
In inch	In Metric Unit(mm)	
1/4" x1/4"	6.0 x 6.0	0.50-3.00
3/8" x3/8"	10.0x10.0	
1/2" x1/2"	12.0x12.0	
5/8" x5/8"	16.0x16.0	
3/4" x3/4"	19.0x19.0	
1" x1/2"	25.0x12.0	
1" x1"	25.0x 25.0	
1" x2"	25.0 x 50.0	
2" x2"	50.0x50.0	
3" x2"	75.0x50.0	
4" x3"	100.0x75.0	


1. Standard Roll Length:5m/10m/25m, Width:0.5m-2.0m

2. Package:

Each roll is wrapped in waterproof paper

Each roll with plastic film was absorbed.

Custom Sizes and Packages available at request.



Opening		Wire Thickness(mm)	
In inch	In Metric Unit(mm)	Before coating	After coating
1/4" x 1/4"	6x6	0.4-0.75	0.75-1.1
3/8" x 3/8"	10 x 10	0.4-1.0	0.75-1.35
1/2" x 1/2"	12 x 12	0.45-1.4	0.8-1.75
5/8" x 5/8"	16 x 16	0.4-1.4	0.8-1.8
3/4" x 3/4"	19 x 19	0.45-1.6	0.85-2.0
1" x 1"	25x 25	0.7-2.1	1.1-2.5
2" x 2"	50x 50	1.0-2.2	1.4-2.6
2" x 4"	50x100	1.0-2.2	1.4-2.6

1. Standard Roll Length: 5m, 10m, 25m, Width: 0.5m-2.0m

2. Package

Each roll is wrapped in waterproof paper.

Each roll with plastic film was absorbed.

Custom Sizes and Packages are available at request.

Material: Low carbon steel wire stainless steel wire.


Weaving process :

Hot dipped galvanized before weaving.

Hot dipped galvanized after weaving.

Electro-galvanized before weaving.

Applications: Used as fences for poultry cages, fishing, gardens, children's Playgrounds, zoo fences sports venues fences, and road green belt protection not.



Mesh		Wire Thickness	Height	Length
Inch	mm	mm	cm	m
3/8"	10	0.4-2.5	50-200	5-50
1/2"	13			
5/8"	16			
3/4"	19			
1"	25			
1-1/4"	31			
1-1/2"	40			
2"	50			
3"	75			
4"	100			

Package:

Each roll is wrapped in waterproof paper.

Each roll with plastic film was absorbed.

Custom Sizes and Package available at request.

Weaving process :

PVC Coated Before Weaving

PVC Coated After Weaving.



Mesh		Wire Thickness	Height	Length
inch	mm	mm	cm	m
3/8"	10	0.4-2.5	50-200	5-50
1/2"	13			
5/8"	16			
3/4"	19			
1"	25			
1-1/4"	31			
1-1/2"	40			
2"	50			
3"	75			
4"	100			

Package:


Each roll is wrapped in waterproof paper.

Each roll with plastic film was absorbed.

Custom Sizes and Packages available at request.


Material: High strength hot dipped galvanized wire.

Characteristics: Automatic mechanical galvanized knot, reasonable design beautiful surface, high tensile strength, strong corrosion resistance.



Application: Used for grassland fences, breeding fences, ecological engineering protection, etc.

Type	Specifications (the incremental holesizes)	Gross Weight (kgs)	op and Bottom wire Thickness (MM)	Inner Wire Thickness (MM)
7/150/813/50	102+114+127+140+152+178	19.3	2.5	2
8/150/813/50	89(75)+89+102+114+127+140+152	20.8	2.5	2
8/150/902/50	89+102+114+127+140+152+178	21.6	2.5	2
8/150/1016/50	102+114+127+140+152+178+203	22.6	2.5	2
8/150/1143/50	114+127+140+152+178+203+229	23.9	2.5	2
9/150/991/50	89+102+114+127+140+152+178+203+229	26	25	2
9/150/1245/50	102+114+127+140+152+178+203+229	27.3	2.5	2
10/150/1194/50	89(75)+89+102+114+127+140+152+178+203	28.4	2.5	2
10/150/1334/50	89+102+114+127+140+152+178+203+229	0.8	2.5	2
11/150/1422/50	89(75)+89+102+114+127+140+152+178+203+229	3	2.5	2




Barbed wire is twisted and waived by the fully automatic barbed wire machine.

Product variety: Single–twist barbed wire and double–twist barbed wire.

Wire Material: High–quality low carbon steel wire (electric galvanized, hot galvanized coated, PVC coated)PVC barbed wire can be galvanized wire and black wire.

Application:

Mainly serves in isolation and protection of grassland, boundaries, railways, residences, banks, and bill printing factories, and is also widely used in military bases, industry, agriculture, animal husbandry, plantation for fencing.



Type	Wire Gauge(SWG)	Barb Distance	Barb Length
		mm	mm
Electro Galvanized Barbed Wire	BWG10xBWG12	75–150	15–30
	BWG12xBWG12		
	BWG12xBWG14		
	BWG14xBWG14		
	BWG14xBWG16		
Hot–Dip Galvanized Barbed wire	BWG16xBWG16		
	BWG16xBWG18		
	BWG17xBWG17		
PVC Coated Barbed Wire	Before coating:BWG11–20	75–150	15–30
	After coating:BWG8–17		
Package: Bare packing with bulk or on pallets. With plastic film and pallets.			

Application: Widely used in prison guardrails, guard post border, army, and many high–security areas for security protection.

Material: Hot dipped galvanized sheet with hot dipped galvanized wire, stainless steel sheet with stainless steel wire.

Blade: Steel plate by one–time punching molding or stainless steel plate by one–time punching molding.



Reference No.	Thickness mm	Wire Dia mm	Barb Length mm	Barb Width mm	Barb Spacing mm
BTO-10	0.5+0.05	2.5+0.1	10+1	13+1	26+1
BTO-12	0.5+0.05	2.5+0.1	12+1	15+1	26+1
BTO-18	0.5+0.05	2.5+0.1	18+1	15+1	33+1
BTO-22	0.5+0.05	2.5+0.1	22+1	15+1	34+1
BTO-28	0.5+0.05	2.5	28	15	45+1
BTO-30	0.5+0.05	2.5	30	18	45+1
CBT-60	0.6+0.05	2.5+0.1	60+2	32+1	100+2
CBT-65	0.6+0.05	2.5+0.1	65+2	21+1	100+2

Packing

In compressed coil, then in bundle or carton.

Inner waterproof paper with a woven bag outside. Or as customer's request.



Item No.:BGA001



Item No.:BGA002



Item No.:H Form



Item No.:BGA003



Item No.:BGA004



Item No.:BGA005



Item No.:BGA006



Item No.:BGA007


Specification	T/Y/L 30,35,40
Size(mm)	30x30x3, 35X35X33. 5, 40X40X4
Length	To design according to panel size & customers, requirements.



T-POST



Y-POST



L-POST

Wire Strainer

A wire strainer is used to tighten the line wire, the wire is inserted into the strainer, tensions the wire by means of an open-end wrench, until the wires are tightened to the maximum.

Material: Low carbon steel

Surface treatment: Hot dipped galvanized, electric galvanized, PVC coated



Hot dipped galvanized iron wire is made of high-quality Q195 low-carbon steel, through an advanced production process drawing – annealing – pickling – hot dip galvanized, bright color, soft silk, wire diameter from 0.5–5.0mm. Service life cycle of more than 10 years.

Diameter range	BWG6–BWG26
Zinc coated	40–350g/m
Tensile strength	350–550N/MM
Elongation	15%
Coil weight	1kg–1000kg or as clients' requirements



Common Wire Gauge And Diameters Table

Gauge	SWC		BWC		AWC	
	Inch	mm	Inch	mm	Inch	mm
8	0.16	4.046	0.165	4.191	0.1285	3.264
9	0.144	3.658	0.148	3.759	0.1144	2.906
10	0.128	3.215	0.134	3.404	0.1019	2.588
11	0.116	2.946	0.12	3.048	0.0907	2.305
12	0.104	2.642	0.109	2.769	0.0808	2.063
13	0.092	2.337	0.095	2.413	0.072	1.828
14	0.08	2.032	0.083	2.108	0.0641	1.628
15	0.072	1.829	0.072	1.829	0.0671	1.45
16	0.064	1.626	0.065	1.651	0.0608	1.291
17	0.056	1.422	0.058	1.473	0.0453	1.15
18	0.048	1.219	0.049	1.245	0.0359	1.024
19	0.04	1.016	0.042	1.067	0.032	0.912
20	0.036	0.914	0.035	0.859	0.0285	0.812
21	0.032	0.813	0.032	0.831	0.02535	0.723
22	0.028	0.711	0.028	0.711	0.02266	0.644
23	0.024	0.61	0.025	0.636	0.00286	0.573
24	0.022	0.559	0.022	0.559	0.02011	0.511
25	0.02	0.508	0.02	0.508	0.01791	0.455
26	0.018	0.457	0.018	0.457	0.01594	0.405

Galvanized Wire With Dispenser

Versatile garden wire for home, garden, and hobby.

Excellent rust protection due to galvanized finish improves the durability of the wire.

Can be used inside and outside of the door. Available in different lengths and diameters.

Ideal for garden and agriculture binding wire.

Thickness(mm)	Length(m)
0.7	75
0.8	50
0.9	50
1	50
1.1	50
1.2	50
1.3	50
1.4	50
1.5	50
1.6	50
1.8	50



PVC Coated Wire With Dispenser

Thickness(mm)	Length(m)
0.6/0.9	75
0.8/1.2	50
1.0/1.5	50
1/1.6	50



Galvanized/PVC Coated Tension Wire

Horticulture Repair and Maintain.

Thickness(mm)	Length(m)
1.5/2.0	100
1.6/2.2	
1.8/2.6	
2.0/3.0	
2.2/3.2	
2.4/3.5	







Item No.:BDF001
Size:185 x 117 x 185cm



Item No.:BDF002
Size:245x176x209cm



Item No.:BDF003
Size:8x 80cmx60cm
/80cm
/ 100cm



Item No.:BDF004
Size:6x 60cmx63cm
8x 80cmx75cm



Item No.:BGS001
Size:257x203x178cm




Item No.:BGS002
Size:205x131x183cm



Item No.:BGS003
Size:193x126x181cm



Item No.:BWS001
Size:165x83x157cm



Item No.:BWS002
Size:182x89x148cm

BPVD001--PVC Double-side Fence



Item	PVC double-side fence
Material	UV-resistant PVC
Thickness	0.35mm ± 0.5mm or other thickness OEM
Standard Size(OEM is acceptable)	1x3m 1.2 x 3m 1.5 x 3m 1.5 x 5m 1.8x 3m 2 x 3m
Application	The Privacy Cover is widely used in Porch Decks, balconies, outdoor, courtyards, roofs, carports, warehouses, etc.

Regular Colors



BPFS001--PVC Strip Fence

Item	PVC Strip Fence
Material	PVC+Polyester
Gram Weight	450gsm 630gsm
Standard Size	19cmx35m (Size can be customized , like 19 cmx20m/65m/70m, 4.75cmx35m,etc)
Accessory	20 clips in corresponding colors
Application	100% suitable for double wire mesh fence with spacing of 20cm
MOQ	500rolls per color (Color can be customized)

Regular Colors



BPFS003--1.3mm Hard PVC Strips



Item	Hard PVC Strips
Material	PVC
Thickness	1.3mm
Standard Size	19cm x 2.53m (Size can be customized)
Accessory	Clips are optional
Application	100% suitable for double wire mesh fence with spacing of 20cm
MOQ	3000 pcs per color (Color can be customized)

Regular Colors



RAL7016



RAL7040



RAL6005



BPFS002--Printing PVC Strip Fence

Item	PVC Strip Fence
Material	PVC+Polyester
Gram Weight	450gsm
Standard Size	19cm x 35m (Size can be customized, like 19cmx20m/65m/70m, 4.75cmx35m, etc)
Accessory	20 clips in transparent color
Application	100% suitable for double wire mesh fence with spacing of 20cm
MOQ	500 rolls per color (Color can be customized)

Regular Colors



Buchsbaum



Stein-Optik



Schiefer-Optik



Ziegelstein-Optik



Stein-Optik grob



Kies-Optik



Marmorkies-Optik



Bimsstein-Optik

Item	PVC Privacy Slats Kit
Material	PVC
Thickness	0.7mm
Standard Size	4.6cm x 50/60m (Size can be customized)
Accessory	100 clips in corresponding colors or brass fasteners
Application	100% suitable for double wire mesh fence with spacing of 5cm
MOQ	500 rolls per color (Color can be customized)

Regular Colors



RAL7016



RAL6005



UV Resistance



Eco-friendly



Waterproof



Weather Resistance



Long Life



Easy to Install



Privacy Protection



Easy to Clean




Material	Virgin HDPE+ UV resistant
Size	4' x50' 5'x50' 5'8" x50' 6'x50' 7'8" x50' 8'x50' 5'8" x150' 6'8" x150' 8'x150' 10' x150'
Color	Dark, Green, Black, Sand, Blue, Beige, Desert Tan, and so on.
Weight	80gsm-200gsm
Shade Rating	70%-95% Type: 1) Round wire with knitted eyelet 2) Flat wire Webbing and Grommets 3) Flat wire with knitted eyelet
Description	8cm PE webbing reinforcement edge and Every 60cm with Grass button



Sand



Dark Green



Black




Blue



Beige

Installation Method





Weight: 40g/m
Width: 1– 12m
Length: 50m;100m
Shade rate: 45%



Weight: 70/gm
Width: 1–12m
Length: 50m;100m
Shade rate: 65%



Weight: 90g/m
Width: 1– 12m
Length: 50m;100m
Shade rate: 75%



Weight: 40g/m
Width: 1– 12m
Length: 50m;100m
Shade rate: 40%




Weight: 180g/ m
Width: 1–6m
Length: 50m;100m
Shade rate: 90%



Weight: 220g/m
Width: 1–6m
Length: 50m;100m
Shade rate: 92%



Weight: 330g/m
Width: 1–6m
Length: 50m;100m
Shade rate: 96%



Weight: 360g/m
Width: 1–6m
Length: 50m;100m
Shade rate: 97%



Weight: 60/gm
Width: 1– 12m
Length: 50m;100m
Shade rate: 55%



Weight: 160g/m
Width: 1–6m
Length: 50m;100m
Shade rate: 85%



Weight: 280g/m
Width: 1–6m
Length: 50m;100m




Weight: 320g/m
Width: 1–4m
Length: 50m;100m
Performance : waterproof
Shade rate: 95%



Used in building, bridge, or other project constructions

- *Falling objects protection, protect the workers.
- *Wind and dust controlling, beautifying the construction site
- *Enclosure systems to protect people around
- *Reduce sound pollution.

Material	Virgin HDPE 100%
Weight/sqm	80gsm;85gsm;100gsm;130gsm (as per required)
Color	Orange; Green; Blue (as per required)
Width	0.5–6m(as per required)
Roll Length	1–200m(as per required)
Package	One roll packed with one strong PE bag with one color label



Shade Net

Stainless steel triangle ring or "D" ring at the corners.

25mm or 38mm webbing along the whole edges.

Note: the product dimensions can be customized according to the customer's requirements.

Packaging method: Can be packed according to customer requirements, there are PE bag packaging, PVC zipper bag packaging, and carton packaging, each product has a customer's label and matching rope (1.5m * 3 or 4).

Colors	15 general colors to choose from (Customizable)		
weight	150-350g/m (Customizable)		
Shade rate	95%		
Product size	Triangle	3x3x3m	3.6x3.6x3.6m 5x5x5m
	Rectangle	2x3m 3.6x4.8m	2x4m 4x6m 3x4m
	Square	3x3m 4x4m	3.6x3.6m 5x5m



Material: virgin HDPE+UV resistant

Fabric weight: 150gsm–240gsm


Conventional size: 0.75x6m

0.9x4.6m

0.9x5m

0.9x6m


1x5m(Customizable)



Cream





Beige



Red



Grey



Grey & White



Beige



White





Black



Grey



Blue & White



Made of Resin Wicker, Cushion Made of 100% polyester, UV-resistant Outdoor Fabrics, All-weather Synthetic PE Wicker(Fully Handwoven and Handcrafted) and Heavy Duty Powder Coated Metal Frame, Antique Bronze Finish or other color as your request; Weight Capacity: 150kgs Super easy to assemble(No assembly required for chair body), Step-by-step Manual and Tools Included.



Item NO.:
BHB001



Item NO.:
BHB002



Item NO.:
BHB003



Item NO.:
BHB004



Item NO.:
BHB005



Item NO.:
BHB006



Item NO.:BRF001

Dining Set 1+4 Wood Top

1 x Table: 88*88*H74 + 4 x Chair with armwood: 58*58*H88

Table frame: Tube 25*50* Thickness 0.7mm

Leg tube 50*50*0.7mm

Chair frame: Tube dia 21*0.6mm Flat PE Flat Flat PE Rattan 7~8mm* thick 1.1mm



Item NO.:BFR002

Dining Set 1+6 Wood Top

1 x Table: 150*90*H74 + 6 x Chair with armwood: 58*58*H88

Table frame: Tube 25*50* Thickness 0.7mm

Leg tube 50*50*0.7mm

Chair frame: Tube dia 21*0.6mm

Flat PE Rattan 7~8mm* thick 1.1mm



Item NO.:BFR003

Dining Set 1+8 Glass Top

1 x Table: 190*90*H74 + 8 x Chair: 58*58*H88 Table frame:

Tube 25*50* Thickness 0.7mm

Leg tube 50*50*0.7mm

Chair frame: Tube dia 21*0.6mm

Flat PE Rattan 7~8mm* thick 1.1mm



Item NO.:BFR004

Dining Set 1+4 Glass Top

1 x Table: 88*88*H74 + 4 x Chair: 58*58*H88 Table frame:

Tube 25*50* Thickness 0.7mm

Leg tube 50*50*0.7mm

Chair frame: Tube dia 21*0.6mm

Flat PE Rattan 7~8mm* thick 1.1mm

Item NO.:BFR005

SOFA SET 5S

1 x Table: 68*68*H36

1 Bench 3S: 198*68*H72 +2 x Armchair: 83*68*H72cm.

Frame tube: 14*14*0.6mm

Flat PE Rattan 7~8mm* thick 1.1mm



Item NO.:BFR006

CRESCENT SET 4 PCS

1 x Table as Stool with cushion 9CM no

Glass: 68*68*H33.5

1 x Corner: 72*72*H65.5

2 x Bench: 138.5*72*H65.5

Frame tube: 20*20*0.6mm & 12*12*0.6mm

Flat PE Rattan 7~8mm* thick 1.1mm



Item NO.:BFR007

COUCH DINNER SET

2x 3seat sofa: L160xD62xH87cm

2x footrest: W40xD40xH36.5cm

1x table: L120xW70xH66cm

5cm cushion foam filling w/zipper 180g polyester



Item NO.:BFR008

Hoan Bench

Flat PE WICKER: 8 x 1.0mm

Profile steel: Dia 21, 20x20.

Thickness 0.7mm. Grey cushion/Brown cushion





Item NO.:BFR009
CRESCENT SET 4 PCS
LIGHT GREY RATTAN
BEIGE CUSHION

Item NO.:BFR010
SET OF 2 FOLDING SUNBED
+
SIDE FOLDABLE TABLE



Item NO.:BFR011
New Boston set
1 Table: 160x85x74cm
6 Folding armchair: 58x54x90cm.
Packing 1set/ 3ctns

Item NO.:BFR012
Sydney set
1 Table: 120x70x75cm
4 chair: 58x54x90cm
Packing 1set/2ctns





Item NO.:BCT001
Size:68x60x197 cm



Item NO.:BCT002
Size:65x40x210-230cm



Item NO.:BCT003
Size:58x58x203cm



Item NO.:BCT004
Size:76x46x158cm



Item NO.:BCT005
Size:40x40x115cm



Item NO.:BCT006
Size:50x50x170cm



Item NO.:BCT007
Size:75x40.5x140cm



Item NO.:BCT008
Size:49x49x130cm



Item NO.:BCT009
Size:50x40x118cm



Item NO.:BCT010
Size:55x50x133cm



Item NO.:BCT011
Size:65x40x141cm



Item NO.:BCT012
Size:60x40x85cm



Item NO.:BCT013
Size:55x39.5x138.5cm



Item NO.:BCT014
Size:60x60x200cm



Item NO.:BCT015
Size:60x49x158cm



Item NO.:BCT016
Size:40x34x230cm



Item NO.:BCT017
Size:55x35x138cm



Item NO.:BCT018
Size:49x49x170cm



Item NO.:BCT019
Size:34x34x43.5cm



Item NO.:BCT020
Size:40x30x60cm



Item NO.:BCT021
Size:47x47x92 cm



Item NO.:BCT022
Size:50x50x68cm



Item NO.:BCT023
Size:35x35x95cm



Item NO.:BCT024
Size:50x30x90cm



Item NO.:BCT025
Size:48x48x90cm



Item NO.:BCT026
Size:49x45x90cm



Item NO.:BCT027
Size:68x68x111.5 cm



Item NO.:BCT028
Size:80x60x154 cm



Item NO.:BCT029
Size:59x49x131 cm



Item NO.:BCT030
Size:D58x83 cm



Item NO.:BCT031
Size:40x40x87.5 cm



Item NO.:BCT032
Size:58x48x142.5 cm



Item NO.:BCT033
Size:51x1.5x32.5 cm



Item NO.:BCT034
Size:60x48x175 cm



Item NO.:BCT035
Size:68x*58x189 cm



Item NO.:BCT036
Size:35x25x43 cm



Item NO.:BCT037
Size:30*30*43 cm



Item NO.:BCT038
Size:D33*2 cm



Item NO.:BCT039
Size:38*1.5*28.5 cm



Item NO.:BCT040
60 x 50 x 16 cm
70 x 60 x 18 cm
85 x 70 x 20 cm



Item NO.:BCT041
56 x 76 cm



Item NO.:BCT042
56 x 76 cm



Item NO.:BCT043
50 x 40 x 14 cm
60 x 50 x 16 cm
70 x 60 x 18 cm



Item NO.:BCT044
50 x 40 x 14 cm
60 x 50 x 16 cm
70 x 60 x 18 cm



Item NO.:BCT045
85 x 60 x 14 cm
100 x 70 x 16 cm



Item NO.:BCT046
85 x 60 x 14 cm
100 x 70 x 16 cm



Item NO.:BCT047
50 x 40 x 14 cm
60 x 50 x 16 cm
70 x 60 x 18 cm



Item NO.:BCT048
50 x 40 x 14 cm
60 x 50 x 16 cm
70 x 60 x 18 cm



Item NO.:BCT049
60 x 50 x 16 cm
70 x 60 x 18 cm
85 x 70 x 20 cm



Item NO.:BCT050
75 x 50 x 18 cm
90 x 60 x 18 cm



Item NO.:BCT051
85 x 70 x 12 cm



Item NO.:BCT052
75 x 50 x 8 cm
90 x 60 x 8 cm



Item NO.:BCT053
85 x 70 x 12 cm



Item NO.:BCT054
85 x 70 x 12 cm



Item NO.:BCT055
85 x 70 x 12 cm



Item NO.:BCT056
36 x 42 x 36 cm



Item NO.:BCT057
D40 x 32 cm



Item NO.:BCT058
45 x 40 x 36 cm



Item NO.:BCT059
D45 x 25 cm



Item NO.:BCT060
D50 x 28 cm



Item NO.:BCT061
40 x 38 x 38 cm



Item NO.:BCT062
D40 x 32 cm



Item NO.:BCT063
D40 x 35 cm



Qingdao Besto Industrial Co., LTD.

Address: Room 23A HUAPU Building NO.68
Xianggang Middle Road,Shinan District, Qingdao, China
Tel/Fax:86-532-84673278
M/What's app/Wechat:86-13954259669
Email: info@bestogardens.com



WeChat



Linkedin



WhatsApp