



www.gigacellcn.com

Company Profile

Ningbo Gigacell Electronics Co., Ltd. It is located in a geographically prominent position Ningbo Port (Near Shanghai City), which is one of the electronic production bases of China and the economic center in China , the perfect position bring convenience transportation for international trade.

Our products cover a large range of battery products, such as alkaline battery, carbon zinc battery, rechargeable battery and Button cells. Especially for alkaline battery and carbon zinc ,with "Gigacell" brands, we are specialized in these area for almost 20 years with 12 high-speed advanced production lines and strong R&D capability. And our products with excellent performance widely used in the industry of telecommunication, digital products, portable computers, electric or electronic products, lightening devices, toys, household appliances and emergency devices. Our ODM and OEM business have already runed to more than 20 countries and areas in the world .

We are not only in the Battery business, but also in the "People Business."Our best advertisement is a satisfied customer. Customer testimonials reflect our commitment to customer service. So contact with us without hesitation, let us prove !

Gigacell, Drive your Gigapower!






Contents

• SUPER ALKALINE BATTERY	1—4
• CARBON—ZINC BATTERY SUPER HEAVY DUTY ALUMINUM JACKET	5—8
• CARBON—ZINC BATTERY SUPER HEAVY DUTY PVC JACKET	9—11
• LITHIUM BUTTON CELL	12
• RECHARGEABLE BATTERY	13
• OTHER ITEMS	14
• CUSTOMIZED PACKAGING	15
• DISPLAY AND PROMOTIONAL ITEMS	16





SUPER ALKALINE BATTERY



- 1. Steel can
- 2. Sealing Gasket
- 3. Negative plate
- 4. Current Collecting Rod

- 5. Anode
- 6. Separator paper
- 7. Cathode
- 8. Conductive Film





LR03S-2S size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x16.0cm



LR03S-4S size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x15.5cm



LR6S-2S size AA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 720PCS
Dimension of carton: 30.2x19.0x18.0cm



LR6S-4S size AA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 720PCS
Dimension of carton: 30.2x19.0x18.0cm



LR14S-2S size C



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 24PCS
CTN(PCS): 192PCS
Dimension of carton: 32.5x22.5x12.5cm



LR20S-2S size D



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 12PCS
CTN(PCS): 96PCS
Dimension of carton: 28.5x21.5x14.5cm



6LR61S-1S 9V



Nominal Vltage: 9V
Packing: 2pcs/srink pack
Inner Box: 20PCS
CTN(PCS): 360PCS
Dimension of carton: 27.8x22.5x17.2cm



LR03S-2B Size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 480PCS
Dimension of carton: 39.0x26.5x19.0cm



LR03S-4B Size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 960PCS
Dimension of carton: 39.0x26.5x19.0cm



LR6S-2B Size AA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 384PCS
Dimension of carton: 40.5x28.0x19.0cm



LR6S-4B Size AA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 768PCS
Dimension of carton: 40.5x28.0x19.0cm



LR14S-2B Size C



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 192PCS
Dimension of carton: 36.5x28.0x19.0cm



LR20S-2B Size D



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 96PCS
Dimension of carton: 32.0x24.0x19.0cm



6LR61S-1B 9V



Nominal Vltage: 9V
Packing: 1pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 192PCS
Dimension of carton: 49.5x27.5x19.0cm



LR03S-6B Size AAA



Nominal Vltage: 1.5V
Packing: 6pcs/blister pack
Inner Box: 36 PCS
CTN(PCS): 720 PCS
Dimension of carton: 33x28x19cm






LR6S-6B Size AA



Nominal Vltage: 1.5V
Packing: 6pcs/blister pack
Inner Box: 36 PCS
CTN(PCS): 576 PCS
Dimension of carton: 34.5x28x19cm


Gigacell





CARBON—ZINC BATTERY

SUPER HEAVY DUTY
ALUMINUM JACKET



1. Positive Cap
2. Sealing Cup
3. Carbon Rod
4. Paper Cup

5. Negative Plate
6. Positive Material
7. Aluminum film
8. Separator paper





R03-2S size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x15.5cm



R03-4S size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x15.5cm



R6-2S size AA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 960PCS
Dimension of carton: 30.5x24.0x17.5cm



R6-4S size AA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 960PCS
Dimension of carton: 30.5x24.0x17.5cm



R14-2S size C



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 24PCS
CTN(PCS): 480PCS
Dimension of carton: 32.5x22.5x27.5cm



R20-2S size D



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 12PCS
CTN(PCS): 288PCS
Dimension of carton: 31.5x28.5x27.0cm



6F22-1S 9V



Nominal Vltage: 9V
Packing: 1pcs/srink pack
Inner Box: 20PCS
CTN(PCS): 1200PCS
Dimension of carton: 27.8x22.5x17.5cm



R03-2B Size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 480PCS
Dimension of carton: 39.0x26.5x19.0cm



R03-4B Size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 960PCS
Dimension of carton: 39.0x26.5x19.0cm



R6-2B Size AA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 384PCS
Dimension of carton: 40.5x28.0x19.0cm



R6-4B Size AA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 768PCS
Dimension of carton: 40.5x28.0x19.0cm



R14-2B Size C



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 192PCS
Dimension of carton: 36.5x28.0x19.0cm



R20-2B Size D



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 144PCS
Dimension of carton: 34.5x32.0x19.0cm



6F22-1B 9V



Nominal Voltage: 9V
Packing: 1pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 192PCS
Dimension of carton: 49.5x27.5x19.0cm



R03-8B Size AAA






Nominal Voltage: 1.5V
Packing: 6pcs/blister pack
Inner Box: 48 PCS
CTN(PCS): 960 PCS
Dimension of carton: 33x28x19cm



R6-6B Size AA




Nominal Voltage: 1.5V
Packing: 6pcs/blister pack
Inner Box: 36 PCS
CTN(PCS): 576 PCS
Dimension of carton: 34.5x28x19cm





CARBON—ZINC BATTERY

SUPER HEAVY DUTY
PVC JACKET



1. Positive Cap
2. Sealing Cup
3. Carbon Rod
4. Paper Cup

5. Negative Plate
6. Positive Material
7. PVC Tube
8. Separator paper





R03PVC-2S Size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x15.5cm



R03PVC-4S Size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 1200PCS
Dimension of carton: 23.3x23.0x15.5cm



R6PVC-2S Size AA



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 960PCS
Dimension of carton: 30.5x24.0x17.5cm



R6PVC-4S Size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 40PCS
CTN(PCS): 960PCS
Dimension of carton: 30.5x24.0x17.5cm



R14PVC-2S Size C



Nominal Vltage: 1.5V
Packing: 2pcs/srink pack
Inner Box: 24PCS
CTN(PCS): 480PCS
Dimension of carton: 32.5x22.5x27.5cm



R20PVC-2S Size D



Nominal Vltage: 1.5V
Packing: 4pcs/srink pack
Inner Box: 12PCS
CTN(PCS): 288PCS
Dimension of carton: 31.5x28.5x27.0cm



R03PVC-2B Size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 480PCS
Dimension of carton: 39.0x26.5x19.0cm



R03PVC-4B Size AAA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 960PCS
Dimension of carton: 39.0x26.5x19.0cm



R6PVC-2B Size AAA



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 24PCS
CTN(PCS): 384PCS
Dimension of carton: 40.5x28.0x19.0cm



R6PVC-4B Size AA



Nominal Vltage: 1.5V
Packing: 4pcs/blister pack
Inner Box: 48PCS
CTN(PCS): 768PCS
Dimension of carton: 40.5x28.0x19.0cm



R14PVC-2B Size C



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 192PCS
Dimension of carton: 36.5x28.0x19.0cm



R20PVC-2B Size D



Nominal Vltage: 1.5V
Packing: 2pcs/blister pack
Inner Box: 12PCS
CTN(PCS): 144PCS
Dimension of carton: 34.5x32.0x19.0cm



CR2016-5B

Nominal Vltage: 3V
Packing: 5B
Inner Box: 20CARDS
CTN(PCS): 200CARDS



CR2025-5B

Nominal Vltage: 3V
Packing: 5B
Inner Box: 20CARDS
CTN(PCS): 200CARDS



CR2032-5B

Nominal Vltage: 3V
Packing: 5B
Inner Box: 20CARDS
CTN(PCS): 200CARDS



TYPE	QTY IN CARTON	DIAMETER
CR2032-5B	200	20.0x3.2mm
CR2025-5B	200	20.0x2.5mm
CR2016-5B	200	20.0x1.6mm
CR1632-5B	200	16.0x3.2mm
CR1620-5B	200	16.0x2.0mm
CR1616-5B	200	16.0x1.6mm
CR1225-5B	200	12.0x2.5mm
CR1216-5B	200	12.0x1.6mm

LITHIUM BUTTON CELL





HR03-2B 800mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 240CARDS



HR03-2B 900mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 240CARDS



HR03-2B 1000mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 240CARDS



HR6-2B 2200mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 192CARDS



HR6-2B 2300mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 192CARDS



HR6-2B 2500mAh



Nominal Vltage: 1.2V
Packing: 2B
Inner Box: 12CARDS
CTN(PCS): 192CARDS

RECHARGEABLE BATTERY





LR1-2B Size N




Nominal Vltage: 1.5V



23A-5B

Nominal Vltage: 12V



27AS-5B

Nominal Vltage: 12V

OTHER ITEMS



3R12/3LR12



Nominal Vltage: 4.5V



4R25/4LR25



Nominal Vltage: 6V



LR03S-10BS Size AAA



Nominal Vltage: 1.5V
Packing: 10pcs/srink pack
Inner Box: 120PCS
CTN(PCS): 1080PCS



LR6S-10BS Size AA



Nominal Vltage: 1.5V
Packing: 10pcs/srink pack
Inner Box: 120PCS
CTN(PCS): 720PCS

CUSTOMIZED PACKAGING



LR03S Size AAA



Nominal Vltage: 1.5V
Inner Box: 24PCS
CTN(PCS): 768PCS



LR6S Size AA



Nominal Vltage: 1.5V
Inner Box: 24PCS
CTN(PCS): 768PCS



LR03S Size AAA



Nominal Vltage: 1.5V
Inner Box: 50PCS
CTN(PCS): 1200PCS



LR6S Size AA



Nominal Vltage: 1.5V
Inner Box: 50PCS
CTN(PCS): 600PCS



R03PVC Size AAA




Nominal Vltage: 1.5V
Packing: 2B
Inner Box: 20CARDS
CTN(PCS): 640CARDS



R6PVC Size AA



Nominal Vltage: 1.5V
Packing: 2B
Inner Box: 20CARDS
CTN(PCS): 480CARDS



DISPLAY AND PROMOTIONAL ITEMS



Gigacell, Drive your Gigapower!



Ningbo Gigacell Electronics Co., Ltd.
Add.:Miaohou Industrial zone, Xiepu Town,
Zhenhai, Ningbo, Zhejiang.
Tel :0086-574-86506211
Fax:0086-574-86506211
Web: www.gigacellcn.com
Email: sales01@gigacellcn.com