



Zhuopai Digital Technology Co.,Ltd



Office: 41B, 41/F, Block C, Electronic technology building, Shennan Middle Road, Shenzhen

Factory: No.1 Of 8, Xinxing Road, Hengtang Industrial zone, Tangxia Town, Dongguan





Model: P831 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS+PC

Size: 148*70*15.7mm

Color: Black White

Type-C input: 5V/2A

USB output: 5V/2A

Lightning line/Micro line/Type-C line output: 5V/2A

Model: P831K

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line/Micro line output: 5V/2A(10W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)



Model: P842 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS+PC

Size: mm

Color: Black White

Type-C input: 5V/2A

USB output: 5V/2A

Lightning line/Micro line/Type-C line output: 5V/2A

Model: P842K

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line/Micro line output: 5V/2A(10W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)



Model: P511 L (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 147*68*21mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line output: 5V/2.4A 9V/2.22A 12V/1.67A (20W)



Model: P512L (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 147*68*33.3mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line output: 5V/2.4A 9V/2.22A 12V/1.67A (20W)



Model: P513L (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: PC+ABS

Size: 153*69*48.3mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1: 5V/2A (10W)

USB output2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line output: 5V/2.4A 9V/2.22A 12V/1.67A
(20W)





Model: P191P (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 144.5*68*18.5mm

Color: Black White

Type-C/Micro input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A
12V/1.5A (22.5W)

Lightning line output: 5V/2.4A (12W)



Model: P192P (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 144.5*68*28mm


Color: Black White

Type-C/Micro input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2.4A (12W)



Model: P860W (New Model)

Battery: 955465/955565*1pc

Capacity: 5000mAh

Shell: ABS

Size: 93.7*63.8*14.6mm

Color: Black White Blue Orange Purple


Lightning input: 5V/2A

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Wireless output: 5W / 7.5W / 10W / 15W





Model: P861W

Battery: 126280/136282*1pc

Capacity: 10000mAh

Shell: ABS

Size: 113.4*70*17.5mm

Color: Black White Blue Orange Purple

Type-C output: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB output: 5V/3A 4.5V/5A 5V/4.5A 9V/2A 12V/1.5A (22.5W)

Wireless output: 5W / 7.5W / 10W / 15W





Model: P352K (Private model)

Battery: 955465/955565*3pcs

Capacity: 15000mAh

Shell: PC+ABS

Size: 87*87*32mm

Color: Black White

AC插头 input: 5V/2A

AC插头USB output: 5V/2A

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Lightning line output: 5V/2.4A(12W)





Model: P920 (Private model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 141*67*16mm

Color: Black White

Micro/Type-C/USB line input: 5V/2A

USB output1/2: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A





Model: P81 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 146.2*68*17.8mm

Color: Black White

Type-C/USB line input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2



Model: P82 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 146.2*68*33.7mm

Color: Black White

Type-C/USB line input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P330S

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 147*68.5*16mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning line output: 5V/2.4A(12W)

Type-C line/USB output: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P331S

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 147*68.5*28mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning line output: 5V/2.4A(12W)

Type-C line/USB output: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P911 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 149*76*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P912 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS


Size: 146*76*27.5mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P346K

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 143*68*19mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning line output: 5V/2A(10W)

Type-C line/USB output: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)





Model: P347K

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 143*67*30mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning line output: 5V/2A(10W)

Type-C line/USB output: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P551L (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 150*67.4*17.8mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P552L (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 150*67.9*29.6mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P553L (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: ABS

Size: 150*67.9*41.8mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P554L (New Model)

Battery: 1260110*4pcs

Capacity: 40000mAh

Shell: ABS

Size: 150*68*54.9mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P555L (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: ABS

Size: 150*68*66.9mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P290L (New Model)

Battery: 146074/1376074*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 106.6*68*19.6mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P291L (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 141.7*68.2*17.6mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P292L (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 144*69.2*29.8mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P293L (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: ABS

Size: 144*69.5*42.1mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P294L (New Model)

Battery: 1260110*4pcs

Capacity: 40000mAh

Shell: ABS

Size: 144*69.5*54.1mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P295L (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: ABS

Size: 144*69.5*66.2mm

Color: Black White

USB line input: 5V/2A

Type-C input1: 5V/2A 9V/2A 12V/1.5A (18W)

Type-C input2: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A 12V/1.87A(22.5W)

Type-C output2: 5V/3A 9V/2.22A 12V/1.67A(20W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)



Model: P168P (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 137*68.3*15.9mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P169P (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 137*68.75*28.2mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P280P (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: PC+ABS

Size: 149*70*44.5mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB4/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A
12V/1.5A (22.5W)

USB1/2/3 line output: 5V/2A (10W)

Lightning line output: 5V/2A (10W)



Model: P281P (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: PC+ABS

Size: 149*70*68.8mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB4/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A
12V/1.5A (22.5W)

USB1/2/3 line output: 5V/2A (10W)

Lightning line output: 5V/2A (10W)



Model: P168S (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 137*68.3*15.9mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P169S (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 137*68.75*28.2mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Type-C line output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Lightning line output: 5V/2A (10W)



Model: P280S (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: PC+ABS

Size: 149*70*44.5mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB4/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A (22.5W)

USB1/2/3 line output: 5V/2A (10W)

Lightning line output: 5V/2A (10W)



Model: P281S (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: PC+ABS

Size: 149*70*68.8mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

USB4/Type-c line output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A
12V/1.5A (22.5W)

USB1/2/3 line output: 5V/2A (10W)

Lightning line output: 5V/2A (10W)



Model: P134P (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 148*69.5*21.3mm

Color: Black White

USB line input: 5V/2A

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Type-C line output: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning line output: 5V/2A

USB output: 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Wireless output: 5W/7.5W/10W/15W



Model: P322 (Private model)

Battery: 115570*1pcs

Capacity: 5000mAh

Shell: PC+ABS

Size: 110*72*15mm

Color: Black White

Micro input: 5V/2A

USB output: 5V/2A

Type-C line/Micro line/Lightning
line output: 5V/2A



Model: P917 (Private model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 149*76*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P935 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 149*76*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P936 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 146*76*27.5mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P20 (Private model)

Battery: 1260110*1pcs

Capacity: 9000mAh

Shell: PC+ABS

Size: 141*67*16mm

Color: Black White

Micro/Type-C/USB line input: 5V/2A

USB output1/2: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P20+ (Private model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 141*67*16mm

Color: Black White

Micro/Type-C/USB line input: 5V/2A

USB output1/2: 5V/2A

Type-c line/Micro line/Lightning line
output: 5V/2A



Model: P511 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 146*68*17mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A

Model: P511K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P512 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 147*68*30mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A

Model: P512K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P513 (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: PC+ABS

Size: 155*69*42mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P513K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P514 (New Model)

Battery: 1260110*4pcs

Capacity: 40000mAh

Shell: PC+ABS

Size: 155*69*55mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A

Model: P514K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P515 (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: PC+ABS

Size: 155*69*67mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P515K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P516 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 143*68*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A



Model: P516K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P517 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 145*70*28mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A



Model: P517K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P518 (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: PC+ABS

Size: 145*70*41mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A



Model: P518K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P521 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 138*68.8*14.7mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A





Model: P522 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 138*68.8*27.6mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output: 5V/2A



Model: P531K (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 138*68.8*14.7mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)





Model: P532K (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 138*68.8*27.6mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P501K

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 146*68*16.5mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P502K

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 145.5*67.5*29mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P107 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 139.8*67.5*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P107K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P207 (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 141.2*67.7*28.3mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P207K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P307 (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: ABS

Size: 143.8*67.8*40.5mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2/3/4: 5V/2A



Model: P307K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output3: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

USB output1/2/4: 5V/2A(10W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P407 (New Model) During mold testing

Battery: 1260110*4pcs

Capacity: 40000mAh

Shell: ABS

Size: 144.2*68.4*64.5mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2/3/4: 5V/2A



Model: P407K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output3: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

USB output1/2/4: 5V/2A(10W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P507 (New Model) During mold testing

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: ABS

Size: 144.2*68.4*64.5mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2/3/4: 5V/2A



Model: P507K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output3: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

USB output1/2/4: 5V/2A(10W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P111 (New Model)

Battery: 1260110x2pcs

Capacity: 20000mAh

Shell: ABS

Size: 142*68*28mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P111K (New Model)

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P160 (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 141*68*16.8mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P160K (New Model)

Micro input: 5V/2A 9V2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P161 (New Model)

Battery: 1260110x2pcs

Capacity: 20000mAh

Shell: ABS

Size: 142*69*24mm

Color: Black White

Micro/Type-C input: 5V/2.1A

USB output1/2: 5V/2.1A



Model: P161K (New Model)

Micro input: 5V/2A 9V2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P160S (New Model)

PD20W quick charge



Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 141*68*16.8mm

Color: Black White

Micro input: 5V/2A 9V2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V2A 12V/1.5A(18W)

USB output1/2: 5V/3A 9V/2A
12V/1.5A(18W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)

功率: 20W



Model: P161S (New Model)

PD20W quick charge

Battery: 1260110x2pcs

Capacity: 20000mAh

Shell: ABS

Size: 142*69*24mm

Color: Black White

Micro input: 5V/2A 9V2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V2A 12V/1.5A(18W)

USB output1/2: 5V/3A 9V/2A
12V/1.5A(18W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)

功率: 20W





Model: P123

Capacity: 5000mAh

Battery: 105568/115570*1pcs

Shell: ABS

Size: 95*62.5*15.5mm

Color: Black White

Type-C input: 5V/2A

USB output: 5V/2A



Model: P61

Capacity: 10000mAh

Battery: 1260110*1pcs

Shell: ABS

Size: 140*68*16.5mm

Color: Black White

Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P61K

Type-C input: 5V/2A 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/4.5A 5V/3 A 9V/2 A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)



Model: P62

Capacity: 20000mAh

Battery: 1260110*2pcs

Shell: ABS

Size: 140*68.5*28.5mm

Color: Black White

Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P62K

Type-C input: 5V/2A 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/4.5A 5V/3 A 9V/2 A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)



Model: P63

Capacity: 30000mAh

Battery: 9373129*3pcs

Shell: ABS

Size: 165*83*34mm

Color: Black White

Micro/Type-C/Lightning input: 5V/2A

USB output1/ 2/3: 5V/2A



Model: P63K

Micro/Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A(18W)

USB output1: 5V/4.5A 5V/3 A 9V/2 A 12V/1.5A(22.5W)

USB output2/3: 5V/2A

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P65

Capacity: 50000mAh

Battery: 9373129*5pcs

Shell: ABS

Size: 165*83*52.5mm

Color: Black White

Micro/Type-C/Lightning input: 5V/2A

USB output1/ 2/3 : 5V/2A



Model: P65K

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

Lightning input: 5V/2.4A 9V/2A 12V/1.5A(18W)

USB output1: 5V/4.5A 5V/3 A 9V/2 A
12V/1.5A(22.5W)

USB output2/3: 5V/2A

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P516

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 143*68*16mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P517

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 145*70*28mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P518

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: ABS

Size: 145*70*41mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P25S

Battery: 115570*1pcs

Capacity: 5000mAh

Shell: ABS

Color: Black White

Lightning/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P27S

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 141*68*16.8mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P28S

Battery: 1260110x2pcs

Capacity: 20000mAh

Shell: ABS

Size: 142*69*24mm

Color: Black White

Micro/Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P113K

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 137*68.3*15.9mm

Color: Black White

Micro input: 5V/2A 9V/2A
12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A
12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P114K

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 137*68.75*28.2mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A
9V/2A 12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P101

Battery: 21700*2pcs

Capacity: 10000mAh

Shell: ABS

Size: 103*50*25.4mm

Color: Black White

Type-C input: 5V/2A

USB output: 5V/2A

Model: P101S PD20W super fast charge

Micro/Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 9V/2A 12V/1.5A(18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P104S

Battery: 21700*2pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 81*62*26mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P345S

Battery: 21700*4pcs

Capacity: 20000mAh

Shell: PC+ABS

Size: 152*65*25mm

Color: Black White

Type-C input: 5V/3A 9V/3A 12V/3A 15V/3A
20V/3.25A(65W)

USB1 output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

USB2 output: 5V/3A 9V/2A 12V/1.5A(18W)

Type-C output: 5V/3A 9V/3A 12V/3A 15V/3A
20V/3.25A(65W)



Model: P112S

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 143*68*16.5mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



出彩配色 | 颜值非凡

20000毫安，出行无忧



Model: P212S

Battery: 1260110*2pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 143*68*30mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P105K

Battery: 21700*1pcs

Capacity: 5000mAh

Shell: ABS

Size: 80*39*25mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P106K

Battery: 21700*2pcs

Capacity: 10000mAh

Shell: ABS

Size: 80*61*25mm

Color: Black White

Micro input: 5V/2A 9V/2A 12V/1.5A(18W)

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A
12V/1.67A(20W)



Model: P240X (New Model)

Battery: 1260110x2pcs

Capacity: 20000mAh

Shell: ABS

Size: 142*68*28mm

Color: Black White

Type-C input: 5V/2A

USB output1/2: 5V/2A



Model: P240K

Type-C input: 5V/3A 9V/2A 12V/1.5A(18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2A
12V/1.5A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)



Model: P311W (New Model)

Battery: 726074*1pcs

Capacity: 5000mAh

Shell: PC+ABS


Size: 102*70*11.5mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Wireless output: 5W/7.5W/10W/15W



Model: P311W (New Model)

Battery: 126280*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 101*66.5*23mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Wireless output: 5W/7.5W/10W/15W





Model: P311P (New Model)

Battery: 126280*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 101*66.5*23mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

Wireless output: 5W/7.5W/10W/15W





Model: P314W (New Model)

Battery: 105568*1pcs

Capacity: 5000mAh

Shell: PC+ABS

Size: 99*64*15mm

Color: Black White Green

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Wireless output: 5W/7.5W/10W/15W



Model: P316W (New Model)

Battery: 146074/1376074*1pcs

Capacity: 10000mAh

Shell: PC+ABS

Size: 104*68*19mm

Color: Black White Green

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Wireless output: 5W/7.5W/10W/15W



Model: P290W (New Model)

Battery: 146074/1376074*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 106.6*68*19.6mm(106.6*68*18.

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P291W (New Model)

Battery: 1260110*1pcs

Capacity: 10000mAh

Shell: ABS

Size: 141.7*68.2*17.6mm(141.7*68.2

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P292W (New Model)

Battery: 1260110*2pcs

Capacity: 20000mAh

Shell: ABS

Size: 144*69.2*29.8mm(144*69.2*28.7mm)

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P293W (New Model)

Battery: 1260110*3pcs

Capacity: 30000mAh

Shell: ABS

Size: 144*69.5*42.1mm(144*69.5*41mr

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P294W (New Model)

Battery: 1260110*4pcs

Capacity: 40000mAh

Shell: ABS

Size: 144*69.5*54.1mm(144*69.5*53mr

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P295W (New Model)

Battery: 1260110*5pcs

Capacity: 50000mAh

Shell: ABS

Size: 144*69.5*66.2mm(144*69.5*65.1r

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

USB output1/2: 5V/3A 5V/4.5A 4.5V/5A 9V/2.5A
12V/1.87A(22.5W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A(20W)

USB line input: 5V/2A

Type-C line output: 5V/3A 9V/2A 12V/1.5A (18W)

Lightning line output: 5V/2.4A (12W)

Wireless output: 5W/7.5W/10W/15W





Model: P123W

Capacity: 5000mAh

Battery: 105568*1pcs

Shell: ABS

Size: 95*62.5*15.5mm

Color: Black White

Type-C input: 5V/2A

USB output: 5V/2A

Wireless output: 5W





Model: P127P (New Model)

Battery: 955465/955565*1pcs

Capacity: 5000mAh

Shell: ABS

Size: 93.7*63.8*14.6mm

Color: Black White

Lightning input: 5V/2.4A

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Wireless output: 5W / 7.5W / 10W / 15W





Model: P128P (New Model)

Battery: 126280*1pc

Capacity: 10000mAh

Shell: ABS

Size: 108.8*69.2*16.4mm

Color: Black White

Type-C input: 5V/3A 9V/2A 12V/1.5A
(18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A
(20W)

USB output: 5V/3A 4.5V/5A 5V/4.5A 9V/2A
12V/1.5A (22.5W)

Wireless output: 5W / 7.5W / 10W / 15W





Model: P127W

Battery: 955465/955565*1pc

Capacity: 5000mAh

Shell: ABS

Size: 93.7*63.8*14.6mm

Color: Black White

Lightning input: 5V/2.4A

Type-C input: 5V/3A 9V/2A 12V/1.5A (18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A (20W)

Wireless output: 5W / 7.5W / 10W / 15W



Model: P129W

Battery: 126280/136282*1pc

Capacity: 10000mAh

Shell: ABS

Size: 113.4*70*17.5mm

Color: Black White


Type-C input: 5V/3A 9V/2A 12V/1.5A
(18W)

Type-C output: 5V/3A 9V/2.22A 12V/1.67A
(20W)

USB output: 5V/3A 4.5V/5A 5V/4.5A 9V/2A
12V/1.5A (22.5W)

Wireless output: 5W / 7.5W / 10W / 15W





Model: P220W (New Model)

Battery: 105568*2PCS

Capacity: 10000maAh

Shell: ABS

Size: 107.5*63*25mm

Color: Black White Blue Red

Type-C input: 5V/3A 9V/2A 12V/1.5A

USB output: 4.5V/5A 5V/4.5A 5V/3 A 9V/2 A
12V/1.5A

Type-C output: 5V/3A 9 V/2.22 A 12 V/1.67 A

Wireless output: 5W / 7.5W / 10W / 15W

手表 output: 3W~5W