



Corporate Image



Guangzhou Baiyun Zunbao Digital Audio Factory

No 23, Xiongguo Xi Road. Building A, first floor,
Baiyun district, GuangZhou
Tel:+86-13682222529 +86-20-86061650 Fax:+86-20-86061762
Website:www.newjomo.com
E-mail:zunbao@newjomo.com Liza@newjomo.com



zunbao wechat



liza wechat

Guangzhou Baiyun Zunbao Digital Audio Factory

2023

Company Profile

Guangzhou Baiyun Zunbao digital audio factory was established in 1992, and located in Jinggang Industrial Zone in Guangzhou, China, with the land covering about 10,000 square meters.

We specializing in manufacturing six series of digital audio products, including home theatre, hi-fi speaker, amplifier, subwoofer and car speaker, which are exported to all over the world. Besides, our brand "NEW JOMO", "POLOCKO" and "AOSIBAO" is well-known at home and abroad for more than 20 years. Our annual output is more than 250,000 units with competitive price, and "delivery on time" is always our policy.

We have more than 20 sets of producing equipment that are imported from Europe and Belgium. Moreover, we obtain high-tech technology, professional workers and our own R&D department. And thus, we are not only creating our own products, but also welcome all the OEM orders.

Making progress with China, integrated with the world, ZunBao Digital Audio Factory will improve with all the customers with challenge, innovation, teamwork, environmental-friendly methods, and corporate theory. We have confidence to develop constantly from one generation to another.



Content 目录

1



TUBE AMPLIFIER

9



STAGE SPEAKER

14



SPEAKER STANDS

3



AMPLIFIER

10



ACTIVE PAIR SPEAKER

15



BROADCASTING SPEAKER

5



HI-FI SPEAKER

11



TROLLEY SPEAKER

16



SPEAKER UNIT

7



KTV SPEAKER

13




SUBWOOFER




S-109E



SR-10E



JB-11



JB-1



M-08

Remote: YES
 Output: 35+35W
 Impedance: 8 Ohms
 Size: 24.2*19*29CM
 Function: USB/SD/BT/FM



AV-300C

Remote: YES
 Output: 25+25W
 Impedance: 8 Ohms
 Size: 10.5*15.5*23.5CM
 Function: USB/SD/BT/FM



M-12

Remote: YES
 Output: 80W*2
 Impedance: 8 Ohms
 Size: 35*25*25CM
 Function: USB/SD/BT/FM



AV-1800

Remote: YES
 Output: 200W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



A-8

Remote: YES
 Output: 35+35W
 Impedance: 8 Ohms
 Size: 24.2*19*29CM
 Function: USB/SD/BT/FM



AV-380

Remote: YES
 Output: 80+80W
 Impedance: 8 Ohms
 Size: 24.2*19*29CM
 Function: USB/SD/BT/FM



AV-08

Remote: YES
 Output: 200W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



AV-128

Remote: YES
 Output: 180W*2
 Impedance: 8 Ohms
 Size: 41*35*15CM
 Function: USB/SD/BT/FM



AV-320

Remote: YES
 Output: 150W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



NE10S

Remote: YES
 Output: 60W+60W
 Impedance: 8 Ohms
 Size: 27*27*14CM
 Function: USB/SD/BT/FM



MU-3200

Remote: YES
 Output: 150W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



838M12

Power: 200W
 Speaker Size: 8"x1+5"x1+1"x1
 Sensitivity: 89dB ± 3dB
 Frequency: 45-20KHz
 Function: USB/SD/BT
 Dimension: Amplifier 30x35x18 CM
 Speaker 24*31*49 CM



AL-260

Remote: YES
 Output: 200W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



AV-889

Remote: YES
 Output: 200W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM



MU-3200

Remote: YES
 Output: 150W*2
 Impedance: 8 Ohms
 Size: 35*41*25CM
 Function: USB/SD/BT/FM

TS-55

Remote: YES
 Output: 35+35W
 Impedance: 8 Ohms
 Size: 23*26*35CM
 Function: USB/SD/BT/FM





AV-250

Remote: YES
Output: 2.1CHANNEL 200w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AV-2900

Remote: YES
Output: 2.1CHANNEL 100w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AV-299

Remote: YES
Output: 2CHANNEL 60w*2
Impedance: 8 Ohms
Size: 25*27.5*5cm
Function: USB/SD/BT/FM



512BT

Remote: YES
Output: 2CHANNEL 40w*2
Impedance: 8 Ohms
Size: 160*160*95cm
Function: USB/SD/BT/FM



AV-602

Remote: YES
Output: 2.1CHANNEL 150w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AV-2350

Remote: YES
Output: 4CHANNEL 300w*2
Impedance: 8 Ohms
Size: 43*38*18cm
Function: USB/SD/BT/FM



DAX-1000

Remote: YES
CD only
Size: 25*27.5*5cm
Function: USB/SD/BT/FM



AV-068

Remote: YES
Preceding amplifier for input only
Size: 25*27.5*5cm
Function: USB/SD/BT/FM



AV-228

Remote: YES
Output: 2CHANNEL 100w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AV-218

Remote: YES
Output: 2CHANNEL 80w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AV-9800

Remote: YES
Output: 5CHANNEL 200w*2
Impedance: 8 Ohms
Size: 43*38*18cm
Function: USB/SD/BT/FM



AV-2080

Remote: YES
Output: 2.1CHANNEL 40w*2
Impedance: 8 Ohms
Size: 25*27.5*5cm
Function: USB/SD/BT/FM



KA-302A

Remote: YES
Output: 2CHANNEL 40w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



308A

Remote: YES
Output: 4CHANNEL 300w*2
Impedance: 8 Ohms
Size: 43*36*25cm
Function: USB/SD/BT/FM



AV-860

Remote: YES
Output: 5CHANNEL 40w*2
Impedance: 8 Ohms
Size: 43*32*14cm
Function: USB/SD/BT/FM



AP-828

Remote: YES
Output: 2CHANNEL 40w*2
Impedance: 8 Ohms
Size: 25*27.5*5cm
Function: USB/SD/BT/FM





SQ-688

Power: 80w
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 6.5" + Tweeter
Dimension: 45*42*38 CM
Function: passive speaker



TS-55

Power: 60w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 5.5" + Tweeter
Dimension: 59*26*37CM
Function: passive speaker



SQ-670

Power: 100w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 6.5" + Tweeter
Dimension: 42*52*62 CM
Function: passive speaker



F-46

Power: 80w
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 6.5" + Tweeter
Dimension: 52*35*43 CM
Function: passive speaker



F-109

Power: 150w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 10" + 5.5" + Tweeter
Dimension: 38.5*37.5*70CM
Function: passive speaker



RS-10E

Power: 150w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 10" + 5.5" + Tweeter
Dimension: 35*32*62CM
Function: passive speaker



display screen: 15.5"

Model:	Vk28
Tweeter:	4 inch
Midrange:	4 inch
Woofer:	8 inch
Power:	10-150w
Frequency:	52Hz-20kHz
Impedance:	4 ohms
Sensitivity:	90dB
Dimension:	28*42.5*25.5
Gross Weight:	7.5kg

Model:	VK-303
Tweeter:	4 inch
Midrange:	5 inch
Woofer:	10 inch
Power:	20-200w
Frequency:	40Hz-20kHz
Impedance:	4 ohms
Sensitivity:	89dB
Dimension:	335*53*32
Gross Weight:	14kg



display screen: 19"



SP-502

Power: 40w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 5.5" + Tweeter
Dimension: 52*23*34.5 CM
Function: passive speaker



SQ-6086

Power: 60w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: (5.5" + Tweeter)
Dimension: 55*23*35CM
Function: passive speaker



5083

Power: 80w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: (5.5" + Tweeter)
Dimension: 48*31*38CM
Function: passive speaker

SQ-810

Power: 100w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: (8" + Tweeter)
Dimension: 59*38*43CM
Function: passive speaker



SQ-680

Power: 80w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 6.5" + Tweeter
Dimension: 45*42*38CM
Function: passive speaker



F-168

Power: 150w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 8" + 5.5" + Tweeter
Dimension: 40*35*62CM
Function: passive speaker



TS-118

Power: 120w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 8" + 5.5" + Tweeter
Dimension: 40*35*63CM
Function: passive speaker



TS-112

Power: 300w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 12" + 6.5" + Tweeter
Dimension: 49*47*89 CM
Function: passive speaker



TS-1010

Power: 200w * 2
Sensitivity: 87db +/- 3db
Frequency: 40 - 20khz
Impedance: 8ohms
Speaker Unit: 10" + 5.5" + Tweeter
Dimension: 38*37*70CM
Function: passive speaker





www.newjomo.com

KTV SPEAKER



PA-850A

Unit: 15" woofer+5" Mid+3" Tweeter
Power: 3000W
Impedance: 8Ω
Size: 72*36*43cm



PA-650A

Unit: 12" woofer+5" Mid+3" Tweeter
Power: 200W
Impedance: 8Ω
Size: 62*34*36cm



PA-450A

Unit: 10" woofer+3" x1 Tweeter
Power: 120W
Impedance: 8Ω
Size: 51*28*30cm



AP-10

Speaker unit: 10" woofer+3" Tweeter
Power: 100W
Impedance: 8Ω
Size: 48*26*35cm/ pair



PA-108

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



V-101

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



PA-232

Unit: 6" woofer+3" x1 Tweeter
Power: 80W
Impedance: 8Ω
Size: 35*20*24cm

PA-231

Unit: 5.5" woofer+3" x1 Tweeter
Power: 60W
Impedance: 8Ω
Size: 32*18*22cm



P-282

Speaker unit: 8" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 43*24*32cm/ pair



CS-600

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



CS-612

Speaker unit: 12" woofer+3" Mid+3" Tweeter
Power: 200W
Impedance: 8Ω
Size: 58*35*38cm/ pair



PA-710

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



PA-712

Speaker unit: 12" woofer+3" Mid+3" Tweeter
Power: 200W
Impedance: 8Ω
Size: 58*35*38cm/ pair



JB-10L

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



JB-12L

Speaker unit: 12" woofer+3" Mid+3" Tweeter
Power: 200W
Impedance: 8Ω
Size: 58*35*38cm/ pair



KSM310

Speaker unit: 10" woofer+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



T-305

Speaker unit: 10" woofer+3" Mid+3" Tweeter
Power: 150W
Impedance: 8Ω
Size: 48*26*35cm/ pair



www.newjomo.com

STAGE SPEAKER

F-12

Speaker Size: Single12" + 12" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 300W
Voice Coil:75
Magnetic steel: 170



JR-12

Speaker Size: Single12" + 12" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 300W
Voice Coil:75
Magnetic steel: 170



F-15

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 400W
Voice Coil:75
Magnetic steel: 190
Dimension : 47*35*49*82CM

JR-15

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 400W
Voice Coil:75
Magnetic steel: 190

PS-12

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 300W
Voice Coil:75
Magnetic steel: 170



B-112P

Speaker Size: Single12" + 12" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 200W
Materials: PVC
Voice Coil:35
Magnetic steel: 120
Dimension : 38*30*40*70CM



PS-15

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 400W
Materials: PVC
Voice Coil:75
Magnetic steel: 190

B-115P

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 240W
Materials: PVC
Voice Coil:50
Magnetic steel: 140
Dimension : 47*35*48*82CM

MS-712

Speaker Size: Single12" + 12" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 150W
Materials: PVC
Voice Coil:35
Magnetic steel: 120
Dimension : 40*30*35*65CM



MS-715

Speaker Size: Single15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 200W
Materials: PVC
Voice Coil:50
Magnetic steel: 140
Dimension : 46*35*40*70CM

TP-1575

Speaker Size: Single15"X2 + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 400W
Materials: PVC
Voice Coil:50
Magnetic steel: 140
Dimension : 47*35*49*130CM



B-215p

Speaker Size: Double 15" + 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 500W
Materials: PVC
Voice Coil:60
Magnetic steel:140
Dimension : 52*44*48*122.5CM



MS-1515

Speaker Size: Single15" X2+ 15" Horn
Sensitivity:95dB $\pm$ 3dB
Type: passive
Power: 400W
Materials: PVC
Voice Coil:50
Magnetic steel: 140
Dimension : 47*35*49*130CM



ACTIVE PAIR SPEAKER

F-90

speaker size: 10"+tweeter
power: 100w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 35*30*60cm
Function: USB/SD/Bluetooth/FM/Lights



F-91

speaker size: 10"+tweeter
power: 100w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 35*30*60cm
Function: USB/SD/Bluetooth/FM/Lights



DM-15

speaker size: 15"+tweeter
power: 150w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 45*35*45*90cm
Function: USB/SD/Bluetooth/FM/Lights



MV-1414

speaker size: 12"X2+tweeter
power: 150w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 38*32*105.5cm
Function: USB/SD/Bluetooth/FM/Lights



F-93A

speaker size: 10"X2+tweeter
power: 120w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 38*32*105.5cm
Function: USB/SD/Bluetooth/FM/Lights



HK-15

speaker size: 15"+tweeter
power: 120w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 45*35*45*90cm
Function: USB/SD/Bluetooth/FM/Lights



F-96

speaker size: 10"X2+tweeter
power: 100w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 35*30*98cm
Function: USB/SD/Bluetooth/FM/Lights



F-97

speaker size: 12"X2+tweeter
power: 120w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 38*32*105.5cm
Function: USB/SD/Bluetooth/FM/Lights



HK-1200

speaker size: 12"X2+tweeter
power: 120w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 38*32*105.5cm
Function: USB/SD/Bluetooth/FM/Lights



DM-252

speaker size: 15"X2+tweeter
power: 120w X2
Sensitivity: 91dB $\pm$ 3dB
Frequency: 45-20KHz
Impedance: 6ohms
size: 38*32*105.5cm
Function: USB/SD/Bluetooth/FM/Lights



ACTIVE PAIR SPEAKER

www.newjomo.com

STAGE SPEAKER

www.newjomo.com



www.newjomo.com

TROLLEY SPEAKER



912

Size: Single 12" woofer + horn tweeter
Power: 550w
Battery: 12AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

915

Size: Single 15" woofer + horn tweeter
Power: 550w
Battery: 12AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



H-920A

Size: double 10"x2" + tweeter
Power: 80w
Battery: 4.5AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

TS-4200

Size: double 12"x2" + tweeter
Power: 100w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

R-7022

Size: double 12"x2" + tweeter
Power: 100w
Battery: 32 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

BV-107

Size: double 10" + tweeter
Power: 80w
Battery: 4.5 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

TS-512

Size: double 12" + tweeter
Power: 100w
Battery: 5AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

TS-515

Size: double 12" + tweeter
Power: 120w
Battery: 7AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



JT-1288

Size: double 12" + tweeter
Power: 60w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

JT-1588

Size: double 15" + tweeter
Power: 80w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

JT-828

Size: double 10" + tweeter
Power: 40w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



H-815

Size: double 15" + 6.5" + tweeter
Power: 800w
Battery: 12AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

H-812

Size: double 12" + 5.5" + tweeter
Power: 300w
Battery: 9AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

H-810

Size: double 10" + 4.5" + tweeter
Power: 200w
Battery: 7AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



H-9800

- 1: Power: 2000W Size: Single 15" Woofer + double 8" Mid + double horn tweeter.
- 2: 12V/12AH battery, 5 hours playing. AC: 220V with charging display and protection. On-off charging
- 3: Audio: AUX/ BT/ USB/ TF, wired mic, wireless mic, Guitar in.
- 4: Function: TWS, USB, TF, 3 ways line in and mic in, Separate Guitar adjust, BT, Remote, FM, Main Vol, Mic, Echo, Separate Guitar Vol Adjust, Single loop, Mic priority, mic one alone mic two separate adjust, wireless mic separate adjust, 32bit DSP, m Multikaraoke effects, Professional against the noise frequency shift processing, Separate the noise switch
- 5: Wireless mic: 4 up-class 100 frequency UHF Wireless mic.
- 6: Material: 15 mm MDF manual spray paint, box can turn over and fold, 360° rotate big casters.
- 7: Package Dimension: 58" 58" 99cm



J-8801

Size: double 8" + tweeter
Power: 50w
Battery: AC: 220V, DC: 7.4V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



H-918

Size: double 6.5" + 14" + tweeter
Power: 60w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



H-6512

Size: double 12" + tweeter
Power: 300w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

H-6515

Size: double 15" + tweeter
Power: 400w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster

H-6518

Size: double 18" + tweeter
Power: 800w
Battery: 2.6 AH/ AC: 220V, DC:12V
Input: AUX/ USB/ wire mic/ Wireless Mic/ blue tooth/ Guitar
Function: remote/ FM/ AM/ Mic priority/
Material: fiber board, manual spray paint, aluminum trolley/ plastic caster



TROLLEY SPEAKER

www.newjomo.com

TROLLEY SPEAKER

www.newjomo.com



SUBWOOFER

SPEAKER STANDS

SA-012

impedance:8Ω
 Speaker unit:12"
 Power:150-250w
 Frequency:60HZ-180HZ
 Sensitivity:86db +/- 3db



P-12

impedance:8Ω
 Speaker unit:12"
 Power:120-250w
 Frequency:60HZ-180HZ
 Sensitivity:86db +/- 3db



YX-10

impedance:8Ω
 Speaker unit:10"
 Power:100-200w
 Frequency:60HZ-180HZ
 Sensitivity:86db +/- 3db



X-12

impedance:8Ω
 Speaker unit:12"
 Power:120-250w
 Frequency:60HZ-180HZ
 Sensitivity:86db +/- 3db



BF-55SW

impedance:8Ω
 Speaker unit:15"
 Power:300-600w
 Frequency:60HZ-180HZ
 Sensitivity:88db +/- 3db



BF-15SW

impedance:8Ω
 Speaker unit:15"
 Power:300-600w
 Frequency:60HZ-180HZ
 Sensitivity:8db +/- 3db



BF-25SW

impedance:8Ω
 Speaker unit:15"+2"
 Power:800-1000w
 Frequency:60HZ-180HZ
 Sensitivity:89db +/- 3db



BF-18SW

impedance:8Ω
 Speaker unit:18"
 Power:400-600w
 Frequency:60HZ-180HZ
 Sensitivity:88db +/- 3db



J-33

height: 55CM



J-55

height: 55CM



T-60

height: 60CM



T-70

height: 70CM

F-60

height: 50CM



TS-77

height: 70CM



J-77

height: 70CM



SP-502

height: 98CM



SP-55

height: 65CM

SP-65

height: 92CM





www.newjomo.com

BROADCASTING SPEAKER

SPEAKER UNIT

T4

Spark Size:4"
Dimension Size:6"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



T5

Spark Size:5"
Dimension Size:8"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



T6

Spark Size:6"
Dimension Size:10"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



Ts4

Spark Size:4"
Dimension Size:6"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



Ts5

Spark Size:5"
Dimension Size:8"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



PA-401

Power:100w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 70mm
Voice coil: Φ 25mm



H-2010

Power:300w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 80mm
Voice coil: Φ 25mm



T-100A

Power:500w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 140mm
Voice coil: Φ 75mm



SP-16

Power:100w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 70mm
Voice coil: Φ 25mm



KVT-3

Power:100w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 55mm
Voice coil: Φ 14mm



G-1012

Power:300w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:95dB $\pm$ 3dB
Magnet dia: Φ 100mm
Voice coil: Φ 44mm



SP-115

Size:5.5" Power:150w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 100mm
Voice coil: Φ 25mm



SP-126

Size:6.5" Power:100w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 100mm
Voice coil: Φ 25mm



KTV-10

Size:10" Power:200w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 120mm
Voice coil: Φ 35mm 4F



PL-12

Size:12" Power:200w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 170mm
Voice coil: Φ 60mm



KTV-12

Size:12" Power:200w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 140mm
Voice coil: Φ 50mm 4F



PA-15

Size:15" Power:200w
Frequency:30-2KHz
Impedance: 8 ohms
Sensitivity:89dB $\pm$ 3dB
Magnet dia: Φ 140mm
Voice coil: Φ 50mm



T4

Spark Size:4"
Dimension Size:6"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



T5

Spark Size:5"
Dimension Size:8"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



T6

Spark Size:6"
Dimension Size:10"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



Ts4

Spark Size:4"
Dimension Size:6"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



Ts5

Spark Size:5"
Dimension Size:8"
Voltage:70V/100V
Power:10W
Frequency:100~17.5KHz



PG-4S

Speaker:4"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:20w
Size:21.7*17.2*15 cm

P-5S

Speaker:5"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:30w
Size:24.4*18.5*16.3 cm

P-6S

Speaker:6"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:40w
Size:28.5*21.5*19.5 cm

SM-4

Speaker:4"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Power:20w
Size:15*15*23 cm

SM-5

Speaker:5"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Power:30w
Size:17*17*26 cm

SM-6

Speaker:6.5"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Power:40w
Size:21*21*30 cm



PG-411

Speaker:4"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:20w
Size:14*13*20 cm

PG-511

Speaker:5"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:30w
Size:16*14*25 cm

PG-611

Speaker:6"x1"x1"
Sensitivity:93dB $\pm$ 3dB
Frequency:4 ohms
Impedance:60-20KHz
Power:40w
Size:18*16*28 cm



P10W

Power:10W
Speaker:4"x1"
Voltage:70V/100V
Frequency:100~20KHz
Size:15*5*28cm

P20W

Power:20W
Speaker:4"x2"
Voltage:70V/100V
Frequency:100~20KHz
Size:15*9*40cm

P30W

Power:30W
Speaker:4"x3"
Voltage:70V/100V
Frequency:100~20KHz
Size:15*9*52cm

P40W

Power:40W
Speaker:4"x4"
Voltage:70V/100V
Frequency:100~20KHz
Size:15*9*63cm

