FIDECO®

20+Years OEM/ODM Manufacturer

Computer Pheripherals USB HUB





MANAGEMENT SYSTEM CERTIFICATE

ISO 9001

GB/T 19001-2016/ISO 9001:2015



外观设计专利证书



实用新型专利证书



实用新型专利证书



Certificate of Compliance

Certificate Number: AOC240528001R

Applicant	:	Shenzhen HuiDeGui Science & Technology Development Company Ltd.
Address	:	4th Floor, Building 1, Hongchangfa Industrial Park, Longxi Community, Longgang District, Shenzhen, Guangdong
Manufacturer	:	Shenzhen HuiDeGui Science & Technology Development Company Ltd.
Address	:	4th Floor, Building 1, Hongchangfa Industrial Park, Longxi Community, Longgang District, Shenzhen, Guangdong
Factory	:	Shenzhen HuiDeGui Science & Technology Development Company Ltd.
Address	:	4th Floor, Building 1, Hongchangfa Industrial Park, Longxi Community, Longgang District, Shenzhen, Guangdong
Product	:	16-Port USB 3.2 Gen 1 Hub
Trade Mark	:	FIDECO
Model(s)	:	HKG016C

The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:

The RoHS Directive 2011/65/EU and its amendment directives 2017/2102/EU

IEC 62321-3-1:2013; IEC 62321-5:2013; IEC 62321-4:2013+AMD1:2017 CSV
IEC 62321-6:2015; IEC 62321-7-1:2015; IEC 62321-7-2:2017; IEC 62321-8:2017

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The RoHS markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.

RoHS

Manager
May 28, 2024

Shenzhen ACCE Electronic Technology Service Co., Ltd
Room 202, 2nd Floor, No.12th Building of Xinhe Tonghuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China
Tel: (86)755-29790330 Fax: (86)755-23705230
http://www.acc-cert.com Email: postmaster@acc-cert.com

Page 1 of 1



NTEK北测

CERTIFICATE
of SVHC Information in Product

Certificate No.: DGC2004279368EE02-A

REACH
SVHC Certificate



NTEK北测

CERTIFICATE OF EMC COMPLIANCE

CERTIFICATE OF COMPLIANCE



NTEK北测


Supplier's Declaration of Conformity

CERTIFICATE OF COMPLIANCE

FIDECO was founded in 2012 , is a professional USB series andthe manufacturer of the hard disk interface series.Company with a professional and technical strength, advanced production facilities,scientificmanagement methods,in the concerted efforts of all members has already made a solid development







01-10
NGFF/NVME Enclosure
11-13
HDD Docking Station
14-15
HDD ENCLOSURE
16-19
SATA IDE TO USB ADAPTER
20-24
USB HUB
25-27
USB TO ETHERNET LAN ADAPTER





Thunderbolt 5 80Gbps NVMe Enclosure

Model No:MT405-80

USB C

Data Transfer

NEW

Thunderbolt5

80Gbps



Input : USB Type-c
Output : NVMe M-Key

Material : Aluminum Alloy
Sizs : 115*45*12.5mm

M.2 NVMe Enclosure Thunderbolt4 (40Gbps)

Model No:MT405-40

USB C

Data Transfer

NEW

Thunderbolt4

40Gbps



Input : USB Type-c
Output : NVMe M-Key

Material : Aluminum Alloy
Sizs : 115*45*12.5mm

M.2 NVMe EnclosureUSB 4.0/ Thunderbolt3(40Gbps)

Model No:MT405

USB C

Data Transfer



Input : USB Type-c
Output : NVMe M-Key


Material : Aluminum Alloy
Sizs : 115*45*12.5mm





M.2 NVMe Enclosure with RGB
USB 4.0/ Thunderbolt4(40Gbps)

Model No: MT402



Input : USB Type-c
Output : NVMe M-Key
Material : Aluminum Alloy
Size : 107*28.1*14mm





Model No:M2082

2 Bay USB 3.2 Gen 2*2 20Gbps NVMe docking

Cooling Fan
1:1Clone
Input: Type C
Output: NVMe M-Key
Material: Aluminum Alloy
Size: 99*88*94.5mm



Model No: M248

4 Bay USB 4 40Gbps NVMe docking

Cooling Fan
1:1 1:2 1:3 Clone
Input: Type C
Output: NVMe M-Key
Material: Aluminum Alloy
Size: 99*88*94.5mm







Model No: M288CP

2 Bay Gen2 10Gbps NVMe docking

1:1Clone
Input: Type C
Output: NVMe M-Key
Material: Aluminum Alloy
Size: 67.6*67.6*18mm




Model No: M2288

2 Bay Gen 2*2 20Gbps NVMe&SATA docking

1:1Clone
Input: Type C
Output: NVMe&SATA
Material: Aluminum Alloy
Size: 67.6*67.6*18mm

M.2 NVMe 2230 Enclosure USB3.2 Gen2 (10Gbps)

Model No: M210



Input : USB Type-c
Output : NVMe
Material : Aluminum&Plastic
Size : 107*32*18mm







NGFF/NVMe Enclosure USB3.2 Gen2 (10Gbps) Tool Free

Model No: M210

hot selling

Data Transfer

USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum&Plastic
Size : 114.5*35*12.5mm



Magnet 2230 type c nvme enclosure USB3.2 Gen2 (10Gbps)

Model No: APi15

Model No: APi15PD

Data Transfer

USB C

Input : USB Type-c
Output : NVMe
Material : Aluminum Alloy
Size : 71.5*60*12mm









M.2 NVMe/SATA DOCKING USB3.2 Gen2 (10Gbps)

Model No: M118

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum Alloy
Size : 60*17.3mm



NGFF/NVMe Enclosure with RGB fan USB3.2 Gen2*2 (20Gbps)

Model No: MF200

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum Alloy
Size : 107*28.1*14mm







M.2 NVMe/SATA Enclosure USB3.2 Gen2 (10Gbps)

Model No: M100

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum Alloy
Size : 107*28.1*14mm



M.2 NVMe/SATA Enclosure with screen USB3.2 Gen2 (10Gbps)

Model No: MD331

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum Alloy
Size : 102.8*39.6*13.5mm







M.2 NVMe/SATA Enclosure with RGB screen Tool Free USB3.2 Gen2 (10Gbps)

Model No: MD332

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum Alloy
Size : 102.3*39.1*12.3mm



M.2 NVMe/SATA Enclosure with RGB Tool free USB3.2 Gen2 (10Gbps)


Model No: M219CPS

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum/ABS
Size : 106.5*28mm







M.2 NVMe/SATA Enclosure with RGB fan Tool free USB3.2 Gen2 (10Gbps)

Model No: M209CPS

Data Transfer USB C

Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum
Size : 110*29*15mm



M.2 NVMe/SATA USB3.2 Gen2 (10Gbps) Tool free

Model No: M204CPS

Data Transfer USB C

Input : USB Type-c
Output : NVMe&SATA
Material : Aluminum Alloy
Size : 122*36*12mm








M.2 NVMe Enclosure USB3.2 Gen2 (10Gbps)

Model No: M207CPS



Input : USB Type-c
Output : NVMe&SATA
Material : Aluminum Alloy
Size : 127*26*11mm




M.2 NVMe/SATA SSD Enclosure USB3.2 Gen2 (10Gbps)

Model No: M208CPS



Input : USB Type-c
Output : SATA&NVMe
Material : Aluminum
Size : 135*34*21mm







M.2 NVMe Enclosure USB3.2 Gen2 (10Gbps)

Model No: M203CPS

Data Transfer USB C

Input : USB Type-c
Output : NVMe&SATA
Material : Aluminum Alloy
Size : 102*34*12mm



Dual Bay NVMe RAID enclosure with fan USB3.2 Gen2 (10Gbps)

Model No:M2801

Data Transfer USB C

Input : USB Type-c
Output : M-key
Material : Aluminum Alloy
PM/Rai d0/RaidI/Lange
PD 100W
Size : 112*57*16.7mm







USB 3.2 Card Reader Adapter, 10 Gbps High Speed Aluminum Memory Card Reader for SD7.0/SDHC/SDXC

Model No: M2270



Input : USB Type-c
Output : SD7.1
Material : Aluminum Alloy
Size : 45.5*42*9.5mm



USB 3.2 2.5 3.5 HDD SATA M.2 SSD Clone Docking

Model No:MS01



Input : USB Type-c
Output : HDD&M.2 SSD
Material : Plastic
Sizs : 140*108*40mm







USB 3.2 Gen 1 SATA HDD/SSD hard drive Docking Station with RGB

Model No: YPZ230R

1:1Clone
Input: USB-B
Output: SATA
Material: ABS
Support : 22TB
Size : 150*113.5*70mm





Model No: YPZ110

USB3.2 Gen1 SATA HDD/SSD HardDrive Docking Station

Input: USB-B
Output: SATA
Material: ABS
Support : 22TB



Model No: YPZ220C

USB3.2 Gen1 USB C SATA HDD SSD HardDrive Docking Station

1:1Clone
Input: USB-C
Output: SATA
Material: ABS
Support : 22TB



Model No: YPZ220B

USB3.2 Gen1 SATA HDD/SSD HardDrive Docking Station

1:1Clone
Input: USB-B
Output: SATA
Material: ABS
Support : 22TB

2-Bay Hard Drive Docking Station
WITH BUILT-IN USB3.0 HUB

Model No: YPZ05S2H-U3



1:1Clone
Input : USB 3.0
Output : SATA
Material : Aluminum Alloy
Size : 109*71*64.5mm



2-Bay Hard Drive Docking Station
WITH BUILT-IN USB3.0 HUB


Model No: YPZ04S2HC-U3



1:1Clone
Input : USB 3.0
Output : SATA
Material : ABS
Size : 113.5*103.5*70mm



Model No: Y842S2H



2-Bay Hard Drive Docking Station

1:1Clone
Input : USB 3.0
Output : SATA
Material : Aluminum Alloy
Size : 114*101.5*60mm



Model No: Y842




2-Bay Hard Drive Docking Station

1:1Clone
Input : USB 3.0
Output : SATA
Material : Aluminum Alloy
Size : 114*101.5*60mm



Model No: YPZ04S2-U3



2-Bay Hard Drive Docking Station

Input : USB 3.0
Output : SATA
Material : ABS
Size : 113.5*103.5*70mm



Model No: YPZ04S2H-U3



2-Bay Hard Drive Docking Station

Input : USB 3.0
Output : SATA
Material : ABS
Size : 113.5*103.5*70mm







10Gbps

Model No: Y2UC-U3.1

2.5in External Hard Drive Enclosure for SATA/SSD

Input : Type-C
Output : SATA
Material : Aluminum Alloy
Size : 123*77*13mm



5Gbps

Model No: Y2U-U3

2.5in External Hard Drive Enclosure for SATA/SSD

Input : USB 3.0
Output : SATA
Material : Aluminum Alloy
Size : 123*77*13mm

USB C Docking Station for M.2 NGFF/NVMe and SATA 2.5/3.5 Inch SSD & HDD with

Model No: YPZ03SN

Input : USB 3.2 Gen2
Output : SATA/NGFF/NVMe
Material : ABS
Size : 145.5*115*114/48mm










Model No: YPZ08SI-U3B



USB3.0 IDE/SATA HDD/SSD Hard Drive Docking Station

1:1Clone
Input : USB 3.0
Output : SATA/IDE
Material : ABS
Size : 145.5*115*114/48mm



Model No: YPZ08S3H-U3B



3-Bay SATA USB3.0 HDD/SSD Hard Drive Docking Station
WITH BUILT-IN USB3.0 HUB

1:1Clone
Input : USB 3.0
Output : SATA
Material : ABS
Size : 145.5*115*114/48mm

2.5in External Hard Drive Enclosure for SATA/SSD

Input : USB 3.2
Output : SATA

Material : PP/ABS
Size : 131.5*78.5*18.5mm



10Gbps

Model No: S3G-PL02C



5Gbps

Model No: S3G-PL02M





3.5in USB3.0
External Hard Drive Enclosure for SATA HDD

Input : USB 3.0
Output : SATA

Material : Aluminum Alloy +ABS
Size : 214*128*40mm








USB 3.2 Gen1 3.5 INCH HDD ENCLOSURE with fan 2.5 or 3.5inHDD,SSD (Support UASP and22TB)

Model No: P3U



Input : USB 3.2 Gen1
Output : SATA
Material : PC+ABS
Size : 186.5*117.7*45.7mm








USB 3.0 SATA IDE to usb adapter

Model No: S3G-PL319

Input : USB 3.0
Output : SATA/IDE
Material : ABS
Size : 95.5*60*14mm




USB 3.0 SATA IDE to usb adapter

Model No: S3G-PL03

Input : USB 3.0
Output : SATA/IDE
Material : ABS
Size : 84*62*13.5mm








2.5/3.5 inch SATA IDE to USB adapter USB 3.2 Gen 1

Model No: PL329c

USB C

Input : USB 3.2 Gen1
Output : SATA/IDE
Material : ABS
Size : 97*60*14.5mm



2.5/3.5 inch SATA HDD/SSD adapter with clone

Model No: PL369

USB C

1:1Clone
Input : USB 3.2 Gen1
Output : SATA
Material : ABS
Size : 84*70*17.5mm








Connect a 2.5in / 3.5in SATA or IDE Hard Drive through a USB 3.0 Port

Model No: S3G-PL06





1:1Clone
Input : USB 3.0
Output : SATA/IDE
Material : Aluminum Alloy
Size : 67.6*67.6*18mm

SATA to USB adapter support 2.5/3.5 inch HDD/SSD USB 3.2 Gen2(10Gbps)

Model No: PL228CAS

Input : Type-c
Output : SATA
Material : ABS
Size : 71*49.5*13.5mm








Model No:2535a-p

SATA to USB Adapter Cable | SATA III 6Gbps | 2.5"/3.5" SSD or HDD | USB 3.0 | Portable

Includes Power Adapter
Input : USB 3.0
Output : SATA
Material : ABS
Size : 52*48*14mm





Model No:2535c

SATA to USB-C Adapter Cable | SATA III 6Gbps | 2.5" SSD or HDD | USB 3.1 | Portable

Input : USB 3.1
Output : SATA
Material : ABS
Size : 52*48*14mm





SATA to USB3.0 Cable with UASP

Model No:2535a

Input : USB 3.0
Output : SATA
Material : ABS
Size : 52*48*14mm



Model No:2535c-p

SATA to USB Adapter Cable | SATA III 6Gbps | 2.5"/3.5" SSD or HDD | USB 3.0 | Portable

Includes Power Adapter
Input : USB 3.1
Output : SATA
Material : ABS
Size : 52*48*14mm









USB 4 type C all in one Enclosure for mini 4

Model No:MT404

NEW


Data Transfer USB C

Input : USB Type-c
Output : NVMe M-Key
Material : Aluminum Alloy
Sizs : 127*127*12.7mm



USB 3.2 Gen1 HUB with individual switch

12V Power Adapter
Data transfer
BC1.2 fast charging
Aluminum Alloy
4/7/10/13/16 Ports









Model No: HKC3410

7 Port USB3.2(10Gbps) HUB

Input : USB3.2
Output : 4 USBA 3 USB C USB 3.2 HUB
Material : Aluinum Alloy
Size : 101*64*23.2mm



Model No: HKC2210

4 Port USB3.2(10Gbps) HUB

Input : USB3.2
Output : 2 USBA 2 USB C USB 3.2 HUB
Material : Aluinum Alloy
Size : 101*64*23.2mm



Model No: H408C2A

4 Port USB3.2 Gen2(10Gbps) HUB

Input : USB3.2 Gen2
Output : 4 Port HUB
Material : Aluinum Alloy
Size : 90*61*25mm



Model No: H418

4 Port USB3.0(5bps) HUB

Input : USB3.0
Output : 4 Port HUB
Material : Aluinum Alloy
Size : 90*61*25mm



Model No: H418S

4 Port USB3.2 Gen2(10Gbps) HUB

Input : USB3.2 Gen2
Output : 4 Port HUB
Material : Aluinum Alloy
Size : 90*61*25mm





Model No: H708C43

7 Port USB3.2 Gen2(10Gbps) HUB

Input : USB3.2 Gen2
Output : 7 Port HUB
Material : Aluinum Alloy
Size : 153*61*25mm



Model No: H718

7 Port USB3.2 Gen1(5Gbps) HUB

Input : USB3.2 Gen1
Output : 7 Port HUB
Material : Aluinum Alloy
Size : 153*61*25mm



Model No: H718S

7 Port USB3.2 Gen2(10Gbps) HUB


Input : USB3.2 Gen2
Output : 7 Port HUB
Material : Aluinum Alloy
Size : 153*61*25mm





10 in one USB c hub

Model No: TC10




Input : USB Type-c
Output : USB A 3.0*1 USB A 2.0*1
USB C 3.0*2
HDTV RJ45 PD
SD/TF card Reader
Material : Aluminum Alloy+glass
Size : 139*42.6*19mm



4 PORTS USB C HUB
USB3.2 Gen2(10Gbps)

Model No: HC401



Input : USB Type-c
Output : USB c
Material : Aluminum Alloy+glass
Size : 101*35.3*18mm





4 Port USB3.1 (5Gbps) HUB

Input : USB 3.1
Output : 4 Port HUB
Material : ABS
Size : 106*31.5*18.5mm





Model No:H428C
USB3.1(5 Gbps) HUB



Model No:H428A
USB3.1(5 Gbps) HUB



Model No:H468c
4 Port USB3.1(5Gbps) HUB



Model No:H468a
4 Port USB3.0(5Gbps) HUB

USB 3.0 KVM Switcher

Model No: HKV24U3

Input : USB 3.0
Material : Aluminum Alloy
2 pcs 1.5M usb A cables





USB-c to Gigabit Ethernet Adapter

Model No:L101A

Input : USB 3.0
Output : 1000M RJ45
Material : Aluminum Alloy
Size : 63*28.5*21mm

Silver Grey





Model No: L103-3.0
USB3.0 to Gigabit EthernetAdapter



Model No: L103-3.0
USB3.0 to Gigabit EthernetAdapter



Model No: L103-2.0
USB2.0 to 100 mbit Ethernet Adapter



Model No: L103-2.0
USB2.0 to 100 mbit Ethernet Adapter



USB-C to Gigabit Ethernet Adapter

Model No:L101C

Input : Type-c
Output : 1000M RJ45
Material : Aluminum Alloy
Size : 63*28.5*21mm

Silver Grey





USB External Stereo Sound Adapter

Model No: AD01

headphone

Microphone

3.5 Audio Port

Plug and Play



PCI-E to M.2 NVMe Expansion Card

Model No: BK-NV1P

PCI-E 4.0*4(64Gbps)
Support X4/X8/X16
Input: NVMe
Size : 84*20*122mm





Shenzhen Huidegui Science&Technology Development Co., ltd
ADD: 4st Floor, Building 1 Hongchangfa Industry Zone, Longxi Community, Longgang Street, Longgang District, Shenzhen, China
Email: may@fideco.cn