




Wechat



Facebook



Youtube



Tiktok

深圳市迈方科技有限公司  
MFINE HK TECH CO., LIMITED  
SHENZHEN MFINE TECH CO., LTD

深圳市宝安区松岗红星松新路9号3-4楼  
3<sup>rd</sup>-4<sup>th</sup> Floor.No.9 Songxin Road, Hongxing, Songgang  
Town Baoan District, Shenzhen

Mobile: +86-15814629323

E-mail: [postmaster@mfine.net](mailto:postmaster@mfine.net)

Website: [www.kinzir.com](http://www.kinzir.com)

FC RoHS CCC CE



# CATALOGUE



Shenzhen Mfine Technology Co., Ltd.





## Profile

Shenzhen Mfine Technology Co, Ltd. is an ISO9001:2015 certified company which is specialized in manufacturing and marketing air dusters, vacuum cleaner, electric spin scrubber and dog hair dryer. With strong R&D capability, an outstanding distribution network, excellent market support, and perfect service.

Our factory has obtained a good reputation in domestic and overseas markets. Offering high-quality products and perfect technological solutions. We have become a reliable partner for our customers. With well-trained workers & 5 production lines.

We have also offered a large amount of OEM/ODM services to clients.

Our QC team is composed of 10 staff members who are assigned to production lines to inspect quality strictly.

Meanwhile, all products must pass 8-hour tests for high voltage endurance and insulation resistance. We even provide a 12-month quality guarantee.

We also have a series of test machines such as insertion & extraction life test machines, key life test machine, double arm test machine & transportation vibration testing machine in order to guarantee quality.

We accept your OEM order even if your order is less than our MOQ because we have our own laser engraving machine.

In order to ensure the beauty of the product, all our products will be shrink-wrapped before shipping. As a result of continuous efforts. Our products have been approved by CE, ROHS, FCC, PSE, UKCA CA65 etc. To learn more about our designs. Please browse our website [www.kinzir.com](http://www.kinzir.com).

## certificate







# AIR DUSTER



**AD36**

07

# AIR DUSTER



**VC26**

08



**VC12A**

## Product parameters

Product model: VC12A  
 Power: 75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 15 minutes after fully charged  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 6Kpa  
 Rotating handle: Yes  
 Dust cup capacity: 156ML



**VC12B**

## Product parameters

Product model: VC12B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 14kpa  
 Rotating handle: Yes  
 Dust cup capacity: 156ML



**VC14A**

## Product parameters

Product model: VC14A  
 Power: 50W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 6Kpa  
 Dust cup capacity: 156ML



**VC14B**

## Product parameters

Product model: VC14B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 14Kpa  
 Dust cup capacity: 156ML



**VC16**

## Product parameters

Product model: VC16  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 14Kpa  
 Rotating handle: Yes  
 Dust cup capacity: 200ML or 300ML



**VC26**

## Product parameters

Product model: VC26  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 14Kpa  
 Rotating handle: Yes  
 Dust cup capacity: 156ML



**VC22A**

## Product parameters

Product model: VC22A  
 Power: 50W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 6Kpa  
 Dust cup capacity: 110ML



**VC22B**

## Product parameters

Product model: VC22B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 14Kpa  
 Dust cup capacity: 110ML

VC28



### Product parameters

Product model: VC28  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor or BLDC motor  
 Charging time: 2~2.5 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 6Kpa or 14Kpa  
 Rotating handle: Yes  
 Dust cup capacity: 200ML or 300ML

VC43



### Product parameters

Product model: VC43  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Function: Blowing & vacuuming  
 Vacuum degree: 6Kpa  
 Dust cup capacity: 156ML

VC41



### Product parameters

Product model: VC41  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 25 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor or Brushed motor  
 Charging time: 2~2.5 hours  
 Foldable: No  
 Rotating handle: Yes  
 Vacuum degree: 14Kpa or 6Kpa  
 Dust cup capacity: 200ML or 300ML

VC49



### Product parameters

Product model: VC49  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 25 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor or Brushed motor  
 Charging time: 2~2.5 hours  
 Foldable: No  
 Vacuum degree: 14Kpa or 6Kpa  
 Dust cup capacity: 200ML or 300ML

VC40



### Product parameters

Product model: VC40  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2~2.5 hours  
 Foldable: No  
 Vacuum degree: 14Kpa  
 Dust cup capacity: 200ML or 300ML

VC40X



### Product parameters

Product model: VC40X  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor or BLDC motor  
 Charging time: 2~2.5 hours  
 Foldable: No  
 Vacuum degree: 14Kpa

AD42



### Product parameters

Product model: AD42  
 Power: 50W/70W/80W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor or Brushed motor  
 Charging time: 2.5 hours  
 Function: Blowing, Vacuuming, Tire inflator  
 Wind pressure: 14Kpa or 6Kpa  
 Tire pressure: 7.0 Bar  
 Dust cup capacity: 200ML or 300ML

AD12A



### Product parameters

Product model: AD12A  
 Power: 75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 15 minutes after fully charged  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: Yes  
 Wind pressure: 6Kpa  
 Rotating handle: Yes

AD12B



### Product parameters

Product model: AD12B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa  
 Rotating handle: Yes

AD12C



### Product parameters

Product model: AD12C  
 Power: 75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 15 minutes after fully charged  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa  
 Rotating handle: Yes

AD15



### Product parameters

Product model: AD15  
 Power: 80W  
 Input: 5V = 3A  
 Battery capacity: 800mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 32 minutes  
 2<sup>nd</sup> gear: About 12 minutes  
 Motor: BLDC motor  
 Charging time: 1.5-2 hours  
 Wind pressure: 4.5Kpa

AD16



### Product parameters

Product model: AD16  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: No  
 Wind pressure: 14Kpa

AD17A



### Product parameters

Product model: AD17A  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 30 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa

AD17B



### Product parameters

Product model: AD17B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*6pcs  
 Working time: 1<sup>st</sup> gear: About 50 minutes  
 2<sup>nd</sup> gear: About 35 minutes  
 3<sup>rd</sup> gear: About 25 minutes  
 Motor: BLDC motor  
 Charging time: 4 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa

AD17C



### Product parameters

Product model: AD17C  
 Power: 70W/90W/120W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*6pcs  
 Working time: 1<sup>st</sup> gear: About 45 minutes  
 2<sup>nd</sup> gear: About 35 minutes  
 3<sup>rd</sup> gear: About 25 minutes  
 Motor: BLDC motor  
 Charging time: 5 hours  
 Foldable: Yes  
 Wind pressure: 16Kpa

AD18



### Product parameters

Product model: AD18  
 Power: 80W/110W/140W  
 Battery type: Makita battery  
 Interface (18V)  
 Motor: BLDC motor  
 Foldable: Yes  
 Wind pressure: 16Kpa

AD19



### Product parameters

Product model: AD19  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 20 minutes  
 Working time: 2<sup>nd</sup> gear: About 15 minutes  
 3<sup>rd</sup> gear: About 10 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: Yes  
 Wind pressure: 6Kpa

AD20



### Product parameters

Product model: AD20  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa

AD24A



### Product parameters

Product model: AD24A  
 Power: 75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 20 minutes after  
 fully charged  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: Yes  
 Rotating handle: Yes  
 Wind pressure: 6Kpa

AD24B



### Product parameters

Product model: AD24B  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: Yes  
 Rotating handle: Yes  
 Wind pressure: 14Kpa

AD25



### Product parameters

Product model: AD25  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 25 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD27



### Product parameters

Product model: AD27  
 Power: 50W/70W/90W  
 Input: 5V = 3A  
 Battery capacity: 2500mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa

AD29



### Product parameters

Product model: AD29  
 Power: 40W/60W/80W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 30 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2.5 hours  
 Foldable: No  
 Wind pressure: 14Kpa

AD31



### Product parameters

Product model: AD31  
 Power: 50W/70W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 20 minutes  
 2<sup>nd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2 hours  
 Foldable: Yes  
 Wind pressure: 14Kpa

AD31X



### Product parameters

Product model: AD31X  
 Power: 50W/70W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 20 minutes  
 2<sup>nd</sup> gear: About 15 minutes  
 Motor: BLDC motor  
 Charging time: 2 hours  
 Foldable: Yes  
 Vacuum degree: 11Kpa

AD34



### Product parameters

Product model: AD34  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD35



### Product parameters

Product model: AD35  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD32



### Product parameters

Product model: AD32  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD33



### Product parameters

Product model: AD33  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD36



### Product parameters

Product model: AD36  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD37



### Product parameters

Product model: AD37  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 Working time: 1<sup>st</sup> gear: About 25 minutes  
 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes  
 Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD38



### Product parameters

Product model: AD38  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 25 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes

Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD39



### Product parameters

Product model: AD39  
 Power: 45W/55W/75W  
 Input: 5V = 3A  
 Battery capacity: 2000mAh\*3pcs  
 1<sup>st</sup> gear: About 25 minutes  
 Working time: 2<sup>nd</sup> gear: About 20 minutes  
 3<sup>rd</sup> gear: About 15 minutes

Motor: Brushed motor  
 Charging time: 2 hours  
 Foldable: No  
 Wind pressure: 6Kpa

AD47



### Product parameters


Product model: AD47  
 Power: 400W  
 Voltage : 110-220V  
 Plug: AC plug  
 Motor: Brushed motor



# DOG HAIR DRYER



P1




P2



P3



**ELECTRIC SPIN SCRUBBER**



S1



S2