

Ningbo Brilliant Dragon Electronic Technology Co., Ltd. (founded in 2015, China) specializes in manufacturing and exporting innovative LED lighting products, with key markets in the USA, Europe, Japan, Southeast Asia, & beyond.

With over a decade of expertise in the professional lighting industry, we offer a comprehensive range of high-standard lighting products. Our offerings include warning lights, work lights, portable floodlights, headlamps, camping lights, torches, solar lights, sensor lights, and more.

Our products cater to various needs, such as everyday lighting, professional road safety, construction sites, workshops, emergency response, personal protection, indoor and outdoor events, and promotional items, delivering performance that exceeds expectations.

Company Vision

Brilliant, illuminating every corner



CE RoHS FC

HL75011-10A/R 10PACK SEQUENTIAL SET

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	

HL75011-8A/R 8PACK SEQUENTIAL SET


- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	

HL75011-6A/R 6PACK SYNC CASE

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MAH
- Material : TPR ,PC
- 7 function sequential
- With AC/DC



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	2-60H	IPX7	1000M	1M	

HL76907B-4/6/7/8P 4/6/7/8PACK Sequential Set

- 30pcs, 2835 smd 15w
- 3.7v 2200mah
- Material: TPR PC
- Size: 173x173x43mm for lamp
- Function: 5 work modes

⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
8-50H	IP65	With	1000M	1M



Color Choice :
Single Color
Mix Color in One

HL76907B Rechargeable Cone Light

- 30pcs, 2835 smd 15w
- 3.7v 2200mah
- Material: TPR PC
- Size: 173x173x43mm for lamp
- Function: 6 work modes

⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
8-50H	IP65	With	1000M	1M

**HL75011-4A/R 4 PACK Sequential Set**

- Power : 4w (side) +1.5w
- Battery : 3.7V 3000MA
- Material : TPR, PC
- 7 function sequential
- With AC/DC



☀️ LUMEN	⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE	🔌 USB TYPE - C
300LM	2-60H	IP67	With	1000M	1M	

HL7502A/SY 6 PACK 16 Led Flare Set

- 16pcs led
- 3.7V 750mah
- Size:10.5x10.5x3.5cm
- Material: TPR
- 9 flash way
- Sequential function Available



⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL7505A/-SY 5PACK Warning Case

- 16pcs led +6 led
- 3.7V 750mah
- Size:11x11x3.7cm
- Material: TPR PC
- 9 flash way



⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL7502C/SY 3 PACK 16 Led Flare Set

- 16pcs led
- 3.7V 750mah
- Size:10.5x10.5x3.5cm
- Material: TPR
- 9 flash way
- Sequential function Available



⌚ RUNTIME	☔ IP CLASS	🛡️ MAGNET	📏 LIGHT DISTANCE	📏 IMPACT RESISTANCE
60H	IP67	With	1000M	1M

HL75501/R High Power Flare Light

- 6pcs x 1w
- 3AAA /3.7V 750mah
- Size: 105 x 55mm
- Net weight : 165g
- 1 work modes



IP65	With	1500M	1M

HL75502 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP65	With	1000M	1M

HL75503 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP65	With	1000M	1M

HL75504 High Power Flare Light

- 6PCS SMD LED
- 3AAA
- 1 work modes
- Size :8.6*5.5cm
- Net Weight:136g



IP65	With	1000M	1M

HL75505/R Multi Function Warning Light

- 12+3 led
- 3.7v500mah/3AAA
- Size: 90x90x35mm
- Net weight : 165g
- 9+1 work modes
- With magnet & hook



100LM	8-60H	IPX5	1000M	1M	USB TYPE - C

HL75506 Multi Function Warning Lightv

- 18 SMD side+ 9SMD top
- 3.7v 1200mah
- Size: 100x100x22.5mm
- Net weight : 96.3g
- 4 work modes
- With magnet in the base



200LM	10-19H	IPX5	500M	1M	USB TYPE - C

HL7529/B Led Strobe Light

- 6+1w LED
- 3AA
- 3 flash modes
- Size:95x94x40mm



25H	IP65	With	500M	1M

HL7575/R 12+3 Led Flare Light

- 12+3led
- 3AAA/3.7v 500mah
- Size:10x10x3cm
- With hook and magnet
- 10 work modes



IP65	With	1000M	1M

HL70820 Multifunction warning light bar

- 28PCS LED
- Size: 32.6cm-62.2cm*11.3cm*4.7cm
- Weight: 694g
- 3.7v 5000mAh
- with Foldable 360° Adjustable Hook

**HL75303R Rechargeable Warning Bar**

- 6W led
- 3.7v 2000mah
- Size:16.5x5x4cm
- With 2pcs strong magnet
- With radio remote control



>10H	IP65	YES	100M	1M

HL75301R Rechargeable Warning Bar

- 12W led
- 3.7v 4000mah
- Size:32x5x4cm
- 2 work modes
- With radio remote control



>10H	IP65	YES	100M	1M

HL76002 Rechargeable led warning bar

- 24W led
- 3.7v 4000mah
- Material: ABS aluminum
- Size:28x16.5x5cm
- With radio remote control



>10H	IP65	YES	100M	1M

HL76003 Rechargeable led warning

- 64pcs led ,32w
- 3.7v 4000mah
- Material: ABS aluminum
- Size:185x170x70mm
- With radio remote control



>10H	IP65	YES	100M	1M

HL75602 Wireless Trailer Lamp

- Input : 12v/24v
- Battery : 3.7v 2000mah
- Size:105x105x55mm
- Frequency : 2.4G HZ
- Wireless range :30m



20H	IP65	With	500M	1M

HL75601 Wireless Trailer Lamp

- Input : 12v/24v
- Battery : 3.7v 2000mah
- Size: 100x100x60mm
- Frequency : 2.4G HZ
- Wireless range :30m



20H	IP65	With	500M	1M

HL76762 Rechargeable Warning Light Bar

- DC 12V
- 28.7*13.5*5.7CM
- With Solar Panel
- With Remote Control
- Waterproof IP65



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76728 24W Car Strobe Light

- 24pcs led, 24W
- DC12V -24V
- Size:60x170x280mm
- 7 work modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76743 12V 24V car warning light

- 9-30v
- 30 x 3 w led
- Material: ABS,PC
- Size : 31x19x6.5cm
- Net weight : 2kgs
- 12 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76752 Car strobe light

- 9V-30V
- 40W,40PCS LED
- Material: PC ,aluminum
- Size: 46x31.5x7.5cm
- 13 work modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76745 90w car warning light

- 9-30v
- 30 x 3 w led
- Material: ABS,PC
- Size : 36.6x12x8cm
- Net weight : 1.5kgs
- 15 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76727 High power strobe light

- 36pcs led,18w
- DC12v~24v
- Work current: 1.5A
- Size:160x300x70mm
- Material:PC,Aluminum



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76730 Warning light bar

- 88pcs led,88w
- DC12v~24v
- Work current: 7.4A
- Size:1200x220x110mm
- Material:PC,Aluminum
- 16 flash modes



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	YES	100M	1M

HL76747 Strobe Light Set

- 48W X2
- 12~24V
- Material:ABS ,PC
- Size:150x150x70mm
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	With	800M	1M

HL76739 32W Car Strobe Light

- 32PCS LED,32W
- DC12/ 24V
- 32pcs LED,32W
- Size: 155x135x80mm
- 7 Work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX5	WITH	80M	1M

HL76711 20W Car Strobe Light

- 240pcs led,24W
- DC12~24V
- Material:ABS,PC
- Size:15x14x7.5cm
- 7flash modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76760 Car Strobe Light

- 40pcs SMD.20W
- DC12V -24V
- Size:88x95x127mm
- 7work modes
- With 5m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76748 Strobe Light Set

- 32W X2
- 12~24V
- Material:ABS ,PC
- Size:160x160x80mm
- With radio remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	With	800M	1M

HL76710 54W Car Strobe Light

- 24pcs led,48W
- DC12~24V
- Work current: 2A
- Material:PC,ABS,aluminum
- 175x180x67mm,1050g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76761 24W Car Strobe Light

- 24pcs led,24W
- DC12V -24V
- Size:60x184x184mm
- 14 work modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76719 Car Strobe Light

- 120pcs led, 12w
- DC12V/24v
- Size:155x200x105mm
- 2 flash modes
- With 3m cable



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	800M	1M

HL76740 40/60/80 LED Strobe Light

- 40LED,20W,389g,size:120x140mm
- 60LED,30W,429g,size:160x140mm
- 80LED,40W,505g,size:190x140mm
- Material:ABS
- DC12~24V
- 7 work modes
- IPx5



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX5	WITH	80M	1M

HL77805 12W Car Strobe Light

- 9-30v
- 24pcs SMD,12W
- Material: PC ,Aluminum
- Size : 130x65x90mm
- IP65



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL77806 12W Car Strobe Light

- DC12~24V
- 12pcs SMD,12W
- Material: PC ,Aluminum
- Size : 175x170x80mm
- Net weight : 750g
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL77802 Car Strobe Light

- 15w ,30PCS SMD
- DC10~110V
- Size: 130x100x70mm
- Net weight: 270g
- 1 flash way



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	NO	800M	1M

HL7578 Led Strobe Light

- 8pcs led
- Product size:13x9.5x9.5cm
- 2D batteries,
- with light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	200M	1M

HL76721 Solar navigation warning light

- 6pcs led
- Solar panel:4V 160ma 0.64w
- Ni-Mh ,1.2v 800mahx2
- Size: 15x12x18cm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IP65	WITH	200M	1M

HL76705 Solar Beacon

- 6LED
- Solar panel:53x53mm
- 2pcs 3.7v 600mah lithium
- Product size:12.3x10cm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	200M	1M

HL76706 Solar Warning Light

- 6pcs led
- Solar panel : 53x53mm,5v 60ma
- Battery:3.2v 600mah
- Size: 123x123x100mm
- With strong magnet



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IP65	WITH	500M	1M

HL76603 Solar Warning Light

- 4PCS LED
- Solar panel:4v 60ma
- Size:85x85x60mm
- 300~700lux light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IP65	WITH	80M	1M

HL76610 Solar Warning Light

- Solar panel:5v 120ma
- SMD LED
- 3.7v 1000mah
- Size : 130x100x130mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL7624 Solar Strobe Light

- Solar power :0.3W
- Battery :1.2V/1300mAH
- Dimensions:Φ91X156mm
- Material:PC,Aluminum
- With Light Sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL76501 Solar Beacon With Clip

- 6PCS LED
- 3.6v 600mah ni-mh
- Solar pane: 0.3W
- Size : 73x75x185mm
- Frequency : 55 times/min



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IPX5	NO	20M	1M

HL76910 Solar Warning Light

- Solar panel: 1.2v 0.3w
- 3.6v 800mah
- Size: 160x130mm
- With light sensor
- Handle bar / bracket



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	NO	800M	1M

HL76911 Solar Barricade Light

- 4pcs led
- 3.6v 600mah
- Solar panel : 5v 100ma
- Size : 175x188mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL7612 Solar Barricade Light

- 9pcs led
- Solar panel :4v,200ma
- Battery: 3.6v 1200mah
- Size: 314x180mm
- Light distance:>500meter



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
35H	IP54	NO	20M	1M

HL7615 Solar Barricade Light

- 4PCS x2 LED
- 2 D Batteries
- Size:180x120mm
- Light distance:>300meter
- Frequency: 60 times / Min



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX4	NO	20M	1M

HL7617 Battery Warning Light

- 6PCS*LED
- 2*D Battery
- AS+PP
- 365*190mm
- Light sensing control&Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL7687 LED Roadblock Lamp

- 8PCS LED
- Battery:3.6V 600mAh or 2D
- Solar Panel:0.3w
- Material:PE,PS
- Size: 330x120x120mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL7688 LED Traffic Warning Light

- LED
- 2*6v 4R25(not including)
- PP+AS
- 38*18.5cm
- with Hook,Can be Hang at the Traffic cone



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
600H	IP65	NO	50M	1M

HL76601 Solar Roadblock Light

- 4PCS LED
- Solar Panel:4v 60ma
- Size:Diameter 9cm,Length:35cm
- Full Charging:6H
- Discharging Time:60H



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL76602 Solar Warning Light

- 6PCS LED
- Battery:2.4v 1500mah
- Material:PP,AS
- Solar Panel:4v 60ma
- With Light Sensor&Clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76605 LED Warning Light

- 8PCS LED
- 2D Battery(Not Included)
- Size:300x120x120mm
- Can be seen >200M at night
- With Light Sensor&Clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL76613 LED Solar Warning Light

- LED
- 3.2v 2300mah
- PC+ABS
- 4 Work Modes
- with Hook&Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>70H	IP65	NO	200M	1M

HL76614 Solar Warning Light

- LED
- 2.4v /Solar Panel
- ABS+PS
- 34.5*8.5cm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP65	NO	20M	1M

HL76619 Solar Warning Light

- 10* LED
- 3.7v 2600mah
- PC
- 140*135mm
- wireless control
- Solar Panel,visible distance>800m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76620 Solar Warning Lightt

- 11*LED
- 3.2v 1500mah/Solar Panel
- ABS
- 16*10*9cm,300g
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>70H	IP65	NO	200M	1M

HL76620B Solar Warning Lightt

- 13 PCS LED
- 3.7V 2200mAh
- 100*100*160mm,343.8g
- Solar Panel:5V/1.5W
- Flashing frequency: 30 times/min
- Synchronous control: 6MHz



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
200LM	2-10H	IPX4	10M	1M	

HL76616 Solar Warning Light

- LED
- 1.2/Solar Panel
- AS+PS
- 355*180mm
- Light sensing control &Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	50M	1M

HL76622 Solar Warning Light


- 14PCS LED
- 3.7v 2200mah
- Solar Panel:5v 1.2w
- Size:140x140x85mm
- Discharging time:more than 200Hours



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76912 Solar Warning Light

- 5V1.2W solar panel
- 40pcs LED
- 3.7V 2000MAH
- Size: 153x21x30mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

HL76915 Solar Warning Light

- 2.5V150ma solar panel
- 3pcs LED
- 1.2V 600MAH
- Size: 100x38x103mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IP65	NO	10M	1M

HL76906 Solar Warning Light

- Solar panel: 5v 100ma
- 1.2v 600ma NIMH
- Size: 90 x130mm
- With light sensor
- With ring for cone



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>15H	IP65	NO	800M	1M

HL76615 Solar Warning Light

- 8*LED
- 3.7v 2mah/Solar Panel
- PP+AS
- 380*400*101mm
- with Bracket:Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
7Days	IP65	NO	200M	1M

HL76621 Solar Rotary Light

- 60PCS LED+15X8PCS LED
- Size:Diameter 560mm
- With Solar Panel
- With Stand
- Can be seen >500M



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76301 Solar Pole Light

- 15*LED
- 1.2v 600mah/Solar Panel
- PC
- 100*100*58mm,155g
- Light sensing control & Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76302 Solar Warning Light

- 4*LED
- 1.2v 600mah/Solar Panel
- PC
- 85*70mm
- Light sensing control & Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
100H	IP65	NO	50M	1M

HL76306 LED Reflective warning light

- 3*LED
- 3.7v 2.2Ah/Solar Panel
- aluminum alloy+ABS
- 205*140mm,800g
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
200H	IP65	NO	200M	1M

HL76307 LED Guardrail Light

- 8*LED
- 3.7v 2000mah
- PP+reflective film
- 95*95*260mm
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
200H	IP65	NO	200M	1M

HL76308 Traffic Warning Light

- 12*LED
- 3.7v 4000mah
- PC
- 160*120mm,500g
- Automatic switch, light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76314 Solar Pole Light


- 8PCS LED
- Solar panel:0.4w 2.5v
- Battery :600mA 1.2v
- Size:125*125*80mm
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76011 LED Reflective Warning Light

- 6*LED
- 1.2v 800mah
- galvanized iron
- 115*70*55mm,500g
- Light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>60H	IP65	NO	200M	1M

HL76609 Solar Traffic Light

- 8PCS LED
- Solar panel:2v 100mah
- Material: ABS ,PS
- Size : 185x37x52mm,200g
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
75H	IP64	NO	20M	1M

HL77304 Solar Pole Beacon

- 6PCS LED
- 2x 1.2v 600mah ni-mh
- Solar panel : 0.5w
- Material: PC ,ABS
- Size: 113x85x85mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP67	NO	20M	1M

HL76309 Solar Warning Light

- 2*LED
- 3.7v 200mah
- ABS+PC
- 150*40*34mm,75g
- Light sensor,Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76312 Solar Pole Light

- LED Size:103*103*70mm
- Solar Panel:0.2w 2.5v
- Battery:400mA 1.2V
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76313 Solar Pole Light

- 6PCS LED
- Solar panel:0.2w 2.5v
- Battery :600mA 1.2v
- Size:140*140*50mm
- Material:PC



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP65	NO	50M	1M

HL76310 Solar Warning Baton

- Spray paint+reflective film
- Diameter:116mm
- Height:800mm
- With Solar Panel



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
100H	IP65	NO	50M	1M

HL76305 Solar Warning Baton

- Spray paint+reflective film
- 3.7V 500mAh
- Diameter:80mm
- Height:1000mm
- With Solar Panel
- With 2.4GHZ



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>72H	IP65	NO	200M	1M

BST7606 Foldable Cone

- With 6pcs reflective piece
- Material:PP with UV resistant
- Net Weight:0.9kg
- Size:63*13*4.3cm (Foldable)
- M10 screw

**BST7605 Collapsible Traffic Cone**

- Material:PP or ABS
- Height:40~70cm

Item No.	Height	Base Size(cm)
BST7605-40	40cm	24.4*24.4*3.8
BST7605-45	45cm	24.4*24.4*3.8
BST7605-50A	50cm	24.4*24.4*3.8
BST7605-50B	50cm	31.5*31.5*5
BST7605-55	55cm	31.5*31.5*5
BST7605-60	60cm	31.5*31.5*5
BST7605-65	65cm	31.5*31.5*5
BST7605-70	70cm	31.5*31.5*5

**HL76916 Rechargeable LED Cone**

- Material:PU
- 320X320X700MM,4KGS
- Charging time:4-6H
- Work Time:36H
- Battery:11.4v/8AH



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76914A/B Cone Light With Alarm

- 24W COB
- 12V 2500mah
- Material: ABS
- Size: A.770X320X320MM
B.910X370X370MM
- 130DB alarm
- 15 meter remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76406 Battery Warning Light

- Size:H250*70MM
- Material:PC+ABS
- 6PCS LED
- 2*D Battery(not including)
- Red/Yellow



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>36H	IP65	NO	20M	1M

HL76401 Cone Top Light

- 0.5w led
- 2D battery(not included)
- Material: PP,AS
- Size: 80x249mm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	WITH	20M	1M

HL76708 Solar Strobe Light

- 9 Red / 9 Blue LED
- Solar panel : 5v 150ma
- Battery:3.7v 1200mah
- Size: 140x146mm
- Can be seen >1000meter in the night



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
50H	IP66	NO	20M	1M

HL76903 Solar Cone Light

- 12PCS LED
- Solar panel:5v100ma
- Material: ABS
- Size:95x70x5.5cm
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
30H	IPX4	NO	20M	1M

HL76905 Rechargeable LED Cone

- 5PCS LED
- 3.7V 300mAh
- Material: PP + Oxford cloth
- Size:25x25cm, 400g
- Cone height:40cm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
8H	IP44	NO	20M	1M

HL77001 LED Copllapse Cone

- 12pcs led
- 3.7v 500mah
- Material: PP + canvas cloth
- Size: 245x245x50~410mm
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
8H	IP44	NO	20M	1M

HL77601 Cone LED Sleeve

- 18pcs led
- 3AAA
- Material: reflective clothing
- Size: 16x30x33(heigh)cm,800g
- 3 work modes

LED road cone sleeve



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
40H	IPX3	NO	20M	1M

HL77602 Cone LED Sleeve

- 24pcs led
- 3AAA
- Material:reflective clothing
- Size: 16x30x33(heigh)cm,800g
- 3 work modes

LED Road Cone Sleeve



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
40H	IPX3	NO	20M	1M

HL7662 /M Traffic Warning Board

- 4x9led/4x7led
- 2AA
- Size:46x85cm/26x48cm
- With ON/OFF switch
- Material: reflective cloth



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IP65	WITH	800M	1M

HL7656 Traffic Waring Borad

- 15PCS LED
- 2AA (Not clouding)
- Size:48x48cm
- With ON/OFF
- Material: Reflective cloth



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX3	WITH	20M	1M

HL76901 Traffic Arrow Light

- 64pcs led,12W
- 3.7V 4000mah
- Mode: 4 work modes
- Size:290x80x30mm
- With accessories for cone
- With carry bag



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
25H	IP65	With	1000M	1M

HL76107 LED Arrow Light

- Size:60cm x25cm
- Voltage:12V/24V
- 3 Work Modes
- With music switch controller
- Light wire length: 10 meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76107A LED Arrow Light

- Size:35*20*4.1cm
- Voltage:12V/24V
- 3 Work Modes
- With music switch controller
- Light wire length: 10 meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76746 LED Arrow Light

- 15PCS LED
- Material:ABS ,metal
- Size : 200x100x30mm
- 10 meter cable with controller
- With bracket
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
45H	IP65	NO	500M	1M

HL76908 Rechargeable Arrow Light

- 26PCS LED
- 3.7V 7500MAH
- Material: ABS
- Size : 350x200x42mm
- 1 work mode



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
20H	IPX4	WITH	500M	1M

HL76902 Foldable Arrow Light

- 22PCS SMD
- 3.7V 1800mah
- Material: ABS + PC
- Size : 305x48x48mm, 277g
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX3	WITH	10M	1M

HL76108 LED Arrow Traffic Light

- 64W led
- 12/24v
- Material:PC aluminum
- Size:127.5X5.5X6.5cm
- With cable control
- Fixture by screws



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
60H	IP64	NO	100M	1M

HL7503B Led Warning Stick

- 6x2pcs 2835 led ,1pc 3W top
- 3.7v 2200mah
- Material: PC TPR
- Size: 60x48x340mm
- Net weight: 400g
- 8 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
17H	IP65	With	1000M	1M

HL7536 Warning Stick

- 10pcs red+1pc white led
- 3AA /3.7v2000mah
- Size:300x30x30mm
- 3 work modes
- With alarm



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	With	500M	1M

HL76163 Warning Stick

- 6+6pcs led
- 3pcs C battery
- Size: 30x30x545mm
- 4 flash modes
- With alarm



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP65	No	500M	1M

HL76166 Warning Stick

- 4 red(side)+8 white (top) led
- Rechargeable battery / 4AAA
- Size:40x560mm
- With alarm
- With red laser



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
18H	IP65	With	500M	1M

HL76161 Battery Warning Sticker

- 9 LED(side) + 1 LED (top)
- 3*AAA
- Material: ABS AS
- 3 Flash modes
- Size: 30x30x280mm
- With clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	WITH	20M	1M

HL77605 Led Warning Baton

- 6PCS Red+ 3PCS White LED
- 3*AAA
- Material : ABS,PVC
- Size: 405x40x40mm (lamp),95g
- 4 Flash modes
- With Plastic tripod



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IPX4	NO	50M	1M

HL76159 Handle Stop Board

- 7pcs+9pcs led
- 3.7v 1200mah
- Material: PP,AS
- Size: 37x18.8x18.8cm
- With high reflective tape



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
16H	IP64	NO	500M	1M

HL76158 Rechargeable LED Board

- 9PCS LED + 1PC TOP
- 3.7v 800mAh
- Material: ABS
- Size: 34x18x12cm
- 4 Work Modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
12H	IP65	NO	50M	1M

HL7590 Rechargeable Duty Light

- Amber/Red Blue
- LED : 20PCS LED
- Size: 9.5 *3.8 *3.2
- Battery: 3.7V 1200mAh
- Net Weight: 52g
- Waterproof IP65



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IP65	YES	500M	1M

**BPL65007AB Mini Clip Duty Light**

- A: 9+1pcs SMD, B:12+7pcs SMD
- 3.7V 500MAH
- Size: 70x25mm
- Net weight :43g
- With clip
- 5 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
6H	IPX4	NO	50M	1M

HL7582 Led Duty Light

- 6pcs SMD+1pc white led
- 3.7v350mah,1.2w
- Size:75x30x26mm,49g
- With clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
15H	IP65	NO	800M	1M

BPL65018 Led Duty Lamp

- XPE+10SMD
- 3.7V800mah
- 90x38x36mm
- Net weight :54.8g
- With clip



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1000LM	4-12H	IPX4	500M	1M	

HL7585 Rechargeable Shoulder Light

- 16PCS SMD+1PC White LED
- DC 5v 500mah,250lm
- Size:89x36x32mm,53g
- Charging time:3h
- With USB cable & clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX5	NO	50M	1M

BPL65001 Rechargeable Duty Light

- 6PCS Red / 6PCS Blue + 1PC White LED
- 3.7v 500mah
- Size:75x30x26mm,59g
- 3 flash modes
- With USB cable & clips



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
16H	IPX5	NO	50M	1M

BPL65002 Rechargeable Duty Cap Light

- 8PCS LED
- 3.7v 500mah
- Material: ABS
- 3 Work modes
- Charging time : 2~3 hours



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
10H	IPX5	NO	50M	1M

Traffic Control Accessories

Speed Bump**Reflective Post****Expandable Mobile Barricade****Anti-slip Block****Traction Board****Road Stud****Safety Vest**

SP01 Portable Speed Bump


- 1m,3m,4m,5m available
- With reflective strap
- With carry bag

**TFR01/02 Traffic Cone Topper**

- 3 meter / 5 meter
- Fit for all size cone
- Material:ABS

**BSF-G01 Traffic Warning Signs**

- 585*430mm,1500g
- ABS+reflective film
- IP67 Fit for Cone

**SP02 Foldable Speed Bump**

- Size: 3000*250*25MM
- Weight: 11KG
- Material: Polyurethane

**BSF-G02 Warning Reflective Sign**

- Size:21x34.5cm
- Weight:194g
- High Reflective Material
- With Handle

**TGB-01 Road Warning Sign**

- Size:28x18x14cm
- Weight:0.37kg
- Material:TPU+EVA
- Split design

**CEP-01 Portable Anti-slip track**

- Size: 60/80/100/120/150cm*22cm
- Material: TPR + Galvanized Steel Cable
- Thickness: 2.5cm
- Suitable for cars, SUVs/minivans

**WP-01 Plastic Reflective Posts**

- PE+Rubber
- 1100mm*420mm,6kg
- Reflective Film

**WP-02 Plastic Reflective Posts**

- EVA+PU
- 45/75/90CM
- Reflective Film



EMB01 Expandable Mobile Barricade

- Expandable Mobile Barricade
- Material: PE
- Size : Height 960x240-2500mm
- With reflective strap

**EMB02 Expandable Mobile Barricade**

- Expandable Mobile Barricade
- Material: PE
- Size : Height 1015x320-3800mm

**CEP-02 Spliced Traction Board**

- Size: 133.5x32.5x6cm
- Applicable vehicle: sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy terrain, mountainous terrain, and icy/snowy roads

**CEP-03 Off-road recovery board**

- Size: 104.5x28.5x6.5cm
- Load-bearing capacity: Each block can bear 5 tons
- Applicable vehicle : sedan/SUV/off-road vehicle
- Usage scenario: sandy land, mountainous areas, mountain roads

**EMB03 Expandable Mobile Barricade**

- PE
- 107*220*47cm, 3KG
- Scalable Reflective Film

**CEP-06 Automobile anti-slip block**

- 2PCS FOR SET
- Size: 22.5CMx8.5x3.5CM
- Weight: 1.85kgs
- Material: TPU + Zinc Alloy + Nylon

**CEP-04 Automobile Traction Board**

- 2PCS For Set
- Size: 104.5*28.5*11cm
- Weight: 4.62kg
- Material: PPA6

**CEP-05 Folding Recovery Board**

- 2PCS For Set
- Size: 18cm*60cm
- Material: PP material
- Weight: 580g

**CEP-07 Automobile anti-slip block**

- Black block Size: 8.5"(L) x 3.9" (W) x 1" (D)
- Strap Size: 2" x 57"
- Set of 2, OPP bag
- Applicable tire size: 165-265

**CEP-11 Anti-rolling Car Wheel Chock**

- Material: Rubber
- 525*250*52mm, 575g
- Bottom anti-slip strip
- Front with striped sticker

**CEP-09 Automobile Off-road Recovery Board**

- Size: 108.2cmx31cmx6.5cm
- Applicable vehicle : sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy land, mountainous terrain, ice and snow


**CEP-10 Automobile Off-road Recovery Board**

- Size: 115cmx29.7cmx6cm
- Applicable vehicle : sedan/SUV/off-road vehicle
- Load capacity: 10 tons
- Usage scenarios: sandy land, mountainous terrain, ice and snow



BSR1051 Solar Road Stud

- Material: Aluminum +PC
- Solar panel:5V/110MA
- Battery:3.2V 1000MA
- LED:Ultra bright diameter 5mm
- Resistance:>40T
- Size:125*50mm




RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1013 Solar Road Stud

- Material : Aluminum +PC
- Battery:NI-MH1.2V/1500MAH
- Flashing model: constant or blinking
- Load capacity:>30T
- Size:L125mm*W107mm*H26+50mm
- Weight:635g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

**BSR1018 Solar Road Stud**

- Material: Cast Aluminum
- Size: Φ120*50mm(bottom),Φ135*50mm(upper)
- Solar panel: 2.5V/180MAH
- Battery: 2pcs NI-MH 1.2V/600MAH
- LED: 3pcs/side Φ10mm super brightness LED
- Net weight: 0.7KG
- Load bearing: over 30tons



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1019 Solar Road Stud

- Material: Aluminium alloy+PC cover
- Solar panel:2.5V/180MA
- Battery:1000MAH
- Working mode: Blinking or constant
- Working temperature:-20-70degree
- Load capacity: >30T



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1003 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/0.25W
- Battery:NI-MH1.2V/600MAH
- Size:L108mm*W97mm*H25mm
- Weight:320g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>2day	IP68	NO	500M	1M

BSR1005 Solar Road Stud

- 6pcs LED
- Solar panel 2.5V/0.25W)
- NI-MH1.2V/600MAH
- Load capacity:>20T
- Size:104x104x20mm,320g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	500M	1M

BSR1016 Solar Road Stud

- Material: PC
- Solar panel:2.5V /0.25W
- Battery:NI-MH 1.2V/1500MAH
- LED:Φ5 Ultra bright LED 6pcs
- Working model:Constant or blinking
- Load capacity: >20T
- Size:D108mm*H56mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1052 Solar Road Stud

- Material: PC
- Solar panel:5V/80MA
- Battery:3.2V/300MAH
- 6PCS LED
- Size:114*90*11mm
- Weight:120g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 Days	IP68	NO	500M	1M

BSR1019 Solar Road Stud

- 6pcs LED
- Solar panel: 2.5V/180MA
- Battery:3.7v1000MAH
- Size:135x135x50mm
- Net weight: 760g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	500M	1M

BSR1012 Solar Road Stud

- 6PCS led
- Solar panel:2.5V/0.25W)
- Battery: NI-MH1.2V/600MAH
- Size: L123*W133*H22+55mm
- Weight:635g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3 day	IP67	NO	500M	1M

BSR1001 Road Stud

- Size: 110x110x9mm
- Material: PMMA ,ABS
- Net weight: 69g
- With reflective straps



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP68	NO	500M	1M

BSR1002 Road Stud

- Size: 110x110x9mm
- Material: PMMA ,ABS
- Net weight: 110g
- With reflective straps



IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
IP68	NO	500M	1M

BSR1020 Solar Road Stud

- 6pcs LED
- Solar panel:2.5V/0.25W
- Battery:NI-MH1.2V/600MAH
- Size:L124mm*W29mm*H43mm
- Weight:250g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>2day	IP68	NO	500M	1M

BSR1025 Solar Road Stud

- 6pcs LED
- Solar panel:2.5V/0.25W
- Battery:NI-MH1.2V/1500MAH
- Size:Dia122*25mm
- Weight:300g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>3day	IP68	NO	500M	1M

Personal Security Home Security Items



BSG26028 Solar Alarm Light

- 2pcs Red LED Light
- Battery:3.7v 400mah
- Solar Panel:5v*80mah
- Size: 7.5*8.1*3.2cm
- Charging Time:8h



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP55	NO	100M	1M

BSG26032 Solar Alarm System

- 6 pcs Red LED Light
- Solar Panel:5v*80mA
- Battery:3.7 400mah
- Material:ABS
- Discharging Time:50Days



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP55	NO	100M	1M

BSG26029 Solar Alarm Light

- 3.7v 1200mah
- Solar Panel:5v*130mah
- Size: 15*5.4*7.6cm
- Material: ABS
- Discharging Time:8-10days



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP55	NO	100M	1M

BSG26022 Solar Ultrasound Alarm

- 2pcs led,
- 5v 130MA solar panel
- 3.7v 1200mah
- Ultrasound :24hz
- Size: 68X150X125mm,250g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	300M	1M

BSG26035 Solar Alarm System

- 6pcs Red LED +3pcs LED
- 3.7v 2000mah
- Solar Panel: 5v*1.2
- Size:145*105*175mm
- Discharging time: >12h



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP55	NO	100M	1M

BSG26021 Solar Alarm Light

- 12pcs red + 12 blue led
- 5v 3w solar panel
- 3.7v 4000mah
- Size: 170x200x170mm
- Bracket :280cm
- Net weight:250g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	500M	1M

BSG26018 Solar Infrared Alarm

- 12pcs led
- 5v 1.2w solar panel
- 3.7v 2000mah
- Size: 177x87x85mm,500g
- 13 kinds sounds inside
- With recording function



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	500M	1M

BSG26031 Solar Alarm System

- 3.7v 1200mah
- Solar Panel:5v*120ma
- Material: ABS
- Size: 8.8*14*9.4cm
- Charging Time:Solar Charging8h/ DC 2h
- Detection distance: 5-8 meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26003 Solar Security Light

- Solar panel: 5v 80ma
- 6pcs led 3.7v 400mah
- Size: 120x69mm
- Alarm:110DB
- 2 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	500M	1M

BSG26004 Solar Security Light

- Solar panel: 5v 120ma
- 8pcs led
- 3.7v 1200mah
- Size: 140x90mm
- Alarm: 129DB
- Remote control: 433 MHZ



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>18H	IP65	NO	500M	1M

BSG26030 Solar Alarm Light

- 3.7v 400mah
- Solar Panel:5v*80mah
- Size: 97*48*110mm
- Charging Time:8h
- Discharging Time:>3h
- Sounds:13 sound plays



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26023 Solar PIR Alarm

- 6pcs red led,
- 5v 80MA solar panel
- 3.7v 400mah
- 1298D
- Size: 80X95Xmm,140g
- With PIR sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	300M	1M

BSG26033 Solar Alarm System

- Battery:3.7v 1000mah
- Size:164.3*124.3*59mm
- Weight:247g
- Charging time:10h/USB 4-5h
- Alarm volume:<100DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	100M	1M

BSG26025 Solar Alarm With Warning Light

- Solar :5v100ma
- 3.7v 800mah
- Material : ABS
- 135x61x79.5mm,250g
- Alarm: 120db
- 3 work modes



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	300M	1M

BSG26036 Solar Infrared Sensor Repeller

- Weight:500g
- Material:ABS
- Size:11*5*14*50cm
- Repulsion range: 50-80 square meters



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	50-80M	1M

BSG26037 Solar Animal Alarm

- Red Blue LED
- Solar Panel
- Size:9.4*8.5*10.5cm
- Weight:1000g
- Recharging time :5h
- Sensing design



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	>50M	1M

BSG26005 Solar Infrared Alarm

- 5v 60mah solar panels
- 3.7v 800mah
- Size : 122x55x73mm
- Net weight : 121g
- Alarm sound : 100DB
- With light sensor



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP65	NO	500M	1M

BSG26020 Solar Alarm Light

- 8pcs led
- 5v 120ma solar panel
- 3.7v 1200mah
- Size: 90x85x90mm,250g
- 120BD
- With PIR sensor & remote control



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	500M	1M

BSG26019 Solar Infrared Alarm

- 6pcs led
- 5v 150ma solar panel
- 3.7v 1200mah
- Size: 105x105x75mm,400g
- 13 kinds sounds inside
- With recording function



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP65	NO	500M	1M

BSG26026 Solar Alarm Repellent

- 6pcs Red LED Light
- 3.7v 1200mah
- Solar Panel:5v*150mah
- 10.5*7.5*36cm,420g
- 4 Works Modes
- Discharging Time:6-8days



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IP64	NO	100M	1M

BSG26027 Solar Alarm Light

- 2v*130mah
- Battery:Ni-MH AAA 1.2v/600mah
- Size: 8*8.8*5.8cm
- Charging Time:>8h
- Discharging Time:>12h
- IP44



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP44	NO	100M	1M

BSG26034 Solar Alarm System

- 3.7v 1000mah
- Size:8.5*2.9*8.3
- Weight:90g
- Modes:Infrared sensor activation
- IP54



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP54	NO	100M	1M

BSG26038 Solar infrared Sensor Repeller

- Battery:4*AA 300mah
- Size:15.2*13*42cm
- Material:ABS
- Net Weight:355g
- Discharging time ☐ 6-8h
- Distence ☐ 7-9m



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP64	NO	50M	1M

BSG26039 Solar Infrared Repeller

- Battery:3.7v Solar Panel
- Size:90*305mm
- Material:ABS
- Net Weight:500g
- Red light LED
- with vibration deterrent



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>12H	IP64	NO	50M	1M

HL79523AB Battery/Rechargeable Personal Alarm

- 1PC LED
- Net Weight:32g
- 3* LR44 /3.7V 120MAH
- Size:12.5*4.3*2cm
- 130dB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79526 Rechargeable Personal Alarm

- 1PC LED
- 3.7v 150mah
- Size:56*51*22mm
- Net Weight:32g
- 130db



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79522 Rechargeable Personal Alarm

- 1PCS LED
- 130 DB
- Size: 73*42*21mm
- 3* LR44 /3.7V 120MAH
- Weight: 30g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79525 Battery Personal Alarm

- 1PC LED
- Material:ABS
- 3PCS*LR44
- Net Weight:32g
- Size:55*52*26MM
- 130DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79517B Rechargeable Personal Alarm

- 1PC LED
- Material: ABS
- LR44 * 3pcs/3.7V 120MAH
- Alarm : 130DB
- Size: 82 * 51 * 35mm
- Net weight: 43g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
>24H	IPX4	NO	10M	1M	

HL79508 Personal SOS Alarm

- 3.7v130mah
- 130DB
- Size: 52X22X52mm
- Net weight: 46g
- With key chainv



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IP65	NO	10M	1M

HL79520 Battery Personal Alarm

- 1PC LED
- Material:ABS
- 3xLR44
- 100DB
- Weight: 27.5g
- Size: 64*46*24mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79505 Personal Alarm Light

- 1pc led,
- 130DB
- Size: 87.5X30X13mm
- Net weight: 18g
- With key chain



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IP65	NO	10M	1M

HL79502 Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 100X31X13.5mm
- Net weight: 28



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
4H	IP65	NO	10M	1M

HL79503 Personal Alarm Light

- 8pcs led,
- 3.7V100mah
- 130BD
- Size: 78X25X18mm
- With clip



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
4H	IP65	NO	200M	1M

HL79530 Rechargeable Personal Alarm

- 1PCS LED
- 3*7.6*1.6cm,25g
- 3.7V 200mah
- Alarm DB:120DB
- With Keychain



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IP65	NO	10M	1M

HL79504 Personal Alarm Light

- 1pc led,
- 3.7V130mah
- 130DB
- Size: 68X26X10.5mm
- Net weight: 18g



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IP65	NO	10M	1M

HL79524 Battery Personal Alarm

- 1PC LED
- Battery:23A12V
- Size:35*19*70mm
- Net Weight:40g
- 130DB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79519 Personal Alarm with PIR Sensor

- 1PC LED
- 120DB
- Battery: LR44 x3
- Size: 38 × 24 × 67mm
- With human body induction



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

HL79528 Battery Personal Alarm

- LR44*3pcs
- Size:71.5*38*14.5mm
- Weight:27.5g
- Material:ABS
- Alarm decibel: 125dB



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
2H	IP65	NO	10M	1M

HL79521 Battery Personal Alarm

- 3xLR44
- 100DB
- Weight: 30g
- Size: 60*30*24mm



RUNTIME	IP CLASS	MAGNET	LIGHT DISTANCE	IMPACT RESISTANCE
>24H	IPX4	NO	10M	1M

BPL66028 Window Door Alarm

- 3AAA
- Size:10*6*4cm
- Weight:60g
- 4 Work Modes
- Alarm decibel: 65-120db

**BPL66011 Door/Window Sensor Alarm**

- 130DB
- 3pcs LR44
- Size: 14.5X70X35mm
13.5X10X40mm
- With sticker

**BPL66022 Window Door Alarm**

- Size:45*23*99mm
- Material:ABS
- Net Weight:36g
- 2*AA (Not Including)
- 95 dB

**BPL66025 Window Door Alarm**

- Size:15 x 5 x 10 cm
- Material:ABS
- 100 dB sound
- magnet control
- 3pcs AA battery not include

**BPL66021 Window Door Alarm**

- Size : Host 65*34*16.5mm
- Magnetic stripe 36*10*14mm
- Net weight: 42g
- Material: ABS
- LR44*3
- 90-130 dB

**BPL66016 Window Door Stop Alarm**

- Materials:ABS
- Size:90*42*15.5mm
- 2*AAA
- 130DB Alarm
- 4 Work Modes

**BPL66020 Window Door Alarm**

- Size: Ø9*72mm
- Material:ABS
- LR44 * 3 pieces
- Product Weight: 32.5g
- 125 dB

**BPL66019 Window Door Stop Alarm**

- 3*LR44
- Size:64*27mm
- Net Weight:40g
- 120DB
- 2 Sensitivity

**BPL66017 Window Door Stop Alarm With Remote**

- 2*AAA
- Size:90*42*15.5mm
- Material:ABS
- 130DB Alarm
- 4 Work Mode
- With Remote Control

**BPL66015 Door/Window Sensor Alarm**

- 130DB
- 2AAA (body)/ 1cr2032(Remote)
- Size: 90X43X13mm,
45x13x13mm
- With remote control
- Frequency:433HZ

**BPL66018 Door Stop Alarm**

- 3 levels: high, medium, low
- 3AAA battery (not included)
- 120DB
- Size: 68 x 18 x 139mm
- Weight: 40g

**BPL66027 Door Stop Alarm**

- Size:128.2*36*21.5mm
- Weight:45.5g
- Material:ABS +PC

**BPL66012 Window Door Stop Alarm**

- 3pcs LR44
- Material ABS
- Weight 50g
- Size :75x38x11.5mm
- 120DB

**BPL66024 Window Door Alarm**

- Size:35*65*25mm
- Material:ABS
- Net Weight:30g
- 3*LR44
- 95 dB

**BPL66001 Door Stop Alarm**

- 9V battery
- Size:14x4.5x4cm
- Net weight: 90g
- DB for alarm >120
- With switch for on / OFF

**BPL66026 Door Stop Alarm**

- Size:45*37*135mm
- Net Weight:105g
- Material:ABS
- 9V battery
- DB for alarm >120



BPL65021 Rechargeable LED Running Light

- 14PCS LED
- Size:57*24*22mm
- Weight :19.5g
- Material:ABS
- Modes:7 Work Modes



IP CLASS	MAGNET	TEMPERATURE	RECHARGE	USB TYPE - C
IPX4	NO	50M	>2H	

BPL65023 Rechargeable LED Running Light

- XPE+10 LED
- Battery:3.7V 450mah
- Size:36*53mm
- Material:ABS+Silicone
- 6 Work Modes
- With clip



IP CLASS	MAGNET	TEMPERATURE	RECHARGE	USB TYPE - C
IPX4	NO	50M	>2H	

BPL65024 Rechargeable LED Running Light

- COB+XPE
- Battery:1200mah
- Size:57*47mm
- Material:ABS
- Modes:11 Work Modes
- Battery Display



IP CLASS	MAGNET	TEMPERATURE	RECHARGE	USB TYPE - C
IPX4	NO	50M	>2H	

BPL65025 Rechargeable LED Running Light

- 5W COB
- 800lm
- Size:10.5*7.3*3.3cm
- Material:ABS
- Battery Display



IP CLASS	MAGNET	TEMPERATURE	RECHARGE	USB TYPE - C
IPX4	NO	50M	>2H	

BPL65020 Clip Running Light

- 24 SMD.white/blue/green
- 3.7v 400mah
- Net weight:26g
- With clip
- 4 work modes



LUMEN	RECHARGE
1000LM	5-10H
IP CLASS	TEMPERATURE
IPX4	50M

BPL65029 Rechargeable LED Running Light

- COB LED
- 3.7V 450mAh
- Size:5*5*2cm
- Weight :44g
- Material:ABS
- Long Press Sensor Switch



IP CLASS	MAGNET	TEMPERATURE	RECHARGE	USB TYPE - C
IPX4	NO	50M	>2H	

BPL65009 Led Running Light

- XPG +LED +COB
- 3.7V 800MAH
- Material:ABS ,silica
- Size : 57x48x28mm,72g
- With magnet clip
- 5 work modes



RECHARGE	IP CLASS	MAGNET	TEMPERATURE	IMPACT RESISTANCE
>10H	IPX4	WITH	50M	1M

BPL65013 Led Running Light

- 3W COB
- 3.7v 800mah
- Material: silica,ABS
- Size: 4.8x3.8x2.3cm,35g
- 6 work modes
- With red warning light



RECHARGE	IP CLASS	MAGNET	TEMPERATURE	IMPACT RESISTANCE
>10H	IPX4	WITH	50M	1M

BPL62525 Battery Running Light

- 3pcs SMD
- 2pcs cr2032
- 3 flash modes
- Size:55x30x18mm,20g
- Material:ABS,PC
- With clip



LUMEN	RECHARGE	IP CLASS	TEMPERATURE	IMPACT RESISTANCE
1000LM	>12H	IPX4	50M	1M

BPL62526 Led Shoes clip Light

- 1pc COB
- 2*cr2032
- Size: 40x40mm
- 3 flash modes
- Material:ABS
- With clip



RECHARGE	IP CLASS	MAGNET	TEMPERATURE	IMPACT RESISTANCE
>10H	IPX4	NO	50M	1M

BPL62531 Led Running Light

- 1PC LED
- 2*CR2032 (Not Including)
- 3 flash modes
- Size:165x33x19mm,38g
- With magnet



RECHARGE	IP CLASS	MAGNET	TEMPERATURE	IMPACT RESISTANCE
10-20H	IPX5	NO	50M	1M

BPL6239 Battery Running Light

- 2pcs SMD
- 2AAA (not included)
- 3 flash modes
- Size:58x32x15mm,10g
- With clips



LUMEN	RECHARGE	IP CLASS	TEMPERATURE	IMPACT RESISTANCE
1000LM	>12H	IPX4	50M	1M

BPL62539 Sports Arm Light

- 4xwhite+2xred2835SMD
- Size:38x22mm ,20G
- 4 work modes
- With strap for wrist & clip



LUMEN	RECHARGE
1000LM	5-10H
IP CLASS	TEMPERATURE
IPX4	50M

BPL62806 Battery Led Reflective Pendant

- 1pc led
- 1pc cr2032
- Material: reflective strap
- Size :35 X 180mm
- Can Be washable



LUMEN	RECHARGE	IP CLASS	TEMPERATURE	IMPACT RESISTANCE
1000LM	>12H	IPX4	50M	1M

BPL62210 Reflective PVS clip Light

- 1pc SMD
- 1 cr2032
- Size: 117x33x8mm
- Material:PVC reflective
- Net weight : 14.6 g
- With magnet



MAGNET	RECHARGE	IP CLASS	TEMPERATURE	IMPACT RESISTANCE
YES	>12H	IPX4	50M	1M

BPL85101 Led Reflective Armband

- 4PCS LED
- CR2032
- 2 flash mode
- Size:420x30mm
- With reflective band



RECHARGE	IP CLASS	MAGNET	TEMPERATURE	IMPACT RESISTANCE
>10H	IPX4	NO	50M	1M

LUMEN	RUNTIME
80 LUM	4-24H
IP68	LIGHT DISTANCE
UPXS	10M

-

[illegible]

Work Light

Our company was founded in 2015 and located in Ningbo, China. We specialize in manufacturing and exporting innovative LED lighting products to overseas markets, with our main markets including the USA, Europe, Japan, Southeast Asia and more.

We have been specializing in the professional lighting industry for over a decade and pride ourselves on offering a full range of lighting products that meet the highest standards. Our products include work lights, portable flood lights, warning lights, headlamps, camping lights, torches, solar lights, sensor lights and more.

Whether you need products for everyday lighting, professional workshop tools, emergency response, road safety, temporary construction sites, personal protection, indoor lighting, outdoor events or promotional items, our diverse product range will meet your requirements and exceed your expectations.

Company Vision
Brilliant, illuminating every corner.

HL70820B Multifunction Work Light

- Front: 18PCS White LED(18W)
- Back: 10PCS Amber LED(10W)
- 6 Work Mode
- Stretching length: 62.2cm
- 32.6x11.3x4.7cm,694g
- 3.7v 4400mAh
- With Foldable 360° Adjustable Hook
- Base 2pcs strong magnets
- Magnet Base can be rotated 90°



HL71074 10W COB Work Light

- 10W COB
- Size:48*45*425-480mm
- Battery:3.7v 4400mAh
- 3 Work Modes
- With Hook & magnet
- Bracket can be rotating 180 degree



HL71603 Foldable Dock Light

- 2X 10W COB
- 3.7v 4000mah
- Size: D65x510mm, 478G
- 2 work modes
- With hook,magnet



HL71303 Foldable Dock Light

- 2X 10W COB
- 3.7v 4400mah
- Size: D65x650mm,610G
- 2 work modes
- With hook,magnet



HL71089 Foldable Work Lamp

- 2x 10W COB
- 3.7v 4000mah
- Size: 66x50x260mm, 400g
- 3 Work modes
- with Magnet
- With hook



HL71082 Portable tripod worklight

- 207PCS LED
- 3.7v 9000mah
- Material:Aluminum ,ABS
- Size: 230x95x95mm (lamp)
600x75x75mm(tripod)
- Highest 1600mm
- Net weight : 1759g
- With strong magnet and hook

**HL71510 Rechargeable Telescope Work Light**

- SMD LED
- 3.7v 8000mah
- PC+ABS+aluminum alloy
- 6.2*40cm-100cm,780g
- 5 Work Modes
- Battery Display&Power Bank

**HL71081 High Lumen Work Lamp**

- 40W COB, 3500k/6500k
- 3.7v 18000mah, 10pcs 18650
- 224x140x235mm,1307g
- With bracket
- With power bank
- Dimmer switch

**HL71101 Multi Function Work Lamp**

- COB +18 SMD UV
- +24 SMD red
- 3.7V 6000mah
- 150x69x103mm
- Net weight :388.5g
- Dimmer switch

**HL71072 Telescope Work Lamp**

- 276 SMD/30w COB, 2700~6500K
- 3.7v 10000MAH
- Size:24x15.5x72-104cm
- With 360 degree swivel
- 8 work modes
- With power bank

**HL71126 Telescope Work Lamp**

- COB+LED+RGB
- 19.2*19*10CM ,Heightest:30.5cm,711g
- 3.7v 3000mAh (21700)
- With Magnet
- Power Bank Function
- Telescopic Design

**HL71125 Portable Work Light**

- White Laser+8PCS LED+COB
- 20.5*17*10CM,645g
- Battery:3.7v 3000mAh
- Power Bank Function
- With Hook & Screw Hole
- Battery Display

**HL71127 Foldable Portable Work Light**

- COB+LED
- 14*10*3CM,282g
- 3.7v 3000mAh
- With Solar Panel
- With Magnet
- 180° Foldable Design
- With Hook & Screw Hole

**HL71105 Foldable Portable Worklamp**

- 18W COB +36 SMD
- 3.7v 4000mah
- Size:239x175x254mm.600G
- 5 work modes
- With clip & Magnet & M6 hole

**HL71106 Foldable Portable Worklamp**

- 8W COB +2x6W COB
- 3.7v 3600mah
- Size: 207x110x202mm,412G
- 5 work modes
- With clip & Magnet & M6 hole

**HL71043A/B Foldable Flood Work Light**

- 10Wx2,spot / flood COB ,3.7v 5000mah
- Material: ABS, Aluminum
- 129x170x51mm,580g
- 3 work modes
- 2 brackets with magnets,360 degree swivel

**HL71073 A/B Mini Flood Work Light**

- 8w cob + 5w led,1000lumen
- 3.7v 4000mah
- Material: abs , TPR, AL
- 85x101x40mm,260g
- With magnet
- 180 degree swivel handle



HL71516 Portable Rechargeable LED Work Light

- SMD LED
- 3.7v 8000mah
- Material: PC+nylon
- 120*43*263mm,933g
- With Battery Display&Magnet
- With Power Bank

**HL71083 Dual Side COB Worklamp**

- 2x10W COB + SMD
- 3.7v 4000mah
- Size: 93x89x60mm
- Net weight: 305g
- 3 work modes
- With magnet & hook

**HL71027 Mini Flood Work Light**

- 10W COB 3.7V 2400MAH
- Material: ABS
- 94x42x107mm,213g
- 3 work modes
- 180 degree bracket
- With magnet on the handle

**HL71124 Portable Work Light**

- XTE+COB+Red COB
- 12*8.5*4CM,263g
- 1*18650/3AAA(Not Including)
- With Magnet & Foldable Metal Hook
- With 1/4 Screw Hole
- Power Bank Function

**HL71103 Clip Work Lamp**

- 56 SMD 11W
- 3.7v 3000mah
- Size: 103x60x124mm
- Net weight: 200g
- With clip

**HL71118 Clamp COB Work Light**

- COB + LED
- 21.2*12.5*9.5cm
- 3.7v 4000mah
- Clip Design
- Lamp Head 180° adjustable
- With Magnet& Folding Hook

**HL70827B Portable Work Light**

- 3.7V.1800mAh
- 61*38*174mm,176g
- 5W COB+3W top led
- Mode: 3 work modes
- With strong magnet on the bottom
- With 360°rotating light body

**HL70827B Portable Work Light**

- 3.7V.1800mAh
- 61*38*174mm,176g
- 5W COB+3W top led
- Mode: 3 work modes
- With strong magnet on the bottom
- With 360°rotating light body

**HL70827 Portable COB Work Light**

- 8W cob + 3 w top led,1000lumen
- 3.7v 4400mah
- Material: ABS,
- 40.3x64.1x208mm,302g
- With magnet on the bottom and hook
- With power bank
- 3 work modes

**HL71026B Handle Work Light**

- 10W COB+5W top led
- Charging time:4H
- With strong magnet on the bottom
- Power bank USB output
- 1*3.7V,5000mAh
- 64.5x38.5x296mm,385g

**HL70833 COB Handle Work Light**

- 5w COB (side) ,3W led (top)
- 3.7V 2000MAH
- 54x35x166mm,194g
- Material: ABS TPR
- 180° rotated bracket
- With strong magnet on it

**HL70835 Pocket Work Light**

- 5w COB+ 3W XPE(top)
- 3.7V1200mah
- 31x42x154mm,108G\g
- Material: ABS+PC
- With hook and magnet handle



HL70838 Handle Work Light

- 10W COB+1W top led
- Dimmer switch
- With strong magnet and hook
- With battery indicator on the front
- 1*3.7V,4000mAh
- 47*47*397mm,222g

**HL70826 Goose Neck Work Light**

- 10W COB + 3 w top led
- 3.7v4000mah
- Material: ABS aluminum
- Size: 50x52.6x630mm
- Net weight : 373g
- 3 work modes

**HL70837 Pocket Work Light**

- 5050 dual color SMD
- 6000k / 3000k
- 3.7v 1200MAH
- 37x16x241mm,98g
- Material: ABS

**HL71053 Color Match Work Light**

- COP + XPE.
- 2700K/4500K/6500K / 7000k
- 3.7V2000MAH
- 165x46x37mm,139g
- 4 work modes
- With magnet,bracket,hook

**HL71613 Foldable Work Light**

- 10w COB + 3w top led
- 3.7v 4000mah/2600mah
- Material :abs,metal
- Size: 42.5x65x352mm
- Net weight : 257g
- 3 work modes

**HL71614 Foldable Work Light**

- 12WCOB+1818LED
- Material:ABS+Aluminum
- 57*47*194-350mm,262g
- 3.7v 4000mAh
- 180° Adjustable Angle
- 270° Rotatable Lamp Body
- Strong Magnet Base

**HL71617 Foldable Handle Work Light**

- 5W COB +XPE top
- 3.7v 1200mah
- Material: ABS,
- 43x43x197mm,180g
- With hang and magnet in the base

**HL70805C COB Folding Work Light**

- 5WCOB+XPE(top)
- 3.7V2000mah
- 33.8x38.3x410.8mm 197g
- Material: ABS
- With hook on the top
- Dimmer switch

**HL71060 Pen Clip Work Lamp**

- 2pcs COB +SMD (top)
- 3.7v1100mah
- Material: ABS ,Aluminum
- 158.5-300x23x29.5mm,105g
- With magnets,pen clip
- 4 work modes

**HL71061 Foldable Work Light**

- 2pcs COB +SMD (top) ,650Lumen,
- 3.7v 2600mah
- Material: ABS ,Aluminum
- 341.5-189.2x59x39.2mm,258g
- With magnets
- 4 work modes

**HL70722A Foldable Work Light**

- 5w COB (side) ,3W led (top)
- 3.7v 2000mah
- Size:150x38x31mm (folding)
- With dimmer switch
- With magnet and hook,
- Net weight 163g



Wireless Charging Board Available

**HL71607 Multi Function Work Lamp**

- 3w COB (side) + 1w (top)
- 3.7v 2000mah
- 155x43mm,138g
- 5 work modes
- With bracket
- Magnet &hook



HL71615 Foldable Work Light

- 6w COB +SMD +XPE
- 3.7V 1500MAH
- Size:195X48X30MM
- Net weight : 179g
- 4 work modes
- With hook and magnet



Wireless Charging Board Available

**HL71023 Folding Work Lamp**

- 5W COB (Side),1wSMD (side)
- 3.7V2200mah
- Size:35x45x200-355mm, 195g
- 3 work modes
- Angle adjustable :210degree
- With magnet and hang



Wireless Charging Board Available

**HL71519 Dual Light Source Portable Work Light**

- XTE+COB
- 3.7v 500mah
- ABS+PC
- 12*5.4*5cm,126g
- With Battery Display&Magnet Base
- Power Bank Function

**HL71121 Rechargeable Spot Work Light**

- 1 PCS+8PCS LED
- 19.5*9*6cm,292g
- Material:ABS
- 3.7V 4000mAh
- Lamp Head can be rotating 90°
- With Hook

**HL71117 Rechargeable Silm Work Light**

- 5W LED
- 3.7V 1500mAh
- Charging time:2-3
- Materials:ABS
- 4 Work Modes
- With Clip&Magnet Base

**HL74054A/B Flexiable Tube Work Light**

- 10W COB/10W LED
- 40*415MM/40*345*28MM
- Material:ABS
- 3.7V 2000mAh
- 5 Modes/3 Modes
- With Hook & Magnet
- Flexible tube design

**HL70614A/B High Power co8 LED Work Light**

- COB LED
- Materials:ABS+PS
- 162*102*202m,538g(A)/582g(B)
- 12 Work Modes
- Switch Dimmable Function
- Handle Rotating
- 3 Type Battery Pack

**HL70616 Handle LED Work Light**

- P50+RGB
- Material:ABS+PS
- 120*95*270mm,390g
- Front :8 Modes
- Back: 2 Modes
- 3 Type Battery Pack
- Charging time:12-18H

**HL70606 Handle LED Work Light**

- Material:ABS+PS
- 12*7*24cm,312g(without battery)
- 4 work Modes
- COB+P50
- 2 Switches
- With Dimming Light Function

**HL70604 A/B Multifunction Searchlight**

- P70 + COB
- Battery pack
- Material: ABS,PC
- 10 work modes
- Dual side light

**HL70617A/B High Lumen Work Light**

- 437PCS LED /396PCS LED
- Material:ABS+PS
- 4 Work Modes
- 245*134*275,1528g
- With Battery Pack

**GD72501 Powerful Work Light**

- 40pcs 2835 SMD bulbs (20 yellow + 20 white)
- Material: ABS+PS+Nylon
- Product size: 112*92*145mm
- Product weight: 297g
- Dimmable Color temperature&Brightness



HL74017A/B P50 LED Flashlight

- P50
- A:113*140*212mm,547g
- B:168*190*280mm,941g
- 3.7v 4500mah/6000mAh
- 3 Flashing modes
- With solar panel
- Power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1500LM	3-6H	IP44	50M	1M	

**HL74018A/B P50 Solar LED Flashlight**

- P50
- A:109*119*200*mm,445g
- B:152*156*263mm,772g
- 3.7v 4500mah/6000mAh
- 3 Flashing modes
- With solar panel
- Power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1600LM	3-4H	IP44	50M	1M	

**HL74008ABC Dual Side Handle Flashlight**

- P50+COB
- Material:ABS
- 88*223*90mm, 300g
- 3.7v 3000mah
- 6 Flashing Modes
- With Red blue flashing



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1500LM	3-5H	IP44	100M	1M	

**HL70751 Handle Spot Lamp**

- XML-T6,5W led
- 3.7v 5200mah
- With detachable tripod
- 3 flash modes
- With power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
500LM	5-15H	IPX4	50M	1M	

HL72017 Multi function Handle Lamp

- Front: 192pcs 2835SMD;
- Back: 32 3030 SMD,6 red,6 blue,
- 5pcs 18650,7200mah
- Size: 174 x 152 x 200mm
- Net weight : 683g
- 6 work modes
- With power bank



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1700LM	5-15H	IPX4	50M	1M	

HL72018A/B Handle Spot Lamp

- Front: P50; Back: 18pcs 3030 SMD,7pcs red,7pcs blue
- 3pcs 18650,4500mah
- Size: 175 x 110 x156mm
- Net weight : 460g
- Front: 3 work modes
- Back: 3 work modes
- With power bank



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1700LM	5-15H	IPX4	50M	1M	

HL74015 P70 LED Flashlight With Solar

- P70+COB
- Material:ABS+Aluminum
- 3.7v 1200mah
- 114*116*270mm,327g
- 6 work Modes
- With Solar panel
- Power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
2500LM	3-5H	IP44	100M	1M	

**HL74014A/B Flashlight With Window Breaker**

- 5LED+COB
- 3.7v 1500mah
- 47*85*270mm,298g
- 8 work Modes
- With cutter>window breaker
- With hook & magnet
- Power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
2500LM	3-5H	IP44	100M	1M	

**HL73107 P70 Flashlight**

- P70
- 3X18650 4500mah
- Net weight :647g
- 6 work modes
- With solar cell



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1800LM	4-8H	IPX4	100M	1M	

**HL73106 P70 Flashlight**

- P70
- 3X18650 4500mah
- 125x290x205mm,647g
- 7 work modes
- With solar cell



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
2000LM	4-7H	IPX4	100M	1M	

**GD8101A/B Outdoor P50 Flashlight**

- P50 + COB
- A:130*225*165mm, 728g
- B:150*240*190mm,1125g
- 3.7v 6000mah
- 12 Work Modes
- Battery Display



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1500LM	3-4H	IP44	100M	1M	

HL74020 Powerful Handle Flashlight

- 5W LED +Side LED
- 18*10.3*7.3cm,295g
- 3.7V 2000mAh
- 6 Work Modes
- Battery Indication
- Power bank function



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1000LM	4-8H	IP44	100M	1M	

HL73104 Multi Function Flashlight

- P50
- 3X18650 4500mah
- 125x290x205mm,710g
- 6 work modes
- With bracket & handle



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1700LM	4-8H	IPX4	100M	1M	

GD8102A/B Outdoor Handle P50 Flashlight

- P50
- 3.7v 6000 mAh
- A:125*325*120mm,830g
- B:150*355*125mm,923g
- 8 Work Modes
- With Solar Panel
- Power Bank Function
- Head can be rotated 90 degrees



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1700LM	3-4H	IP44	100M	1M	

**HL72020A/B/C Rechargeable Spot Light**

- T6
- 3.7v 3000mah
- Solar panel : 1.5w
- 88x160x210mm,348g
- 5 flash modes
- With battery indication
- With power bank



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
2200LM	7-8H	IP44	100M	5M	

**HL72025 Rechargeable Spot Light**

- P50
- 3.7v 8000MAH
- 20x19.5x10.3cm, 290g
- With magent ,hook
- With power bank function
- With screw hole



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1000LM	4-8H	IP44	100M	1M	



HF80024 Powerful Violent Fan

- 12-blade multi-blade fan
- LED:5pcs XTE + 50pcs 2835
- Charging time: about 8 - 14 hours
- Voltage:12V
- Maximum power: about 1000W
- Motor speed:0~3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80025 Powerful Violent Fan

- 12-blade multi-blade fan
- LED:5pcs XTE + 50pcs 2835
- Charging time: about 8 - 14 hours
- Voltage:12V
- Maximum power: about 1000W
- Motor speed:0~3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80023 Powerful Violent Fan

- 12-blade multi-blade fan
- Use time:10Min-12H
- Charging time: about 8 - 14 hours
- Voltage:12V
- Maximum power: about 1000W
- Motor speed:0~3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80019 Powerful Violent Fan

- 12-blade multi-blade fan
- Material: ABS
- Charging time: about 8 - 14 hours
- Voltage: 12V
- Maximum power: about 1000W
- Motor speed: 0 ~ 3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80018 Powerful Violent Fan

- 12-blade multi-blade fan
- Charging time: about 8 - 14 hours
- Voltage: 12V;
- Maximum power: about 1000W
- Motor speed: 0 ~ 3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80017 Powerful Violent Fan

- 12-blade multi-blade fan
- Charging time: about 8 - 14 hours
- Voltage: 12V
- Maximum power: about 1000W
- Motor speed: 0 ~ 3300/min
- Maximum speed: 45m/s



X005 Makita

X007 Milwaukee

X008 Dewalt

HF80032 Powerful Air Vacuuming Blower

- 12-blade multi-blade fan
- Use time: 10 Min-2 Hours
- Charging time: about 10 - 15 hours
- Voltage: 18V;
- Maximum power: about 600W
- Motor speed: 20000-22000/min



X005 Makita

HF80037 Powerful Air Vacuuming Blower

- 12-blade multi-blade fan
- Use time: 16 Min-2 Hours
- Charging time: about 10 - 15 hours
- Voltage: 18V;
- Maximum power: about 600W
- Motor speed: 20000-22000/min



X005 Makita

HF80032 Powerful Air Vacuuming Blower

- 12-blade multi-blade fan
- Use time: 16 Min-2 Hours
- Charging time: about 10 - 15 hours
- Voltage: 18V;
- Maximum power: about 600W
- Motor speed: 20000-22000/min



X005 Makita

HF80045 Powerful Violent Fan

- 5PCS LED
- Light Work Modes:High-Low-Flash
- 13-blade multi-blade fan
- Material:ABS
- 107*74*196mm,296g
- Use time: 35 minutes~2H
- Voltage: 21V;
- Maximum power: about 330W
- Motor speed:13000/min
- Full-charge thrust:150g



X005 Makita

HF80042/3B Powerful Violent Fan

- 1PC 3030+14PCS 2835
- Number of blades: 13 pieces
- Maximum speed: 80000 rpm
- 8*2500mAh
- Charging time: about 10-12 H
- Discharging time: 15 minutes~3H
- 5 Lighting Work Modes



HF80042/3A Powerful Violent Fan

- 1PC 3030 +14PCS 2835
- Number of blades: 13 pieces
- Maximum speed: 80000 rpm
- 4*2500mAh
- Charging time: about 8-10H
- Discharging time: 10 minutes~6H
- 5 Lighting Work Modes



HF80027 Portable Violent Fan

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
20M-1H	IPX4	NO	1M

HF80028 Violent Fan With LED

- 13 blade multi-blade fan
- 12PCS LED
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
20M-1H	IPX4	NO	1M

HF80034A/B Portable Violent Fan

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
16M-2H	IPX4	NO	1M

HF80035A/B Portable Violent Fan

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
20M-1H	IPX4	NO	1M

HF80036A/B Violent Fan With LED

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
16M-2H	IPX4	NO	1M

HF80040A/B Violent Fan With LED

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4000mAh
- Size: 71*43*158mm
- Net weight: 301g
- Use time: 15Min~2Hours
- Charging time: about 10 hours
- Voltage:12V
- Motor speed:130000rpm
- With 6 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
20M-3H	IPX4	NO	1M

HF80031 Violent Fan With Nozzles

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
16M-2H	IPX4	NO	1M

HF80033 Violent Fan With Nozzles

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
16M-1H	IPX4	NO	1M

HF80039A/B Violent Fan With LED

- 13 blade multi-blade fan
- Material: ABS
- Battery:2*4500mAh
- Size: 71*45*142mm
- Net weight: 262.5g
- Use time: 12Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:130000rpm
- With 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
12M-1H	IPX4	NO	1M

HF80021A/B Portable Violent Fan With LED

- 13 blade multi-blade fan
- LED+ COB
- Material: ABS
- Battery:2*4000mAh
- Size: 65*58*162mm
- Net weight: 382g
- Use time: 20Min~2Hours
- Charging time: about 7 hours
- Voltage:12V
- Motor speed:110000rpm±10%
- 4 Nozzle



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
12M-1H	IPX4	NO	1M

HF80015/B Portable Violent Fan

- Number of blades: 13 pieces
- Maximum speed: 110,000 rpm ± 10%
- Battery:3.7V 8000MAH/3.7V 7500mAh
- Product size: 240*45*145mm
- Product weight: 320g
- Charging time: about 7 hours
- Functions: flat nozzle suction head(removable)



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
15M-1H	IPX4	NO	1M

HF80030A/B Portable Violent Fan

- Number of blades: 11 pieces
- Maximum speed: 22,000 rpm - 60,000 rpm
- 16.8v 4*4000mah
- 213*114*75mm,715.6g
- Charging time: about 6 hours
- Discharging time: 12 minutes~1.5 hour



ROUTINE	IP CLASS	MAGNET	IMPACT RESISTANCE
20M-1H	IPX4	NO	1M

HL74023 Mini Rechargeable Flashlight With Clip

- 2W LED+SMD
- 3.7v 600mah
- ABS+stainless steel
- 64.2*33.4*21.3mm
- With Battery Display&Clip
- With Red Warning Flash



HL74022 Portable Rechargeable EDC Flashlight

- 3PCS LED
- 3.7v 1200mah
- ABS+aluminum alloy
- 37*21.2*125mm,150g
- With Battery Display
- With Clip



HL74029 Portable LED Flashlight With Whistle

- 1W LED
- 3.7v 300mah
- ABS
- 41*20*30mm,28g
- 10 Work Modes
- With Clip
- Whistle design



HL74030 Mini EDC Flashlight With LCD Display

- 2PCS LED
- 3.7v 900mah
- ABS
- 26.5*52*62mm,150g
- 8 Work Modes
- With Clip&Magnet base
- Battery Display



HL74024 Portable EDC Flashlight

- 5PCS LED +8PCS LED
- 8.3*4*3.5cm,63g
- With Strong 360° Rotated Clip
- Lamp Head 180° Adjustable
- With Battery Display



HL74056 Portable EDC Flashlight

- 4PCS LED+RGB LED
- 3.7V 750mAh
- Material:ABS
- 8.6*4.1*3.4,63g
- With Magnet & Clip
- 90° Rotating Lamp Head
- Sensor Switch



HL74028 Portable LED Keychain Flashlight

- 5W LED
- 3.7v 250mah
- ABS
- 120*50*30mm,40g
- 3 Work Modes
- With Magnet Base
- With Hook



HL74037 Rechargeable LED Flashlight With Clip

- SMD LED
- 3.7v 300mah
- Material:ABS
- 66*28*15mm,71.5g
- 9 Work Modes
- Magnet Base



HL74053 Mini Aluminum EDC Flashlight

- 3PCS 2W LED
- 3.7v 1200mah
- ABS+410Stainless Steel
- 61.2*30.5*28.8mm,85g
- With Magnet &Clip Design



HL74055 EDC Flashlight With Buzzer

- XTE+Red Laser+LED
- 8.2*2.8*2.6cm,32.5g
- Material:ABS
- 3.7V 400mAh
- With Memory Function
- With Buzzer



HL74039 Dual Source Rechargeable LED Flashlight

- 3.7 1200mah
- Material:ABS
- 12.8*4.3*2.7cm,102g
- 6 Work Modes
- Charging time:3h
- With Magnet Base&Clip
- Battery Display



HL74034 Multifunctional Rechargeable RGB Flashlight

- SMD+LED
- 3.7v 1000Mah
- Material:aluminum alloy+ABS
- 10.5*3.5*1.8cm,106g
- 15 Work Modes
- Charging Time:<2h
- With Clip&Magnet Base
- Battery Display



HL74027 Aluminum LED Flashlight With Solar

- 3.7v 1000mah
- Aluminum alloy+PC+ABS
- 124.5mm*30mm,115g
- 5 Work Modes
- With Magnet Base&Clip
- With Solar Panel



HL74026 Rechargeable Slim Aluminum Flashlight

- 3.7v 1000mah
- Aluminum alloy+PC+ABS
- 124.5mm*30mm,115g
- 6 Work Modes
- With Magnet Base
- With Clip



HL74035 Aluminum Flashlight With Hand Warming

- 10W LED
- 3.7v 4000mah
- Material:aluminum alloy
- 33*121mm,175g
- 6 Work Modes
- Battery Display
- Hand warmer function



- HL71123 Portable Flashlight With Tube
- COB+SMD
- 3.7V 1500mAh
- 65*35*110mm,Tube Length:14.2cm,110g
- With Clip &Base Magnet
- Flexible Tube Design



HL74001/2 Multifunction Mini flashlight with clip

- 9PCS LED/23PCS LED
- 1000LM/2000LM
- Charging time:4 Hours
- Type-C Magnet Base&Clip
- 3.7v 800mAh/2500mAh
- ABS+PS+AL
- Net Weight:56g/110g



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
2000LM	4-5H	IPX4	100M	1M	USB TYPE - C

HL74013 Portable Solar LED Flashlight

- 17PCS LED
- ABS+PS+PC
- 3.7V 400mAh
- 8 Flashing Modes
- with solar panel
- with cutter & screwdriver
- Charging time:2h



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
1000LM	3-4H	IPX4	20M	1M	USB TYPE - C

HL73908 Multi Function Flashlight

- 2 COB + 5 SMD
- 3.7v 1000mah
- Size:75x18x41mm,43.5G
- 4 function switch
- With alarm,clip



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
500LM	3-15H	IPX4	10M	1M	USB TYPE - C

HL73341 Multi Function Flashlight

- COB + XPE
- 3.7v 300mah
- Size:70x30x16mm
- Net weight: 36.9G
- 6 work modes
- With magnet in the base



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-5H	IPX4	20M	1M	USB TYPE - C

HL74004 Mini Flashlight With Mosquito Repellent Function

- ABS+PC+Rubber
- SMD
- Charging time:2.5H
- 4 Work Modes
- Mosquito repellent function
- 3.7v 2000MAH



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
100LM	3-10H	IPX4	20M	1M	USB TYPE - C

HL74007 Multtfunction Mini LED Flashlight With Clip

- LED+COB
- Size:55*60*20mm
- Net weight:50g
- 3.7v 600mAh
- 6 work Modes
- Battery indication
- Magnet base&clip



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
150LM	3-6H	IPX4	50M	1M	USB TYPE - C

HL73408 Multi Function Flashlight

- COB + 8 SMD ,red/blue
- 3.7v 400mah
- Size: 45x24x97mm
- Net weight :57.1g
- Multi function tools



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
150LM	3-15H	IPX4	10M	1M	USB TYPE - C

HL73906 Multi Function Flashlight

- 5W COB
- Size:90*26mm, 30G
- Magnet base
- 3 work modes
- With clip
- Light head 180 degree rotating



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-6H	IPX4	20M	1M	USB TYPE - C

HL73910 Multifunction Flashlight

- 16w
- 3.7v 3000mah
- Material: ABS,AL
- Size: 140x55x32mm
- Net weight:280g
- 6 work modes



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
800LM	4-10H	IPX4	10M	1M	USB TYPE - C

HL73904 Multi Function Flashlight

- 2pcs XPG2 + 3030 (red/blue/white)
- 3.7v 500mah
- Size:32x58x6mm ,30g
- With magnet & key chain
- 7 work modes



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
200LM	5-15H	IPX4	20M	1M	USB TYPE - C

HL71119 Multi Function Flashlight

- COB +3PCS RGB LED
- 23.5*2.5*0.8cm,58gh
- 3.7V 400mah
- Material:Aluminum+PC
- With ruler & hidden screwdriver



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-6H	IPX4	20M	1M	USB TYPE - C

HL71120 Multi Function Flashlight

- 5W COB LED
- 10.7*2.5*0.4cm,35.2g
- 3.7V 400mah
- Material:Aluminum
- With Strong Clip&Base Magnet



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-6H	IPX4	20M	1M	USB TYPE - C

HL74009 Mini Rechargeable COB Flashlight With Lighter

- 3.7v 400mAh
- Size:59*30*73mm
- Net weight:70g
- 6 Flashing Modes
- Charging time:2h
- With Lighter Function
- With Battery LCD Display



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
400LM	3-4H	IPX4	50M	1M	USB TYPE - C

HL74010A/B/C Portable Rechargeable Flashlight With Lighter

- SMD LED
- 3.7v 400mAh
- Size:27.5*35.5*64.5mm
- Net Weight:41.5g
- Charging time:2h
- With lighter function
- 3 Flashing modes
- With battery display



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
80LM	3-4H	IPX4	20M	1M	USB TYPE - C

HL71122 Foldable LED Flashlight

- 7*SMD White+3*SMD Red+Top LED
- 2.8*2.5*16.7~31cm,71g
- 3.7v 800mAh
- Pen Clip Design
- 180° Rotated Lamp Body



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-6H	IPX4	20M	1M	USB TYPE - C

HL74064 Silm Portable LED Flashlight

- 3*LED+COB (Warm Yellow+Red)
- 3.7v 400mah
- 10.5*3*0.8cm,41g
- With Pen Clip
- Magnet base



LUMEN	RUNTIME	IP CLASS	LIGHT DISTANCE	IMPACT RESISTANCE	USB TYPE - C
300LM	3-6H	IPX4	20M	1M	USB TYPE - C

HL73916 Multi function Flashlight

- P50
- 3.7V 2000mah
- Size :32X32X194MM
- Net weight: 223.5g
- With clip



300LM	2-8H	IPX4	10M	1M	USB TYPE - C

HL73918 Multi function Flashlight

- P50 + side SMD
- 3.7V 1200mah
- Size :27X27X144MM
- Net weight: 95g
- With clip



300LM	2-8H	IPX4	10M	1M	USB TYPE - C

HL73907 Mini Flashlight

New!

- 6W COB
- 3.7v 1500mah
- Size: 25X25X175mm
- Net weight : 94g
- 5 work modes
- With hook



450LM	4-6H	IPX4	30M	1M	USB TYPE - C

HL73347 Multi Function Flashlight

- 10W +12pcs SMD red/blue for warning
- 3.7V2000MAH
- Size: 152x47x47mm.91G
- With high voltage ARC
- With Alarm
- Telescope zooming
- 3 work modes



400LM	5-15H	IPX4	30M	1M	USB TYPE - C

HL73919 Multi function Flashlight

- 5W COB + Side SMD
- 3.7V 1200mah
- Size :65X27X170MM
- Net weight: 112g
- With belt cutter,safety hammer



300LM	2-8H	IPX4	10M	1M	USB TYPE - C

HL73917 Multi function Flashlight

- P50
- 3.7V 1500mah
- Size :35X25X157MM
- Net weight: 109g
- With clip,Zoom adjustable



600LM	2-5H	IPX4	10M	1M	USB TYPE - C

HL73806 Pen Shape Flashlight

- 5W COB + 3W XPE + UV + red laser
- 3.7v 800mah
- Material : Aluminum, pa,
- Size: 165 x 23 mm
- Net weight : 78.7g
- 4 work modes
- With 120 degree swivel clip
- With magnet



450LM	3-20H	IPX5	20M	1M	USB TYPE - C

HL73804 Pen Flashlight

- XPG+5PCS SMD
- 3.7V 260mah
- Size:23X23X147MM
- Net weight: 68g
- 5 work modes



100LM	3-8H	IPX4	50M	1M	USB TYPE - C

HL74058 Mini Mult function Torch

- 5W LED+3*COB
- 164*78mm,108g
- With Battery Display
- Rope cutter+Window Hammer



300LM	2-12H	IPX4	10M	1M	USB TYPE - C

HL74059 Multifunction Flashlight

- White laser+SMD
- 3.7v 1800mAh
- 180*65mm,182g
- Zoom with scroll wheel
- With Magnetic head
- Rope cutter&Window Hammer



300LM	3-15H	IPX4	10M	1M	USB TYPE - C

HL73805 Aluminum Penlight

- Yellow/white led+5PCS white/purple COB
- 3.7V 350mah
- Size: 13x1.5x1.5cm
- 5 work modes
- Net weight : 67g
- With clip



50LM	3-10H	IPX4	5M	1M	USB TYPE - C

HL74040 Rechargeable Aluminum LED Penlight

- XPG
- 3.7v 350mah
- Aluminum alloy
- 13.5*1.5*1.5cm,47g
- 3 Work Modes
- Charging time:<1.5h
- With Clip



100LM	4-12H	IPX4	20M	1M	USB TYPE - C

HL74060 Multifunction Flashlight

- 2*XTE+SMD White/Red/Blue
- 3.7 1000mAh
- Size :78X19X36MM
- Fixed-focus telephoto
- Rope cutter+Window Hammer



200LM	2-10H	IPX4	10M	1M	USB TYPE - C

HL74061 Multi function Flashlight

- White laser LED+SMD
- 3.7v 3600mAh
- 80*205mm
- With Battery Display
- Rope cutter+Window Hammer



300LM	3-12H	IPX4	10M	1M	USB TYPE - C

HL71064 Mini Rechargeable Flashlight

- 5pcs P40,2PCS RED /BLUE LED, 1PC UV 395NM
- 3.7V 1200MAH
- Size: 110X25X25MM
- Net weight : 50g
- With clip & magnet
- 5 work modes



200LM	3-10H	IPX4	20M	1M	USB TYPE - C

HL74019 Mini Multi-function LED Flashlight

New!

- LED+SMD
- 3.7V 200mah
- 83*30*17mm,30g
- 7 Work Modes
- Seat belt cutter
- with a bottom whistle



80LM	1.5-3.5H	IPX4	20M	1M	USB TYPE - C

HL73913 Multifunction Flashlight

- 3w + red side SMD
- 3.7v 1000mah
- Material: ABS,AL
- Size: 37.6x22.1x112.5mm
- Net weight:150g
- With clip



500LM	3-15H	IPX4	10M	1M	USB TYPE - C

HL74062 Multifunction Flashlight

- LED+COB
- 3.7v 1800mah
- 156*35mm,128g
- 90° Rotation Lamp Head
- Stretchable Design



200LM	2-8H	IPX4	10M	1M	USB TYPE - C

HL73099 P50 Flashlight

- P50 30w
- 18650/26650
- Net weight:320g
- 3 work modes
- Aluminum



800LM	2-4H	IPX4	80M	1M	USB TYPE - C

HL74033 Powerful Aluminum XHP160 Flashlight

- XHP160
- 3AAA/18650(not including)
- 17.5*5.2*3.5cm,249g
- 5 Work Modes
- Battery Display
- With safety hammer & cutter
- Zoomable Function



1500LM	2-5H	IPX4	200M	1M	USB TYPE - C

HL73915 Multifunction Flashlight

- 5w XPE+COB
- 3.7v 1500mah
- Material: ABS,AL
- Size: 155x38x27mm
- Net weight:117g
- With hook



500LM	3-12H	IPX4	10M	1M	USB TYPE - C

HL73008 Diving Rechargeable Torch

- 3xXHP70
- 2 x 26650 (not included)
- Size:235x60x35mm
- Net weight: 398 g
- 3 work modes



2200LM	3-12H	IPX8	20M	1M	USB TYPE - C

HL73105 Tactical Flashlight

- XHP501x18650
- Material: aluminum ,ABS
- Size: 130x29x25mm
- Net weight : 880g
- With mouse tail switch
- 3 work modes
- With LCD battery indication



1000LM	2-10H	IPX4	50M	1M	USB TYPE - C

HL74038 Powerful Aluminum 30W LED Flashlight

- 30W LED
- 3.7v 5500mah
- PC+aluminum alloy
- 18.6*5.5*4.8cm,430g
- 8 Work Modes
- With Battery Display
- Power Bank Function



1000LM	5-12H	IPX4	200M	1M	USB TYPE - C

HL70366 Diving Flashlight

- Dual color led,2pcs x T6,white / warm white
- 18650/3AAA (not included)
- Size: 44x44x140mm
- Net weight: 200g
- Magnet switch



800LM	5-10H	IPX8	50M	1M	USB TYPE - C

HL73603 Diving Flashlight

- 2xP50white+yellow
- 26650/18650/AA
- Size: 130x46x43mm
- Net weight: 215g
- 2 work modes
- Magnet switch



600LM	3-11H	IPX8	20M	1M	USB TYPE - C

HL73360 Multi Function Flashlight

- 10 COB + Side SMD warning
- 3.7v 1800mah
- Size:39x78x196mm
- Net weight:302g
- With safety hammer,belt cutter



600LM	3-11H	IPX4	50M	1M	USB TYPE - C

HL74032 Powerful Aluminum Flashlight

- 10W LED
- 3AAA/18650(Not Including)
- Material:aluminum alloy
- 17.7*4.7*3.5cm,230g
- 9 Work Modes
- Magnet Base
- Power Bank Function



1500LM	2-5H	IPX4	200M	1M	USB TYPE - C

HL70762 Diving Flashlight

- 3W led
- 4AA
- Size:42x47x160mm
- Net weight:85g
- With magnet switch



200LM	3-15H	IPX8	20M	1M	USB TYPE - C

HL73601 Diving Flashlight

- XPE 5W
- 18650/3AAA (not included)
- Size: 149x35x34mm
- Net weight : 143g
- 3 work modes
- Magnet switch



400LM	3-15H	IPX8	30M	1M	USB TYPE - C

HL73326 Multi Function Flashlight

- T6+COB
- 1x18650/3AAA (not included)
- Size: 140x40x35mm
- Net weight : 164g
- Lamp head can be swivel 90 degree
- 4 work modes
- With clip & magnet



300LM	3-12H	IPX4	30M	1M	USB TYPE - C

HL70605 Multi Function Flashlight

- 5W COB,1w XPE(top)
- 3.7v 800mah
- Size:140x23x32mm
- 5 flash modes
- With clip and magnet base
- 360 degree rotate
- Net weight : 120 g



400LM	4-8H	IPX4	10M	1M	USB TYPE - C

HL83324 Rechargwable COB Headl**New!**

- COB+XPG
- 48.5*49*78mm, 83g
- 3.7v 1200 mah
- 5 Work Modes
- Long Press for Dimming
- Charging time:2H

LUMEN	BATTERY
800LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	50M

**HL83315 1000Lumen COB Headlamp****New!**

- Lumen: 1000lm
- 2*5W COB+6*0.5W LED
- 3.7V,1800mAh
- 78x52x48mm/90g
- 6 Work Modes
- With battery indicator

LUMEN	BATTERY
1000LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX4	50M

**HL84519 Rechargeable Mini Headlamp**

- 3W LED
- 54x34x36.5mm
- Net weight:35g
- 3.7v 200mAh
- 5 Work Modes

LUMEN	BATTERY
370LM	2-4H
IP CLASS	LIGHT DISTANCE
IPX4	50M

**HL84520 Mini Rechargeable Headlamp**

- 5W LED
- Material:ABS
- 60*32*35mm,54g
- 3.7v 600mAh
- 5 Flashing Modes
- With Sensor Switch

LUMEN	BATTERY
130LM	4.5-12H
IP CLASS	LIGHT DISTANCE
IPX4	100M

**HL85016 Rechargeable Cap Headlamp**

- XTE+5PCS RGB LED
- 26*20*14CM,106g
- With Sensor Switch
- 3.7v 800mAh
- Memory Function

LUMEN	BATTERY
200LM	3-20H
IP CLASS	LIGHT DISTANCE
IPX3	20M

**HL85015 Glass Style COB Headlamp**

- 30PCS COB+LED
- 3.7v 800mAh
- 16*8*6cm,98g
- With Sensor Switch
- 5 Modes

LUMEN	BATTERY
200LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX3	20M

**HL85001A/B Rechargeable Mini Headlamp**

- 2PCS LED
- 3.7v 800mah
- Size: 5.7*2.3*3.4cm
- Mode:A:5modes B:4 modes
- With Clip&Battery Indication
- Sensor Switch

LUMEN	BATTERY
400LM	2-8H
IP CLASS	LIGHT DISTANCE
IPX3	50M

**HL85010 Multi Function Headlamp**

- COB+SMD LED
- 3.7V 800mAh
- 63*32mm,69g
- with sensor switch
- 180°+360° Rotating
- Can be clip hat light

LUMEN	BATTERY
200LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	20M

**HL85013 Glass Style COB Headlamp**

- 40PCS COB LED+XTE
- 3.7v 800mAh
- 16*8*6cm,98g
- With Sensor Switch
- 5 Modes

LUMEN	BATTERY
300LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	100M

**HL85014 Glass Style COB Headlamp****New!**

- COB LED+White Laser
- 3.7v 1000mAh
- 170*170*70mm,94g
- With Sensor Switch
- 5 Modes

LUMEN	BATTERY
300LM	3-8H
IP CLASS	LIGHT DISTANCE
IPX4	100M

**HL85011A Multi Function Headlamp**

- COB+2PCS XTE
- 6*5*4cm,70g
- 3.7V 1200mAh
- Can be hat light
- With stand

LUMEN	BATTERY
300LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	20M

**HL85011B Multi Function Headlamp**

- 3PCS LED+ COB
- 7*5*4cm,80g
- 3.7V 1200mAh
- Can be hat light
- With stand

LUMEN	BATTERY
300LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	20M

**HL84495 Multi Function Headlamp**

- 2T6+4XPE +3COB
- 3.7v 2000mah
- Material: ABS+PC
- Net Weight:180g
- Size: Head 102*23*42mm
Back:73*23*44mm

LUMEN	BATTERY
300LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX4	50M

**HL84494 Multi Function Headlamp**

- Flipping design
- XPG * 2 + SMD 200LM
- 3.7v 1000mah, strong light 3.5H
- Size:85*35*40mm
- Net Weight: 91G

LUMEN	BATTERY
200LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX3	20M

**HL84507 Mini Head Lamp**

- 1 COB + 2 SMD
- 3.7v 800mah
- Size: 62x27mm,33G
- Sensor switch
- With Clip

LUMEN	BATTERY
200LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	20M

**HL84489 Multi Function Headlamp**

- XPG +4PCS SMD
- 3.7v 800mah
- Size:55x40x32mm
- Net weight: 19.5g
- With sensor
- 3 work modes
- With clip and magnet in the back

LUMEN	BATTERY
100LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX3	20M



HL84430 Full Vision Headlamp

- 10W COB + XPE
- 3.7v 1200mah
- Material: silica
- Net weight :98g
- With sensor switch

LUMEN	RUNTIME
4500LM	3-8H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84452 Full Vision Headlamp

- COB(50chips) + 5pcs 2835 x2 red
- 3.7V 1200mah
- Material: ABS,pp
- Size:165x41x195mm
- Net weight: 93g
- 3 work modes

LUMEN	RUNTIME
500LM	3-20H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84475 Multi Function Headlamp

- XPG+3WCOB
- 3.7v 800mah/3AAA
- Size: 66x42x82mm
- Net weight : 85g
- With sensor switch
- 6 work modes

LUMEN	RUNTIME
2500LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84480 COB Sensor Headlamp

- XPG X2 5W+3pcs led red warning
- 3.7v 1200mah/3AAA ,both choice
- Material: ABS
- 60x45x49mm,95g
- 5 work modes
- 105 degree angle adjust

LUMEN	RUNTIME
5000LM	3-11H
IP CLASS	LIGHT DISTANCE
IPX5	40M



HL84482 Silica Sensor Headlamp

- 2pcs COB + XPG
- 3.7v 1200mah
- Material: silica
- With sensor switch
- Net weight: 30g
- 3 work modes

LUMEN	RUNTIME
4000LM	3-8H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84483 Full Vision Headlamp

- 2pcs COB + XPG + 6pcs SMD
- 3.7v 1200mah
- Material: silica
- Net weight:62g
- 5 work modes
- 270 degree wide vision illumination

LUMEN	RUNTIME
500LM	3-20H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84406 COB Sensor Headlamp

- 3W COB with red warning light
- 3.7v 1200mah
- Size: 63x44.6x35.6mm
- Material: ABS
- 5 flash modes
- Net weight: 70g

LUMEN	RUNTIME
500LM	6-15H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84440 COB Sensor Headlamp

- XPG2 +COB red 3.7v1200mah
- Material: ABS
- Size: 63x44.3x38.6mm
- Net weight : 100g
- 5 work modes
- Sensor switch

LUMEN	RUNTIME
500LM	2-8H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84484 Silica Sensor Headlamp

- XPG + 1PC SMD yellow + 1pc red
- 3.7v 1200mah
- Material: silica
- Net weight:95g
- 5 work modes

LUMEN	RUNTIME
2500LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84499 Multi Function Headlamp

- XPE + 4 COB
- 3.7v 700mah
- Size: 650x32mm
- Net weight : 85g
- 6work modes

LUMEN	RUNTIME
400LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL83314 Multi function Sensor Headlamp

- XPE +2/ XPE 3.7v 1200mah
- Size: 42.5x60x43.5mm
- Net weight: 68g
- 6 flash modes
- With sensor switch
- 70 degree angle adjustable

LUMEN	RUNTIME
3500LM	2-8H
IP CLASS	LIGHT DISTANCE
IPX5	40M



HL84450 Flood Sensor Headlamp

- 8W COB ,4000k/6500k,3.7v1800mah
- Material: ABS
- Size:78x50.5x45.8mm
- Net weight : 85g
- 3 work modes
- With sensor switch

LUMEN	RUNTIME
500LM	3-7H
IP CLASS	LIGHT DISTANCE
IPX5	20M



HL84510 Silica Head Lamp

- COB (white + red)
- 3.7v 700mah
- Size: 396x39x14mm,121G
- Sensor switch
- 3 work modes

LUMEN	RUNTIME
3000LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	20M



HL85012 Multi Function Headlamp

- White+Yellow+Red LED
- 3.7V 1200mAh/3AAA
- 5.4*4.3*3.9cm,87g
- Net weight : 85g
- With sensor switch
- 6 work modes



LUMEN	RUNTIME
500LM	2-12H
IP CLASS	LIGHT DISTANCE
IPX4	100M



HL84426 Spot Sensor Headlamp

- 5WXP+3WCOB3.7v1800mah
- Material: ABS
- 78x50.4x48.2mm,96g
- 3 work modes
- With sensor switch
- 90 degree adjustable

LUMEN	RUNTIME
5500LM	3-7H
IP CLASS	LIGHT DISTANCE
IPX5	50M



HL83722B Flood Sensor Headlamp

- P8+COB.3.7v 1500mah
- 2 work modes
- Size:100x67x50mm
- Material: ABS ,Net weight:135g
- With sensor switch
- With magnet in the backside

LUMEN	RUNTIME
600LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX5	50M



HL83322 COB Sensor Headlamp

- XTE 5W+COB+4pcs red led
- 3.7v 1800mah
- Material: ABS, PC, TPR, Aluminum
- Size: 70x46mm
- With sensor switch



LUMEN	BATTERY
2600LM	3-8H
IP CLASS	LIGHT DISTANCE
IPX3	40M
RECHARGEABLE	

HL84515 Rechargeable Sensor Headlamp

- 1PC White +1PC Warm +Red LED
- 3.7v 1200mAh
- Size:48*76MM,87g
- 6 Work Modes
- With Red Warning
- With Sensor Switch



LUMEN	BATTERY
400LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX4	100M
RECHARGEABLE	

HL84486 Rechargeable Sensor Headlamp

- SST40 10W + 2835 red SMD
- 3.7V 4000mah
- Material : ABS,Al,PC
- Size: 60x48x32mm
- Net weight: 255g
- 3 work modes
- Sensor switch



LUMEN	BATTERY
1200LM	2-23H
IP CLASS	LIGHT DISTANCE
IPX3	50M
RECHARGEABLE	

HL84513 Zoomable P50 Headlamp

- P50 LED
- Net Weight: 150g
- CCT: 5600K
- 2*18650(NOT INCLUDING)
- 4 Work Modes
- Zoomable Function



LUMEN	BATTERY
500LM	3-8H
IP CLASS	LIGHT DISTANCE
IPX4	100M
RECHARGEABLE	

HL84505 Multi Function Head Lamp

- 1COB + 6 SMD
- 3.7v 800mah
- Size: 41x67x44mm,54G
- Sensor switch
- With magnet



LUMEN	BATTERY
200LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	20M
RECHARGEABLE	

HL84506 Multi Function Head Lamp

- 3 COB+4 SMD
- 3.7v 1200mah
- Size: 66x30x40mm, 109G
- Sensor switch
- 6 work modes



LUMEN	BATTERY
200LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	20M
RECHARGEABLE	

HL84451 Multi Function Head Lamp

- XPG + COB LED (white + red)
- 3.7v 800mah
- Size:55x40x40mm
- Net weight :11.2g
- 7 work modes
- With hook and magnet



LUMEN	BATTERY
300LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX3	20M
RECHARGEABLE	

HL84410 Multi Function Headlamp

- Cree XPG with red warning light
- 3.7V800mah
- Size: 55x32mm, 40g
- With sensor switch
- 4 work modes



LUMEN	BATTERY
150LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX4	20M
RECHARGEABLE	

HL84518 Rechargeable Sensor Headlamp

- 1PC LED+ Red LED
- 3.7v 1200mAh
- 57.5*26.1*37.1MM,40g
- 5 Work Modes
- Battery indication
- With Sensor Switch



LUMEN	BATTERY
200LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	30M
RECHARGEABLE	

HL84509 Multi Function Head Lamp

- XPG+COB+2SMD
- 3.7v 1200mah
- Size: 50x35x40mm,45G
- Sensor switch
- LCD battery indication



LUMEN	BATTERY
300LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	30M
RECHARGEABLE	

HL84508 Multi Function Head Lamp

- XPE+4 COB
- 3.7v 1200mah
- Size: 67x37x41mm,83G
- Sensor switch
- 7 work modes



LUMEN	BATTERY
400LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	40M
RECHARGEABLE	

HL83306 Mini Sensor Headlamp

- XPE +2pcs red lamp
- 3.7v 1200mah
- Size:63x45x40mm
- With sensor switch
- Net weight:75g
- 6 flash modes



LUMEN	BATTERY
230LM	4-6H
IP CLASS	LIGHT DISTANCE
IPX3	50M
RECHARGEABLE	

HL84514 Mini LED Sensor Headlamp

- 2*XTE LED +Red LED
- 5.2*3.3*2.9cm,57g
- 3.7v 700mAh
- 5 Work Modes
- 45 Degree adjustable
- With Battery Indication



LUMEN	BATTERY
400LM	2-5H
IP CLASS	LIGHT DISTANCE
IPX4	100M
RECHARGEABLE	

HL84516 Portable Mini COB headlamp

- 6 COB + 2x Red warning light
- 3.7v 1500mah
- Size:59x81x27mm, 126G
- 5 Work modes
- Sensor switch



LUMEN	BATTERY
200LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	50M
RECHARGEABLE	

HL84497 Battery Head Lamp

- Light Source :COB X2
- Size: 75*55mm
- Weight:60g
- 3*AAA(Not include)
- 4 Flashing Modes



LUMEN	BATTERY
150LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX4	20M
RECHARGEABLE	

HL84517 Battery Led Sensor Headlamp

- 3PCS LED
- 58*37*40mm,60g
- 5 Work Modes
- With Sensor Switch
- 45 Degree Adjustable
- With Red Warning



LUMEN	BATTERY
150LM	3-12H
IP CLASS	LIGHT DISTANCE
IPX4	20M
RECHARGEABLE	

HL81048B Rechargeable Solar Camping Light

- 3X2w COB
- 3.7V1200MAH
- Material: ABS
- 101x101x175mm,250g
- Dimmer switch
- With hook on the top
- With Solar Panel



LUMEN	BATTERY
2000LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81212 Portable Solar Camping Light**

- 12 PCS SMD
- Size:104*107.4mm
- 3.7V 1200mAh
- Net Weight:165g
- 5 Work Modes
- With Metal Hook
- With Solar panel



LUMEN	BATTERY
3000LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81059 Retro Camping Lamp**

- 8 SMD white,4 SMD warm white
- 3.7V2000MAH
- Size: 83x110mm
- Net weight :250G
- With hook



LUMEN	BATTERY
2000LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81101 Mini Camping Lamp

- 1pc white led, 12pcs warm white led
- 3.7V1200mah
- Size: 115x102x102mm ,138g
- 3 work modes
- With hang



LUMEN	BATTERY
1000LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81046B Solar Camping Light

- 3X2w COB
- 3.7V1200MAH
- Size: 101x101x211mm
- Net weight: 250g
- Dimmer switch
- With hook on the top
- With Solar Panel



LUMEN	BATTERY
2000LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

**HL81206 Retro Solar LED Camping Light**

- 2PCS Tungsten LED+8PCS SMD
- 140*140*159mm,235g
- 3.7v 1200mAh
- 5 Work Modes
- With Dimming Function
- With Solar Panel



LUMEN	BATTERY
400 LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81108 Retro Camping Lamp**

- LED tungsten lamp +SMD
- 3.7V 1200mAh
- Size:140*117mm
- Weight:312g
- Metal hook



LUMEN	BATTERY
3000LM	3-55H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81047 Retro Camping Lamp

- 3X2w COB
- 3AA/1200mah
- Size: 100x100x180mm
- Net weight: 220g
- Dimmer switch
- With hook on the top



LUMEN	BATTERY
400LM	3-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81116 Solar LED Camping Light

- 3W LED
- Material :ABS+PS
- 105*102*150mm,256g
- With Solar panel
- Dimmer switch



LUMEN	BATTERY
2500LM	10-100H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81117 Solar Camping Light**

- 3W LED
- Material :ABS+PS
- Size:108*90*139mm,218g
- With Solar panel
- Dimmer switch



LUMEN	BATTERY
2000LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81051 Mood Camping Lamp**

- 44pcs 2835smd 2500~3000K
- 33pcs 2835SMD,6000~6500K
- 3.7v 1500mah
- Size:95x95x128mm
- Net weight : 300g
- 3 work modes
- With power bank



LUMEN	BATTERY
3000LM	3-55H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81100 Retro Camping Lamp

- Tungsten filament led , XPE LED 2 color
- 3.7V 1500mah
- Size: 115x49x49mm
- Net weight : 158g
- Dimmer switch



LUMEN	BATTERY
3000LM	3-55H
IP CLASS	LIGHT DISTANCE
IPX4	10M
CERTIFIED	

HL81128 3000LM Camping Lantern

- 15w x2 COB +Red LED
- 3.7V 4000mah
- Material: ABS PP,aluminum
- 108x108x228.6mm, 647g
- 4 work modes
- With hook ,power bank



LUMEN	BATTERY
3000LM	5-25H
IP CLASS	LIGHT DISTANCE
IPX4	100M
CERTIFIED	

HL81052 Portable LED Camping Light

- 5W COB
- 3.7V4400MAH
- 113x113x172mm,450g
- Dimmer switch
- With hook on the top



LUMEN	BATTERY
2500LM	10-100H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

HL81203 Solar LED Camping Light

- LED+SMD
- 3.7V 4000mah
- 98*66*217mm,460g
- 6 Flashing mode
- with solar panel



LUMEN	BATTERY
3000LM	8-25H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	

**HL81202 Solar Camping Light**

- COB+XPG
- 3.7v 1200mah
- Material:ABS+PC
- 130*80*80mm,200g
- 6 flashing modes
- With Battery Display



LUMEN	BATTERY
3000LM	4-8H
IP CLASS	LIGHT DISTANCE
IPX4	50M
CERTIFIED	



HL81082 Retro Camping Lamp

- 12pcs SMD 6W 2800k-6500k
- 3.7v 2000mah
- Size: 112X130X122MM
- 4 work modes
- Net weight: 162g
- With leather handle



LUMEN	BATTERY
200LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81083 Retro Camping Lamp

- 12pcs SMD 6W 2800k-6500k
- 3.7v 2200mah
- Size: 80X80X122MM
- 4 work modes
- Net weight: 160g
- With leather handle



LUMEN	BATTERY
200LM	5-15H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81144 Portable LED camping Light

- 8PCS LED+8PEC RED LED
- 3.7V 1200mah
- 34.6*34.6*97.8mm,70g
- 6 work modes
- With hook



LUMEN	BATTERY
100LM	6-30H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	

HL81119 Portable LED Camping Light

- 3030 SMD
- 3.7v 2000mah
- Size: 45x45x105mm,120g
- With hang
- With battery indicator
- 4 work modes



LUMEN	BATTERY
200LM	5-20H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	

HL81209 Camping Light With Solar

- P50+SMD
- 3.7V 3600MAH
- 100*100*85mm,284g
- 6 Work Modes
- With solar panel
- Power bank function



LUMEN	BATTERY
300LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	



HL81205 Solar LED Camping Light

- 5W LED
- 3.7V 3000mAh
- 80*80*30mm,160g
- 6 Work Modes
- With Solar Panel
- With Hook
- 1/4 standard port



LUMEN	BATTERY
450 LM	5-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	

HL81201 Foldable Solar Camping Light

- LED +SMD
- 3.7v 2000mah
- 70*70*120mm,266g
- 6 Flashing Modes
- 4 blades can be expanded by 90°



LUMEN	BATTERY
300LM	5-10H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	



HL81204 Foldable Camping Light With Hook

- LED+SMD
- 3.7v 1200mah
- Material:ABS
- 48*48*173mm,200g
- 6 Flashing Modes
- With Hook
- Foldable design



LUMEN	BATTERY
200LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	

HL81221 Mini Camping Lamp

- XTE+SMD
- 12.7*5*4.4cm,112g
- Material:ABS
- 3.7V 1500mAh
- Battery Display
- With hook



LUMEN	BATTERY
100LM	3-6H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81135 Mini Camping Lamp

- XTE+18SMD
- Size:12.8*3.6*3.6CM 95G
- 3.7v 1200mAh
- 6 work Modes
- with hook



LUMEN	BATTERY
100LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81219 Mini Camping Lamp

- 4PCS SMD+4PCS RED SMD
- 55*55*65MM,65g
- Material:ABS+Rubber
- 3.7V 900mAh
- With 1/4 Screw hole



LUMEN	BATTERY
100LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81220 Mini Camping Wind Rope Lamp

- 16PCS SMD
- 100.5*20*15.7MM,28.5g
- Material:ABS
- 3.7V 500mAh
- Battery Display



LUMEN	BATTERY
100LM	5-12H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81139 Mini Camping Lamp

- 5W SMD
- 3.7v 1500mah
- Size:91x91x120mm
- Net weight: 134G
- 9 work modes



LUMEN	BATTERY
250LM	5-9H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81120 Mini camping Light

- 3W LED + Red LED
- 3.7v 1200mah
- 186.5x58.5x60.5mm,120g
- With battery indicator
- 6 work modes



LUMEN	BATTERY
220LM	3-20H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE - C	

HL81138 Multi Function Camping Lamp

- 5W SMD
- 3.7v 2200mah
- Size: 120x120x43mm
- Net weight : 195G
- With mosquito killer tablets
- Dimmer switch



LUMEN	BATTERY
260LM	5-9H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE - C	

HL81222 Multi Function Camping Lamp

- 36PCS LED+3PCS RGB
- 13.5*10*10cm, Heightest:30cm,253g
- Material:ABS+PC
- 3.7v 2000 mAh
- Lamp Head 360° Adjustable
- With Battery Display



LUMEN	BATTERY
100LM	3-5H
IP CLASS	LIGHT DISTANCE
IPX4	5M
USB TYPE - C	

HL81207 Camping Light With 10M Strip

- 3W LED +10M RGB Strip
- Material:ABS
- 120*120*50mm
- With Solar panel
- Type c charging
- With foldable hook



LUMEN	RECHARGE
300LM	6-12H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

HL81207 Camping Light With 10M Strip

- 3W LED +10M RGB Strip
- Material:ABS
- 120*120*50mm
- With Solar panel
- Type c charging
- With foldable hook



LUMEN	RECHARGE
300 LM	6-12H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

**HL81211A/B Solar camping Bulb Light**

- 10 PCS LED
- 3.7V 1200mah
- 2 Work Modes
- 8*20*6cm,177g
- with Solar Panel



LUMEN	RECHARGE
180LM	4-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

**HL81141 Solar Camping Bulb**

- 1W led bulb
- 3.7v 300mah
- Solar panel:0.2W
- Size: 192x60x60mm
- Net weight : 56G
- With hook & Light sensor



LUMEN	RECHARGE
80LM	2-10H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

**GD81503A/B camping Light with RGB Strip**

- LED+RGB Strip
- Material: ABS+PC
- 150*130*40mm,276g
- 238*213*50mm,657g
- 10 Work Modes
- 3.7v 2400mAh
- 10M/15M RGB Strip
- With Solar Panel



LUMEN	RECHARGE
500LM	3-4H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

**GD81501A Outdoor Portable Camping Light**

- Material: ABS+PP
- 3.7v 3000 mAh
- 103*103*55mm, 191g
- 4 Work Mode
- With Dimming Switch
- With Magnet&Hook



LUMEN	RECHARGE
100LM	3-4H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

HL81111A/B Retro Camping Lamp

- 3W LED
- 3.7V 800mah
- Solar panel:0.3w
- Net Weight :312g
- Dimmer switch
- Size:85*150*65mm
- Metal hook can be rotated



LUMEN	RECHARGE
200LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

**HL81210A/B Portable Solar camping Light**

- Tungsten LED
- 3.7v 1200mAh
- 110*204mm,256g
- Material:ABS+PC
- 4 Work Modes
- With PIR Sensor
- With Solar Panel



LUMEN	RECHARGE
200LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

**HL81105 Multi Function Camping Lamp**

- XPE + 20 SMD ,warm white/white
- 3.7v 4000mah
- Size: 140x40x40mm
- Net weight :154g
- With hang, bracket
- With mosquito repellent tablets



LUMEN	RECHARGE
400LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

HL81208 Camping Light Mosquito Repellent

- 3W LED
- 52*148mm,214g
- 3.7V 1200mah
- 4 Work Modes
- With Hook
- Foldable Design
- With Mosquito Repellent



LUMEN	RECHARGE
200 LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

HF81004 Camping Light with Fan

- LED +SMD
- 3.7V 4000mAh
- 107*107*189mm,565g
- 7 light work modes
- 3 fan work modes
- Power bank function



LUMEN	RECHARGE
300LM	8-15H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

HF81005 Rechargeable Fan Light

- SMD LED
- 113*113*150mm.340g
- 3 work modes
- 3.7v 1200mah



LUMEN	RECHARGE
20LM	2-5-4H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	

HL81224 Camping Lamp With Mosquito Repeller

- White Laser + LED
- 3.7v 300mah
- Size:81x147mm
- 187*37mm,289g
- With hook&Bracket
- Mosquito-repelling function



LUMEN	RECHARGE
400LM	3-10H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

HL81054 Retro Camping Lamp

- 4pcs led , 20pcs SMD
- 3.7V 4000mah
- Size:145x145x120mm
- Net weight: 270g
- With dimmer switch
- With hook on the top



LUMEN	RECHARGE
300LM	7-35H
IP CLASS	LIGHT DISTANCE
IPX4	10M
USB TYPE-C	

HL81123 Camping Light With Fan

- 3.7v 4000mah
- 165*165mm,379g
- Battery Dispalpy
- With Hook
- 180°Rotated Adjustable



LUMEN	RECHARGE
120LM	1.5-3H
IP CLASS	LIGHT DISTANCE
IPX4	20M
USB TYPE-C	

HF81003 Portable camping Light with Fan

- SMD LED
- 3.7v 3600mah
- 72*69*235mm,820g
- Fan Modes:3 Modes
- Light Modes:5 Modes
- Battery Indication
- Foldable Design



LUMEN	RECHARGE
70LM	4-6H
IP CLASS	LIGHT DISTANCE
IPX4	50M
USB TYPE-C	