

**2023**  
PRODUCT CATALOG  
Professionalism Creates Value



**EWIN**

惠州市壹微科技有限公司

中国 | 香港 | 惠州 | 东莞  
CHINA | HONGKONG | HUIZHOU | DONGGUAN

# 16/66/165

SERIES CASE

Huizhou Ewin Technology Co., Limited



▲  
16/66/165-01



▲  
16/66/165-02



▲  
16/66/165-03



▲  
16/66/165-05



▲  
16/66/165-07



▲  
16/66/165-09



▲  
16/66/165-10



▲  
16/66/165-11



▲  
16/66/165-12

# 16/66/165

SERIES CASE

Huizhou Ewin Technology Co., Limited



16/66/165-13



16/66/165-14



16/66/165-15



16/66/165-16



16/66/165-17



EXPECT

### 16 SERIES SPECIFICATION



- USB:1.1\*2+micro+audio
- Expansion slot: 4 full slots
- Motherboard support: Micro ATX,min-ITX
- Drive bays:5.25" ODD\*1,3.5"HDD\*2, 2.5"SSD\*3
- Material:0.35MM SPCC;
- Front Panel: PP
- Structure size(L\*W\*H): 315\*165\*350mm
- Product size(L\*W\*H):345\*165\*350mm
- Carton Size(L\*W\*H):390\*204\*400MM ;
- Fan Support: Side : 8cm\*1/12cm\*1
- Back :8cm\*1
- N.W:2.0KGS/ G.W:2.5KGS
- 40HQ:2130pcs

### 66 SERIES SPECIFICATION



- USB:1.1\*2+micro+audio
- Expansion slot: 4 full slots
- MB support: Micro ATX,min-ITX
- Drive bays:5.25" ODD\*1,3.5"HDD\*1, 2.5"SSD\*1
- Material:0.35MM SPCC;
- Front Panel: PP
- Structure size(L\*W\*H): 275\*165\*350mm
- Product size(L\*W\*H):305\*165\*350mm
- Carton Size(L\*W\*H):350\*204\*390MM ; A=B
- Fan Support: Side : 8cm\*1/12cm\*1
- Back :8cm\*1
- N.W:1.8KGS/ G.W:2.2KGS
- 40HQ:2480pcs

### 165 SERIES SPECIFICATION



- USB:1.1\*2+Micro+Audio
- Expansion slot: 4 full slots
- MB support: Micro ATX,Mini-ITX
- Drive Bays:5.25"ODD \* 1, 3.5"HDD\* 1, 2.5"SSD\*2
- Material: 0.3MM SPCC ;
- Front Panel: PP
- Structure size(L\*W\*H): 275\*165\*350mm
- product size(L\*W\*H): 305\*165\*350mm
- Carton Size(L\*W\*H):350\*204\*390MM ;A=B
- Fan Support: Side 8cm\*1/12cm\*1;
- Back 8cm\*1
- N.W:1.45KGS/ G.W:1.8KGS
- 40HQ:2480pcs




▶ 3201



▶ 3201C



▶ 3202



▶ 3202C



▶ structure

### 320 SERIES SPECIFICATION

- USB:USB1.1\*2+Mic+Audio
- Expansion slot:7full slots
- MB support:ATX, Micro ATX, Mini-ITX
- Drive Bays:3.5"HDD\*2,2.5"SSD\*3
- Material:0.35MMSPCC;
- Front Panel: PP
- Left side panel:Acrylic or SPCC
- Structure size(L\*W\*H):320\*176\*410mm
- product size(L\*W\*H):355\*176\*410MM
- Carton Size(L\*W\*H):392\*206\*448MM;A=B
- Fan Support:Side 8cm\*1/12cm\*1
- Back 8cm\*1
- N.W:2.8KGS/ G.W:3.2KGS
- 40HQ:1910pcs

## 190 SERIES CASE

Huizhou Ewin Technology Co., Limited



▶ 1903



▶ 1905



▶ 1906




▶ 1907



▶ 1908



▶ structure



### 190 SERIES SPECIFICATION

- USB1.0\*2+usb3.0\*1+audio
- Expansion slot:7 slots
- MB Support: MicroATX/MiniATX  
ATX motherboard
- Drive bays:3.5"HDD\*2, 2.5"SSD\*2"
- material:0.45SPCC
- Left Side Panel: 0.4 Tempered glass
- structure size(L\*W\*H):330\*190\*425MM
- Product size(L\*W\*H):370\*190\*435MM
- carton size(L\*W\*H):500\*250\*435mm K=A
- fan optional:Front 12cm\*3 or  
water cooling 360;  
back 1\*12CM ,top 2\*12CM
- N.W:3.6kgs / G.W:4.3 KGS
- 40HQ=1250PCS

## 185 SERIES CASE

Huizhou Ewin Technology Co., Limited



▶ 1801



▶ 1802



▶ 1803



▶ 1804



▶ 1805



▶ structure



▶ structure



▶ structure

### 185 SERIES SPECIFICATION

- USB: 1.0\*2++3.0\*1
- material: 0.35SPCC
- Structure size(L\*W\*H):310\*185\*410MM
- Product size(L\*W\*H):350\*185\*410mm
- Drive bays:3.5"HDD\* 2 , 2.5"SSD\* 1
- MB Support: MicroATX/MiniATX/ATX
- Fan support:front 12cm\*2,Rear 12cm\*1
- Side Panel: left acrylic,
- Carton size(L\*W\*H):475\*225\*400MM
- Expansion slot:7 slots
- N.W: 2.3KGS; G.W: 2.8KGS
- 40HQ=1590PCS

## 1850 SERIES CASE

Huizhou Ewin Technology Co., Limited



● 18505



● 18507



● 18508



● 18509



● 18511



● 18512

### 1850 SERIES SPECIFICATION



- USB1.1\*2+USB3.0\*1+audio+mic
- Expansion slot: 7 full slots
- MB support: ATX / Micro ATX / ITX
- HDD\*2+SSD\*1
- "Black Structure: 0.4MM SPCC; size 310\*185\*410MM"
- Product size 350\*185\*410mm
- Left side panel: Acrylic / Tempered glass
- Front panel: ABS
- "Fan Support: Front :12cm\*3
- Top:12cm \*2, Rear:12cm\*1"
- CPU support:150mm
- VGA support:310mm
- Carton Size:475\*225\*400MM ;K=A
- N.W. 2.3kg, G.W.:2.8kg
- 40HQ:1590pcs

**17** **SERIES CASE**

Huizhou Ewin Technology Co., Limited



▶ 1721



▶ 1717



▶ structure

**17 SERIES SPECIFICATION**

- USB:1.1\*2,audio
- Expansion slot: 4 full slots
- Motherboard support: Micro ATX
- Drive bays:3.5"HDD\*1;2.5"SSD\*2
- Structure size 275\*165\*350mm
- Product size(L\*W\*H):305\*170\*350MM
- Material: 0.3MM SPCC;
- Fan Support: Side : 8cm\*1/12cm\*1
- Back:8cm\*1
- N.W:1.45KGS/ G.W:1.8KGS
- Carton Size:390\*204\*350MM ;
- 40HQ:2480pcs

# 135

SERIES CASE

Huizhou Ewin Technology Co., Limited



▶ 13501



▶ 13502



▶ 13503



▶ structure



▶ structure

## 135 SERIES SPECIFICATION

- Product size(L\*W\*H):295\*135\*335mm
- Structure size(L\*W\*H):265\*135\*335mm
- carton size(L\*W\*H):375\*172\*340mm
- Material:Black SPCC 0.35mm
- Drive bays:ODD\*1,3.5"HDD\*1;  
2.5"SSD\*3
- USB:1.1\*2, Micro, Audio
- N.W:1.6KGS; G.W:1.8KGS
- 40HQ=3030PCS

# X26/X28

SERIES CASE

Huizhou Ewin Technology Co., Limited



● X260/X280-6RB



● X260/X280-6RW



● X260/X280-5B



● X260/X280-5W



● X260/X280-8B



● X260/X280-9RB



● X260/X280-9RW



● X260/X280-9RP



● X260/X280-1



● X260/X280-2



● X260/X280-3



● X260/X280-4

# X26/X28

SERIES CASE

Huizhou Ewin Technology Co., Limited



● X260/X280-7



● X2610/X2810



## X26 SERIES SPECIFICATION

- USB:1.0\*2,audio,mic
- Expansion slot: 4 full slots
- MB support: Micro ATX
- HDD: 1+SSD: 1
- Black Structure: 0.4MM SPCC;
- size 275\*173\*350MM"
- Product size 315\*189\*365mm
- Side panel :left panel SPCC/Acrylic
- Fan Support: Front :12cm\*2, Back :8cm\*1"
- CPU support:150mm
- VGA support:270mm
- Carton Size:400\*215\*362MM ;A=B strong
- 40HQ:2300pcs



## X28 SERIES SPECIFICATION

- USB:1.0\*2,audio,mic
- Expansion slot: 4 full slots
- MB support: Micro ATX
- HDD: 1+SSD: 1
- Black Structure: 0.4MM SPCC;
- size 340\*173\*350MM"
- Product size 370\*173\*350mm
- Side panel :left panel SPCC/Acrylic
- Fan Support: Front :12cm\*2 Back :8cm\*1
- CPU support:150mm
- VGA support:334mm
- Carton Size:405\*215\*427MM ;A=B strong
- 40HQ:1850pcs



▶ 5522A



▶ 5522B



▶ 5522C



▶ 5523



▶ structure

### 55 SERIES SPECIFICATION

- Material: 0.4mm SPCC
- structure size(L\*W\*H): 330\*185\*412mm
- product size(L\*W\*H): 365\*185\*441mm
- carton size(L\*W\*H): 465\*220\*420MM; K=A
- Side panel: full acrylic left side panel
- N.W./G.W.: 3.7KGS / 4.5KGS
- USB: 1.1\*2, USB3.0\*1, AUDIO/MIC,
- Drive bays: 3.5"HDD\*2, 2.5"SSD\*1
- Fan support: 12CM\*1 back optional
- 40HQ=1600PCS

## V60 SERIES CASE

Huizhou Ewin Technology Co., Limited



▶ V601



▶ V602-1



▶ V602-2



▶ V610



▶ V650

Huizhou Ewin Technology Co., Limited

### SPECIFICATION

#### V60 SERIES SPECIFICATION

- MB support:M-ATX,Min-ATX
- Material:0.5mm SPCC Black
- USB:1.1\*2,3.0\*1,Audio,Mic
- Expansion slot:7 slots
- Drive bays:3.5"HDD\*2;2.5"SSD\*1
- Fan support:left size 12cm\*1,Rear:12cm\*1
- Structure size(L\*W\*H):340\*215\*410mm
- Carton size(L\*W\*H):455\*270\*455mm
- N.W.:3.3KGS;G.W.:4KGS
- 40HQ=1210PCS



▶ structure



▶ structure

**T06/T16**  
SERIES CASE

Huizhou Ewin Technology Co., Limited



▶ T0610/T1610



▶ T0632/T1632



▶ T0637/T1637



▶ T0639/T1639



▶ T0651/T1651



▶ T0671/T1671

## T06 SERIES SPECIFICATION



### T06 Series Specification

Support: ATX/microATX motherboard

Material: 0.45mm black painting

Structure size(L\*W\*H): 375\*176\*410(mm)

Pack size(L\*W\*H): 478\*230\*466mm

3.5"HDD\*1; 2.5"SSD\*2; 5.25"CD-ROM\*1

QTY:40HQ:1400pcs

high shinning front panel with

USB1.0\*2+Audio+Mic

Optional fan\handle\air duct

## T16 SERIES SPECIFICATION



### T16 Series Specification

Support: ATX/microATX motherboard

Material: 0.45mm black painting

Structure size(L\*W\*H): 330\*176\*410(mm)

Pack size(L\*W\*H): 460\*220\*415 (mm)

3.5"HDD\*1; 2.5"SSD\*2; 5.25"CD-ROM\*1

QTY:40HQ:1530pcs

high shinning front panel with

USB1.0\*2+Audio+Mic

Optional fan\handle\air duct

# T26

SERIES CASE


Huizhou Ewin Technology Co., Limited



● T2601



● T2602



● structure

## T26 SERIES SPECIFICATION

- Material:SPCC/0..4mm
- I/O:USB3.0\*1,USB1.0\*2, Audio
- MB Support:26M  
structure:M-ATX/ITX
- Power Space:176mm
- CPU Cooler Height Support:160mm
- VGA Support:325mm
- Structure Size:330\*200\*430mm
- Packing Size:493\*254\*428mm
- PCI SLOT:7
- Cooling Water Support:Top 240mm,  
Rear 120 mm,Front 240/280 mm
- Fan Support:Front: 120\*3/140\*2mm  
Rear: 120\*1mm,Top: 120\*2/140\*2mm
- Hard Disk Support:HDD\*2, SSD\*2  
(SSD and HDD location is the same,  
can not be compatible,Detour)
- 40HQ:1296 pcs

**T59** SERIES CASE

Huizhou Ewin Technology Co., Limited



● T5903



● T5906



● T5908


**T59 SERIES SPECIFICATION**

- USB1.1\*2+USB3.0\*1+HD audio
- Expansion slot: 7 full slots
- MB support: ATX / Micro ATX / ITX
- HDD\*2+SSD\* 2
- Black Structure: 0.4MM SPCC;
- size:300\*210\*440MM
- Product size 345\*210\*470mm
- Left side panel: Tempered glass
- Front panel:ABS
- Fan Support: Front : 12cm\*3/240/280
- Cooling Water Support:Rear 120 mm  
Front 240/280 mm
- Top: 12cm \*2/240 , Rear: 12cm\*1
- CPU support: 170mm
- VGA support: 290mm
- Carton Size:485\*255\*358MM ;K=A
- 40HQ:1450pcs


# JX09

SERIES CASE

Huizhou Ewin Technology Co., Limited




● E0901



● E0902



● E0903



## JX09 SERIES SPECIFICATION

- USB1.1\*2+USB3.0\*1+ audio+Mic
- Expansion slot: 7 full slots
- MB support: ATX / Micro ATX / ITX
- HDD\*1+SSD\* 2
- Black Structure: 0.4MM SPCC;
- size 310\*188\*420MM
- Product size 350\*188\*450mm
- Left side panel: Tempered glass
- Front panel: ABS
- Fan Support:
  - Front :12cm\*3/240/280/360
- Top:12cm \*2/240 , Rear:12cm\*1
- CPU support:170mm
- VGA support:290mm
- Carton Size:480\*235\*402MM ;K=A

# JX19

SERIES CASE

Huizhou Ewin Technology Co., Limited



► E1901



► E1902



► E1903



► E1905



## JX19 SERIES SPECIFICATION

- USB3.0\*1+USB1.0HD\*2Audio
- Expansion slot: 7 full slots
- MB support: ATX / Micro ATX / ITX
- 3.5HDD\*2 Or 3.5HDD\*1/2.5 SSD\*1
- Black Structure: 0.4MM SPCC;
- size 340\*190\*428MM
- Product size 378\*190\*438MM
- Left side panel: Tempered glass
- Front panel: ABS
- Fan Support: Front : 12cm\*3
- Top: 12cm \*2, Rear: 12cm\*1
- CPU support:160mm
- VGA support:330mm
- Carton Size482\*240\*430MM ; K=A
- 40HQ:1290pcs

# SLIM

SERIES CASE

Huizhou Ewin Technology Co., Limited



● S03



● S04



## SLIM SERIES SPECIFICATION

- PSU support: TFX 1U/ FLEX 1U
- Drive bays: 3.5" HDD\*1, 2.5" SSD\*2
- USB: 3.0\*1+1.0\*2+HD
- MB Support: M-ATX/ITX
- Material: 0.5SPCC
- Structure size(L\*W\*H): 260\*95\*290MM
- Product size(L\*W\*H): 288\*95\*290MM
- Carton size(L\*W\*H): 330\*140\*360MM, A=B
- N.W.: 1.75KGS; G.W.: 2.25KGS
- 40HQ=4200PCS



### Z61 SERIES SPECIFICATION



I/O:USB2.0\*2+Audio+Mic  
Structure size:215L\*138W\*260H mm  
MB support:M-ITX  
MB support size:170L\*170L mm  
Drive bays:Slim 5,25"ODD\*1,  
3.5" SSD \*1,2.5" HDD\*2;  
Fan support:Front panel 6cm\*1



### Z11 SERIES SPECIFICATION



I/O:USB2.0\*2+Audio+Mic  
Structure size:380L\*100W\*300H mm  
MB support:M-ITX, Micro-ATX  
MB support size:245L\*245W mm  
Drive bays:Slim 5,25"ODD\*1,  
3.5" SSD \*1,2.5" HDD\*1;  
Top panel 6cm\*1  
Fan support:Top panel 6cm\*1  
PSU support:M-ATX/SFX




### Z80 SERIES SPECIFICATION




I/O:USB 3.0\*1+USB1.0\*1+Audio  
Structure size:330\*180\*350mm  
MB support:Micro-ATX, MINI ITX  
MB support size:245L\*245W mm  
Drive bays:3.5" SSD \*2,2.5" HDD\*2  
PCI slot:4  
Fan support:Front panel 12cm\*2,  
Top panel 12cm\*2,  
Back 12cm\*1



► X1



► XIAOBAI



► structure



► structure

### X1 SERIES SPECIFICATION

- Structure Size: L345\*W190\*H305mm
- M/B Support : Micro-ATX
- Drive Bays: 1\*HDD(or fan position), 1\*SSD
- PCI Slots : 4
- Material: 1.0mm SPCC + 2.0 handle and side panel;
- I/O Panel: USB3.0\*1, USB2.0\*1, HD
- COOLING SYSTEM : Top:12cm\*2 (or 240) ,
- Back:12cm\*1, Bottom: 12cm\*2
- Max.PSU Length: 180mm
- Max.CPU Cooler Height: 185mm
- Max.VGA Card Length: 340mm
- Net weight: 3.85KG Gross weight: 4.6KG
- Carton: 390\*245\*405mm(K=K);40HQ=1740PCS

### XIAOBAI SERIES SPECIFICATION

- Material:1.0 SPCC
- (Panel 1.5mm;Handle 2.0mm Aluminum)
- I/O:USB3.0\*2
- Power Support:ATX
- CPU Height Support:135mm
- VGA Support:320mm
- Structure Size:350\*160\*285mm
- Product Size:350\*160\*285mm
- Packing Size:435\*217\*345mm
- Left Side Panel:Tempered Glass
- PCI Slot:4
- Fan Support:Bottom:12cm\*2;Rear:9cm\*1; Top:12cm\*2
- Hard Disk Support:3.5"HDD\*2, 2.5"SSD\*1
- 40HQ=2070pcs



▶ H2



▶ H6



## H SERIES SPECIFICATION

- USB1.0\*2+audio
- Expansion slot: 4 full slots
- MB support: Micro ATX / ITX
- HDD\*3+SSD\* 1
- Black Structure: 0.6MM SPCC;
- size 265\*160\*350mm
- Front panel: Metal
- Fan Support: left side:12cm\*1;  
Rear:8cm\*1
- Graphic card support:235-260mm
- Carton Size:390\*186\*302MM ;A=B
- 40HQ:3080pcs



● AS-1



● AM-1



● AS-2



● AM-2



● AS-3T



● AM-3T

## AS SERIES SPECIFICATION



Structure Size (L\*W\*H) : 180\*45\*195mm  
Product Size (L\*W\*H) : 200\*45\*195mm  
Packing Size (L\*W\*H) : 240\*120\*245 mm  
Motherboard Support: ITX  
Power Support: No, can only support Adapter  
Material: back+front 0.9mm,  
top+side 0.6SPCC  
Drive Bays: 2.5\*1 SSD  
USB:1.1\*2 +TypeC(optional) + Audio  
40HQ:9500 PCS

## AM SERIES SPECIFICATION



Structure Size (L\*W\*H) : 186\*60\*195mm  
Product Size (L\*W\*H) : 200\*60\*195mm  
Packing Size (L\*W\*H) : 240\*135\*245 mm  
Motherboard Support: ITX  
Power Support: No, can only support Adapter  
Material: back+front 0.9mm,  
top+side 0.6SPCC  
Drive Bays: 2.5\*1 SSD  
USB:1.1\*2 +TypeC(optional) + Audio  
40HQ: 8500 PCS

# E285

SERIES CASE

Huizhou Ewin Technology Co., Limited



► E285B



► E285W

## E258 SERIES SPECIFICATION



- Structure : 0.7mm SPCC
- Size: 420×285×380mm
- M/B compatibility : ATX/Micro ATX/ITX
- Side Panel Material : Left Side: Glass (can mark logo) Right Side: Iron
- 3.5" ' HDD : 1; 2.5" ' SSD : 2;
- Expansion slot : 7;
- I/O port : USB 2.0\*2 + USB 3.0\*1(Type-C)
- Cooling Fan Support :
  - bottom:3\*12cm, top:3\*12(2\*14)cm,
  - back:1\*12cm, motherboard:2\*12(2\*14)cm
- Cooling water Support : top:360/280/240/120mm,
- bottom:360/240/120mm,
- motherboard:280/240/120mm
- GPU length (VGA) : 410mm;
- CPU cooler height : 160mm
- Power length : 240mm; Power type : ATX power

# J270

SERIES CASE

Huizhou Ewin Technology Co., Limited



► J270B



► J270W



## J270 SERIES SPECIFICATION

- Structure Size : L350\*W270\*H350mm
- M/B Support : Micro-ATX / ITX
- Drive Bays: 1\*HDD , 2\*SSD
- PCI Slots : 4
- I/O Panel: USB3.0\*1, USB2.0x2
- COOLING SYSTEM: Top:120mm\*2/140mm\*2(Option)  
Right:120mm\*2, bottom:120mm\*2,Rear:120mm\*1
- N/W: 3.0KG G/W: 3.5KG
- Carton Size : L420\*W340\*H415mm
- 40HQ:1200 pcs



► Model:  
650W/750W/850W/1000W



Compatible: Intel ATX 12V 2.31  
Power rating: 650W/750W/850W/1000W  
Fan: 12CM  
Packaging: 10pcs/one carton



► Model:  
600W/650W/750W/850W



Compatible: Intel ATX 12V 2.31  
Power rating: 600W/650W/750W/850W  
Fan: 12CM  
Packaging: 10pcs/one carton



► Model:

400W/500W/600W/700W/800W



Compatible: Intel ATX 12V 2.31

Power rating: 400W/500W/600W/700W/800W

Fan: 12CM

Packaging: 10pcs/one carton



► Model:


230W/250W/300W/350W

Compatible: Intel ATX 12V 2.31

Power rating: 230W/250W/300W/350W

Fan: 12CM

Packaging: 10pcs/one carton



- ▶ Model:  
200W/230W/250W/300W/350W
- Compatible: IntelATX12V2.31
- Powerrating: 200W/230W/250W/300W/350W
- Fan: 12CM
- Packaging: 10pcs/onecarton







- ▶ Model:Micro
- SPEC:
- 24P,400mm
- P4,450mm
- IDE+SATA,400+150mm
- IDE+SATA,400+150mm



- ▶ Model:PS3200W
- SPEC:
- 24P,400mm
- P4,450mm
- IDE+SATA,400+150mm
- IDE+SATA,400+150mm



- ▶ Model:Flex/TFX
- SPEC:
- 24P,400mm
- P4,450mm
- IDE+SATA,400+150mm
- IDE+SATA,400+150mm



|                   |                      |
|-------------------|----------------------|
| Dimension:        | 120L*120S*25Dmm      |
| Bearing:          | Hydraulic Bearing    |
| Rotational speed: | 500-1500(±10% RPM    |
| Wind Flow:        | 20.3-61.0 CFM        |
| Wind Pressure:    | 0.42-1.27 mm H2O     |
| MTTF:             | ≥40000h Room Temp:25 |
| Noise value:      | 23.8-28.9 dBA        |
| Connector:        | Fan 1*4P LED 1.3P    |
| Rated current:    | 0.28A                |
| Rated voltage:    | Fan DC 12V; LED 5V   |
| power:            | Fan 3.36W;LED 1.4W   |



▶ AR01



▶ AR02



▶ AR03-W




▶ AR03-B




▶ AR04-W



▶ AR04-B



▶ AR05-W



▶ AR05-B




▶ AR06




► AR07-W



► AR07-B



► AR08



► AR09-W



► AR09-B

## FAN SPECIFICATION

- Size: 120\*120\*25MM
- Voltage: 5V-12V
- Speed: 1200R.P.M
- Airflow: 37.6CFM
- Noise level: 23dB(A)
- Bearing: Hydraulic Bearing

## CORE VALUE

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Resources</b> | <ul style="list-style-type: none"> <li>More than 15 years of experience in DIY PC field and Computer related technical support.</li> <li>Scale purchase &amp; Mature Supplier Management system.</li> </ul>                                                                                                                                                                                                                                               |
| <b>R &amp; D</b> | <ul style="list-style-type: none"> <li>Continuous research and first-off hand update on the latest technology.</li> <li>Continuous research and first-off hand update on the latest technology.</li> <li>Rigorous development concept, after the sale, test and verify of 80,000,000 power supply in the mainland market, the power version has been debugged and modified from version A to E ,finalize our stable and high quality products.</li> </ul> |
| <b>Quality</b>   | <ul style="list-style-type: none"> <li>Strict product quality testing and examining through third-party Testing Laboratory.</li> <li>Complying AQL Standard Procedure in accordance with MIL-STD-105E.</li> <li>Whole process quality control by IQC, IPQC, OQC, FQC.</li> <li>Constant Quality Assurance re-alignment with customers.</li> </ul>                                                                                                         |
| <b>Price</b>     | <ul style="list-style-type: none"> <li>Value competitive pricing achievement by scale purchase &amp; delicacy product management.</li> <li>product management.</li> </ul>                                                                                                                                                                                                                                                                                 |
| <b>Delivery</b>  | <ul style="list-style-type: none"> <li>Allowing shortened delivery up to 25 days only.</li> </ul>                                                                                                                                                                                                                                                                                                                                                         |
| <b>Service</b>   | <ul style="list-style-type: none"> <li>Customer first mentality is the key Company's achievements and existence.</li> </ul>                                                                                                                                                                                                                                                                                                                               |

**EWIN Technology** is a one-stop shop service provider from Original Design, Development, from sales to Logistic, full range of services. Our goal is to satisfy our worldwide customers and focus to provide excellent and high quality service. Our products cover Computer Casing, Power Supply, Earphone, Mouse, Keyboard, Fan. We are a growing company with competent and highly motivated employees to meet our goal and mission.

## MISSION

Honor customer with diligent dedication to achieve mutual benefits.

## BUSINESS CONCEPT

- ☐ Comprehensive Communication
- ☐ Responsible and Accountable
- ☐ Proper Execution
- ☐ Achievements to all

## ADDED VALUE

- Design and develop our products under the brand name "EWIN". Serialization products, upgrade & update design and delicate package are our products' characters.
- Welcome partnership in market distribution.



► 惠州市壹微科技有限公司  
Huizhou Ewin Technology Co., Limited

Room 1603, Block A, Jingliyuan Building No.32 Longhai 2nd Road,  
West District, Daya Bay, Huizhou, Guangdong Province, China  
广东省惠州市大亚湾西区北海二路景乐园大厦A座1603室

☎ +86-0752-5186197 | ✉ sales@ewincn.cn  
☎ +86-0752-5186197 | 🌐 www.ewincn.cn