Shenzhen Yayusi Electronic Technology Co.,Ltd

深圳市骏辉诚博电子科技有限公司

www.yayusi.com.cn/www.yayusi.cn











Yayusi was founded in 2009, 18 years factory manufacture experience, located in Pingshan District,Shenzhen.It is a national high-tech enterprise, professional in R&D, producing,sales Smart Speaker, Bluetooth speaker, Computer speakers,Esports speaker,TWS earbuds & Mircrophone speaker and other audio products.It covers about 6000 square meters, around 120 employees,monthly production capacity around 200K sets. The factory constructs 1 million acoustic laboratories,complete silence test system, achieve ±0.5dB accurate frequency response control, ensure Hi-Fi quality input,have its own injection molding department and SMT automation, obtain ISO9001 quality management system certification.

Factory independent brand"Yayusi", more than 100 patented product, daily capacity 8000, stock shipment within 24 hours,Provide OEM/ODM service, have BSCI,CE,ROHS,FCC and etc, foreign sales around more than 30 countries.Long-term cooperation with China Telecom,Patriot, Lenovo, AKAI,HP,JVC, JEEP,Philip famous brand and etc.

Constantly strive for perfection, Conscientious attitude, Respect to customer and innovative ideas won the domestic and foreign customers's widely praise.The company works with excellent acoustic groups to develop spatial audio technology and create an immersive hearing ecology. Let's cooperate together to achieve mutual benefit and win-win results. Your trust is our greatest pursuit.

诚信铸就品质

Integrity Builds Quality

★ ★ ★ ★ ★

创新引领未来

Innovation Leads The Future







Model No：H17（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects//BT calling
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity:7.4V4000mAh(21700)
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：40W*1+15W*2
- SNR：≥80dB
- Frequency Response：100HZ－20KHZ
- Material:ABS+ Silicone+PC+ Fabric mesh
- Product Size：318.04*124.36*184.23mm
- Charging Time: around 3H
- Play Time: around 5-6H(medium volume)







Model No：H13（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects/BT calling
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity:7.4V4000mAh(21700)
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：50W*1+15W*2
- SNR：≥80dB
- Frequency Response：100HZ－20KHZ
- Material:ABS+ Silicone+PC+ Fabric mesh
- Product Size：320*183*118mm
- Charging Time: around 3H







Model No：H12（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity: 4000mAh(21700)
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：10W*2
- SNR：≥80dB
- Frequency Response：100HZ－20KHZ
- Material:ABS+ Silicone+PC+ Fabric mesh
- Product Size：220.13*103*90.87mm
- Chargin Time: around 3H
- Play Time: around 7-8H(medium volume)





Model No：H10（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects
- Bluetooth Solution：Jerry
- Bluetooth Version：5.4
- Bluetooth Range：≤10m
- Battery Capacity:3000mAh（21700）
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：10W*2
- SNR：≥80dB
- Frequency Response：100HZ—20KHZ
- Material:ABS+PC+ Fabric mesh
- Product Size：224.39*89.6*92.39mm
- Chargin Time: around 3H
- Play Time: around 7-8H(medium volume)

H16尺寸：320*126*189mm







Model No：H16（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects//BT calling
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity:11.4V 4000mAh(21700)
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：40W*2+10W*2
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material:ABS+ Silicone+PC+ Fabric mesh
- Product Size：320*189*126mm
- Chargin Time: around 3H

Can be with Microphone

H9尺寸：281*111*167mm



Model No：H9（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects//BT calling
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity:4000mAh（21700）7.4V
- Charging Voltage： DC5V 3A
- Charging Port：Type-c
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：30W*2
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material:ABS+PC+Fabric mesh
- Product Size：281*167*111mm
- Chargin Time: around 3H
- Play Time: around 3-5H(Medium volume)

Can be with Microphone





H19尺寸：247*97*147mm







Model No：H19（IPX5）

- Function：BT/AUX/U-disk/TF/Light effects//BT calling
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Battery Capacity:2600mAh(18650)
- Charging Voltage： DC5V 2A
- Connection Mode：BT/AUX/U-disk/TF
- Output Impedance：4ΩHM
- Power Output：20W*2
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material:ABS+ Silicone+PC+ Fabric mesh
- Product Size：247*147*97mm
- Chargin Time: around 3H
- Play Time: around 5-6H(medium volume)

Can be with Microphone







Model No：YK12 Home Karaoke Speaker

- Function：BT/TF/AUX/U-disk/Light effect /Wirless Microphone(U)
- Bluetooth Solution：MOUNTAIN VIEW
- Bluetooth Version：5.3
- Bluetooth Range：≤10m
- Charging Voltage:18V 2.5A
- Connection Mode：BT/ TF/AUX/U-disk
- Output Impedance：4ΩHM
- Horn: Bass horn 6.5inch,Tweeter horn 3inch*2
- Power Output：30W*1+15W*2
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material:Wood+Iron mesh
- Product Size：400*180*320mm
- Weight:5280g





Model No：G1 Home Wireless Charging Clock BT Speaker

- Function：BT/TF/AUX/U-disk/Clock/Wireless charging
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version：5.4
- Bluetooth Range：≤10m
- Charging Voltage: DC12V 2.5A
- Charging Port：Type-c
- Connection Mode：BT/ AUX/TF/U-disk
- Output Impedance：4ΩHM
- Power Output：10W*2
- SNR：≥70dB
- Frequency Response：100HZ—18KHZ
- Material:ABS+Fabric mesh
- Product size：230*100*110mm







Model No：A8

- Function：BT/TF/AUX/TWS/Light effects
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version：5.4
- Bluetooth Range：≤10m
- Battery Capacity：1200mAh(18650)
- Charging Voltage：USB DC5V 2A
- Charging Port：Type-c
- Connection Mode：BT/ TF/ AUX
- Output Impedance：4ΩHM
- Horn：40MM outside magnetic
- Power Output：5W
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material: ABS
- Product Size：103*60*53mm
- Weight: 188G
- Charging Time：around 3H
- Playing Time：around 3-5H（65% volume）








Model No：D9 Standard Verison(IPX5)

- Function：BT/BT Calling/TF/AUX/Light effects
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version：5.4
- Bluetooth Range：≤10m
- Battery Capacity：1200mAh(18650)
- Charging Voltage：USB DC5V 2A
- Charging Port：Type-c
- Connection Mode：BT/ TF/ AUX
- Output Impedance：4ΩHM
- Horn：52MM outside magnetic
- Power Output：5W
- SNR：≥80dB
- Frequency Response：100HZ－20KHZ
- Material: ABS+Fabric+Silicon
- Product Size：112*54*87mm
- Charging Time：around 3H
- Playing Time：around 5-7H（65% volume）











Model No：H7 Standard Verison(IPX5)


- Function：BT/TF/AUX/TWS/Light effect（5 types）
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version：5.4
- Bluetooth Range：≤10m
- Battery Capacity：1200mAh(18650)
- Charging Voltage：USB DC5V 2A
- Charging Port：Type-c
- Connection Mode：BT/ TF/ AUX
- Output Impedance：4ΩHM
- Horn：57MM outside magnetic
- Power Output：5W*2
- SNR：≥80dB
- Frequency Response：100HZ—20KHZ
- Material: ABS+PC+Silicon+Fabric
- Product Size：220*80*80.5mm
- Charging Time：around 3H
- Playing Time：around 6-7H（65% volume）

Option: can upgrade bluetooth chip（AB5602B)

+2400mAh(18650)+10W*2








Model No：G2

- Function:BT/U-disk/TF/AUX/Light effects
- Sound Channel: 2.1
- Adjust Mode: rotary knob
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Transmission Distance: ≤10 meters
- Charging Voltage:USB DC5V 1A
- Connection Mode: Bluetooth /AUX(3.5mm)/ USB/U-disk
- Output Impedance: 4ΩHM
- Horn Size：Bass: 4 "square /treble: 2" square
- Output Power ：5W*1+3W*2
- Sensitivity：850±50mV
- THD：1%
- SNR：≥80dB
- Frequence Response：100HZ－20KHZ
- Product Size: Bass:180*121*140mm/ Satellite:76*74*101mm
- Net weight ：1226g







Model No：H5

- Function:BT/AUX/U-disk/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:2200mAh(18650)
- Charging Voltage :DC5V 1A
- Charging Port: Type C
- Connection Mode: Bluetooth /AUX(3.5mm)/ USB
- Output Impedance: 4Ω
- Output Power:5W*2
- SNR: ≥80dB
- Frequency Response: 100HZ—20KHZ
- Material: ABS+PC+ iron mesh
- Product Size: Φ107*160mm
- Weight (bare) :450G
- Charging Time: around 3H
- Playing Time：4-8H(65%volume)










Model No：D4 (IPX7)

- Function:BT/Light effect/IPX7
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:1800mAh(18650)
- Charging Voltage :DC5V 2000mA
- Charging Port: Type C
- Connect Mode : BT
- Output Impedance:4Ω
- Horn Diameter: 52mm outside magnetic
- Power Output:10W*1
- SNR: ≥80dB
- Frequency Response: 50HZ-20KHZ
- Material：ABS+PC+Silicon+iron mesh
- Product Size：202.5*92.8mm
- Net weight：700g
- Charging Time:about 3h
- Playing Time：about 8h（65% volume ）

Option: can upgrade Mountain view+ 2000mAh+10W*1







Model No：D5 Handle Version (IPX7)

- Function: BT/AUX/U-disk/Light effects/IPX7
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version: 5.4
- Battery Capacity：4000mAh(18650)
- Charging Voltage：DC5V 2A
- Power Supply：Built-in Li batter 7.4V
- Charging Port：Type-c
- Connection Mode：Bluetooth /USB/AUX(3.5mm）
- Output Impedance：4Ω
- Horn Diameter: treble unit 2*58mm/ bass unit 2*78mm
- Output Power：70W（treble unit 2*10W+ bass unit 2*25W)
- SNR：≥80dB
- Frequency Response：20HZ—20KHZ
- Material：ABS+ silicone + iron mesh
- Product Size：362*140*125mm
- Net weight：2910g
- Charging Time：about 3H
- Playing Time：about 3-5H（65%volume)

Option: can make single and double microphones









Model No：D5 (IPX7)

- Function: BT/AUX/U-disk/Light effects/IPX7
- Bluetooth Solution:MOUNTAIN VIEW
- Bluetooth Version: 5.3
- Bluetooth Range: ≤10 meters
- Battery Capacity:4000mAh(18650)
- Charging Voltage: :DC5V 3A
- Power Supply: Built-in Li battery 11.1V
- Charging Port: Type-c
- Connection Mode: Bluetooth /USB/AUX(3.5mm）
- Output Impedance: 4Ω
- Horn Diameter: treble unit 2*2.25 inch/ bass unit 2*3 inch
- Output Power:100W(treble unit 2*10W+bass unit 2*40W)
- SNR: ≥80dB
- Frequency Response: 50HZ-20KHZ
- Material: ABS+ silicone + iron mesh
- Product Size: 362 *140*125 mm
- Weight (bare) : 3000g
- Charging Time: about 2H
- Playing Time: about 3-5H (65% volume)

Option: can make single and double microphones









Model No：D6（IPX7）

- Function:BT/AUX/U-disk/Light effects/IPX7
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:1800mAh(18650)
- Charging Voltage :DC5V 2000mA
- Charging Port: Type-c
- Connect Mode : BT/ U-disk/AUX
- Output Impedance:4Ω
- Horn Diameter: 52mm outside magnetic
- Power Output:5w*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+PC+ TPE+Silicon
- Product Size：246.7*132mm
- Net Weight：1000g
- Charging Time:about 2h
- Playing Time：about 8h（65% volume）

Option1: can upgrade Mountain view +3000mAh+10W*2

Option2:can make single and double microphones









Model No：H2（IPX5)

- Function:BT/AUX/TF/Light effects
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:1800mAh
- Charging Voltage :DC5V 2000mA
- Charging Port: Type-c
- Connect Mode : BT /TF/ AUX
- Output Impedance:4Ω
- Horn Diameter: 52mm outside magnetic horn
- Power Output:5w*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+silicon+PC+ fabric
- Product Size：204.6*63.5*144.6mm
- Charging Time:about 2H
- Playing Time：about 6h（65% volume）

Option1: can upgrade Mountain view+3000mAh+10W*2

Option2: can make single and double microphones









Model No：H3

- Function: BT/TF/AUX/U-disk/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:2400mAh 3.7V(18650)
- Charging Voltage: DC5V 2A
- Charging Port: Type-c
- Connection Mode: Bluetooth /USB/AUX/TF
- Output Impedance: 4Ω
- Horn Diameter: 116mm outside magnetic
- Output Power:10W*1
- SNR: ≥80dB
- Frequency Response: 50HZ—20KHZ
- Material: ABS+PC+ iron mesh + silicone
- Product Size: 150*150*154.5mm
- Charging Time: around 3H
- Playing Time：4-8H (65%volume)

Option1: can upgrade mountain view+ 6000mAh+40W

Option2: can make single and double microphones.









Model No：H3 Pro

- Function: BT/TF/AUX/U-disk/Light effects
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:2400mAh 3.7V(18650)
- Charging Voltage: DC5V 2A
- Charging Port: Type-c
- Connection Mode: Bluetooth/USB /AUX/ TF
- Output Impedance: 4Ω
- Horn Diameter: 116mm outside magnetic
- Output Power:10W*1
- SNR: ≥80dB
- Frequency Response: 50HZ－20KHZ
- Material: ABS+PC+ iron mesh + silicone
- Product Size: 150*150*154.5mm
- Charging Time: around 3H
- Playing Time：4-8H (65%volume)

Option1: can upgrade mountain view+ 6000mAh+40W

Option2: can make single and double microphones.









Model No：D2 (IPX7)

- Function:BT/TWS/AUX/BT Calling/IPX7
- Bluetooth Solution：BLUE TRUM
- Bluetooth Range: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:1500mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type-c
- Connect Mode ： Bluetooth/AUX
- Output Impedance: 4Ω
- Power Output:10W*1
- Horn Diameter: 52mm inside magnetic
- SNR: ≥80dB
- Frequency Response: 100HZ—20KHZ
- Material: ABS+silicon+fabric
- Product Size:172*106*46mm







Model No：D7

- Function: BT/TF/AUX/U-disk/Light effects/FM
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10 meters
- Battery Capacity:1200mAh(18650)
- Charging Voltage: DC5V 1000mA
- Charging Port: Type-c
- Connection Mode: Bluetooth /AUX(3.5mm)/ TF/USB
- Output Impedance: 4Ω
- Horn Diameter: 52mm outside magnetic horn
- Power Output:3W*2
- SNR: ≥80dB
- Frequency Response: 100HZ－20KHZ
- Material: ABS+fabric
- Product Size: 198*78.5*53mm
- Charging Time: around 3H
- Play Time: around 4-8H(65%volume)

Option: can upgrade 1800mAh+5W*2







Model No：D7P

- Function: BT/TF/AUX/U-disk/Light effects/FM
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10 meters
- Battery Capacity:1200mAh(18650)
- Charging Voltage: DC5V 1A
- Charging Port: Type-c
- Connection Mode: Bluetooth /AUX(3.5mm)/ TF/USB
- Output Impedance: 4Ω
- Horn Diameter: 52mm outside magnetic horn
- Output Power:3W*2
- SNR: ≥80dB
- Frequency Response: 100HZ－20KHZ
- Material: ABS+fabric
- Product Size:198*78.5*53mm
- Charging Time: around 3H
- Play Time: around 4-8H(65%volume)

Option: can upgrade 1800mAh+5W*2







Model No：V6

- Function: BT/TF/AUX
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：1200mAh(18650)
- Charging Voltage: DC5V 1000mA
- Charging Port: Type-c
- Connect Mode : BT/TF/AUX
- Output Impedance: 4Ω
- Horn Diameter: 52mm outside magnetic horn
- Power Output:3w*2
- SNR:≥80dB
- Frequency Response: 50-20000HZ
- Material：ABS+fabric
- Product Size：165*70*50mm
- Charging Time: around 3H
- Play Time: around 4-8H(65%volume)







Model No：C7

- Function: BT/TF/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：600mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type-c
- Connect Mode ： BT/TF



- Output Impedance: 4Ω
- Horn Diameter: 40 mm
- Power Output:3W*1
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+Acrylic
- Product Size: 66*90mm

Option: can upgrade 1000mAh+5W







Model No：C7

- Function:BT/AUX/TF/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：1500mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type-c
- Connect Mode ： BT/TF/AUX
- Output Impedance: 4Ω
- Power Output:5W*1
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS+Acrylic
- Product Size: 90*120mm





Model No：D3

- Function:BT/TF/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity：1000mAh
- Charging Voltage: DC5V 2000mA
- Connect Mode ： BT/TF
- Charging Port: Type-c
- Output Impedance: 4Ω
- Horn Diameter：40mm
- Power Output:5W*1
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS
- Product Size: 80*34.5mm









Model No：B7（IPX4)

- Function:BT/AUX/TF
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version:5.4
- Bluetooth Range: ≤10M
- Battery Capacity:600mAh
- Connect Mode : BT/AUX/TF
- Horn Diameter: 52mm outside magnetic
- Power Output:3W*1
- SNR:≥80dB
- Frequency Response: 50-20000HZ
- Material：ABS+Iron mesh
- Product Size：41*90*98mm
- Function: without DSP

Option: can upgrade1000mAh+5w*1











Model No：A7 Ultimate Version

- Function: BT/AUX/TF/U-disk
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：600mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Micro
- Connect Mode : BT/AUX/U-disk
- Output Impedance：4Ω
- Power Output: 3W*1
- SNR: ≥80dB
- Frequency Response: 100HZ－18KHZ
- Material：ABS
- Product Size：80*36mm

Option: can upgrade 1000mAh+5W*1









Model No：K6

- Function: BT/TWS
- Bluetooth solution: BLUE TRUM
- Bluetooth version: 5.4
- Bluetooth range ：≤10M
- Connect mode : BT
- Battery capacity ：600mAh
- Charging voltage: DC5V 2000mA
- Horn diameter: 40mm
- Output impedance：4Ω
- Power output:3W*1
- SNR:≥70dB
- Frequency response: 100HZ－20KHZ
- Material：ABS
- Product size：90*90*41MM

Option1: can upgrade 1000mAh+5w*1，spray rubber oil.

Option2: can increase the light effects.











Model No：B3

- Function:BT/TF/TWS
- Bluetooth solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity :600mAh
- Charging voltage: DC5V 2000mA
- Connect Mode : BT/TF
- Power Output:3W*1
- SNR:≥80dB
- Frequency Response: 50-18000HZ
- Material：ABS
- Product size：80*80*35mm







Model No：V5

- Function: BT/AUX/TF
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity : 3.7V 1200mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Type-c
- Connect Mode : BT/TF/AUX
- Power Output:3w*1
- SNR:≥80dB
- THD<1%
- Frequency Response: 75-20000HZ
- Material：metal
- Product size：79*79*60mm







Model No：A5 BT Version

- Function:BT/TWS
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：350mAh
- Charging Voltage :DC 5V 2000mA
- Charging Port: Type-c
- Connect Mode : BT
- Power Output:3W*1
- SNR: ≥80dB
- THD:<1%
- Frequency Response: 50-18000HZ
- Material：ABS
- Product size：46*46*33mm







Model No：A5 BT+Plug Version

- Function:BT/TWS/AUX
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Charge Voltage：DC 5V 500mA
- Battery Capacity:3.7V 350mAh
- Connect Mode :BT/3.5mmAUX
- Output Impedance：4Ω
- Power Output:3W*1
- THD: <3%
- SNR: ≥60dB
- Frequency Response: 50-18000HZ
- Material：ABS
- Product size：46*46*33mm












Model No：A801(computer speaker)

- Charge voltage：DC 5V 1000mA
- Power Output:3W
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect Mode :USB2.0+3.5mmAUX
- Material：ABS
- Product size：100*100*134mm







Model NO：A506（Computer Speaker）

- Charge voltage：DC 5V 1000mA
- Power Output:5W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS
- Product size：115*75*88mm







Model No：A508(Computer Speaker)

- Charge voltage：DC 5V 1000mA
- Power Output:5W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS
- Product size：80*80*80mm







Model No：A509（Computer Speaker）

- Charge voltage：DC 5V 1000mA
- Power Output:3W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS
- Product size: 77*65*54mm







Model No：A520（Computer Speaker)

- Charge voltage：DC 5V 1000mA
- Power Output:3W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS
- Product size: 80*80*94mm








Model No：A805（Computer Speaker）

- Charge voltage：DC 5V 1000mA
- Power Output:5W+3W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS
- Product size: Main box:135*100*100MM

  Sub box:73*64*59MM








Model No：A806（Computer Speaker）

- Charge voltage：DC 5V 1000mA
- Power Output:3W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：Wood
- Product size: 152*97*92mm







Model No：A809（Computer Speaker）

- Charge voltage: DC 5V 1000mA
- Power Output: 5W*2
- Frequency Response: 50-20000HZ
- Output Impedance：4Ω
- SNR: ≥60dB
- THD: <1%
- Connect mode:USB2.0+3.5mm Aux
- Material：ABS+Iron Mesh
- Product size:135*96*90mm









Model No：S2

- Function: BT/TF/AUX/U-disk/Time clock/FM/Temperature
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity : 2200mAh
- Charge voltage: DC5V 2000mA
- Charging port: Type C
- Connect Mode : BT/AUX/TF/FM/USB
- Output impedance: 4Ω
- Power Output:3W*2
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS+PC
- Product size：143*50*79mm









Model No：S5

- Functon: BT/TF/AUX/U-disk/Time clock/FM/Temperature
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity :1200mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type C
- Connect Mode : BT/AUX/TF
- Output Impedance: 4Ω
- Power Output: 3W*1+diaphragm
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material: ABS
- Product Size: 140*47*70MM

Option: can upgrade 2000mAh with FM and AUX











Model No：C8

- Function:BT/TF/AUX/Time clock/FM/Record/ Mobile phone holder/Tempertature
- Bluetooth solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10M
- Battery Capacity: 1200mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type C
- Connect Mode : BT/AUX/TF/FM
- Output Impedance:4Ω
- Power Output: 3W*1+1diaphragm
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS
- Product Size：140*75*50mm







Model No：C9

- Function:BT/Time clock/Temperature
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10M
- Battery Capacity:1200mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type C
- Connect Mode : BT
- Output Impedance：4Ω
- Power Output:3W*1
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS
- Product Size：118*55*37mm











Model No：S5 Light Version

- Function:BT/TF/Time clock/Temperature/Night light
- Bluetooth solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10M
- Battery Capacity:1500mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Micro
- Connect Mode : BT/TF,/AUX
- Output impedance:4Ω
- Horn diameter：50mm external magnetic horn
- Power Output:3W*1
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS
- Product Size：140*70*50mm







Model No：T3

- Function:BT/TF/AUX/U-disk/Time clock/FM
- Bluetooth solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity :3.7V 3000mAh
- Charge Voltage: DC5V 2000mA
- Charging Port: Micro
- Connect Mode : BT/AUX/TF/U-disk
- Output Impedance: 4Ω
- Horn: 2.1 channel/ 3 inch(outside magnetic)+2inch*2
- Power Output:5W+3W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+wood+pc+electroplate
- Product Size：133*210*158MM









Model No：T4

- Function:BT/TF/AUX/U-disk/Time clock/FM
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Connect Mode : BT/AUX/TF/U-disk
- Battery Capacity :3.7V18650 2000mAh
- Charge Voltage: DC5V 2000mA
- Charging Port: Type-C
- Power Output:5W
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+electroplate+PC
- Product Size：123*199*139mm

Option:can make single and double microphones







Model No：K5

- Function:BT/TF/AUX/U-disk/Time clock/FM Calendar display/Night light
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version:5.4
- Bluetooth Range: ≤10M
- Connect Mode : BT/AUX/TF/U-disk
- Battery Capacity:3000mAh
- Charge Voltage: DC5V 2000mA
- Charging Port: Type C
- Output Impedance:4Ω
- Horn Diameter: 40mm
- Power Output:5W*2
- SNR: ≥70dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS
- Product Size：194*54*92mm







Model No：S6

- Function: BT/TF/AUX/Time clock/FM/Temperature
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：3.7V 3600mAh
- Charging Voltage: DC5V 2000mA
- Connect Mode : BT/AUX/TF
- Power Output:5W*2
- Output Impedance：4Ω
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS+fabric
- Product Size：200*200*70mm







Model No：V9

- Function:BT/TF/AUX/Time clock/Temperature display
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity :3.7V 1800mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Type-C
- Connect Mode : BT/AUX/TF
- Power Output:3W*1
- SNR: ≥80dB
- Frequency Response: 75-20000HZ
- Material：Metal
- Product Size：79*79*63mm







Model No：K9

- Function:BT/TF/AUX/FM/Light effects
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：2000mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Type-C
- Connect Mode : BT/TF/AUX/FM/BT calling
- Output Impedance: 4Ω
- Power Output:5W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS+PC+ acrylic
- Product Size:178*52*120m









Model No：V2 Light Version (IPX4)

- Function:BT/TF/AUX/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity : 3000mAh(18650)
- Charging Voltage: DC5V 2000mA
- Charging Port：Type-C
- Connect Mode : BT/TF/AUX
- Horn Diameter：52mm
- Output Impedance: 4Ω
- Power Output:10W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS+ Silicone
- Product Size: 226*70*80mm









Model No：K8

- Function:BT/TF/AUX/U-disk/FM/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：2400mAh
- Charging Voltage: DC5V 2000mA
- Connect Mode : BT/TF/AUX/U-disk
- Output Impedance: 4Ω
- Power Output:3W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-18KHZ
- Product Size: 235*106*89mm
- Material：ABS+ Iron mesh

Option1: upgrade 3000mAh+5w*2 .

Option2: can make single and double microphones(JL).







Model No：T2

- Function:BT/TF/AUX/U-dsk/FM/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Connect Mode : BT/ AUX/TF/U-disk/FM
- Battery Capacity :1200mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Micro
- Output Impedance：4Ω
- Power Output: 5 inch10w
- SNR: ≥80dB
- Frequency Response: 100HZ－20KHZ
- Material：ABS
- Product Size：248*331 *130mm

Option1: can do dual voice coil horn15W+2000mAh.

Option2: can make single and double microphones.





Model No：C5 N

- Function:BT/TF/AUX/FM/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity : 1500mAh(18650)
- Charging Voltage: DC5V 2000mA
- Charging Port：Micro
- Connection Mode : BT/TF/AUX
- Output Impedance: 4Ω
- Horn Diameter: 50mm outside magnetic horn
- Power Output:3W*1
- SNR: ≥80dB
- Frequency Response: 100HZ—20KHZ
- Material：ABS
- Product Size: 140*70*50mm









Model No：K3

- Function:BT/TF/AUX/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity :3000mAh(18650)
- Charging Voltage: DC5V 2000mA
- Charging Port：Micro
- Connect Mode : BT/AXU/TF
- Horn Diameter：40mm outside magnetic horn
- Output Impedance: 4Ω
- Power Output: 5W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS
- Product Size: 185*51*69mm









Model No：V2 (IPX4)

- Function:BT/TF/AUX/IPX4
- Bluetooth Solution：BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10M
- Battery Capacity:3.7V 3600mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Type-C
- Connect Mode : BT/TF/AUX
- Horn Diameter: 52mm outside magnetic horn
- Power Output:5w*2
- SNR: ≥80dB
- Frequency Response: 50-20000HZ
- Material：ABS
- Product Size: 226*70*80mm

Option: can upgrade 7.4V 2600mAh+10w*2







Model No：S4

- Function:BT/TF/AUX/Light effects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：3.7V 1000mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Micro
- Connect Mode : BT/TF/3.5mm AUX
- Output Impedance: 4Ω
- Power Output:5W*1
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material: ABS+Aluminium alloy
- Product Size:80*110mm







Model No：K7

- Function: BT/TF/AUX/FM/U-disk
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range: ≤10M
- Battery Capacity:3.7V 2400mAh
- Charging Voltage: DC5V 2000mA
- Charging Port：Micro
- Connect Mode : BT/AUX/TF/U-disk
- Horn Diameter：52mm outside magnetic
- horn/double horn + bass diaphragm
- Output Impedance:4Ω
- Power Output:5W*2
- SNR: ≥80dB
- Frequency Response: 100HZ-20KHZ
- Material：ABS oil spraying +PC lens
- Product Size：402*73*68mm

Option: can upgrade 3000mAh with screen display









Model No：S1

- Function:BT/TF/AUX/Time clock/FM/Temperature
- Bluetooth Solution:BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range ：≤10M
- Battery Capacity ：3600mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Type-C
- Connect Mode : BT/AUX/TF/FM
- Output Impedance: 4Ω
- Power Output:5W*2
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：Metal
- Product Size：175*51*67MM





Model No：V8

- Function: BT/TF/AUX/Light efffects
- Bluetooth Solution: BLUE TRUM
- Bluetooth Version: 5.4
- Bluetooth Range : ≤10M
- Battery Capacity :3600mAh
- Charging Voltage: DC5V 2000mA
- Charging Port: Micro
- Connect Mode : BT/TF card/AUX
- Power Output:3W*2
- SNR: ≥70dB
- Frequency Response: 100HZ-18KHZ
- Material：ABS
- Product Size:180*103*266mm









Model No：M1

Earphone parameter

- Bluetooth solution：BLUE TRUM
- Bluetooth version: 5.4
- Bluetooth protocol:HSP,HFP,A2DP,AVRCP
- Bluetooth range: 10m
- Connect mode : BT
- Horn diameter: 8mm
- Battery capacity:40mAh(501012)
- Power supply mode: Li-ion battery 3.7V
- Charging mode:Charging case
- Output impedance：32Ω
- Outer shell Material：ABS

Charging case parameter

- Material: ABS+PC+Aluminum alloy
- Battery capacity:2000mAh(18650)
- Charging voltage:DC5V 1A
- Charging time: about 3h
- Size: 75.5*46*27.5mm





Model No：M2

- **Earphone parameter**
- Bluetooth solution：BLUE TRUM
- Bluetooth version: 5.4
- Bluetooth protocol:HSP,HFP,A2DP,AVRCP
- Bluetooth range: 10m
- Horn diameter: 8mm
- Connect mode : BT
- Battery capacity:40mAh(501012)
- Power supply mode: Li-ion battery 3.7V
- Charge mode:Charging case
- Output impedance: 32Ω
- Product size：23.5*16*20mm
- Outer shell Material: ABS

Charging case parameter

- Material: ABS+PC
- Battery capacity:1200mAh(18650)
- Charge voltage:DC5V 1A
- Charge time: about 3h
- Size:75.5*46*27.5mm







Model No：M7

Earphone parameter

- Bluetooth solution：BLUE TRUM
- Bluetooth version: 5.4
- Bluetooth protocol: HSP,HFP,A2DP,AVRCP
- Bluetooth range: 10m
- Horn diameter: 8mm
- Connect mode : BT
- Battery capacity:40mAh(501012)
- Power supply mode: Li-ion battery 3.7V
- Charge mode:Charging case
- Output impedance: 32Ω
- Product size：23.5*16*20mm
- Outer shell Material: ABS

Charging case parameter

- Material: ABS+PC
- Battery capacity:2000mAh(18650)
- Charging voltage:DC5V 1A
- Charging time: about 3h
- Size: 74*26*48mm