

SHENZHEN W.RIDER TECHNOLOGY CO.,LTD



SHENZHEN W.RIDER TECHNOLOGY CO., LTD

Office address: RM821 Dingcheng international Building, Shennan middle Road, Shenzhen, China

TEL: +86 755 82807800/82807806/82807848 /82807826

FAX: + 755 82807809

E-mail: rider@w-rider.com

Http: www.w-rider.com ; www.globalsources.com/wrider.co

Speaker Factory Address:

YJ Industry Garden, BaiGang Zone, Xiao Jinkou Town, Huizhou City, Guangdong, China.

Keyboard Factory Address:

Xinhao Building, Yindu industry Zone, Dongkeng Town, Dongguan City, Guangdong, China



SHENZHEN
W.RIDER TECHNOLOGY
2020 Portfolio



Introduction

SHENZHEN W.RIDER TECHNOLOGY CO., LTD was established in 2000, and with many years' trading development, W.Rider is now a thriving manufacturer in the industry of computer peripherals. We have two factories (total area: 20,000sq.m) for prevalent computer accessories. Our main products are Speaker, Keyboard, Mouse and Headset.

With many years' effort, our export business and domestic trade have been developing very rapidly. We welcome OEM and ODM businesses. We have hundreds of product styles and a wide range of products exported worldwide and sold well in South America, Europe Middle East and at competitive prices. Now our annual sales quantity reaches several millions U.S. dollars with the support of the High - Tech Enterprise Department of Shenzhen Government.

Our staff with high qualified personality and management skills is the foundation of our business. We welcome the opportunity to serve our business friends and customers in overseas markets and aim to work together with any of them to build a prosperous future.



WE COVERED ALMOST ALL INDOORS &
OUTDOORS SPEAKERS

Lighting your life with flame, burning your passion with music!



Flame camping speaker, warm your lonely night.

GLOW LANTERN

Wireless Rechargeable Speaker with multicolor surround LED Lights!



IPX4 waterproof
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day
Bluetooth, AUX, Flame light, solar charger

Specification:

Power supplier: DC5V
Output power: 8W (1*woofer)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 3 inch 4Ω8W + Φ92MM bass passive disk
Transmission Range: ≤ 10 m
Dimensions: W196mm*D196mm*H302mm

RD-S067BT

GLOW LANTERN

Wireless Rechargeable Speaker with multicolor surround LED Lights!



IPX4 waterproof
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day
Bluetooth, AUX, Flame light, solar charger

Specification:

Power supplier: DC5V
Output power: 8W (1*woofer)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 3 inch 4Ω8W + Φ92MM bass passive disk
Transmission Range: ≤ 10 m
Dimensions: W188mm*D188mm*H299mm

RD-S066BT



Lighting your life with flame, burning your passion with music!



GLOW LANTERN

Wireless Rechargeable Speaker with multicolor surround LED Lights!



RD-S068BT

IPX4 waterproof
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day
Bluetooth, AUX, Flame light, solar charger

Specification:

Power supplier: DC5V
Output power: 8W (1*woofer)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 3 inch 4Ω8W + Φ92MM bass passive disk
Transmission Range: ≤ 10 m
Dimensions: W132mm*D132mm*H190mm

IP67 Waterproof Stereo Bluetooth Speaker!



PLUNGE Floating Stereo Waterproof Speaker

IP67 waterproof - fully immersible and it can float
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day
With LED loudspeaker or without LED

Specification:

Power supplier: DC5V
Output power: 16W (8W*2)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 45mm * 2 / 8W
Transmission Range: ≤ 10 m
Unit (Strong Bass): 5" * 2 Bass Passive Disk
Dimensions: W288mm X D102mm X H186mm



RD-S120BT

RD-S120BT-1



IP67 Waterproof Stereo Bluetooth Speaker!



RD-S116BT

PLUNGE Floating Stereo Waterproof Speaker

IP67 waterproof - fully immersible and it can float
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day
With LED loudspeaker or without LED

Specification:

Power supplier: DC5V
Output power: 16W (8W*2)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: $\Phi 45\text{mm} \times 2 / 8\text{W}$
Transmission Range: $\leq 10\text{m}$
Unit (Strong Bass): 5" * 2 Bass Passive Disk
Dimensions: W285mm X D138mm X H169mm

RD-S116BT-1

Re: This model also can be made IPX4.



IP67 Waterproof Stereo Bluetooth Speaker!



RD-S115BT

AQUABOOM Max

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: $\Phi 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W285mm X D85mm X H110mm



RD-S079BT

AQUABOOM

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers
Built-in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 1500mAh
Play Time: 4-5 Hours
Speaker Unit: $\Phi 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W255mm X D81mm X H95mm



RD-S626BT

DUNK

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers with bass passive disk
Built-in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 5W
Battery Capacity: 1200mAh
Play Time: 3-4 Hours
Speaker Unit: $\Phi 45\text{mm} \times 1 / 5\text{W}$
Dimensions: W143mm X D60mm X H91mm



IP67 Waterproof Stereo Bluetooth Speaker!



RD-S109BT

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers with bass passive disk
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 2000mAH
Play Time: 5-6 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W282mm X D75mm X H146mm

RD-S109BT-1

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers with bass passive disk
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 2000mAH
Play Time: 5-6 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W282mm X D75mm X H106mm

RD-S109BT-2

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers with bass passive disk
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 2000mAH
Play Time: 5-6 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W282mm X D75mm X H106mm



RD-S118BT

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 1500mAH
Play Time: 4-5 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W255mm X D71mm X H95mm

RD-S118BT-1

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 1500mAH
Play Time: 4-5 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W255mm X D71mm X H95mm

RD-S118BT-2

IP67 waterproof - fully immersible, and it can float
Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 10W (5W*2)
Battery Capacity: 1500mAH
Play Time: 4-5 Hours
Speaker Unit: $\varnothing 45\text{mm} \times 2 / 5\text{W}$
Dimensions: W255mm X D71mm X H95mm



IPX4 Wireless Rechargeable Outdoor Rock Speaker! It can with Multi-Colored Ambient LED Lighting, And can with TWS function and Solar !



RD-RS010BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: W255mm X D250mm X H275mm

RD-RS010BT-1

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: W255mm X D250mm X H275mm

RD-RS009BT-1

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: W255mm X D250mm X H275mm

The Polynesian gods Bluetooth Speaker!



RD-RS015BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS016BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS017BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

IPX4 Wireless Rechargeable Outdoor Tiki Speaker!

And the eyes and mouth can with Multi-Colored Ambient LED Lighting,
Also can with TWS function and Solar !





TREE STUMP STONE

Wireless Rechargeable Outdoor Speaker!
And it can with Multi-Colored Ambient LED Lighting.
And can with TWS function and Solar !
IPX5 Waterproof
Bluetooth 5.0



RD-RS007BT-LED



RD-RS008BT-LED



RD-RS007BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS008BT

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



IPX4 Wireless Rechargeable Outdoor Rock Speaker with Multi-Colored Ambient LED Lighting!
Beautiful multi-colored LED lights
Stereo full-range drivers with Bass passive disc
Rechargeable battery provides long-time music.



RD-RS003BT/LED

With Multi-Colored Ambient LED Lighting!
Recharge by embedded solar panel

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS001BT/LED

With Multi-Colored Ambient LED Lighting!

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS004BT/LED

With Multi-Colored Ambient LED Lighting!

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS005BT/LED

With Multi-Colored Ambient LED Lighting!

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



RD-RS006BT/LED

Beautiful lava lamp effect

Specification:

Power supply: 6V - 8V
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

**RD-RS001BT****SINGLE STONE**

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Comewith TWS function can connect 2 or multiple stones by different Bluetooth devices

Specification:

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 250*245*280mm

**RD-RS001BT-Solar****PAIR STONES WITH SOLAR**

IPX4 waterproof
Stereo full-range drivers
Rechargeable battery provides long-time music.
Recharge by embedded solar panel or AC power

Specification:

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 2000mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

**RD-RS002BT****SINGLE STONE****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 250*260*280mm

**RD-RS003BT****SINGLE STONE****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 260*260*265mm

**RD-RS003BT-Solar****PAIR STONES WITH SOLAR****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 2000mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

**RD-RS004BT****SINGLE STONE****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 255*245*270mm

**RD-RS004BT-Solar****PAIR STONES WITH SOLAR****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 2000mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

**RD-RS005BT****SINGLE STONE****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 260*275*260mm

**RD-RS005BT-Solar****PAIR STONES WITH SOLAR****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 2000mAh (2000mAh with LED)
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω

**RD-RS006BT****SINGLE STONE****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 1500mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω
Dimensions: 275*230*275mm

**RD-RS006BT-Solar****PAIR STONES WITH SOLAR****Specification:**

Power supply: 5V 1A
Output power: 10W
Battery Capacity: 2000mAh
Play Time: 5-6 Hours
Speaker Unit: 5" / 15W / 3Ω



Waterproof IPX4 Stereo
Bluetooth Speaker!



RD-S080PBT-1



RD-S080PBT

- AUX-IN
- MP3
- FM Radio
- Rechargeable
- Subwoofer
- Bluetooth
- USB
- TF Card



RD-S080PBT-2

Stereo full-range drivers with bass passive disc
Built - in mic to answer calls
Built-in rechargeable battery lasts all day
With FM,AUX,USB,TF Wired Microphone function.

Specification:
Power supplier: 12V 2A
Output power: 10W*2
Battery Capacity: 3*2000mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 5" / 15W / 3Ω
Dimensions: L407mm*W170mm*H260mm

Wireless Rechargeable Outdoor Bazooka Speaker
with Multi-Colored Ambient LED Lighting!
Beautiful multi-colored LED lights
Rechargeable battery provides long-time music.



RD-S010PBT/LED

8" Bazooka and 6.5" bass Stereo full-range drivers
With FM,AUX,USB,SD Wired Microphone function.
Built - in mic to answer calls
Built-in rechargeable battery lasts all day

Specification:
Power supplier: 5V 1A
Output power: 18W+3W*2
Battery Capacity: 2*2500mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 6.5" / 18W / 3Ω+3" *2 / 3W / 4Ω
Dimensions: L310mm*W210mm*H265mm



RD-S070PBT/LED

6" Bazooka and 5.25" bass Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day
With TF card , FM, AUX, USB

Specification:
Power supplier: 5V 1A
Output power: 18W+3W*2
Battery Capacity: 2*2500mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 5.25" / 18W / 3Ω+3" *2 / 3W / 4Ω
Dimensions: L400mm*W175mm*H245mm



Wireless Rechargeable Outdoor Speaker with Multi-Colored Ambient LED Lighting!
Beautiful multi-colored LED lights
Rechargeable battery provides long-time music.



RD-S020PBT/LED

6" Bazooka and 5.25" bass Stereo full-range drivers
With TF card , FM, AUX

Specification:

Power supplier: DC 5V
Output power: 12W+3W*2
Battery Capacity: 2500mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 5.25" / 18W /3Ω+3*2 / 3W /4Ω
Dimensions: L284mm*W175mm*H182mm



RD-S050PBT/LED

3" Bazooka and 3" bass Stereo full-range drivers
With FM,AUX,USB,BT

Specification:

Power supplier: DC 5V
Output power: 6W+3W*2
Battery Capacity: 2000mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 3" / 18W /3Ω+2*2 / 3W /4Ω
Dimensions: L285mm*W124mm*H136mm

Big lots Model for LED Bazooka Speaker



RD-S081PBT/LED

4" Bazooka and 4" bass Stereo full-range drivers
With FM,AUX,USB,BT

Specification:

Power supplier: DC 5V
Output power: 5W
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 4" / 5W /3Ω
Dimensions: L 230mm*W120mm*H120mm



RD-S090PBT/LED

3" Bazooka and 3" bass Stereo full-range drivers
With FM,AUX,USB,BT,Flashlight

Specification:

Power supplier: DC 5V
Output power: 5W
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6Hour
Speaker Unit: 3" / 5W /3Ω
Dimensions: L210mm*W95mm*H100mm



**RD-S010PBT****Tour Pro**

8" Bazooka and 6.5" bass Stereo full-range drivers
With FM,AUX,USB,ST Wired Microphone function.
Built - in mic to answer calls
Built-in rechargeable battery lasts all day
With remote control or no

Specification:

Power supplier: 7.4V 1.5A
Output power: 18W+3W*2
Battery Capacity: 2*2000mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 6.5" / 18W /3Ω+3"2 / 3W /4Ω
Dimensions: L310mm*W210mm*H265mm

**RD-S010PBT-1****Remote Tour Pro****RD-S020PBT****Waterproof Tour Pro**

IPX4 Waterproof
6" Bazooka and 5.25" bass Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day
With FM,AUX,USB,BT

Specification:

Power supplier: DC5V
Output power: 12W+3W*2
Battery Capacity: 2500mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 5.25" / 18W /3Ω+3"2 / 3W /4Ω
Dimensions: L284mm*W175mm*H182mm

**RD-S070PBT****Long Drum Speaker**

IPX4 Waterproof
6" Bazooka and 5.25" bass Stereo full-range drivers
Built - in mic to answer calls
Built-in rechargeable battery lasts all day
With FM,AUX,USB,BT

Specification:

Power supplier: 7.4V 1.5A
Output power: 18W+3W*2
Battery Capacity: 2*2000mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 5.25" / 18W /3Ω+3"2 / 3W /4Ω
Dimensions: L400mm*W175mm*H245mm

With FM,AUX,USB,ST Wired Microphone function.
Built-in rechargeable battery lasts all day

**RD-S050PBT**

3" Bazooka and 3" bass Stereo full-range drivers

Specification:

Power supplier: DC5V
Output power: 6W+3W*2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" / 6W /3Ω+2"2 / 3W /4Ω
Dimensions: L285mm*W125mm*H136mm

**RD-S060PBT**

3" Bazooka and 3" bass Stereo full-range drivers
IPX4 Waterproof

Specification:

Power supplier: DC5V
Output power: 5W*2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" *2 / 6W /3Ω
Dimensions: L285mm*W125mm*H136mm

Big lots Model for Bazooka Speaker**RD-S050PBT-1**

3" Bazooka Stereo full-range drivers

Specification:

Power supplier: DC5V
Output power: 5W*2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" *2 / 6W /3Ω
Dimensions: L285mm*W125mm*H136mm

**RD-S040PBT-1**

4" Bazooka Stereo full-range drivers

Specification:

Power supplier: DC5V
Output power: 5W / 10W
Battery Capacity: 1200mAh for Output 5W
2000mAh for Output 10W
Play Time: 5-6 Hours
Speaker Unit: 3" *2 / 6W /3Ω
Dimensions: L285mm*W125mm*H136mm



RD-SM07PBT

PA PRO

6.5" bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control, Wired Microphone port.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 10W
Battery Capacity: 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 6.5" / 18W / 4Ω+3"2 / 3W / 4Ω
Color box Size: L220mm*D205mm*H350mm



RD-S206BT

Crosswise PA

6.5" *2 bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control, Wired Microphone port.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 7.4V
Output power: 25W
Battery Capacity: 7.4V / 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 6.5" / 18W / 4Ω+2
Color box Size:



RD-SM08PBT

TROLLEY PA PRO

8" bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control EQ, 3M Wired Microphone
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 15W
Battery Capacity: 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 8" / 18W / 4Ω+3"2 / 3W / 4Ω
Color box Size: L248mm*D256mm*H495mm



RD-SM08PBT

PA PRO

6" bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control EQ, 3M Wired Microphone
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 15W
Battery Capacity: 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 8" / 18W / 4Ω+3"2 / 3W / 4Ω
Color box Size: L255mm*D215mm*H415mm



RD-S106ABT

PA SPK

6.5" bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control, Wired Microphone port.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 15W
Battery Capacity: 7.4V / 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 6.5" / 18W / 4Ω+3"2 / 3W / 4Ω
Color box Size: L290mm*D235mm*H370mm



RD-S206BT

PA SPK

6.5" bass Stereo full-range drivers + tweeter
With USB, FM, TF, LED and remote control, Wired Microphone port.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 15W
Battery Capacity: 7.4V / 1800mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 6.5" / 18W / 4Ω+3"2 / 3W / 4Ω
Color box Size: L290mm*D235mm*H370mm

**RD-S206BT****Trolley PA SPK**

12" bass Stereo full-range drivers +tweeter
With USB,FM,TF,LED and remote control,Wired Microphone port.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day

Specification:

Power supplier: 5V
Output power: 30W
Battery Capacity: 7.4V/2200mAh/3.7V
Play Time: 2-3 Hours
Speaker Unit: 12" / 35W /4Ω+ Tweeter
Color box Size: L375mm*D330mm*H575mm

**RD-S207BT****Trolley PA SPK Max**

12" bass Stereo full-range drivers +Tweeter
With USB,FM,TF,LED and remote control EQ,With wireless Mic, Wired Mic port, Hurrahó pattern.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day
With 9V / 1.5A Adapter

Specification:

Power supplier: 5V
Output power: 30W
Battery Capacity: 15V / 4 A lithium Battery
Play Time: 5-6 Hours
Speaker Unit: 12" / 40W /4Ω+ Tweeter
Color box Size: L397mm*D345mm*H595mm

**RD-S208BT****Trolley PA SPK**

8" bass Stereo full-range drivers +Tweeter
With USB,FM,TF,LED and remote control EQ,With wireless Mic, Wired Mic port, Hurrah, 6 pattern.
Complete Hight-Power Bluetooth PA System
Built-in rechargeable battery lasts all day
With 9V / 1.5A Adapter

Specification:

Power supplier: 5V
Output power: 30W
Battery Capacity: 3.7V / 1800mAh lithium Battery
Play Time: 4-5 Hours
Speaker Unit: 8" / 15W /4Ω+ Tweeter
Color box Size: L375mm*D330mm*H575mm

**Wireless Wood shell Stereo Bluetooth Speaker!****RD-S607BT**

Stereo full-range drivers
With FM,AUX,USB,Perpetual calendar, Clock.
Built - in 4set alarm clock, LED Show Function
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 6W
Battery Capacity: 2000mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" / 10W /4Ω
Dimensions: L196mm*W105mm*H78mm

**RD-SV10BT**

Stereo full-range drivers
With TF card slot and USB port ,
With FM radio,With Aux in
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 5W * 2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" / 5W /4Ω
Dimensions: L 203mm*W75mm*H94mm

**RD-S605BT**

Stereo full-range drivers
With FM,AUX,USB,Perpetual calendar, Clock.
Built - in 4set alarm clock, LED Show Function
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 7W * 2
Battery Capacity: 2000mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 3" / 8W /4Ω
Dimensions: L 306mm*W145mm*H98mm

Bluetooth Sound Bar Speaker, enjoy your life!

**RD-SV30BT**

Stereo full-range drivers
With TF card slot and USB port
With FM radio, With Aux in
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 5W * 2
Battery Capacity: 1500mAh Li-polymer battery
Play Time: 3-4 Hours
Speaker Unit: 3" * 2 / 5W / 4Ω
Dimensions: W445mm*H80mm*D72mm

**RD-SV40BT**

Stereo full-range drivers
TF card slot/AUX/FM radio
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC3.7V
Output power: 4W * 2
Battery Capacity: 2000mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 1.5" * 2 / 5W / 4Ω
Dimensions: W480mm*H60mm*D64mm

**RD-SV50BT**

Stereo full-range drivers
With phone holder
TF card slot/USB port/AUX/FM radio/Clock
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 8W * 2
Battery Capacity: 3600mAh Li-polymer battery
Play Time: 5-6 Hours
Speaker Unit: 2" * 2 / 10W / 4Ω
Dimensions: W535mm*H100mm*D70mm

**RD-SV10BT**

Sleep assist bluetooth speaker with ambient sounds
Stereo full-range drivers
TF card slot/USB port/AUX/FM radio/Clock
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 8W
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3 Hours
Speaker Unit: 2" / 8W / 4Ω
Dimensions: W200mm*D33mm*H105mm

**RD-SV60BT**

Foldable Phone and PAD holder
Stereo full-range drivers
USB slot, TF card slot and AUX
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 8Wx2
Battery Capacity: 1500mAh Li-polymer battery
Play Time: 3-4 Hours
Speaker Unit: 3" / 8W / 4Ω
Dimensions: W200mm*D70mm*H95mm

**RD-SV80BT**

Foldable Phone and PAD holder
Stereo full-range drivers
USB slot, TF card slot and AUX
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC5V
Output power: 8W
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3 Hours
Speaker Unit: 3" / 8W / 4Ω
Dimensions: W130mm*D76mm*H155mm

**RD-S006BT**

Stereo full-range drivers
With FM radio, Aux in
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC3.7V
Output power: 3W * 2
Battery Capacity: 1500mAh Li-polymer battery
Play Time: 5-6Hours
Speaker Unit: 2" * 2 / 3W / 4Ω
Dimensions: W475mm*H70mm*D50mm

**RD-S007BT**

Stereo full-range drivers
With Aux in

Specification:

Power supplier: DC5V
Output power: 3W * 2
Speaker Unit: 2.5" * 2 / 5W / 4Ω
Dimensions: W545mm*H80mm*D93mm

**RD-S008BT**

Stereo full-range drivers
With Aux in
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC3.7V
Output power: 4W * 2
Battery Capacity: 2000mAh Li-polymer battery
Play Time: 5-6Hours
Speaker Unit: 2" * 2 / 5W / 4Ω
Dimensions: W496mm*H55mm*D72mm

**RD-SV7BT**

Stereo full-range drivers
USB slot, TF card slot and AUX
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 5Wx1
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3 Hours
Speaker Unit: 3" / 5W / 4Ω
Dimensions: W200mm*D50mm*H95mm

**RD-S615BT**

Stereo full-range drivers
USB slot, TF card slot and AUX
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 3Wx2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3Hours
Speaker Unit: 2" / 3W / 4Ω
Dimensions: W236mm*D84mm*H68mm

**RD-S617BT**

Stereo full-range drivers
USB slot, TF card slot and AUX
Built-in rechargeable battery lasts all day

Specification:

Power supplier: DC 5V
Output power: 3Wx2
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3 Hours
Speaker Unit: 2" / 3W / 4Ω
Dimensions: W280mm*D40mm*H55mm



Computer Wired Speaker



RD-S901BT

Stereo full-range drivers
TF card slot/USB port/AUX/FM radio
Built-in rechargeable battery lasts all day
With Multi-Colored Ambient LED Lighting!

Specification:

Power supplier: DC5V
Output power: 5W * 2
Battery Capacity: 1500mAh Li-polymer battery
Play Time: 3-4 Hours
Speaker Unit: 3" / 5W / 3Ω
Dimensions: W210mm * D155mm * H130mm



RD-S904BT

TF card slot/USB port/AUX/FM radio
Built-in rechargeable battery lasts all day
With Multi-Colored Ambient LED Lighting!

Specification:

Power supplier: DC5V
Output power: 5W
Battery Capacity: 500mAh Li-polymer battery
Play Time: 2 Hours
Speaker Unit: 3" / 5W / 3Ω
Dimensions: W118mm * D68mm * H180mm



RD-S905BT

TF card slot/USB port/AUX/FM radio
Built-in rechargeable battery lasts all day
With Flashlight

Specification:

Power supplier: DC5V
Output power: 5W
Battery Capacity: 1200mAh Li-polymer battery
Play Time: 2-3 Hours
Speaker Unit: 4" / 5W / 3Ω
Dimensions: 170mm * 60mm * 240mm



**RD-S201**

Output power: 3W * 2
Dimensions: W77*H174*D95mm

**RD-S202**

Output power: 3W * 2
Dimensions: W77*H174*D95mm

**RD-US2186**

Output power: 5W + 3W * 2
Woofer speaker: W127*H200*D215mm
Satellite speaker: W90*H150*D85mm

**RD-S2187B**

Output power: 10W + 5W * 2
Woofer speaker: W1158*H210*D230mm
Satellite speaker: W50*H170*D78mm

**RD-S203**

Output power: 3W * 2
Dimensions: W77*H174*D91mm

**RD-S204**

Output power: 3W * 2
Dimensions: W77*H174*D91mm

**RD-S205**

Output power: 3W * 2
Dimensions: W144*H94*D90mm

**RD-S2184A**

Output power: 5W + 2W * 2
Woofer speaker: W127*H200*D215mm
Satellite speaker: W68*H165*D72mm

**RD-S5016**

Output power: 10W + 1.5W * 2
Woofer speaker: W188*H188*D188mm
Satellite speaker: W55*H246*D35mm

**RD-S232**

Output power: 2W * 2
Dimensions: W65*H170*D60mm

**RD-S108**

Output power: 2W * 2
Dimensions: W68*H165*D72mm

**RD-S638**

Output power: 3W * 2
Dimensions: W68*H130*D148mm

**RD-S3076A**

Output power: 5W + 2W * 2
Woofer speaker: W120*H170*D120mm
Satellite speaker: W74*H102*D76mm

**RD-S3075**

Output power: 5W + 3W * 2
Woofer speaker: W92*H185*D92mm
Satellite speaker: W90*H85*D81mm

**Special Features:**

Bluetooth 5.0
 Fully wireless Bluetooth compatible
 Quick pairing with a Bluetooth device
 Soft earcups deliver comfort
 Stereo sound, noise-isolation
 Selling points: over-ear Bluetooth 5.0 headphones,
 stylish shape, fine workmanship, comfy soft earcups
 and stereo sound quality.

Specifications:

Charging Time: 1.5 Hours
 Standby Time: 100 Hours
 Working Time: 15 Hours Drive
 Diameter: 2*40mm
 Frequency Response: 20Hz~20kHz
 Impedance: 32Ω±15% at 1kHz
 Distortion THD: 3% at 1kHz

- 1> BT Version: Airoha 5.0
- 2> Rang: 33FT/10 M
- 3> Battery: 60mAh
- 4> Voltage: 3.7V
- 5> Power: <100mW
- 6> Talking time: 4H
- 7> Charging time: 1-2H
- 8> Charging way: USB 5V
- 9> Impedance: 16Ω
- 10> Sensitivity: 98db/1KHz 1mW
- 11> Frequency Response: 20Hz-20KH



RD-E402BT



RD-E501BT



RD-E101BT



RD-E102BT



RD-E301BT



RD-H701BT



RD-H702BT



RD-EF01BT

bluetooth earphone with small fans



RD-E201BT



RD-E202BT



RD-K894A



RD-K668



RD-K985mini



RD-K808B



RD-K2005A



RD-K802A



RD-K668M



RD-K809B

Main features:

- Bilingual keyboard : English and Russian
- 3 backlight modes : press FN + SL to switch the color - red, blue and purple
- 3 levels light brightness 33 percent, 66 percent and 100 percent adjustable brightness, press FN + or FN + to adjust
- With 114 sensitive keys, 10 multimedia buttons, you can use it to play music, adjust the volume, shortcut keys E-Mail and homepage, convenient to use
- Coolfire cracks, perfect for game enthusiasts
- Ultra-durable and programmable keys (designed to last 10 million strokes. Play your games without any worries
- Bottom stand function is designed to provide a vast using angle for you
- With 1.5 meter (4.92ft) cable reduces abnormal conductivity, providing highest level of transmission signal



RD-K813



RD-K812 Machinery Keyboard



RD-K815



RD-K816



RD-K818



RD-M903



RD-M904



RD-M778



RD-RFM361



RD-RFM7009



RD-M789



RD-RFM7010



RD-RFM7008



RD-M722



RD-RFM3120



RD-RFM3080



RD-M8007



RD-M3070



RD-M361



RD-M304



RD-M779