



PRODUCT ²⁰₂₅ COLLECTION

Dongguan Huiyan Electronics Co., Ltd

Add: Room 1201, Unit 2, Building 2, No. 1, Jianye Second Road,
Tangxia Town, Dongguan City, Guangdong Province, China

Guangdong Galaxy Polytron Technologies Inc

Add: 6F, Building 3, Xinnan Science and Technology Industrial Park, No. 203,
Gaoxin 5th Road, High-tech Zone, Heyuan City, Guangdong Province, China



WWW.HUIYAO.COM



AC CHARGER



POWER BANK



AC POWER BANK



CABLE



AUDIO



AC ADAPTOR



POWER STRIP

“GOOD QUALITY AND GUARANTEE”



COMPANY PROFILE

CATALOG

NITIKA
FROM THE FUTURE

Ultra Thin Charger..... 01-04

AC Charger..... 05-09

AC ADAPTOR..... 10-12

Outdoor Activity Series..... 13-16

Power Bank..... 17-28

Qi2 Series..... 29-30

Designer Power Bank..... 31-32

Cable..... 33-36

SSD..... 37-38

Audio..... 39-40

Dongguan Huiyan Electronics Co., Ltd., was founded in 2000 and located in Dongguan which is famous as the worldwide factory city for its strong manufacturing capability.

The company mainly produces electronic products including but not limited to Apple MFi certified products (wires, audio products) wireless chargers, power banks, cables, wall chargers, car chargers, Bluetooth headsets humidifiers, IoT shared charge devices, etc. for any OEM/ODM requirements.

We adhere to the principle of "leading technology, human-oriented management, quality wins and customer first" to provide customers with high-quality products and services.

Guangdong Galaxy Polytron Technologies Inc. was established in 2016 with investment from Dongguan Huiyan Electronics Co., Ltd. Located in the National High-tech Zone of Heyuan City, an important transportation town in northeastern Guangdong, with a total investment of 350 million and an area of about 80 acres, the company focuses on the research and development, production and supporting base of smart accessories and smart hardware.

The company's main products include: MFi series products, smart charging, smart acoustics, smart home and other smart digital peripheral products.

Through its increasingly strong R&D strength, stable and scientific production and manufacturing platform, and strict and professional quality control system, we are committed to providing customers from all over the world with products with stable performance, high cost performance, trustworthy delivery commitments and high quality. After-sales guarantee. It has created the "NITIKA Galaxy Polytron" brand that is widely known in the digital electronics market. We adhere to the business philosophy of "quality wins, technology leadership, people-oriented management, customer first" to provide customers with high-quality services.




100000 m²+
Total floor area

100 pieces+
Invention patent

110 people+
Senior engineer

20 years+
R&D and manufacturing

1000 people+
Staff



AC CHARGER

GaN



30W/45W/65W
Fast Charging

Model: N-AC010 PD 30W

- Input: AC100-240V, 50/60Hz, 0.8A
- USB-C1/C2 Output:
DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)
- PPS: 5-11V/3.0A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 60*36*19mm

Color: ☐ ☒



Model: N-AC011 PD 45W

- Input: AC100-240V, 50/60Hz, 1.2A
- USB-C1 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- USB-C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- PPS: 5-16V/2.8A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Total Output: USB-C1+USB-C2: (30W+12W)
- Size: 63*42*19mm

Color: ☐ ☒



Model: N-AC012 PD 65W

- Input: AC100-240V, 50/60Hz 1.6A
- USB-C1 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
- USB-C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
- PPS: DC3.3-11V/3A, 3.3-21V/3A
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Total Output: USB-C1+USB-C2: (45W+12W)
- Size: 66*42*20.5mm

Color: ☐ ☒



Model: N-AC012B PD 65W

- Input: AC100-240V, 50/60Hz 1.6A
- USB-C Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
- PPS: 5-16V/2.8A
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Size: 66*42*20.5mm

Color: ☐ ☒



ULTRA THIN CHARGER

Ultra-slim and ultra-convenient.



Model: N-AC021-2.4A 12W

- Input: AC100-240V, 50/60Hz 0.4A
- USB-A1/A2 Output: DC5V/2.4A(12W Max)
- Size: 58*36*19mm

▪ Color: ☐ ☒



Model: N-AC021-3.4A 17W

- Input: AC100-240V, 50/60Hz 0.5A
- USB-A1/A2 Output: DC5V/3.4A(17W Max)
- Size: 58*36*19mm

▪ Color: ☐ ☒



Model: N-AC030 PD 20W

- Input: AC100-240V, 50/60Hz 0.6A
- USB-C1 Output: DC5V/3A, 9V/2.22A, 12V/1.67A(20W Max)
- USB-C2 Output: DC5V/3A, 9V/2.22A, 12V/1.67A(20W Max)
- PPS: 3.3-5.9V/3A, 3.3-11V/1.8A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 60*36*19mm

▪ Color: ☐ ☒



Model: N-AC030B PD 20W

- Input: AC100-240V, 50/60Hz 0.6A
- USB-C1 Output: DC5V/3A, 9V/2.22A, 12V/1.67A(20W Max)
- PPS: 3.3-5.9V/3A, 3.3-11V/1.8A
- Size: 60*36*19mm

▪ Color: ☐ ☒



Wall Charger with Retractable Cable

PD30/35/45/65W

Fast Charging
Folding Plug
Retractable Data Cable

Model: N-AC016 PD 30W

- Input: AC100-240V,50/60Hz,0.8A
- USB-C/USB-C Cable Output:
DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A (30W Max)
- PPS:5.0-11V/3A
- Total Output: USB-C+USB-C Cable: (15W Max)

Model: N-AC016B PD 35W

- Input: AC100-240V,50/60Hz,0.9A
- USB-C/USB-C Cable Output:
DC5V/3A,9V/3A,12V/2.92A,15V/2.33A,20V/1.75A (35W Max)
- PPS:5.0-11V/3A
- Total Output: USB-C+USB-C Cable: (15W Max)
- Size:59*55*36mm

- Color: ☐ ☒



Model: N-AC017 PD 45W

- Input: AC100-240V , 50/60Hz, 1.2A
- USB-C/USB-C Cable Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A (45W Max)
- PPS:3.3-11V/3A 3.3-16V/2.8A
- (AVS)15.0-20.0VDC,2.0A
- (AVS)9.0-15.0VDC,3.0A
- Total Output: USB-C+USB-C Cable:30W+12W

Model: N-AC018 PD 65W

- Input: AC100-240V, 50/60Hz,1.6A
- USB-C Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (65W Max)
- USB-C Cable Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3A (60W Max)
- PPS:3.3-11V/3A 3.3-21V/3A
- (AVS)15.0-20.0VDC,3.0A
- (AVS)9.0-15.0VDC,3.0A
- Total Output: USB-C+USB-C Cable:45W+12W
- Size: 58*64*36mm
- Color: ☐ ☒



AC CHARGER PD20W/30W/67W

Mini Size/Fast/Safe/Optimized Charging/Travel friendly

Model: N-AC002 PD 20W

- Input: AC100-240V,50/60Hz 0.6A
- USB-C Output:
DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-11V/1.8A

Model: N-AC003 PD 30W

- Input: AC100-240V,50-60Hz,0.8A
- USB-C Output:
DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- PPS:3.3-11V/2.7A
- Size:33*33*38mm

- Color: ☐ ☒

Model: N-AC004 PD 67W

- Input: AC100-240V,50/60Hz 1.7A
- USB-C1 Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.35A (67W Max)
- USB-C2 Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.35A (67W Max)
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- PPS:3.3-11V/3A
- (AVS)15.0-20.0VDC,3.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-C1+USB-C2:45W+20W
- USB-C1+USB-A:45W+18W
- USB-C2+USB-A: 20W
- Total Output: USB-C1+(USB-C2+USB-A):45W+20W
- Size: 66*39*29mm
- Color: ☐ ☒

Model: N-AC005 PD 67W

- Input: AC100-240V,50-60Hz 1.6A
- USB-C Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.35A (67W Max)
- PPS:3.3-11V/5A
- (AVS)15.0-20.0VDC,3.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A (18W Max)
- Total Output: USB-C+USB-A: 45W+12W
- Size:36*36*61mm
- Color: ☐ ☒

Model: N-AC006 PD 20W

- Input: AC100-240V,50-60Hz 0.6A
- USB-C Output:
DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:3.3-5.9V/3A 3.3-11V/1.8A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A (18W Max)
- Total Output: USB-C+USB-A: (15W Max)

Model: N-AC007 PD 30W

- Input: AC100-240V,50-60Hz,0.8A
- USB-C Output:
DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A (30W Max)
- PPS:3.3-11V/3A 3.3-16.0V/2A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A (18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- Size:33*33*40mm

- Color: ☐ ☒

Model: N-AC014**PD 45W**

- Input: AC100-240V, 50/60Hz, 1.2A
- USB-C Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- PPS: 5.0-21.0V/2.25A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Size: 35*35*50mm
- Color: ☐ ☒

**Model: N-AC014B****PD 45W**

- Input: AC100-240V, 50/60Hz, 1.2A
- USB-C1/C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- Total Output: USB-C1+USB-C2: 30W+12W
- PPS: 5.0-16V/2.8A, 5.0-16V/2.0A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Size: 35*35*50mm
- Color: ☐ ☒

**Model: N-AC020****12W**

- Input: AC100-240V/50-60Hz, 0.35A
- USB-C Output: DC5V/2.4A
- USB-A Output: DC5V/2.4A
- Total Output: USB-C+USB-A DC5V/2.4A Max
- Size: Φ52.5*44.5mm

- Color: ☒ ☒ ☒ ☒

**Model: N-AC014C****PD 45W**

- Input: AC100-240V, 50/60Hz, 1.2A
- USB-C Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- USB-A Output: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- PPS: 5.0-21.0V/2.25A, 5.0-21.0V/1.5A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Total Output: USB-C+USB-A: 30W+12W
- Size: 35*35*50mm
- Color: ☐ ☒

**Model: N-AC026****PD 100W**

- Input: AC100-240V, 50/60Hz, 2.5A
- USB-C1 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
- USB-C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
- USB-A Output: 5V 3A, 9V 3A, 12V 3A (60W Max)
- PPS: 5.0-11.0V/3A 5.0-21.0V/3A
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 65W+30W
- USB-C1+USB-A: 65W+30W
- USB-C2+USB-A: 15W
- Total Output: USB-C1+(USB-C2+USB-A): 65W+15W
- Size: 67*66*29mm
- Color: ☐ ☒

**Model: N-AC023****PD 65W**

- Input: AC100-240V, 50/60Hz, 1.6A
- USB-C1/C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
- Type-C1/C2 PPS: DC5.0-21V/3A
- USB-A Output: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 45W+20W
- USB-C1+USB-A: 45W+18W
- USB-C2+USB-A: 15W
- Total Output: USB-C1+USB-C2+USB-A: 45W+15W
- AC Socket Current: 125V/7A Max
- Size: 104*62*21mm
- Color: ☐ ☒

**Model: N-AC031****PD 20W**

- Input: AC100-240V, 50-60Hz, 0.6A
- USB-C Output: DC5V/3A, 9V/2.2A, 12V/1.67A (PD20W Max)
- PPS: 3.3-5.9V/3A 3.3-11V/1.8A
- USB-A Output: DC5V/3A, 9V/2A, 12V/1.5A (QC18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- AC Socket Current: 125V/15A Max (1400W Max)

Model: N-AC031B**PD 30W**

- Input: AC100-240V, 50-60Hz, 0.8A
- USB-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)
- PPS: 3.3-11V/3A 3.3-16.0V/2A
- USB-A Output: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- AC Socket Current: 125V/15A Max (1400W Max)
- Size: 60*40*32mm
- Color: ☐ ☒

**Model: N-AC034****PD 67W**

- Input: AC100-240V, 50/60Hz, 1.6A
- USB-C1/USB-C2 Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)
- USB-C1/USB-C2 PPS: DC5.0-21V/3A
- USB-A Output: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 45W+20W
- USB-C1+USB-A: 45W+18W
- USB-C2+USB-A: 15W
- Total Output: USB-C1+USB-C2+USB-A: 45W+15W
- AC Socket Current: 125V/15A Max (1400W Max)
- Size: 91*40*32mm
- Color: ☐ ☒

**Model: N-AC037****PD 45W**

- Input: AC100-125V, 50/60Hz, 1.2A
- USB-C1/C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- PPS: 5-11V/3A, 5.0-20V/2.25A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- AC Socket Current: 125V/15A Max (1400W Max)
- Total Output: (45W Max)
- Size: 76*40*32mm

- Color: ☐ ☒





Model: N-AC033

PD 170W

- Input: AC100-240V, 50/60Hz, 2.5A
- USB-C1/C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)
- USB-C3/C4 Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A (30W Max)
- USB-A1/A2 Output: 5V/3A, 9V/3A, 12V/3A (18W Max)
- (AVS) 15.0-20.0VDC, 3.0A (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 65W+65W
- USB-C3+USB-C4: 15W
- USB-A1+USB-A2: 15W
- USB-C1+USB-C3: 140W+30W
- USB-C1+(USB-C3+USB-A1): 140W+15W
- Total Output: USB-C1+USB-C2+(USB-C3+USB-C4+USB-A1+USB-A2): 65W+65W+15W
- Size: 90*75*52.5mm
- Color: ■



Model: N-AC029

PD 130W

- Input: AC100-240V, 50/60Hz, 2.5A
- USB-C1 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
- USB-C2/C3/C4/C5/C6/C7/C8 Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A (30W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 65W+30W
- USB-C1+(USB-C3/C4/C5/C6/C7/C8): 100W+30W
- USB-C2+(USB-C3/C4/C5/C6/C7/C8): 30W+30W
- Total Output: USB-C1+C2+(USB-C3/C4/C5/C6/C7/C8): 65W+30W+30W
- Size: 115*69*39mm
- Color: ■



Model: N-AC029B

PD 130W

- Input: AC100-240V, 50/60Hz, 2.5A
- USB-C1 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
- USB-C2/C3/C4/C5/C6 Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A (30W Max)
- USB-A1/A2 Output: 5V/3A, 9V/3A, 12V/3A (18W Max)
- PPS: 5.0-11.0V/3A 5.0-21.0V/3A
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 65W+30W
- USB-C1+(USB-C3/C4/C5/C6): 100W+30W
- USB-C1+(USB-A1/A2): 100W+18W
- USB-C2+(USB-A1/A2): 30W+18W
- USB-C2+(USB-C3/C4/C5/C6): 30W+30W
- Total Output: USB-C1+(USB-C2/C3/C4/C5/C6)+(USB-A1/A2): 65W+30W+18W
- Total Output: USB-C1+C2+(USB-C3/C4/C5/C6+USB-A1/A2): 65W+30W+15W
- Size: 115*69*39mm
- Color: ■



Model: N-AC041

PD 100W

- Input: AC100-240V, 50/60Hz, 2.2A
- USB-C1/C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
- USB-C3 Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A (35W Max)
- USB-A1 Output: 5V/3A, 9V/3A, 12V/3A (18W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 65W+30W
- USB-C3+USB-A1: 15W
- USB-C1+USB-C3: 65W+30W
- USB-C1+USB-C3+USB-A1: 65W+15W
- Total Output: USB-C1+USB-C2+(USB-C3+USB-A1): 65W+35W+15W

Model: N-AC042

PD 67W

- Input: AC100-240V, 50/60Hz, 2.2A
- USB-C1/C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)
- USB-C3 Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A (20W Max)
- USB-A1 Output: 5V/3A, 9V/3A, 12V/3A (18W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1+USB-C2: 45W+20W
- USB-C3+USB-A1: 15W
- USB-C1+USB-C3: 45W+20W
- USB-C1+(USB-C3+USB-A1): 45W+15W
- Total Output: USB-C1+(USB-C2+USB-C3+USB-A1): 45W+15W
- Size: 85*16*75mm
- Color: ■



WATERPROOF PORTABLE POWER BANK

For Outdoor Activities

With Retractable Fast Charging Cable



Digital Display Screen
Retractable Fast Charge Cable

Model: N-DC005

PD 45W

- Battery: Li-ion Battery 10000mAh/3.6V/36Wh
- USB-C Input/Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- PPS: 5.0-16V/3A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- Total Output: USB-C1+USB-C2: 15W+15W



Model: N-DC005B

PD 20W

- Battery: Li-ion Battery 10000mAh/3.6V/36Wh
- USB-C Input/Output:
DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-11V/2A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 38*58.5*86mm

- Color: ☐ ☒ IPX5

Model: N-DC006

PD 65W

- Battery: Li-ion Battery 15000mAh/3.6V/54Wh
- USB-C1/C2 Input/Output:
DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
- (AVS) 15.0-20.0VDC, 3.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-C1 PPS: 3.3-13V/5A
- USB-C2 PPS: 3.3-20V/3A
- Total Output: USB-C1+USB-C2: 15W+15W



Model: N-DC006B

PD 20W

- Battery: Li-ion Battery 15000mAh/3.6V/54Wh
- USB-C Input/Output:
DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-11V/2A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 101.5*61.5*57mm

- Color: ☐ ☒ IPX5

Model: N-DC013

PD 20W

- Battery: Li-ion Battery 5000mAh/3.6V/18Wh
- USB-C Input: DC5V/3A, 9V/2A (18W Max)
- USB-C Output:
DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-5.9V/3A, 5.0-11.0V/2.0A
- Size: 90*51*25mm

- Color: ☒



FLASHLIGHT + LIGHTER + POWER BANK



Flashlight + Mosquito Repellent + Power Bank



WATERPROOF PORTABLE POWER BANK FOR OUTDOOR ACTIVITIES



Model: N-DC016 12W

- Battery: Li-ion Battery 5000mAh/3.6V/18Wh
- USB-C Input/Output: DC5V/2.4A(12W Max)
- Flashlight : 3W Max
- Lighter: twin arc
- Size: 34*34*138.5mm

- Color:



Model: N-DC017 12W

- Battery: Li-ion Battery 5000mAh/3.6V/18Wh
- USB-C Input/Output: DC5V/2.4A(12W Max)
- lighting : 3W Max
- heating temperature: 110-120°C
- Size: 34*34*142mm

- Color:



Model: N-DC019 PD 20W

- Battery: Li-ion Battery 5000mAh/3.6V/18Wh
- USB-C Input/Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-11V/2A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A (QC18W Max)
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 30*30*101mm

- Color: **IPX5**



SAFE BATTERY



No fire



Over-temperature protection



Over-current protection



Multiple protections



Short-circuit protection



Over-charge protection



Model: N-DC008 PD 20W

- Battery: LiFePO4 Battery 10000mAh/3.2V/32Wh
- USB-C Input: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A 5.0-11V/2A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- Size: 115*68*21mm

Color: ☐ ☐



Model: N-DC014 PD 30W

- Battery: LiFePO4 Battery 10000mAh/3.2V/32Wh
- USB-C Input/Output: DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- PPS:5.0-11V/3A 5.0-16V/2A
- USB-A Output: DC5V/3A,9V/3A,12V/2.5A(30W Max)
- USB-C1+USB-C2: (15W Max)
- USB-C1+USB-A: (15W Max)
- USB-C2+USB-A: (15W Max)
- Total Output: USB-C1+USB-C2+USB-A: (15W Max)
- Size: 121*68*21.5mm

Color: ☐ ☐



Model: N-DC022G PD 45W

- Battery: Li-ion Battery 10000mAh/3.85V/38.5Wh
- USB-C Input: DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- USB-C Output: DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A(45W Max)
- PPS:5.0-11V/3A 5.0-16V/3A
- (AVS)15.0-20.0VDC,2.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/3A,12V/3A(36W Max)
- USB-C1+USB-C2: 15W+15W Max
- USB-C1+USB-A: 15W+15W Max
- USB-C2+USB-A: 15W+15W Max
- Total Output: USB-C1+USB-C2+USB-A: 10W+10W+10W Max
- Size: 128,4*63.4*18.8mm
- Color: ☐ ☐



Model: N-DC029G PD 22.5W

- Battery: Li-ion Battery 5000mAh/3.85V/19.25Wh
- USB-C1 Input: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-C1/C2 Output: DC5V/3A,9V/2.22A,10V/2.25A,12V/1.67A(22.5W Max)
- PPS:5.0-5.9V/3A 5.0-11V/2A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- USB-C1+USB-C2: (15W Max)
- USB-C1+USB-A: (15W Max)
- USB-C2+USB-A: (15W Max)
- Total Output: USB-C1+USB-C2+USB-A: (15W Max)
- Size: 112*68*13.5mm
- Color: ☐ ☐



Model: N-DC030G PD 65W

- Battery: Li-ion Battery 15000mAh/3.85V/57.75Wh
- USB-C1 Input: DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A(45W Max)
- USB-C1/C2 Output: DC5V/3A,9V/3A,12V/3A,15V/3A, 20V/3.25A(65W Max)
- PPS:5.0-21V/3.25A
- (AVS)15.0-20.0VDC,3.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/3A,12V/3A(36W Max)
- USB-C1+USB-C2: (30W Max)
- USB-C1+USB-A: (30W Max)
- USB-C2+USB-A: (30W Max)
- Total Output: USB-C1+USB-C2+USB-A: (30W Max)
- Size: 120*68*25.5mm
- Color: ☐ ☐



Model: N-DC037G PD 45W

- Battery: Li-ion Battery 10000mAh/3.85V/38.5Wh
- USB-C Input: DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- USB-C Output: DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A(45W Max)
- PPS:5.0-11V/3A 5.0-16V/3A
- (AVS)15.0-20.0VDC,2.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/3A,12V/3A(36W Max)
- USB-C1+USB-C2: (30W Max)
- USB-C1+USB-A: (30W Max)
- USB-C2+USB-A: (30W Max)
- Total Output: USB-C1+USB-C2+USB-A: (30W Max)
- Size: 112*68*18mm
- Color: ☐ ☐



PD20W/30W PORTABLE POWER BANK

Fast Charging / With Built-in Cable

Model: N-DC011 PD 20W

- Battery: Li-ion Battery 5000mAh/3.6V/18Wh
- USB-C Input/Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
PPS:5.0-5.9V/3A 5.0-11V/2A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 30.5*30.5*96.5mm

- Color: 



Model: N-DC012 PD 20W

- Battery: Li-ion Battery 10000mAh/3.6V/36Wh
- USB-C Input/Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A 5.0-11V/2A
- Total Output: USB-C1+USB-C2: (15W Max)

Model: N-DC012B PD 30W

- Battery: Li-ion Battery 10000mAh/3.6V/36Wh
- USB-C Input/Output: DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- PPS:3.3-11V/3A
- Total Output: USB-C1+USB-C2: (15W Max)
- Size: 51.5*30.5*102mm

- Color: 



PD20/30W Fast Charging Power Bank

A Wide Range Of Colors To Select
More Vibrant Lifestyles



Model: N-DC023G PD 30W

- Battery: Li-ion Battery 5000mAh/3.85V/19.25Wh
- USB-C Input/Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-C/USB-C Cable Output:
- DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- Total Output: USB-C1+USB-C Cable+USB-A: (15W Max)
- Size: 117.5*70*13mm

- Color: 



Model: N-DC024G PD 45W

- Battery: Li-ion Battery 10000mAh/3.85V/38.5Wh
- USB-C Input: DC5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(30W Max)
- USB-C/USB C Cable Output:
- DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A(45W Max)
- PPS:5.0-11V/3A 5.0-16V/3A
- (AVS)15.0-20.0VDC,2.0A
- (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- USB-C1+USB-C2: 15W+15W Max
- USB-C1+USB-A: 15W+15W Max
- USB-C2+USB-A: 15W+15W Max
- Total Output: USB-C1+USB-C2+USB-A: 10W+10W+10W Max
- Size: 117*70*17mm

- Color: 



Model: N-DC038 PD 20W

- Battery: Li-ion Battery 10000mAh/3.7V/37Wh
- USB-C Input: 5V/3A,9V/2A,12V/1.5A (18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-C Cable Input/Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- Lightning cable Output: 5V/2.4A
- Size: 73.8*58*30mm

- Color: 



Model: N-DC039 PD 20W

- Battery: Li-ion Battery 10000mAh/3.7V/37Wh
- USB-C Input: 5V/3A,9V/2A,12V/1.5A (18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-A output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- Size: 40*31*97.5mm

- Color: 



HIGH-WATTAGE POWER BANK

Compatible With Multiple Devices
Double the efficiency of fast charging

Model: N-DC002B PD 45W

- Battery: Li-ion Battery 10000mAh/3.7V/37Wh
- USB-C Input/Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V2.25A(45W Max)
- USB-A Output: DC5V/3A,9V/3A,12V/3A(36W Max)
- PPS:5.0-16V/3A
- (AVS)15.0-20.0VDC,2.0A
- (AVS)9.0-15.0VDC,3.0A
- Total Output: 15W+15W
- Size: 77.5*56.5*26.5mm
- Color: 



Model: N-DC020 PD 100W

- Battery: Li-ion Battery 20000mAh/3.85V/ 77Wh
- USB-C Input:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W Max)
- USB-C Output:
DC5V/3A,9V/3A,12V/3A,15V/3A,20V/5A(100W Max)
- PPS:3.3-20V/5A
- (AVS)15.0-20.0VDC,3.0A (AVS)9.0-15.0VDC,3.0A
- USB-A Output:
DC5V/3A,9V/3A,12V/3A,15V3A,20V3A(60W Max)
- USB-C1+USB-C2: 15W+15W
- USB-C1+USB-A: 15W+15W
- USB-C2+USB-A: 15W +15W
- Total Output: USB-C1+USB-C2+USB-A: 10W+10W+10W
- Size: 130*130*18.5mm
- Color: 



Model: N-DC021 PD 145W

- Battery: Li-ion Battery 20000mAh/3.85V/ 77Wh
- USB-C Input/Output:
DC5V/3A,9V/3A,12V/3A,15V/3A, 20V/5A(100W Max)
- PPS:3.3-20V/5A
- (AVS)15.0-20.0VDC,3.0A (AVS)9.0-15.0VDC,3.0A
- USB-A Output: DC5V/3A,9V/3A,12V/1.5A(18W Max)
- USB-C1+USB-C2: 100W+45W
- USB-C1+USB-A: 65W+18W
- USB-C2+USB-A: 15W
- Total Output:
USB-C1+USB-C2+USB-A: 100W+15W
- Size: 153*53.5*38.5mm
- Color: 



Model: N-DC021B PD 100W

- Battery: Li-ion Battery 20000mAh/3.85V/ 77Wh
- USB-C Input : DC5V/3A,9V/3A,12V/3A,15V/3A, 20V/3.25A(65W Max)
- USB-C Output:DC5V/3A,9V/3A,12V/3A,15V/3A, 20V/5A(100W Max)
- PPS:3.3-20V/5A
- (AVS)15.0-20.0VDC,3.0A (AVS)9.0-15.0VDC,3.0A
- USB-A Output:DC5V/3A,9V/3A,12V/3A 15V3A 20V3A(60W Max)
- USB-C1+USB-C2: 15W+15W
- USB-C1+USB-A: 15W+15W
- USB-C2+USB-A: 15W +15W
- Total Output:
USB-C1+USB-C2+USB-A: 10W+10W+10W
- Size: 153*53.5*38.5mm
- Color: 



ULTRA THIN MAGNETIC POWER BANK



WATERPROOF POWER BANK



Model: N-DC001

PD 20W+15W

- Battery: Li-ion Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 101*66*9.5mm

Color:



Model: N-DC003

PD 20W+15W

- Battery: Li-ion Battery 10000mAh/3.85V/ 38.5Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 101*66*15.5mm

Color:



Model: N-DC025

PD 20W+15W

- Battery: Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*71*13mm

Color: IP67



Model: N-DC026

PD 20W+15W

- Battery: Li-ion Battery 10000mAh/3.85V/ 38.5Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*71*21mm

Color: IP67



Magnetic Power Bank

Power Bank And Phone Stand
Smooth Edges, Comfy Grip



Model: N-DC002 PD 45W+15W+5W

- Battery: Li-ion Battery 10000mAh/3.7V/37Wh
- USB-C Input/Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)
- PPS: 5.0-16.0V/3.0A
- (AVS) 15.0-20.0VDC, 2.0A
- (AVS) 9.0-15.0VDC, 3.0A
- USB-A Output: DC5V/3A, 9V/3A, 12V/3A (36W Max)
- Wireless Output: 5W/7.5W/10W/15W (15W Max)
- USB-C+USB-A: 15W+15W
- USB-C/USB-A+Wireless: 15W+5W
- Total Output: USB-C+USB-A+Wireless: 15W+15W(A+W)
- Size: 77.5*56.5*26.5mm

- Color: 



Model: N-DC004 PD 25W+15W

- Battery: Li-ion Battery 10000mAh/3.85V/38.5Wh
- USB-C Input: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- USB-C Output: DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-5.9V/3A, 5.0-11.0V/2.0A
- USB-A: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
- Wireless Output: 5W/7.5W/10W/15W (15W Max)
- TYPE-C+USB-A: DC5V/3A Max
- TYPE-C+ Wireless: DC5V/3A Max
- USB-A+ Wireless: DC5V/3A Max
- Total Output: USB-A+ TYPE-C + Wireless: DC5V/3A Max
- Size: 97*69*19mm

- Color: 



Model: N-DC031 PD 20W+15W

- Battery: Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A, 9V/2A (18W Max)
- USB-C Output: DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-5.9V/3A, 5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W (15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 99*68*13.3mm

- Color: 



Model: N-DC032 PD 20W+15W

- Battery: Li-ion Battery 10000mAh/3.85V/ 38.5Wh
- USB-C Input: DC5V/3A, 9V/2A (18W Max)
- USB-C Output: DC5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
- PPS: 5.0-5.9V/3A, 5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W (15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*68*21mm

- Color: 



Magnetic Power Bank



Model: N-DC040 PD 20W+15W

- Battery:
Li-ion Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output:
DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output:
5W/7.5W/10W/15W(15W Max)
- Total Output:
USB-C+Wireless: (15W Max)
- Size:104*68*14mm
- Color: ■



MULTI-FUNCTIONAL



Model: N-DC041 PD 20W+15W

- Battery:
Li-ion Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output:
DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output:
5W/7.5W/10W/15W(15W Max)
- Total Output:
USB-C+Wireless: (15W Max)
- Size:104*68*16.5mm
- Color: ■





QI2 SERIES

Power bank & Charger
MagSafe Power Bank/Wireless Charging
MagSafe Wireless Charging Car Holder

Model: N-DC001Q21 PD 20W+15W

- Battery: Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 101*66*9.5mm

Color:



Model: N-DC025Q21 PD 20W+15W

- Battery: Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*71*13mm

Color: IP67



Model: N-DC031Q21 PD 20W+15W

- Battery: Battery 5000mAh/3.85V/19.25Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W(15W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 99*68*13.3mm

Color:



Model: N-DC026Q22 PD 20W+25W

- Battery: Li-ion Battery 10000mAh/3.85V/ 38.5Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W/25W(25W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*71*21mm

Color: IP67



Model: N-DC032Q22 PD 20W+25W

- Battery: Li-ion Battery 10000mAh/3.85V/ 38.5Wh
- USB-C Input: DC5V/3A,9V/2A(18W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- PPS:5.0-5.9V/3A ,5.0-11.0V/2.0A
- Wireless Output: 5W/7.5W/10W/15W/25W(25W Max)
- Total Output: USB-C+Wireless: (15W Max)
- Size: 104*68*21mm
- Color:




Model: N-QI22-01 PD 25W

- Input Power: USB PD/QC 15V/3A, 12V/3A, 9V/3A, 5V/3A
- Module solution: MPP
- Output Power: MagSafe Charger: 25W/15W /10W/7.5W/5W
- Standby power: <300mW
- Protocol: Qi2.2 : MPP/PPDE/EPP/BPP
- Protection: OVP / UVP / OCP / OTP
- Wireless Working Distance: 8mm
- Coil Module: 7.7uH
- Standby power: <300mW
- Magnet module: ~9N
- Material: Metal Cover
- Size: φ62*13.5



PD MULTI - PORT AC POWER BANK

Multi port output/Fast Charging



Model: N-AC008 PD 20W

- Battery: Li-ion Battery 5000mAh/3.7V/18.5Wh
- Input: AC100-240V,50/60Hz,0.6A
- USB-C Input: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V11.67A(20W Max)
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- Size: 79*52*27mm
- Color: ☐ ☐ ☐ ☐



Model: N-AC009 PD 20W

- Battery: Li-ion Battery 10000mAh/3.7V/37Wh
- Input: AC100-240V,50/60Hz,0.6A
- USB-C Input: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-C Output: DC5V/3A,9V/2.22A,12V/1.67A(20W Max)
- USB-A Output: DC5V/3A,9V/2A,12V/1.5A(18W Max)
- Total Output: USB-C+USB-A: (15W Max)
- Size: 93*61*27mm
- Color: ☐ ☐ ☐ ☐



DRY BATTERY PORTABLE POWER BANK

Dry batteries can be easily replaced, making them more convenient to use



Model: N-DC027 5W

- Input : 6V DC (AA alkaline battery *4)
- Total Output:
USB-C+USB-A: 5.0V 1A (5W Max)
- Size: 78*63*19mm
- Color: ☐



Model: N-DC028 7.5W

- Input : 9V DC (AA alkaline battery *6)
- Total Output:
USB-C+USB-A: 5.0V 1.5A (7.5W Max)
- Size: 78*96*19mm
- Color: ☐



Type-C & Lightning Adapter

Adapter Cable/Reversible Plug 2 in 1 Cable

• MFi Adapter

Made for
iPhone | iPad | iPod



Model: N-HP001

- Type-C to Lightning Adapter



Model: N-HP003

- Type-C to Type-C+Lightning
- 2 in 1 Type-C to Type-C to Lightning
- Material :TPE,Al-alloy
- Output :20V/3A



Model: AP-02P

- Lightning to 3.5mm stereo jack



Model: AP-02

- Lightning to 3.5mm Stereo Plug

Fast Charge Data Cable

TPE+PVC+Flexible+1m/1.5m



Model: N-C011

- Interface:Type-C/USB-A to Type-C/Lightning
- Output :3A(60W Max)
- Material :PVC
- Size:0.5m/1m/1.5m/2m



Model: N-C010

- Interface : Type-C to Type-C
- Output :3A(60W Max)
- Material :PVC+Braided
- Size:0.5m/1m/1.5m/2m



Model: N-C002

- Interface : Type-C to Type-C
- Output :3A(60W Max)
- Material :PVC+Braided
- Size:0.5m/1m/1.5m/2m



Model: CBCL101

- Interface : Type-C to Lightning
- Output :3A
- Material:TPE
- Size :1m/2m



PD60W

Multi-functional Lanyard




Model: N-C004

- Interface: USB-C To USB-C
- Output: 20V/3A 60W(Max)
- Material: PVC+ Braided
- Size: 1.6M



Model: N-C005

- Interface: USB-A To USB-C
- Output: 20V/3A(60W Max)
- Material: PVC+ Braided
- Size: 1.6M



Model: N-C007

- Interface: USB-C To USB-C
- Material: Leather
- Output: 20V/3A(60W Max)
- Size: 1.1M



512GB/1TB/2TB Magnetic SSD

Mobile Hard Disk/Storage:512GB/1TB/2TB

NITIKA, 留住更多美好瞬间
NITIKA, capture more beautiful moments

Model: N-SSD-1

- Product storage capacity:512GB、1TB、2TB
- Continuous readingis:2000MB/s
- Interface Parameters: UsB3.2 Gen2X2 20Gbps Type-C
- Transmission Rate:Maximum
- Storage Function Support System:
Windows@:7,8,10,11;Linux;Mac Os :10.9 and later
- Cell Phone OTG Support System:
Android 6.0 above(Type-Cinterface required) Apple 15 series phone
- Scope of use: Apple, Android, digital devices, etc.
- Size:85*61*10mm

• Color: 



An Egg 玉子一つ




FITTING
COMFORTABLY



NOISE
REDUCTION



HD
MICROPHONE



Model: TWS-T01

- True Wireless Stereo Earphone
- Bluetooth: Ver5.4
- Support: SBC, AAC
- Microphone: MEMS mic
- Speaker: 10mm 32Ω
- Battery: 30mAh/300mAh
- Charging port: Type-C
- Single playback: ≈5H
- Overall playback: ≈20H
- Effective distance: 10m
- Net weight: 68g
- Color: ☐ ☒ ☒

