WNNT®

WINNERTECH ELECTRONICS(HONG KONG) CO., LTD.

SHENZHEN WINNERTECH ELECTRONICS CO., LTD

-PROFESSIONAL MANUFACTURER ON ELECTRONICS PRODUCTS(USB Card Readers, USB hub, TYPE-C hub with PD, Docking Station, SmartPowerSTrip.)

Address: 3rd floor,building#2, FuMingSheng Ind. park, Ruida road, FuYong town
BaoAn district, Shenzhen, China.
Tel.: +86-755-29978656
Fax: +86-755-29553761
Skype: winnertech-peter
WhatsApp/Wechat: +8613609611775
Email: sales@winnertechsz.com; peter@winnertechsz.com
www.winnertechsz.com

PROFESSIONAL MANUFACTURER ON

USB peripheral Electronics
Type-C/Thunderbolt docking stations
Power charging station
OEM/ODM projects etc.



WNNT®

CAPABILITY & SERVICES

We, at Winnertech Electronics, are dedicated on design & development, production, marketing & sells of below categories products and services, with our core technology built-in every piece of products:


1. USB Mass Storage, Card readers
2. USB3.2 GEN2, USB4.0 HUB
3. Wireless charger, and power charging products
4. Type-C and Thunderbolt docking stations
5. PICE graphic cards and IO expansion cards
6. full range of PC bay 3.5" and 5.25" multi-panel.

All the products designed and produced with the standard-met mature technology, and with the high quality materials, and willing to venture on different materials and process on the traditional peripheral electronics products, try to offer customers the unique experience on using our products. OEM/ODM projects are welcome, that we have been serving our clients for OEM/ODM projects for decade, we devote our experience and forward-thinking on our range of products.

PCIE GRAPHIC CARD
IO cards







MODEL NO.: WT-PICE39

1. PCIE2.0
2. USB graphic card, 2560x1440 50Hz, dual HDMI output. DisplayLink USB graphic processor DL3900.
3. 2xUSB3.A 5Gbps, BC1.2
4. 1x USB C 5Gbps, BC1.2
5. 2x3.5mm audio jacks

TYPE-C DOCKING STATION
(USB GRAPHIC 5K60Hz
TYPE-C ALT 4K60Hz)

DisplayLink
Plug and Display™







(none SSD optional)

MODEL NO.: WT-DK-69SSD

1.ultra-portable, small-form-factor
2. USB Graphic DISPLAYLINK DL6950 inside. 5K60Hz DisplayPort output. together TYPE C ALT HDMI 4K60Hz output. total triple monitors supported simultaneously.
3. 2.5G ethernet LAN JR45
4. 10Gbps USB3.2 GEN.2
5. ON/OFF power switch, saving system power
6. PCIE/M2 NVME storage, dual mode SSD supported.

TYPE-C DOCKING STATION (USB GRAPHIC 2560x1440 50Hz TYPE-C ALT 4K60Hz)



MODEL NO.: WT-DK-39SU

1.ultra-portable, small-form-factor
2. USB Graphic DISPLAYLINK DL3900 inside. USB graphic 2560x1440 50Hz together TYPE C ALT HDMI 4K60Hz output. total triple monitors supported simultaneously.
3. 2.5G ethernet LAN JR45
4. 10Gbps USB3.2 GEN.2
5. ON/OFF power switch, saving system power
6. PCIE/M2 NVME storage, dual mode SSD supported.





(none SSD optional)

ON-DESK STATIONAREY ORGANIZER 15W wireless charger/ Type-c docking station USB A/C 65W charger





MODEL NO.: WT-DOCK-12

1. Type-C ALT docking station 4K60Hz HDMI
2. 15W wireless charger
3. stationary organizer
4. 65W USBA+USB C charger
5. airpod wireless charger.

IN-DESK TABLE HOLE, 60MM, 80MM MOUNTED USB A/USB C HUB/READER/AUDIO JACKS



WT-60A

1.USB C X1, 10Gbps BC1.2 Charging
2. USB A X3, 10Gbps BC1.2 Chargering
3. 2x3.5mm audio jacks
4. 60mm hole fitted.
5. 1.5m cable.



WT-60B

1.USB C X1, 10Gbps BC1.2 Charging
2. USB A X3, 10Gbps BC1.2 Chargering
3. 2x3.5mm audio jacks
4. 60mm hole fitted.
5. 1.5m cable.



WT-80A

1.USB C X1, 10Gbps BC1.2 Charging
2. USB A X3, 10Gbps BC1.2 Chargering
3. 2x3.5mm audio jacks
4. 60mm hole fitted.
5. 1.5m cable.



WT-80B

1.USB C X1, 10Gbps BC1.2 Charging
2. USB A X3, 10Gbps BC1.2 Chargering
3. 2x3.5mm audio jacks
4. 60mm hole fitted.
5. 1.5m cable.

TYPE-C DOCKING STATION (USB GRAPHIC 5K60Hz, dual 4K60Hz TYPE-C ALT 4K60Hz)

DisplayLink Plug and Display™









MODEL NO.: WT-DK-69SSD

(none SSD optional)

1. ultra-portable, small-form-factor
2. USB Graphic DISPLAYLINK DL6950 inside. 5K60Hz DisplayPort output. together TYPE C ALT HDMI 4K60Hz output. total triple monitors supported simultaneously.
3. 2.5G ethernet LAN JR45
4. 10Gbps USB3.2 GEN.2
5. ON/OFF power switch, saving system power
6. PCIE/M2 NVME storage, dual mode SSD supported.

TYPE-C DOCKING STATION (USB GRAPHIC 2560x1440 50Hz TYPE-C ALT 4K60Hz)







MODEL NO.: WT-DK-39SSD

(none SSD optional)

1.ultra-portable, small-form-factor
2. USB Graphic DISPLAYLINK DL3900 inside. USB graphic 2560x1440 50Hz together TYPE C ALT HDMI 4K60Hz output. total triple monitors supported simultaneously.
3. 2.5G ethernet LAN JR45
4. 10Gbps USB3.2 GEN.2
5. ON/OFF power switch, saving system power
6. PCIE/M2 NVME storage, dual mode SSD supported.

IN-DESK TABLE 80MM HOLE power socketx1, USBA+USB C 65W and wireless charger 15W combo






MODEL NO.: WT-80-C65W

1. 65W USB A+ USB C charger.
2. 15W QI wireless charger
3. AC outlet. (EU, UK, AU, Universal outlet available)
4. fitted into 80mm table hole.
5. ON/OFF power switch, saving system power
6. fixing ring to fasten the unit firmly in the desk.

ON-DESK TOP, POWER STRIP, WITH USB A, USB C PD 65W charger. Bluetooth speaker



AC-06

1. 2 fused AC outlets.(EU, UK, FR, AU, Universal)
2. 1XUSBA, 1XUSB C PD 65W power charger
3. ON/OFF system switch.
4. full aluminum housing, with inner plastic isolation covers.
5. surge suppressor.



AC-06-wBT

1. 2 fused AC outlets.(EU, UK, FR, AU, Universal)
2. 1XUSBA, 1XUSB C PD 65W power charger
3. ON/OFF system switch.
4. full aluminum housing, with inner plastic isolation covers.
5. surge suppressor.
6. 3W bluetooth speaker built-in. high quality audio

TYPE-C DOCKING STATION (USB Graphic DP+HDMI Dual 2560x1440 50Hz, ALT HDMI 4K60Hz)

DisplayLink Plug and Display™



MODEL NO.: WT-DK-39DP

1. aluminum housing, desktop design
2. USB Graphic 2560x1440 50Hz, HDMI+DisplayPort dual
3. TYPE-C ALT HDMI 4K60Hz.
4. USB3.2 GEN2. 10Gbps. USB A and USB C ports
5. Gigabit Ethernet LAN RJ45.
6. USB3.0 SD/microSD card reader
7. 3.5mm audio jacks.
8. PD3.0 100W passing-through power delivery.

TYPE-C ALT DOCKING STATION (TYPE-C ALT 2XHDMI+VGA, MST supported. 15W Max. wireless charger combo.







MODEL NO.: WT-DK-87P1

1. ultra-portable, small-form-factor
2. TYPE C ALT HDMI x2 4K30Hz output], VGA 2K60Hz. MST supported for HDMI,VGA, with different contents amony monitors
3. Gigabit ethernet LAN JR45
4. 5Gbps USB3.2 GEN.1
5. ON/OFF power switch, saving system power
6. 15W QI wireless charger built-in.

IN-DESK TABLE HOLE MOUNTED POWER CHARGER





WT-60CH

1. 3XUSB A, 1XUSB C PD charger, in 65W
2. 100W Power adapter provided
3. side hole for cables though.
4. fitted into 60mm table hole

WT-80CH

1. 3XUSB A, 1XUSB C PD charger, in 65W
2. 15W MAX. wireless charger combo
3. 100W Power adapter provided
4. 80mm hole mounted to the table. side hole for cables through.

3.5” PC BAY INTERNAL MULTI-PANEL



IN-2C2A-CR

1. upstream connection: 19pin, type-E, PCIE optional
2. 10Gbps USB A and USB C.
3. USB3.0 SD/microSD card reader



IN-2C3A

1. upstream connection: 19pin, type-E, PCIE optional
2. 10Gbps USB A and USB C.



IN-2A2C-ALLin1

1. upstream connection: 19pin, type-E, PCIE optional
2. 10Gbps(or low cost 5Gbps) USB A and USB C.
3. USB3.0 CF/SD/microSD/MS/XD 5slots/5luns card reader



IN-2C5A

1. upstream connection: 19pin, type-E, PCIE optional
2. 10Gbps(or low cost 5Gbps) USB A and USB C.



IN-2C6A

1. upstream connection: 19pin, type-E, PCIE optional
2. 10Gbps USB3.2 GEN2 USB A and USB C.

TYPE-C ALT DOCKING STATION (TYPE-C ALT 8K30Hz DSC, dual 4K60Hz MST)





MODEL NO.: WT-DK-431

1.ultra-portable, slim design
2. TYPE C ALT MST DP+HDMI dual 4K60Hz output. 8K30Hz DSC from DP,
3. Gigabit ethernet LAN JR45
4. 10Gbps USB3.2 GEN.2
5. on-product cable cradle.
6. macbook/laptop rack stand
7. 3.5mm audio jacks
8. PD3.0 100W passing-through charging

TYPE-C ALT DOCKING STATION (TYPE-C ALT 4K30Hz 2xHDMI + VGA MST)









MODEL NO.: WT-DK-12U

1. desk-top design, multi-function
2. TYPE C ALT 4K30Hz, Dual HDMI, VGA, MST supported.
3. Gigabit ethernet LAN JR45
4. 5Gbps USB3.2 GEN.1
5. 3.5mm audio jacks
6. PD3.0 100W
7. Glossy and matted finishing, with docking cradle vertical standing.

TYPE-C ALT DOCKING STATIONS



WT-PD-CHUB3



WT-PD-X3



WT-PD-X10



WT-DK-39H

DisplayLink Plug and Display™



WT-DK-39D

DisplayLink Plug and Display™



WT-DK-X18U

TYPE-C ALT MODE DOCKING STATIONS







MODEL NO.: WT-DH-08

1. ultra-slim/thin design. diameter 19mm.
2. HDMI 4K60Hz.
3. USB3.2 GEN.2 10Gbps, 1XUSB C, 2xUSB A
4. USB3.0 SD/microSD card reader
5. PD3.0 100W
6. 3.5mm audio jacks

TYPE-C ALT DOCKING STATION 15W QI wireless charger combo, Dual HDMI MST supported.



MODEL NO.: WT-CH-87

1. disc shape compact form-factor.
2. Dual HDMI, MST supported, 4K30Hz.
3. 5Gbps USB3.2 GEN.2 10Gbps, 1XUSB C, 2xUSB A
4. USB3.0 SD/microSD card reader
5. PD3.0 100W
6. with 15W MAX. QI wireless charger combo.



MODEL NO.: WT-CH-871

1. disc shape compact form-factor.
2. Dual HDMI, MST supported, 4K30Hz.
3. GigaBIT ethernet LAN RJ45.
4. 5Gbps USB3.2 GEN.2 10Gbps, USB C X1, USB AX1
5. USB3.0 SD/microSD card reader
6. PD3.0 100W
7. with 15W MAX. QI wireless charger combo.

TYPE-C ALT DOCKING STATION portable design, 8K30Hz DSC, Dual 4K60Hz DP+HDMI MST)









MODEL NO.: WT-PD-43

1.ultra-portable design
2. TYPE C ALT MST DP+HDMI dual 4K60Hz output. 8K30Hz DSC from DP,
3. Gigabit ethernet LAN JR45
4. 5Gbps USB3.2 GEN.1
5. on-product tailed cable
6. 3.5mm audio jacks
7. PD3.0 100W

TYPE-C ALT DOCKING STATION Dual HDMI 4K30Hz, MST supported









MODEL NO.: WT-PD-X18U32

1.ultra-portable design
2. TYPE C ALT MST 2xHDMI, 4K30Hz
3. Gigabit ethernet LAN JR45
4. 5Gbps USB3.2 GEN.1
5. on-product tailed cable
6. 3.5mm audio jacks
7. PD3.0 100W