



Shenzhen YuSenda Electronics Co., Ltd.

Tel:0755-27317213

Fax:0755-27317072

Address:201,Building 3,Fuhai Industrial Zone,Qiaotou Community,
Fuyong Fuhai Street, Bao'an,Shenzhen, China

www.yusenda.net



Shenzhen YuSenda Electronics Co., Ltd.


Company Profile

Established in 2010, Shenzhen Yu Senda Electronics Co., Ltd. is authorized by the government as a National Hi-Tech Enterprise. Our company is located in Fuyong Street, BaoAn District, Shenzhen. Our workshop covers an area of 5000 square meters and has 10 well-equipped production lines. With more than 200 staff, our monthly capacity reaches 200K pieces. We are one of the biggest audio product factories in Shenzhen.

Our product line includes 2.0CH TV soundbar, 2.1CH soundbar with subwoofer, HDMI DVD player, DVD micro system, mini bluetooth speaker and portable karaoke boombox. We are the audio product supplier of famous brands HYUNDAI, BLAUPUNKT, AIWA, PRESTIGE and so on. And we also have BSCI audit and FCC certificates. Our products have been exported to US, Europe, Australia, South America and Asian countries.

Our core competition comes from experienced engineer team. We can launch 2-4 new models per month through independent research and development. Our quality control system has met ISO 9001:2015 standard. Thanks to our engineer team and QC department, we are able to deliver qualified and competitive products to all clients on time.

The factory pictures



Contents

SOUND BAR	03~12
MINI SOUND BAR	13~18
PORTABLE SPEAKER	19~22
MINI SPEAKER	23~24



2.0CH Soundbar with HDMI



YSD8808H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 66H*83D*920L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8809H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 67H*60D*900L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8806H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 83H*62D*900L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8807H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 60H*60D*800L mm
60H*60D*900L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8810H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- FM Radio
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 60H*60D*600L mm
60H*60D*800L mm
- Output Power: 2*10W=20W/2*30W=60W



YSD8811H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 59H*108D*915L mm
- Output Power: 2*20W+50W=90W



YSD8815

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 60H*67D*900L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8816

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 67H*78D*900L mm
- Output Power: 2*20W=40W/2*30W=60W



YSD8819

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 75.8H*101D*960L mm
- Output Power: 2*30W=60W
- Audio Output: built-in 2.1 Soundbar
- Output Power: 2*40W=80W



YSD8820

Features

- Audio Output: built-in 2.1 Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Tabletop & Wall-mountable design
- Product Dimension: 76H*76D*945L mm
- Output Power: 2*20W+50W=90W



YSD8818H

Features

- Audio Output: 2.0 CH Soundbar with HDMI
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension: 65H*66D*915L mm
- Output Power: 2*20W=40W/2*30W=60W

YSD8818HS



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension: 65H*66D*915L mm(Soundbar)
- 120W*420H*250D mm(Subwoofer)
- Output Power: 2*20W+40W=80W



2.1CH Soundbar with Wired/Wireless Subwoofer

YSD8806HS



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
62H*83D*900L mm(Soundbar)
180W*320H*300D mm(Subwoofer)
- Output Power: 2*20W+40W=80W

YSD8807HS



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
60H*60D*900L mm(Soundbar)
170W*380H*306D mm(Subwoofer)
- Output Power: 2*30W+60W=120W

YSD8808HS



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
66H*83D*920L mm(Soundbar)
170W*380H*306D mm(Subwoofer)
- Output Power: 2*20W+40W=80W
2*30W+60W=120W

YSD8809HS



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
60H*67D*900L mm(Soundbar)
140W*360H*220D mm(Subwoofer)
- Output Power: 2*15W+30W=60W

2.1CH Soundbar with Wired/Wireless Subwoofer

YSD8815



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
60H*67D*900L mm(Soundbar)
179W*279H*319D mm(Subwoofer)
- Output Power: 2*20W+40W=80W

YSD8816



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
67H*78D*900L mm(Soundbar)
179W*279H*319D mm(Subwoofer)
- Output Power: 2*20W+40W=80W

YSD8819



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
75.8H*101D*960L mm(Soundbar)
186W*369H*370D mm(Subwoofer)
- Output Power: 2*30W+60W=120W

YSD8820



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
76H*76D*945L mm(Soundbar)
170W*380H*306D mm(Subwoofer)
- Output Power: 2*30W+60W=120W



YSD8811HW



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
59H*108D*915L mm(Soundbar)
260W*260H*300D mm(Subwoofer)
- Output Power: 2*30W+60W=120W

YSD8810HW



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
60H*60D*800L mm(Soundbar)
150W*220H*320D mm(Subwoofer)
- Output Power: 2*15W+30W=60W

YSD8821



Features

- Audio Output: 2.1CH Soundbar with Wired/Wireless Subwoofer
- Optical input
- AUX input
- HDMI(ARC) input
- USB input
- Wireless Bluetooth connection
- LED display
- Plastic case,digital amplifier with DSP inside
- Remote control
- Product Dimension:
75H*99D*410L mm(Soundbar)
140W*360H*220D mm(Subwoofer)
- Output Power: 2*15W+30W=60W

MINI SOUNDBAR

2.0 MINI SOUND BAR



UA-02

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Support USB and FM
- Power: 3W*2
- Speaker size: 52mm*2
- Support AUX and TF



UA-05

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Support USB and FM
- Power: 3W*2
- Speaker size: 52mm*2
- Support AUX and TF





UA-06

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Support USB and FM
- Power: 5W*2
- Speaker size: 52mm*2
- Support AUX and TF




YSD6806

- Bluetooth Version: 5.0
- Battery: 3.7V 1800mAh
- Playing time: 1.5–3.5hours
- Support USB and FM
- Power: 5W*2
- Speaker size: 52mm*2
- Support AUX and TF



YSD6807

- Bluetooth Version: 5.0
- Battery: 3.7V 1800mAh
- Playing time: 1.5–3.5hours
- Support USB and FM
- Power: 5W*2
- Speaker size: 52mm*2
- Support AUX and TF



YSD6808

- Bluetooth Version: 5.0
- Battery: 3.7V 1800mAh
- Playing time: 1.5–3.5hours
- Support USB and FM
- Power: 5W*2
- Speaker size: 52mm*2
- Support AUX and TF



PORTABLE SPEAKER



USB
USB SLOT



Remote control



Battery



KARAOKE



TF Card



Aux in

2.0 PORTABLE SPEAKER



With RGB light



With RGB light

YSD-350

- Bluetooth Version: 5.0
- Battery: 2400mAh
- Playing time: 5hours
- Speaker size: 4 inch*2+3 inch Passive Radiator*2

- Power: 8W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control



With RGB light



With RGB light

YSD-351

- Bluetooth Version: 5.0
- Battery: 3000mAh
- Playing time: 5hours
- Speaker size: 4 inch*2+3 inch Passive Radiator*2

- Power: 12W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control





YSD-356

- Bluetooth Version: 5.0
- Battery: 3000mAh
- Playing time: 5hours
- Speaker size: 4 inch*2+3 inch Passive Radiator*2

- Power: 12W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control



YSD-358

- Bluetooth Version: 5.0
- Battery: 3000mAh
- Playing time: 5hours
- Speaker size: 3 inch*2+3 inch Passive Radiator*2

- Power: 12W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control



YSD-362

- Bluetooth Version: 5.0
- Battery: 2400mAh
- Playing time: 5hours
- Speaker size: 4 inch*2+3 inch Passive Radiator*2

- Power: 8W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control



YSD-363

- Bluetooth Version: 5.0
- Battery: 2400mAh
- Playing time: 5hours
- Speaker size: 4 inch*2+3 inch Passive Radiator*2

- Power: 8W*2
- Support USB/TF/AUX/FM
- Support Karaoke/Remote control



MINI SPEAKER



YSD-301

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Function: USB/TF/FM/AUX/TWS/BT
- Power: 3W*2
- Product Dimension: 188*60*75 MM



YSD-302

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Function: USB/TF/FM/AUX/TWS/BT
- Power: 3W*2
- Product Dimension: 186*62*77 MM



YSD-305

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Function: USB/TF/FM/AUX/TWS/BT
- Power: 3W*2
- Product Dimension: 197*59*75 MM



YSD-307

- Bluetooth Version: 5.0
- Battery: 3.7V 1200mAh
- Playing time: 3hours
- Function: USB/TF/FM/AUX/TWS/BT
- Power: 3W*2
- Product Dimension: 194*57*75 MM



MINI SYSTEM

DVD CD SYSTEM



SN-S11

- Compatible with DVD/CD/MP3/MP3/WMA
- Aux/Fm
- USB support
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 50Wx2
- POWER: ~110V-240V 50/60Hz



DVD MICRO SYSTEM



SN-S208

- Compatible with DVD/VCD/MPEG4/CD/MP3/CD-R/DVD-RW/JPEG/Kodak Picture CD
- AUX IN
- Built-in FM radio
- USB support
- Earphone jack
- Speaker output: 10W*2
- Loudness
- Master volume/bass/treble control
- Power supply: ~110-240V 50/60Hz



SN-S218

- Compatible with DVD/VCD/MPEG4/CD/MP3/CD-R/DVD-RW/JPEG/Kodak Picture CD
- AUX IN
- Built-in FM radio
- USB support
- Earphone jack
- Speaker output: 10W*2
- Loudness
- Master volume/bass/treble control
- Power supply: ~110-240V 50/60Hz





SN-S808

- Compatible with DVD/VCD/ MPEG4/CD/MP3/CD-R/DVD-RW/JPEG/Kodak Picture CD
- AUX IN
- Built-in FM radio
- USB support
- Speaker output: 10W*2
- Loudness
- Master volume/bass/treble control
- Power supply: ~110-240V 50/60Hz




SN-S618

- Compatible with DVD/VCD/ MPEG4/CD/MP3/CD-R/DVD-RW/JPEG/Kodak Picture CD
- AUX IN
- Built-in FM radio
- USB support
- Speaker output: 20W*2 or 10W*2
- Loudness
- Master volume/bass/treble control
- Power supply: ~110-240V 50/60Hz



SN-S628

- Compatible with DVD/VCD/ MPEG4/CD/MP3/CD-R/DVD-RW/JPEG/Kodak Picture CD
- AUX IN
- Built-in FM radio
- USB support
- Speaker output: 20W*2 or 10W*2
- Loudness
- Master volume/bass/treble control
- Power supply: ~110-240V 50/60Hz



2.0 DVD MIMI SYSTEM



SN-S777

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 50W*2 or 100W*2 or 30W*2
- POWER: ~110V-240V 50/60Hz



SN-S888

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support/card reader
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 50W*2 or 100W*2 or 30W*2
- POWER: ~110V-240V 50/60Hz



SN-S999/SN-S999L

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support/card reader
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 50W*2 or 100W*2 or 30W*2
- POWER: ~110V-240V 50/60Hz
- Option: Speaker LED



2.1 DVD MIMI SYSTEM




SN-S777W

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 100W*2+200W
- POWER: ~110V/240V 50/60Hz



SN-S888W

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support/care reader
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 100W*2+200W or 50W*2+100W or 15W*2+30W
- Subwoofer:200W or 100W or 30W



SN-S999W

- Compatible with DVD/CD/ MPEG4/MP3/WMA
- Aux/Fm
- USB support/card reader
- EQ function
- Earphone jack
- KARAOKE input
- Video output /YUV/coaxial output
- Speaker output: 100W*2+200W or 50W*2+100W or 15W*2+30W
- Subwoofer:200W or 100W or 30W






YSD-3622



YSD-3621



YSD-168



YSD-103



YSD-1188



YSD-961



YSD-1102



YSD-228



YSD-2207



YSD-2529



YSD-2205



YSD-3800



YSD-3607

HOME DVD PLAYER

Operation Functions:

1. OUTPUT: Video/L/R, COAXIAL,LED, USB, HDMI,YUV,S-VIDEO, Optical

2. TV aspect selection: 16:9/4:3.

3. 8 languages and 32 subtitles.

4. Parental lock function.

5. PAL/NTSC. Multi-region setup.

6. OSD in English -language.

7. Fast search forward/backward.
8. Slow/Time/Programmed/Memory/playback.

9. Screen saving protection function.

10. Super broad power supplies:100-240V,50/60Hz

11. Power consumption:15W

12. Fully compatible with CPRM,Mpeg4,DVD,DVD-/+R/RW, CD-/+R/RW,MP3,VCD,Kodak Picture CD.

13. Accessory:Remote control>manual, AV cable



EXPORTING COUNTRIES:



CERTIFICATE:



HONORARY CERTIFICATE:

