



BLUETOOTH HEADPHONE

PROFESSIONAL
MANUFACTURER




G800



Chipset: Bluetooth 5.1
Driver unit: 40mm
Impedance: 32ohm
Frequency response: 20Hz-20kHz

ANC Amplitude: 25 ± 3 dB
Power supply: Li-ion Battery 400mAh
Working Distance: 10m
Charge type: Via type C



Bluetooth

ANC
version 5.4



G200

Chipset: Bluetrum 5712C

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

ANC Amplitude: 22 ± 3 dB

Working Distance: 10m

Power supply: Li-ion Battery 400mAh

Charge type: Via type C





GS20



Chipset:Bluetooth 5.4

Driver unit: 40mm

impedance: 32ohm

Frequency response:20hz-20khz

Working time:18-20hours


Working Distance:10m

Charging time:1.5 hour

Power supply:Li-ion Battery 200mAh

Charge type:Via type C

Function: Bluetooth Calling/Redial/Volume control/



Bluetooth™

Bluetooth
Version 5.4



G80
HEADSET



G80
(LED LIGHT)

Chipset:JL6955F
Driver unit: 40mm
Impedance: 32ohm
Frequency response:20hz-20khz
Working time:8-10hours
Working Distance:10m

Charging time:2.5 hour
Power supply:Li-ion Battery 400mAh
Charge type:Via type C
Function: Bluetooth Calling/Redial
Volumecontrol/TF Card Support/





F6

(LED LIGHT)

Chipset: JL6955F

Driver unit: 40mm

Impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 16-18hours(light off)

7-8hours(light on)

Working Distance: 10m

Charging time: 2.5 hour

Power supply: Li-ion Battery 400mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial

/Volume control/TF Card Support/

Bluetooth™





Bluetooth
version: 5.4

CH720



Chipset: JL7006

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 36-40 hours

Working Distance: 10m

Charging time: 2.5 hour

Power supply: Li-ion Battery 400mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial/Volume control
/TF Card Support/






SG-380



Chipset: Bluetooth 5.0
Driver unit: 40mm
Impedance: 32ohm
Frequency response: 20Hz-20kHz
Working time: 30-35 hours
Working Distance: 10m

Charging time: 1.5 hours
Power supply: Li-ion Battery 350mAh
Charge type: Via type C
Function: Bluetooth Calling/Redial/Volume control /TF Card Support





VJ320



Chipset: JL6925F

Driver unit: 40mm

Impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 8-10hours

Working Distance: 10m

Charging time: 2 hour

Power supply: Li-ion Battery 400mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial/Volume control
/TF Card Support/ FM



Bluetooth
Version: 5.



Pro 8

Chipset: JL6955F

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 8-10hours

Working Distance: 10m

Charging time: 2 hour

Power supply: Li-ion Battery 400mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial
/Volume control/TF Card Support/





D96

Chipset: JL6955F

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 16-18hours

Working Distance: 10m

Charging time: 2.5 hour

Power supply: Li-ion Battery 400mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial

/Volume control/TF Card Support/



Bluetooth
Version 4



Bluetooth Version 5.4



GS9

(LED LIGHT)

Chipset: JL7006

Driver unit: 40mm

Impedance: 32ohm

Frequency response: 20hz-20khz

Working time(led light on): 4-5hours

Working time(led light off): 18-20 hour

Working Distance: 10m

Charging time: 1.5 hour

Power supply: Li-ion Battery 200mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial

Volumecontrol/TF Card Support/



Bluetooth
Version: 5.4



CH168/168



Chipset: JL7006/6955f

Driver unit: 40mm

Impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 16-20hours/4-5 hours

Working Distance: 10m

Charging time: 1.5-2 hour

Power supply: Li-ion Battery 200mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial/Volume control
/TF Card Support/



Bluetooth
Version:5.4



CH999

(LED LIGHT)



Chipset:JL7006

Driver unit: 40mm

impedance: 32ohm

Frequency response:20hz-20khz

Working time(led light on) :12-14 hours

Working time(led light off) :74-80 hours

Working Distance:10m

Charging time:3-4hours

Power supply:Li-ion Battery 800mAh

Charge type:Via type C

Function: Bluetooth Calling/Redial/Volume control

/TF Card Support





LV6

(LED LIGHT)



Chipset: JL6925F

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time(led light on) : 4-5 hours

Working time(led light off) : 18-20 hours

Working Distance: 10m

Charging time: 2.5 hours

Power supply: Li-ion Battery 800mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial/Volume control /TF Card Support





LV8

(LED LIGHT)



Chipset:JL6955F

Driver unit: 40mm

Impedance: 32ohm

Frequency response:20hz-20khz

Working time(led light on) :4-5hours

Working time(led light off) :18-20 hour

Working Distance:10m

Charging time:2.5 hour

Power supply:Li-ion Battery 800mAh

Charge type:Via type C

Function: Bluetooth Calling/Redial
Volumecontrol/TF Card Support/



Bluetooth
Version 4

GS7

(LED LIGHT)



Chipset:JL6925F

Driver unit: 40mm

Impedance: 32ohm

Frequency response:20hz-20khz

Working time(led light on) :6-7hours

Working time(led light off) :18-20 hour

Working Distance:10m

Charging time:2.5 hour

Power supply:Li-ion Battery 800mAh

Charge type:Via type C

Function: Bluetooth Calling/Redial

Volumecontrol/TF Card Support/



GS8

(LED LIGHT)



Chipset:JL6925F

Driver unit: 40mm

impedance: 32ohm

Frequency response:20hz-20khz

Working time(led light on) :6-7 hours

Working time(led light off) :18-20 hours

Working Distance:10m

Charging time:2.5 hours

Power supply:Li-ion Battery 800mAh

Charge type:Via type C

Function: Bluetooth Calling/Redial/Volume control
/TF Card Support



Bluetooth
Version: 5.4



GS6 Bluetooth™

Chipset: JL6955F

Driver unit: 40mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time(led light on) : 4-5 hours


Working Distance: 10m

Charging time: 1.5 hours

Power supply: Li-ion Battery 200mAh

Charge type: Via type C

Function: Bluetooth Calling/Redial
/Volume control/TF Card Support



AK11 TWS



Chipset: Bluetrum5656A

Driver unit: 10mm

impedance: 32ohm

Frequency response: 20hz-20khz

Working time: 4-5hours(earbuds)/

12-15hours(with charging box)

Working Distance: 10m


Charging time: 1hour(earbuds)/2hours(charging box)

Power supply: Li-ion Battery 28mAh(earbuds)

/230mAh(charging box)

Charge type: Via type C

Function: Bluetooth Calling/Redial/Volume control



K9



Chipset:JL7006

Driver unit:10mm

Sensitivity:105dB

impedance: 32ohm

Frequency response:20hz-20khz

Working time:18-20hours

Working Distance:10m

Charging time:1.5 hour

Power supply:Li-ion Battery 160mAh

Charge type:Via type C

Function: Bluetooth Calling/Volume control

/TF Card Support



K9 PRO



Chipset:JL7006

Driver unit:10mm

Sensitivity:105dB

impedance: 32ohm

Frequency response:20hz-20khz

Working time:18-20 hours

Working Distance:10m

Charging time:1.5 hours

Power supply:Li-ion Battery 160mAh

Charge type:Via type C

Function: Bluetooth Calling/Volume control

/TF Card Support



K11



Chipset:JL7006
Driver unit:10mm
Sensitivity:105dB
impedance: 32ohm
Frequency response:20hz-20khz
Working time:18-20 hours

Working Distance:10m
Charging time:1.5 hours
Power supply:Li-ion Battery 160mAh
Charge type:Via type C
Function: Bluetooth Calling/Volume control
/TF Card Support



K13



Chipset:JL7006
Driver unit:10mm
Sensitivity:105dB
impedance: 32ohm
Frequency response:20hz-20khz
Working time:18-20 hours

Working Distance:10m
Charging time:1.5 hours
Power supply:Li-ion Battery 160mAh
Charge type:Via type C
Function: Bluetooth Calling/Volume control
/TF Card Support





Thanks For Watching!

SCAN ME TO SEE E-CATALOG

 **GUANGDONG YUEYINDA ELECTRONIC CO., LTD.**

 **OFFICE ADD:**ROOM 1704,JINSHA INTERNATION PLAZA, NO. 2 LIGUANG ROAD, LISHUI TOWN, NANHAI DISTRICT, FOSHAN CITY

 **FACTORY ADD:**DONGXING INDUSTRIAL AREA,GURAO TOWN,CHAOYANG DISTRICT,SHANTOU CITY,GUANGDONG

 **EMAIL:** SALES@YUEYINDA.COM