




**G-POWER**



**OEM & ODM**

Professional GaN USB-C PD Charger Manufacturer

# I WHO WE ARE

**GPower** is a high-tech enterprise specializing in R&D, production and sales of consumer charging products.

Since 2019, **GPower** has taken advantage of the huge market demand for rechargeable products such as smart phones and tablets, and we are committed to researching & developing the latest charging technology, such as GaN technology, USB-C PD3.0, USB-CPD3.1, PPS smart fast-charging and wireless charging technology. With the combination of the latest fashion elements of industrial design, **GPower** launches a series of multi-functional charging products favored by consumers around the world, and becomes a leader in the field of intelligent fast charging.

**GPower** maintains good cooperation & provides OEM and ODM services with domestic and overseas online/offline channels, domestic cross-border e-commerce platforms, and many well-known brands of consumer charging products. With powerful and flexible R&D design capabilities and strict quality standards, we offer cost-effective innovative products to create value for our customers.



**GPower** has a global market and cooperates with multinational R&D teams to form an international R&D design architecture system that meets global market demands, which makes the products more attractive & successful in the markets.

The factory introduces advanced wave soldering, ultrasonics welder, SMT machine, ATE comprehensive tester, intelligent aging cabinet and other manufacturing equipment. We apply for scientific ERP management system with skilled front-line workers. All of these guarantees high quality standard products to our customers.



Our products have passed the international certifications of CE, FCC, ROHS, ETL, CCC, KC, KCC, PSE, CB, BSMI, SAFETY MARK, RCM and ISO9001:2015 & ISO14001:2004 quality management system.

We believe that innovation is the cornerstone of the company's long-term success. We are willing to maintain long-term and stable cooperation with the customers to achieve win-win business relationship.

## Company profile

### Main Market

Europe, US, Asian, Middle east, China

### Production line

10

### Total in-House Staffs

over 300

### R&D Staff

15+

### QC Staff

10+

### Factory Size


8000+ square Meter

### Certification



### Address

B4-601, 602, 603, 604, 702, 704, SXC,  
No. 1 Fusheng West Road, Dafuji Community,  
Ronggui Street, Shunde District, Foshan City,  
Guangdong Province, China



# POWER MINI-CANNON series

for smart phone & Tablet



P1120  
20W



P1133B  
30W



P1335B  
35W



P1435  
35W



P1120 20W 1C

Ultra-compact cube charger  
Fast charging iPhone series  
Wide compatible with PD3.0,AFC,FCP,QC3.0 and more




## PRODUCT SPECIFICATION

|                  |                                                              |
|------------------|--------------------------------------------------------------|
| Product Name     | 20W Mini PD Charger                                          |
| Model            | P1120                                                        |
| Input            | AC 100-240V(50-60Hz)                                         |
| Total Power      | 20W                                                          |
| Type-C PD output | 5V/3.0A,9V/2.22A,12V/1.67A<br>PPS:3.3-5.9V/3A,PPS:3.3-11V/2A |
| Plug             | US/EU/UK                                                     |
| Color            | Black/White                                                  |

# P2720 20W 1C



Ultra-compact cube charger  
Fast charging iPhone series  
Wide compatible with PD3.0,AFC,FCP,QC3.0 and more



## PRODUCT SPECIFICATION

|                  |                                                              |
|------------------|--------------------------------------------------------------|
| Product Name     | 20W Mini PD Charger                                          |
| Model            | P2720                                                        |
| Input            | AC 100-240V(50-60Hz)                                         |
| Total Power      | 20W                                                          |
| Type-C PD output | 5V/3.0A,9V/2.22A,12V/1.67A<br>PPS:3.3-5.9V/3A,PPS:3.3-11V/2A |
| Plug             | US/EU/UK                                                     |
| Color            | Black/White                                                  |



**P1320**  
**20W**  
**1C1A**

New



**PRODUCT SPECIFICATION**

| Product Name     | 20W dual-port Mini GaN Charger                                     |
|------------------|--------------------------------------------------------------------|
| Model            | P1320                                                              |
| Input            | AC 100-240V(50-60Hz)                                               |
| Type-C PD output | 5V/3A,9V/2.22A,12V/1.67A,20W Max<br>PPS:3.3V-5.9V/3A,3.3V-11V/1.8A |
| USB-A output     | 5V/3A,9V/2A,12V/1.5A 18W                                           |
| Type-C + USB-A   | Total in 5V/3A                                                     |
| Plug             | US/EU/UK                                                           |
| Color            | Black/White                                                        |

Perfectly design for iPhone series  
Fast charging two smart phones simultaneously  
Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
GaN technology smaller and smarter



**P2820**  
**20W**  
**1C1A**

Perfectly design for iPhone series  
Fast charging two smart phones simultaneously  
Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
GaN technology smaller and smarter

New



## PRODUCT SPECIFICATION

| Product Name     | 20W dual-port Mini GaN Charger                                     |
|------------------|--------------------------------------------------------------------|
| Model            | P2820                                                              |
| Input            | AC 100-240V(50-60Hz)                                               |
| Type-C PD output | 5V/3A,9V/2.22A,12V/1.67A,20W Max<br>PPS:3.3V-5.9V/3A,3.3V-11V/1.8A |
| USB-A output     | 5V/3A,9V/2A,12V/1.5A 18W                                           |
| Type-C + USB-A   | Total in 5V/3A                                                     |
| Plug             | US/EU/UK                                                           |
| Color            | Black/White                                                        |



Fast charging iPhone and Samsung series(30W PPS)  
Fast charging tablets, ipad series.  
GaN tech smaller and smarter  
Ultra-compact size with 1.05W/cm³ power density



## PRODUCT SPECIFICATION

|                  |                                                              |
|------------------|--------------------------------------------------------------|
| Product Name     | 30W GaN Mini PD Charger                                      |
| Model            | P1133B                                                       |
| Input            | AC 100-240V(50-60Hz)                                         |
| Total Power      | 30W                                                          |
| Type-C PD output | 5V/3A, 9V/3A, 12V/2.5A, 15V/2A,<br>20V/1.5A; PPS:3.3V-11V/3A |
| Plug             | US/EU/UK                                                     |
| Color            | Black/White                                                  |



Fast charging iPhone and Samsung series(30W PPS)

Fast charging tablets, ipad series.

GaN tech smaller and smarter


Ultra-compact size with 1.05W/cm³ power density

## P2733B 30W 1C



### PRODUCT SPECIFICATION

| Product Name     | 30W GaN Mini PD Charger                                   |
|------------------|-----------------------------------------------------------|
| Model            | P2733B                                                    |
| Input            | AC 100-240V(50-60Hz)                                      |
| Total Power      | 30W                                                       |
| Type-C PD output | 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A; PPS:3.3V-11V/3A |
| Plug             | US/EU/UK                                                  |
| Color            | Black/White                                               |



# P1330B

## 30W

### 1C1A



Perfectly design for New iPhone 15pro/14pro/13pro series  
Fast charging two smart phones simultaneously  
Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
GaN technology smaller and smarter

New



## PRODUCT SPECIFICATION

| Product Name     | 30W dual-port Mini GaN Charger                                |
|------------------|---------------------------------------------------------------|
| Model            | P1330B                                                        |
| Input            | AC 100-240V(50-60Hz)                                          |
| Type-C PD output | 5V/3A,9V/3A,12V/2.5A,15V/2A, 20V/1.5A<br>Max PPS: 3.3V-11V/3A |
| USB-A output     | 5V/3A,9V/2A,12V/1.5A 18W                                      |
| Type-C + USB-A   | Total in 5V/3A                                                |
| Plug             | US/EU/UK                                                      |
| Color            | Black/White                                                   |



## P2830B 30W 1C1A

Perfectly design for New iPhone 15pro/14pro/13pro series  
 Fast charging two smart phones simultaneously  
 Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
 GaN technology smaller and smarter

New



### PRODUCT SPECIFICATION

| Product Name     | 30W dual-port Mini GaN Charger                                 |
|------------------|----------------------------------------------------------------|
| Model            | P2830B                                                         |
| Input            | AC 100-240V(50-60Hz)                                           |
| Type-C PD output | 5V/3A,9V/3A,12V/2.5A, 15V/2A, 20V/1.5A<br>Max PPS: 3-3V-11V/3A |
| USB-A output     | 5V/3A,9V/2A,12V/1.5A 18W                                       |
| Type-C + USB-A   | Total in 5V/3A                                                 |
| Plug             | US/EU/UK                                                       |
| Color            | Black/White                                                    |



# P1135B 35W 1C

Fast charging iPhone and Samsung series (35W PPS)

Fast charging tablets, iPad series.

GaN tech smaller and smarter



## PRODUCT SPECIFICATION

| Product Name     | 35W GaN Mini PD Charger                                           |
|------------------|-------------------------------------------------------------------|
| Model            | P1135B                                                            |
| Input            | AC 100-240V(50-60Hz)                                              |
| Total Power      | 35W                                                               |
| Type-C PD output | 5V/3A, 9V/3A, 12V/2.91A, 15V/2.33A<br>20V/1.75A; PPS: 3.3V-11V/3A |
| Plug             | US/EU/UK                                                          |
| Color            | Black/White                                                       |



# P2735B 35W 1C



Fast charging iPhone and Samsung series(35W PPS)

Fast charging tablets, ipad series.

GaN tech smaller and smarter

## PRODUCT SPECIFICATION

|                  |                                                              |
|------------------|--------------------------------------------------------------|
| Product Name     | 35W GaN Mini PD Charger                                      |
| Model            | P2735B                                                       |
| Input            | AC 100-240V(50-60Hz)                                         |
| Total Power      | 35W                                                          |
| Type-C PD output | 5V/3A,9V/3A,12V/2.91A,15V/2.33A<br>20V/1.75A;PPS:3.3V-11V/3A |
| Plug             | US/EU/UK                                                     |
| Color            | Black/White                                                  |

# P1335B 35W 1C1A



Perfectly design for New iPhone 15pro/14pro/13pro series  
Fast charging two smart phones simultaneously  
Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
GaN technology smaller and smarter

New



## PRODUCT SPECIFICATION

| Product Name     |                                                                       | 35W dual-port Mini GaN Charger |
|------------------|-----------------------------------------------------------------------|--------------------------------|
| Model            |                                                                       | P1335B                         |
| Input            |                                                                       | AC 100-240V(50-60Hz)           |
| Type-C PD output | 5V/3A,9V/3A,12V/2.5A,15V/2.33A, 20V/1.75A,35W<br>Max PPS: 3.3V-11V/3A |                                |
| USB-A output     | 5V/3A,9V/2A,12V/1.5A 18W                                              |                                |
| Type-C + USB-A   | Total in 5V/3A                                                        |                                |
| Plug             |                                                                       | US/EU/UK                       |
| Color            |                                                                       | Black/White                    |

# P2835B

## 35W 1C1A

Perfectly design for New iPhone 15pro/14pro/13pro series  
Fast charging two smart phones simultaneously  
Support PPS,PD3.0,AFC,FCP,QC3.0 and more protocols  
GaN technology smaller and smarter



New



### PRODUCT SPECIFICATION

| Product Name     |  | 35W dual-port Mini GaN Charger                                        |
|------------------|--|-----------------------------------------------------------------------|
| Model            |  | P2835B                                                                |
| Input            |  | AC 100-240V(50-60Hz)                                                  |
| Type-C PD output |  | 5V/3A,9V/3A,12V/2.5A,15V/2.33A, 20V/1.75A,35W<br>Max PPS: 3.3V-11V/3A |
| USB-A output     |  | 5V/3A,9V/2A,12V/1.5A 18W                                              |
| Type-C + USB-A   |  | Total in 5V/3A                                                        |
| Plug             |  | US/EU/UK                                                              |
| Color            |  | Black/White                                                           |



Perfectly design for iPhone 15pro/14pro/13pro series  
 Fast charging two smart phones simultaneously  
 Compatible with iPhone 13,Macbook air,ipad and other smartphone  
 Wide compatible with PPS,PD3.0,AFC,FCP,QC3.0 and more  
 GaN technology smaller and smarter

P1435  
 35W  
 2C



New



## PRODUCT SPECIFICATION

| Product Name      |                                                                                        | 35W dual PD Mini GaN Charger |
|-------------------|----------------------------------------------------------------------------------------|------------------------------|
| Model             |                                                                                        | P1435                        |
| Input             |                                                                                        | AC 100-240V(50-60Hz)         |
| Type-C PD1 output | 5V/3A,9V/3A,12V/2.5A,15V/2.33A, 20V/1.75A,35W Max<br>PPS: 3.3V-11V/3A                  |                              |
| Type-C PD2 output | 5V/3A,9V/3A,12V/2.5A,15V/2.33A, 20V/1.75A,35W Max<br>PPS: 3.3V-11V/3A                  |                              |
| Type-C1 + C2      | 5V/1.6A (8W)+C2: 5V/3A,9V/3A,12V/2.25A, 15V/1.8A,<br>20V/1.35A (27W),PPS: 5V-11V/2.25A |                              |
| Plug              |                                                                                        | US/EU/UK                     |
| Color             |                                                                                        | Black/White                  |

# POWER MONSTER series

for Macbook  
& Laptop  
& Tablet  
& Smart phone



# P438 38W 1C1A

Fast charging iPhone and samsung series

Fast charging tablets and ipad

Fast charging two smart devices simultaneously

GaN technology smaller and smarter



## PRODUCT SPECIFICATION

| Product Name          | 38W GaN dual-port PD&OC Charger                                        |
|-----------------------|------------------------------------------------------------------------|
| Model                 | P438                                                                   |
| Input                 | AC 100-240V(50-60Hz)                                                   |
| Total Power           | 38W                                                                    |
| Type-C PD output      | 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A<br>PPS:3.3-5.9V/3A,PPS:3.3-11V/3A |
| USB-A output          | 5V/3A,9V/2A, 12V/1.5A 18W                                              |
| Type-C + USB-A output | PD20W(5V/3A,9V/2.22A)<br>+QC18W(5V/3A,9V/2A,12V/1.5A)                  |
| Plug                  | US/EU/UK/AU (detachable)                                               |
| Color                 | Black/White                                                            |



# P445C 45W 1C1A

Fast charging iPhone and samsung series

Fast charging tablets and ipad

Fast charging two smart devices simultaneously

GaN technology smaller and smarter



## PRODUCT SPECIFICATION

| Product Name          | 45W GaN dual-port PD&QC Charger                                   |
|-----------------------|-------------------------------------------------------------------|
| Model                 | P445C                                                             |
| Input                 | AC 100-240V(50-60Hz)                                              |
| Total Power           | 45W                                                               |
| Type-C PD output      | 5V/3A,9V/3A,12V/3A, 15V/3A,20V/2.25A<br>PPS:3.3V-11V/5A           |
| USB-A output          | 5V/3A,9V/2A, 12V/1.5A 18W                                         |
| Type-C + USB-A output | PD20W(5V/3A,9V/2.22A, 12V/1.67A)<br>+QC18W(5V/3A,9V/2A, 12V/1.5A) |
| Plug                  | US/EU/UK/AU (detachable)                                          |
| Color                 | Black/White                                                       |

Ultra-compact charger  
Fast charging two iPhones simultaneously  
Support PPS 45W for Samsung S22/S21/S20 series  
Detachable plug design  
GaN technology

P445 45W 2C



PRODUCT SPECIFICATION

|                   |                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------|
| Product Name      | 45W GaN dual-port PD Charger                                                            |
| Model             | P445                                                                                    |
| Input             | AC 100-240V(50-60Hz)                                                                    |
| Total Power       | 45W                                                                                     |
| Type-C PD1 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A,<br>PPS: 3.3-11V/5A                                 |
| Type-C PD2 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A,<br>PPS: 3.3-11V/5A                                 |
| Type-C PD1+ PD2   | Max 20W(5V/3A,9V/2.22A,12V/1.67A)<br>+Max 20w(5V/3A,9V/2.22A,12V/1.67A)PPS: 3.3V-11V/2A |
| Plug              | US/EU/UK/AU (detachable)                                                                |
| Color             | Black/White                                                                             |



**P465 1C**



## PRODUCT SPECIFICATION

| Product Name     |                                                                    | 67W Single-port GaN PD Charger |
|------------------|--------------------------------------------------------------------|--------------------------------|
| Model            |                                                                    | P465                           |
| Input            |                                                                    | AC 100-240V(50-60Hz)           |
| Total Power      |                                                                    | 67W                            |
| Type-C PD output | 5V/3A,9V/3A,12V/3A,15V/3A,20.3V/3.3A,20V/3.25A<br>PPS: 3.3V-11V/4A |                                |
| Plug             |                                                                    | US/EU/UK/AU                    |
| Color            |                                                                    | Black/White                    |

Ultra-compact charger

Fast charging Laptop,Mabook on 65W

Support PPS 45W for Samsung S22/S21/S20 series


Detachable plug design

GaN technology

# P265A-A

## 65W

## 1C1A



### PRODUCT SPECIFICATION

| Product Name        | 65W GaN Dual-port PD Charger                                                   |
|---------------------|--------------------------------------------------------------------------------|
| Model               | P265A-A                                                                        |
| Input               | AC 100-240V(50-60Hz)                                                           |
| Total Power         | 65W                                                                            |
| Type-C PD output    | 5V/3A,9V/3A, 12V/3A,15V/3A,20V/3.25A,<br>PPS:3.3-11V/4A                        |
| USB-A               | 20V/1.8A, 12V/3A,9V/3A,5V/3A                                                   |
| Type-C+USB-A Output | PD 45W(20V/2.25A,15V/3A,12V/2A,9V/3A,5V/3A)<br>USB-A 18W(12V/1.5A,9V/2A,5V/3A) |
| Plug                | US/EU/UK/AU (detachable)                                                       |
| Color               | Black/White                                                                    |

# 66W 2C1A

## P265B-A

Ultra-compact charger

Support PPS 45W for Samsung S22/S21/S20 series

Fast charge Laptop, Mabook on 66W

Fast charge 3 devices simultaneously

Detachable plug design

GaN technology



## PRODUCT SPECIFICATION

| Product Name      | 66W GaN 3-port PD Charger                                 |
|-------------------|-----------------------------------------------------------|
| Model             | P265B-A                                                   |
| Input             | AC 100-240V(50-60Hz)                                      |
| Total Power       | 66W                                                       |
| Type-C PD1 output | 5V/3A, 9V /3A, 12V/3A, 15V/3A, 20V/3 25A; PPS: 3 3-11V/5A |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3 25A; PPS: 3 3-11V/5A  |
| USB-A             | 20V/1.8A, 12V/3A, 9V/3A, 5V/3A                            |
| Plug              | US/EU/UK/AU(detachable)                                   |
| Color             | Black/White                                               |



## P265C 65W 2C

Ultra-compact charger


Support PPS 45W for Samsung S22/S21/S20 series

Fast charge Laptop, MacBook on 65W

Fast charge 2 Tablets simultaneously

Detachable plug design

GaN technology



### PRODUCT SPECIFICATION

| Product Name             | 65W GaN Dual-port PD Charger                             |
|--------------------------|----------------------------------------------------------|
| Model                    | P265C-A                                                  |
| Input                    | AC 100-240V(50-60Hz)                                     |
| Total Power              | 65W                                                      |
| Type-C PD1 output        | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A; PPS: 3.3-11V/5A |
| Type-C PD2 output        | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A; PPS: 3.3-11V/5A |
| Type-C PD C1 & C2 Output | PD 30W + PD 30W; PPS: 3.3-11V/3A                         |
| Plug                     | US/EU/UK/AU(detachable)                                  |
| Color                    | Black/White                                              |



# P310A-A 100W 3C1A

A compact wall charger could replace 4 chargers


GaN Technology

Travel-friendly Compact Design.

Wide Compatibility.

Safety features OVP,OCP,OTP,SCP

Detachable plug design



## PRODUCT SPECIFICATION

| Product Name      | 100W GaN 4-port PD Charger                          |
|-------------------|-----------------------------------------------------|
| Model             | P310A-A                                             |
| Input             | AC 100-240V(50-60Hz)                                |
| Total Power       | 100W                                                |
| Type-C PD1 output | 5V/3A,9V/3A, 12V/3A,15V/3A, 20V/5A; PPS: 3.3-11V/5A |
| Type-C PD2 output | 5V/3A,9V/3A, 12V/3A,15V/3A, 20V/5A;PPS: 3.3-11V/5A  |
| Type-C PD3 output | 5V/3A,9V/2.22 A,12V/1.67A(Max 20W)                  |
| USB-A output      | 5V/3A,9V/2A, 12V/1.5A(Max 18W)                      |
| Plug              | US/EU/UK/AU (detachable)                            |
| Color             | Black/White                                         |



# P310B 100W 1C



40% Smaller body, Ultra-compact and portable.

GaN Tech:power more efficiently.

Wide Compatibility.

Safety features OVP,OCP,OTP,SCP

Detachable plug design



## PRODUCT SPECIFICATION

| Product Name     | 100W GaN single-port PD Charger                                       |
|------------------|-----------------------------------------------------------------------|
| Model            | P310B-A                                                               |
| Input            | AC 100-240V(50-60Hz)                                                  |
| Total Power      | 100W                                                                  |
| Type-C PD output | 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/5A;<br>PPS:3.3-11V/5A,PPS:3.3-21V/4A |
| Plug             | US/EU/UK/AU (detachable)                                              |
| Color            | Black/White                                                           |



# P310C 100W 2C1A

A compact wall charger could replace 3 chargers

GaN Technology

Travel-friendly Compact Design.

Wide Compatibility.

Safety features OVP,OCP,OTP,SCP

Detachable plug design



## PRODUCT SPECIFICATION

| Product Name      | 100W GaN 3-port PD Charger                        |
|-------------------|---------------------------------------------------|
| Model             | P310C                                             |
| Input             | AC 100-240V(50-60Hz)                              |
| Total Power       | 100W                                              |
| Type-C PD1 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A; PPS: 3.3-11V/5A |
| Type-C PD2 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A;PPS: 3.3-11V/5A  |
| USB-A output      | 5V/3A,9V/2A,12V/1.5A                              |
| Plug              | US/EU/UK/AU (detachable)                          |
| Color             | Black/White                                       |

# P1214A 140W 3C



PD3.1 technology support 28V5A 140W  
GaN Technology  
Safety features OVP,OCP,OTP,SCP  
Travel-friendly Compact Design.  
Fast charge 3 devices simultaneously

New



## PRODUCT SPECIFICATION

| Product Name      | 140W 3*C GaN PD3.1 Charger                                                           |
|-------------------|--------------------------------------------------------------------------------------|
| Model             | P1214A                                                                               |
| Input             | AC 100-240V(50-60Hz)                                                                 |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/5A;<br>28V/5A 140W Max; PPS: 4.0-11V/5A, 4.0-21V/4A |
| Type-C PD2 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A;<br>PPS: 4.0-11V/5A, 4.0-21V/4A                     |
| Type-C PD3 output | 5V/3A, 9V/3A,12V/2.5A, 15V/2A,<br>20V/ 1.5A; PPS: 4.0-11V/3A                         |
| Plug              | US/EU/UK/AU (detachable)                                                             |
| Color             | Black/White                                                                          |



# P1214 C 140W 2C1A

PD3.1 technology support 28V5A 140W

GaN Technology

Safety features OVP,OCP,OTP,SCP

Travel-friendly Compact Design.

Fast charge 3 devices simultaneously

New



## PRODUCT SPECIFICATION

| Product Name      | 140W 2C1A GaN PD3.1 Charger              |
|-------------------|------------------------------------------|
| Model             | P1214C                                   |
| Input             | AC 100-240V(50-60Hz)                     |
| Type-C PD1 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A28V/5A;  |
| Type-C PD2 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28V/5A; |
| USB-A Output      | 5V/3A,9V/2A,12V/1.5A,20V/0.9A            |
| Plug              | US/EU/UK/AU(detachable)                  |
| Color             | Black/White                              |

# POWER KINGKONG

## series

for Macbook  
& Laptop  
& Tablet



P1114 140W

US



P1114 140W

EU



P1114 140W

UK



P1688 65W

US



1688 65W

EU



1688B 65W

US

PD3.1 technology support 28V5A 140W

GaN Technology

Safety features OVP,OCP,OTP,SCP

Fast charge 4 devices simultaneously

P1114

140W

3C1A



PRODUCT SPECIFICATION

|                   |                                                                                      |
|-------------------|--------------------------------------------------------------------------------------|
| Product Name      | 140W 3C1A GaN PD3.1 Charger                                                          |
| Model             | P1114                                                                                |
| Input             | AC 100-240V(50-60Hz)                                                                 |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/5A;<br>28V/5A 140W Max; PPS: 4.0-11V/5A ,4.0-21V/4A |
| Type-C PD2 output | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A;<br>PPS: 4.0-11V/5A ,4.0-21V/4A                     |
| Type-C PD3 output | 5V/3A, 9V/3A, 12V/2.5A, 15V/2A,<br>20V/ 1.5A; PPS: 4.0-11V/3A                        |
| USB-A Output      | 5V/3A 9V/2A 12V/1.5A                                                                 |
| Plug              | US/EU/UK/AU                                                                          |
| Color             | Black/White                                                                          |



# P1114B 140W 3C1A

PD3.1 technology support 28V5A 140W

GaN Technology

Safety features OVP,OCP,OTP,SCP

Fast charge 4 devices simultaneously

New



## PRODUCT SPECIFICATION

| Product Name      | 140W 3C1A GaN PD3.1 Charger                                                          |
|-------------------|--------------------------------------------------------------------------------------|
| Model             | P1114B                                                                               |
| Input             | AC 100-240V(50-60Hz)                                                                 |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A,20V/5A;<br>28V/5A 140W Max; PPS: 4.0-11V/5A ,4.0-21V/4A |
| Type-C PD2 output | 5V/3A,9V/3A, 12V/3A, 15V/3A,20V/5A;<br>PPS: 4.0-11V/5A ,4.0-21V/4A                   |
| Type-C PD3 output | 5V/3A, 9V/3A, 12V/2.5A, 15V/2A,<br>20V/ 1.5A; PPS: 4.0-11V/3A                        |
| USB-A Output      | 5V/3A 9V/2A 12V/1.5A                                                                 |
| Plug              | US/EU/UK/AU                                                                          |
| Color             | Black/White                                                                          |

# 65W 2C1A

## P1688

Ultra-compact charger


Support PPS 45W for Samsung S22/S21/S20 series

Fast charge Laptop, MacBook on 65W

Fast charge 3 devices simultaneously

Detachable plug design

GaN technology



## PRODUCT SPECIFICATION

| Product Name      | 65W GaN 3-port PD Charger                                 |
|-------------------|-----------------------------------------------------------|
| Model             | P1688                                                     |
| Input             | AC 100-240V(50-60Hz)                                      |
| Total Power       | 65W                                                       |
| Type-C PD1 output | 5V/3A, 9V /3A, 12V/3A, 15V/3A, 20V/3.25A; PPS: 3.3-11V/5A |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3 25A; PPS: 3 3-11V/5A  |
| USB-A             | 12V/3A, 9V/3A, 5V/3A                                      |
| Plug              | US/EU/UK/AU(detachable)                                   |
| Color             | Black/White                                               |



# P1688B

## 65W

## 3C

Ultra-compact charger  
Support PPS 45W for Samsung S22/S21/S20 series  
Fast charge Laptop, MacBook on 65W  
Fast charge 3 devices simultaneously  
Detachable plug design  
GaN technology



### PRODUCT SPECIFICATION

| Product Name      | 65W GaN 3-port PD Charger                                    |
|-------------------|--------------------------------------------------------------|
| Model             | P1688B                                                       |
| Input             | AC 100-240V(50-60Hz)                                         |
| Total Power       | 65W                                                          |
| Type-C PD1 output | 5V/3A, 9V /3A, 12V/3A, 15V/3A, 20V/3.25A; PPS: 3.3-11V/4.05A |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A; PPS: 3.3-11V/4.05A  |
| Type-C PD3 output | 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A                         |
| Plug              | US/EU/UK/AU(detachable)                                      |
| Color             | Black/White                                                  |

# P2265 70W 2C1A

Ultra-compact charger

Support PPS 45W for Samsung S22/S21/S20 series

Fast charge Laptop, MacBook on 70W

Fast charge 3 devices simultaneously

Detachable plug design

GaN technology



## PRODUCT SPECIFICATION

| Product Name      | 70W GaN 3-port Travelling Charger                                      |
|-------------------|------------------------------------------------------------------------|
| Model             | P2265                                                                  |
| Input             | AC 100-240V(50-60Hz)                                                   |
| Total Power       | 70W                                                                    |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>20.6V/3.4A; PPS: 3.3-11V/5A |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>20.6V/3.4A; PPS: 3.3-11V/5A |
| USB A             | 5V/3A, 9V/2A, 12V/1.5A                                                 |
| C1+C2             | 45W+20W                                                                |
| C1+A              | 45W+18W                                                                |
| C2+A              | 7.5W+7.5W                                                              |
| C1+C2+A1          | 45W+7.5W+7.5W                                                          |
| Plug              | US/EU/UK/AU(detachable)                                                |
| Color             | Black/White                                                            |



# P2310

## 100W

## 3C1A

Ultra-compact charger

Support PPS 45W for Samsung S22/S21/S20 series

Fast charge Laptop, Mabook on 100W

Fast charge 4 devices simultaneously

Detachable plug design

GaN technology



## PRODUCT SPECIFICATION

| Product Name      | 100W GaN Mini 4-port Travelling Charger                       |
|-------------------|---------------------------------------------------------------|
| Model             | P2310                                                         |
| Input             | AC 100-240V(50-60Hz)                                          |
| Total Power       | 100W                                                          |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A; PPS: 3.3V-21.0V 4.75A   |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A; PPS: 3.3V-21.0V 4.75A   |
| Type-C PD3 output | 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.75A; PPS: 3.3V-11.0V/3A |
| USB A QC1 output  | 5V/3A, 9V/2A, 12V/1.5A                                        |
| C1+C2             | 65W+35W                                                       |
| C1/C2+C3          | 65W+35W                                                       |
| C1/C2+A1          | 65W+18W                                                       |
| C3+A1             | 7.5W+7.5W                                                     |
| C1+C2+C3          | 45W+35W+20W                                                   |
| C1+C2+A1          | 45W+35W+18W                                                   |
| C1/C2+C3+A1       | 65W+7.5W+7.5W                                                 |
| C1+C2+C3+A1       | 45W+35W+7.5W+7.5W                                             |
| Plug              | US/EU/UK/AU(detachable)                                       |
| Color             | Black/White                                                   |



## P3567 67W 2C

- Travel friendly Ultra-compact charger
- Fast charge for Macbook, Laptop on 67W
- Support PPS 45W for Samsung phones series
- Fast charge 2 devices simultaneously
- Ice-Cube Shell Design
- GaN Technology

New



### PRODUCT SPECIFICATION

| Product Name      |  | 67W 2C GaN PD3.0 Charger                                               |
|-------------------|--|------------------------------------------------------------------------|
| Model             |  | P3567                                                                  |
| Input             |  | AC 100-240V(50-60Hz)                                                   |
| Total Power       |  | 67W                                                                    |
| Type-C PD1 output |  | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>20.3V/3.3A; PPS:3.3V-11V/5A |
| Type-C PD2 output |  | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>20.3V/3.3A; PPS:3.3V-11V/5A |
| Plug              |  | US                                                                     |
| Color             |  | Black/White                                                            |



# P3610

# 100W

# 3C

Ultra-compact charger with foldable plug

Fast charge for Macbook, Laptop on 100W

Support PPS 45W for Samsung phones series

Fast charge 3 devices simultaneously

Ice-Cube Shell Design

GaN Technology

New



## PRODUCT SPECIFICATION

| Product Name      | 100W 3C GaN PD3.0 Charger                                              |
|-------------------|------------------------------------------------------------------------|
| Model             | P3610                                                                  |
| Input             | AC 100-240V(50-60Hz)                                                   |
| Total Power       | 100W                                                                   |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A<br>PPS:3.3V-11V/5A, 3.3V-21V/4.5A |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A<br>PPS:3.3V-11V/5A, 3.3V-21V/4.5A |
| Type-C PD3 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A<br>PPS:3.3V-11V/5A, 3.3V-21V/4.5A |
| Plug              | US                                                                     |
| Color             | Black/White                                                            |

# P1710A 2C1A+1HDMI

## Premium 100W GaN USB-C Hub

2\*USB-C & USB-A + HDMI+ 2\* US Sockets


Screen projection, Data transmission, Charging,  
All combined in One

Changeable AC cable for global countries



## PRODUCT SPECIFICATION

| Product Name          | Premium 100W GaN USB-C Hub                                    |
|-----------------------|---------------------------------------------------------------|
| Model                 | P1710A                                                        |
| Input                 | 100Vac-240Vac,50Hz-60Hz,2.5A                                  |
| USB-C1 Output         | 5V/1.4A,9V/2.11A,12V/2.33A,15V/2.7A,20V/4.75A<br>USB3.0/5Gbps |
| USB-C2 Output         | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A<br>PPS:3.3-21V/5A            |
| USB-A Output          | USB3.0/5Gbps<br>(Data Transmission)                           |
| 2 ports working       | USB-C1+C2 Output 57W+30W                                      |
| 1xHDMI casting Output | 4K@30Hz High resolution                                       |
| 2* US 3Pin Sockets    | 1100W/10A/110V                                                |
| Color                 | Black/White                                                   |



# P1710B 3C1A

## Premium 100W GaN Desktop Charger

3\*USB-C & USB-A + 2\* US Sockets, All in One  
GaN technology design in ultra thin size  
Changeable AC cable for global countries



## PRODUCT SPECIFICATION

| Product Name       | 100W 4-Port GaN Desktop Combo Charger                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------|
| Model              | P1710B                                                                                                                   |
| Input              | AC 100-240V,50Hz-60Hz,2.5A                                                                                               |
| USB-C1 Output      | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A<br>PPS:3.3-21V/4.75A                                                                    |
| USB-C2 Output      | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A<br>PPS:3.3-21V/4.75A                                                                    |
| USB-C3 Output      | 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A<br>PPS:3.3V-11V/5A                                                                   |
| USB-A Output       | 5V/3A 9V/3A 12V/1.5A                                                                                                     |
| Use Two Ports      | USB-C1+C2 Output: 65W+35W<br>USB-C1/C2+C3 Output: 65W+35W<br>USB-C1/C2+A Output: 65W+18W<br>USB-C3+A Output: Share 5V/3A |
| Use Three Ports    | USB-C1+C2+C3 Output: 45W+35W+20W<br>USB-C1+C2+A Output: 45W+35W+18W<br>USB-C1/C2+C3+A Output: 65W+15W (Share 5V/3A)      |
| Use All Ports      | 45W+35W+15W (Share 5V/3A)                                                                                                |
| 2* US 3Pin Sockets | 10A/110V/1100W<br>OCP, OVP, SCP, OTP Protection                                                                          |
| Color              | Black/White                                                                                                              |



Premium 100W GaN Travelling Charger

3\*USB-C & 1\*USB-A All in One  
GaN technology design in ultra thin size  
Changeable AC cable for global countries

P1810A 3C1A



PRODUCT SPECIFICATION

|                 |                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------|
| Product Name    | 100W 4-Port GaN Desktop Charger                                                                                         |
| Model           | P1810A                                                                                                                  |
| Input           | AC 100-240V,50Hz-60Hz,2.5A                                                                                              |
| USB-C1 Output   | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A<br>PPS:3.3V-21.0V/4.75A                                                                |
| USB-C2 Output   | 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A<br>PPS:3.3V-21.0V/4.75A                                                                |
| USB-C3 Output   | 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A<br>PPS:3.3V-11V/5A                                                                  |
| USB-A Output    | 5V/3A,9V/2A,12V/1.5A                                                                                                    |
| Use Two Ports   | USB-C1+C2 Output: 65W+35W<br>USB-C1/C2+C3 Output: 65W+35W<br>USB-C1/C2+A Output: 65W+18W<br>USB-C3 +A Output: 7.5W+7.5W |
| Use There Ports | USB-C1+C2+C3 Output: 45W+35W+20W<br>USB-C1+C2+A Output: 45W+35W+18W<br>USB-C1/C2+C3+A Output: 65W+15W (Share 5V/3A)     |
| Use All Ports   | 45W+35W+7.5W+7.5W<br>OCP, OVP, SCP, OTP Protection                                                                      |
| Color           | Black/White                                                                                                             |



# P1865 2C2A

**Premium 65W GaN Travelling Charger**  
 2\*USB-C & 2\*USB-A All in One  
 GaN technology design in ultra thin size  
 Changeable AC cable for global countries



## PRODUCT SPECIFICATION

| Product Name      | 65W 4-Port GaN Desktop Charger                                                                                          |
|-------------------|-------------------------------------------------------------------------------------------------------------------------|
| Model             | P1865                                                                                                                   |
| Input             | AC 100-240V(50-60Hz)                                                                                                    |
| Type-C PD1 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>PPS:3.3V-11V/5A                                                              |
| Type-C PD2 output | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A<br>PPS:3.3V-11V/5A                                                              |
| USB-A1 output     | 5V/3A, 9V/2A ,12V/1.5A, 20V/1.8A                                                                                        |
| USB-A2 output     | 5V/3A, 9V/2A ,12V/1.5A, 20V/1.8A                                                                                        |
| Use Two Ports     | USB-C1+C2 Output: 45W+20W<br>USB-C 1+ A1/A2 Output: 45W+18W<br>USB-C2+A1/A2 Output: 45W+18W<br>A1+ A2 Output: 8.5W+8.5W |
| Use Three Ports   | USB-C1+C2+A1/A2 Output: 30W+20W+18W<br>USB-C1/C2+A1+A2 Output: 45W+8.5W+8.5W                                            |
| Use All Ports     | USB-C1+C2+A1+A2 Output: 30W+20W+8.5W+8.5W                                                                               |
| Plug              | US/EU/UK/AU(8-figure tail power cord)                                                                                   |
| Color             | Black/White                                                                                                             |

**Premium 240W GaN Travelling Charger**

4\*USB-C & 1\*USB-A All in One  
GaN technology design in ultra thin size  
Changeable AC cable for global countries

**P2024 4C1A**



**PRODUCT SPECIFICATION**

| Product Name    | 240W 5-Port USB & USB C Charger                                                                                                                                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model           | P2024                                                                                                                                                           |
| Input           | AC 100-240V,50Hz-60Hz,2.5A                                                                                                                                      |
| USB-C1 Output   | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A                                                                                                                    |
| USB-C2 Output   | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A                                                                                                                    |
| USB-C3 Output   | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A                                                                                                                    |
| USB-C4 Output   | 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V3.25A                                                                                                                          |
| USB-A Output    | 5V/3A, 9V/3A, 12V/1.5A                                                                                                                                          |
| Use Two Ports   | USB-C1+C2:140W+100W, USB-C1/C2+C3:140W+100W<br>USB-C1/C2/C3+A:140W+18W, USB-C1/C2/C3+C4:140W+65W<br>USB-C4+A Output:12W+12W                                     |
| Use There Ports | USB-C1+C2+C3/C4:140W+65W+35W, USB-C1+C2/C3+A:140W+65W+18W<br>USB-C1/C2+C3+A:140W+65W+18W, USB-C1/C2+C3+C4:140W+65W+20W<br>USB-C1/C2/C3+C4+A Output:140W+12W+12W |
| Use Four Ports  | C1+C2+C3+C4:140W+45W+20W+20W, C1+C2+C3+A:140W+45W+20W+18W<br>C1+C2/C3+C4+A :140W+65W+12W+12W, C2+C3+C4+A:140W+65W+12W+12W                                       |
| Use All Ports   | 140W+45W+30W+12W+12W<br>OCP, OVP, SCP, OTP Protection                                                                                                           |
| Color           | Black/White                                                                                                                                                     |





**G-POWER**

Foshan G-power Technology Co., LTD

佛山市劲电科技有限公司

Shenzhen G-power Technology Co., LTD

深圳市劲电高科技有限公司

Add: B4-601, 602, 603, 604, 702, 704, SXC,

No. 1 Fusheng West Road, Dafuji Community, Ronggui Street,

Shunde District, Foshan City, Guangdong Province, China

Tel: (+86)-755-84509400

Email: sales@g-pow.cc

Web: [www.gpowercharger.com](http://www.gpowercharger.com)