

Kennex Electronics (Dongguan) Ltd.

建益电子(东莞)有限公司



founded in 1997, KENNEX technology Co. Ltd.

is a wholly owned Japanese enterprise ,specializing in the production of motors ,all kinds of micro switches .the company has advanced production equipment ,strong technical force ,with a full set of the most advanced automatic machinery , the environment of production workshops are designed constant temperature ,there are internal institutes in the company ,development department has independent development ability.

To ensure customer satisfaction with excellent products . The company carries out the "quality first, customer supreme " business philosophy, while improving the quality of management personnel, focus on the investment of development and constantly improve the quality inspection equipment . The company establishes long-term cooperation with excellent service , preferential prices, timely delivery .

The business format of KENNEX is completely different from that of other Japanese companies investing in China. Its biggest business philosophy is to make the best use of the technology obtained from various enterprises in China, including legal, tax, customs, logistics, labor management, talent cultivation and technology to process and produce products.

A : We are targeting the domestic market and matching the price system. In order to reduce costs, we set up an independent company consisting entirely of Chinese people.

B : In terms of quality and management, the investment company will introduce the same level of technology and talents as the Japanese company, but the management cost will not be reflected in the manufacturing cost.

C : While the overall cost is not higher than other Japanese companies, our business force, development force, technical force and quality force are better than or equal to the level of other Japanese companies.

公司名称	建益电子(东莞)有限公司 KENNEX ELECTRONICS (DONGGUAN) LTD.
地址	广东省东莞市茶山镇伟建工业区伟兴路26号 NO.26 WEIXING ROAD, WEIJIAN INDUSTRIAL PARK, CHASHAN DONGGUAN CITY, GUANGDONG, P.R.CHINA TEL : +86-769-8939-8988
董事	董事长：三善秀俊 DIRECTOR : HIDETOSHI MIYOSHI 董事总经理：肖义华 DIRECTOR GENERAL MANAGER : YIHUA XIAO
资本金	港币 1877.6万
设立	2004年3月15日 MARCH, 2004
员工人数	110人 (2021年7月)
香港办公室	建益科技有限公司 香港九龙红磡马头围道21号义达工业大厦A座 9楼星景汇中心A22 KENNEX TECHNOLOGY LTD UNIT A, ROOM. A22, 9/F., ELDEX INDUSTRIAL BUILDING, 21 MA TAU WAI ROAD, HUNG HOM, KOWLOON, HONG KONG
生产品目	直流马达, 各种小型开关 DC MOTOR, SWITCH
质量体系认证	ISO 9001:2015, ISO 14001:2015



董事长：三善秀俊
DIRECTOR : HIDETOSHI MIYOSHI

We guarantee the quality of motors and switches fundamentally. To make the products can be used safely, we are targeting the unique manufacturing system, committing to ensure the QCD (Quality, Cost, Delivery) and crafting products. We are hoping to offer the satisfying products to our customers and contribute to the development of society.



ISO9001:2015 認証取得



ISO14001:2015 認証取得





	Precious metal brush motor	Precious metal brush motor	Precious metal brush motor	Precious metal brush motor
model	TRWN10-045R00	TRWN20-050R00	TRWN30-050R00	TRWM10-015R00
Appearance				
size	φ12.0×12.2 (mm)	φ12.0×15.0 (mm)	φ12.0×20.0 (mm)	φ10.0×11.5 (mm)
Range of application	3.0 ~ 5.0 (V)	4.0 ~ 6.0 (V)	1.0 ~ 2.5 (V)	1.5 ~ 3.5 (V)
Nominal voltage	4.5 (V)	5.0 (V)	5.0 (V)	1.5 (V)
Rated speed	12650 (rpm)	11250 (rpm)	14400 (rpm)	7850 (rpm)
output power	0.30 (W)	0.29 (W)	0.38 (W)	0.32 (W)
Range of application	cosmetic/health product toy/relay	cosmetic/health product toy/relay	cosmetic/health product toy/relay	cosmetic/health product toy/door lock
	Precious metal brush motor	Precious metal brush motor	Precious metal brush motor	Carbon brush motor
model	TRWM20-030R00	TRW020-045R00	TRW030-050R00	TRW030-050L00
appearance				
size	φ10.0×15.0 (mm)	φ17.0×19.8 (mm)	φ15.5×18.6 (mm)	φ15.5×18.6 (mm)
Range of application	3.0 ~ 5.0 (V)	3.0 ~ 5.0 (V)	2.0 ~ 7.0 (V)	3.0 ~ 6.0 (V)
Nominal voltage	3.0 (V)	4.5 (V)	5.0 (V)	5.0 (V)
Rated speed	10650 (rpm)	8950 (rpm)	11900 (rpm)	7800 (rpm)
Output power	0.19 (W)	0.56 (W)	1.10 (W)	0.30 (W)
Range of application	cosmetic/health product toy/relay	health product toy	game console/vidicon/camera/car DVD health product/ toy relay	game console/vidicon/camera/car DVD health product



	Precious metal brush motor	Carbon brush motor	Precious metal brush motor	Carbon brush motor
Model	TRW050-060R00	TRW050-040L00	TRW130-030R00	TRW130-120L00
appearance				
Size	φ15.5×26.3 (mm)	φ15.5×26.3 (mm)	φ19.8×25.0 (mm)	φ19.8×25.0 (mm)
Range of application	4.0 ~ 7.0 (V)	2.0 ~ 6.0 (V)	1.5 ~ 4.5 (V)	10.0 ~ 13.0 (V)
Nominal voltage	6.0 (V)	4.0 (V)	3.0 (V)	12.0 (V)
Rated speed	5950 (rpm)	3650 (rpm)	13000 (rpm)	7500 (rpm)
Output power	0.38 (W)	0.26 (W)	0.30 (W)	0.45 (W)
Range of application	game console/vidicon /car DVD health product/toy/ relay	game console/vidicon /car DVD health product/toy/ relay	Tele car /camera Alarm clock	electric razor electric toothbrush toy/optical drive USB fan
	Carbon brush motor	Precious metal brush motor	Carbon brush motor	Carbon brush motor
Model	TRW130-050L00	TRW130-015R00	TRW130-015L00	TRW140-030R00
appearance				
Size	φ20.4×25.1 (mm)	φ17.0×22.8 (mm)	φ17.0×22.8 (mm)	φ23.8×25 (mm)
Range of application	3.0 ~ 6.0 (V)	4.0 ~ 7.0 (V)	4.0 ~ 7.0 (V)	1.5 ~ 4.5 (V)
Nominal voltage	5.0 (V)	6.0 (V)	6.0 (V)	3.0 (V)
Rated speed	13650 (rpm)	6750 (rpm)	6800 (rpm)	5300 (rpm)
Output power	3.30 (W)	0.43 (W)	0.49 (W)	0.58 (W)
Range of application	electric razor electric toothbrush toy/optical drive USB fan	cosmetic / electric massager/health product/toy	cosmetic / electric massager/health product/toy	electric toothbrush toy/ USB fan

	brush motor			
model	TRW180-050R00	TRW180-060L00	TRW260-050L00	TRW260-030L00
appearance				
size	φ20.4×32.1 (mm)	φ20.4×32.1 (mm)	φ24.0×27.0 (mm)	φ23.8×27.0 (mm)
Range of application	4.0 ~ 6.0 (V)	4.0 ~ 7.0 (V)	1.5 ~ 4.5 (V)	1.5 ~ 6.0 (V)
Nominal voltage	5.0 (V)	6.0 (V)	3.0 (V)	3.0 (V)
Rated speed	5900 (rpm)	6400 (rpm)	4650 (rpm)	7500 (rpm)
Output power	0.81 (W)	1.36 (W)	0.60 (W)	1.08 (W)
Range of application	electric razor electric toothbrush toy/CD player USB fan	electric razor electric toothbrush toy/CD player USB fan	electric razor electric toothbrush electric massager cosmetic	electric razor electric toothbrush electric massager cosmetic
	Carbon brush motor			
型号	TRW280-015L00	TRW280-030R00	TRW300-050R00	TRW300A-060R00
外觀				
寸法	φ24.0×30.5 (mm)	φ23.8×30.5 (mm)	φ24.4×12.4 (mm)	φ24.4×12.4 (mm)
适用范围	4.0 ~ 7.0 (V)	1.5 ~ 4.5 (V)	4.0 ~ 6.0 (V)	4.0 ~ 6.0 (V)
额定电压	6.0 (V)	3.0 (V)	5.0 (V)	5.0 (V)
额定转速	6800 (rpm)	5300 (rpm)	5900 (rpm)	5900 (rpm)
输出功率	0.49 (W)	0.58 (W)	0.81 (W)	0.81 (W)
适用范围	car central lock shaver/cosmetic massage cushion	electric toothbrush toy/USB fan	Car audio CD player USB fan toy	electric vaporizer air refreshing USB fan

	Precious metal brush motor	Precious metal brush motor	Precious metal brush motor	Carbon brush motor
model	TRW310-120R00	TRW320-060R00	TRW350-120L00	TRW360-060L00
appearance				
size	φ24.4×18.4 (mm)	φ24.4×18.4 (mm)	φ24.4×26 (mm)	φ27.7×32.6 (mm)
Range of application	9.0 ~ 13.0 (V)	4.5 ~ 7.5 (V)	3.0 ~ 6.0 (V)	3.0 ~ 9.0 (V)
Nominal voltage	12.0 (V)	6.0 (V)	4.5 (V)	7.2 (V)
Rated speed	4580 (rpm)	3200 (rpm)	4200 (rpm)	11000 (rpm)
Output power	0.37 (W)	0.25 (W)	0.85 (W)	5.67 (W)
Range of application	Car audio CD player USB fan toy	Car audio CD player USB fan toy	Intelligent door lock Monitoring device Water meter	Cleaner /electric tool printer/coffee maker Toy
	Carbon brush motor	Precious metal brush motor	Carbon brush motor	Carbon brush motor
model	TRW365-060L00	TRW370-120R00	TRW370-072L00	TRW380-120L00
appearance				
size	φ27.7×32.7 (mm)	φ24.4×30.8 (mm)	φ24.4×30.8 (mm)	φ27.9×37.8 (mm)
Range of application	1.5 ~ 4.5 (V)	9.0 ~ 13.0 (V)	5.0 ~ 9.0 (V)	9.0 ~ 13.0 (V)
Nominal voltage	3.0 (V)	12.0 (V)	7.2 (V)	12.0 (V)
Rated speed	7600 (rpm)	2550 (rpm)	14370 (rpm)	6450 (rpm)
Output power	1.09 (W)	0.43 (W)	8.60 (W)	4.75 (W)
Range of application	Cleaner /electric tool printer/coffee maker Hair dryer/Toy	Car air conditioner and fan /Kitchen appliance/sphygmoma	cleaner/electric tool kitchen appliance/sphygm	Cleaner /electric tool printer/coffee maker Hair dryer/Toy

	Carbon brush motor	Carbon brush motor	Carbon brush motor	Precious metal brush motor
model	TRW385-120L00	TRW390-060L00	TRW395-120L00	TRW400-030R00
appearance				
size	φ27.9×37.8 (mm)	φ27.9×46.5 (mm)	φ27.9×46.5 (mm)	φ24.4×10.5 (mm)
Range of application	9.0 ~ 13.0 (V)	4.0 ~ 7.0 (V)	9.0 ~ 13.0 (V)	1.5 ~ 6.0 (V)
Nominal voltage	12.0 (V)	6.0 (V)	12.0 (V)	3.0 (V)
Rated speed	13800 (rpm)	14450 (rpm)	2950 (rpm)	2700 (rpm)
Output power	13.40 (W)	14.39 (W)	1.90 (W)	0.16 (W)
Range of application	Cleaner /electric tool printer/coffee maker Massager/Hair dryer/Toy	Electric razor/electric toothbrush toy/CD player USB fan	electric razor electric toothbrush electric massager cosmetic	CD player electric vaporizer air refreshing USB fan
	Precious metal brush motor	Carbon brush motor	Precious metal brush motor	Carbon brush motor
model	TRW500-060R00	TRW520-060L00	TRW530-050L00	TRW540-072L00
appearance				
size	φ32.0×19.7 (mm)	φ33.0×22.5 (mm)	φ33.0×25.0 (mm)	φ37.5×50.0 (mm)
Range of application	4.0 ~ 7.0 (V)	4.0 ~ 7.0 (V)	4.0 ~ 7.0 (V)	5.0 ~ 8.0 (V)
Nominal voltage	6.0 (V)	6.0 (V)	6.0 (V)	7.2 (V)
Rated speed	3100 (rpm)	5300 (rpm)	2400 (rpm)	14000 (rpm)
Output power	0.47 (W)	0.58 (W)	0.30 (W)	41.10 (W)

	Carbon brush motor	Carbon brush motor	Carbon brush motor	Carbon brush motor
model	TRW545-120L00	TRW550-120L00	TRW555-060L00	TRW560-180L00
appearance				
size	φ37.5×50.0 (mm)	φ37.8×57.0 (mm)	φ37.8×57.0 (mm)	φ35.8×60.0 (mm)
Range of application	9.0 ~ 13.0 (V)	9.0 ~ 13.0 (V)	4.0 ~ 7.0 (V)	8.0 ~ 24.0 (V)
Nominal voltage	12.0 (V)	12.0 (V)	6.0 (V)	18.0 (V)
Rated speed	21400 (rpm)	3000 (rpm)	4300 (rpm)	10500 (rpm)
Output power	66.60 (W)	5.60 (W)	11.10 (W)	25.50 (W)
Range of application	hair dryer/printer electric tool massager	hair dryer/printer electric tool massager	hair dryer/printer electric tool massager	electric razor electric toothbrush electric massager cosmetic
	Carbon brush motor	Carbon brush motor	Carbon brush motor	Carbon brush motor
model	TRW565-120L00	TRW750-060L00	TRW755-240L00	TRW775-120L00
appearance				
size	φ35.8×60.0 (mm)	φ44.4×60.0 (mm)	φ44.4×60.0 (mm)	φ44.4×66.0 (mm)
Range of application	9.0 ~ 24.0 (V)	4.5 ~ 8.0 (V)	12.0 ~ 30.0 (V)	9.0 ~ 18.0 (V)
Nominal voltage	12.0 (V)	6.0 (V)	24.0 (V)	12.0 (V)
Rated speed	5600 (rpm)	11350 (rpm)	7800 (rpm)	9700 (rpm)
Output power	10.65 (W)	57.05 (W)	35.90 (W)	66.28 (W)
Range of application	electric massager cosmetic	kitchen appliance electric massager	kitchen appliance electric massager	kitchen appliance electric massager

	Precious metal brush motor	Precious metal brush motor	Carbon brush motor	Precious metal brush motor
model	TRW0408-030R00	TRW0612-030R00	TRW1020-050R00	TRW1216-050R00
appearance				
size	φ4× 8(mm)	φ6×12 (mm)	φ20.1×9.7 (mm)	φ15.8×24.4(mm)
Range of application	1.5 ~ 4.2 (V)	1.5 ~ 4.5 (V)	4.0 ~ 6.0 (V)	4.0 ~ 7.0 (V)
Nominal voltage	3.0 (V)	3.0 (V)	5.0 (V)	6.0 (V)
Rated speed	13000-19000 (rpm)	13000-19000 (rpm)	5900 (rpm)	5900 (rpm)
Output power	0.3 (W)	0.4 (W)	0.81 (W)	0.81 (W)
Range of application	Intelligent toy cosmetic optical instrument	Intelligent toy cosmetic optical instrument	Car printer	
	TRW1230-060L00			
model				
appearance				
size	φ31×12.5 (mm)			
Range of application	4.0 ~ 7.0 (V)			
Nominal voltage	5.0 (V)			
Rated speed	5900 (rpm)			
Output power	0.81 (W)			
Range of	Game console /toy			