MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Company Profile

Product Introduction | Company Introduction


POWERCUBE © 2024 翔润电气

customer-focused. Understand the current and future needs of customers, meet customer requirements and strive to exceed customer expectations。

Everyone participates. People at all levels are the foundation of the organization. Only with their full participation can their talents bring benefits to the organization.

Supply chain management requires building good partnerships to help achieve common goals. This can be achieved by building long-term relationships and sharing information and knowledge.

Arrange, straighten, sweep, clean, cultivate, and be safe



Empathy ability, starting from the customer's perspective, understanding the customer's emotional needs and responding appropriately

Putting consumers first and focusing on interaction and feedback with consumers can effectively improve the competitiveness of products and services, adapt to market changes and respond quickly。

Invest a large amount of money in R&D personnel to ensure that they become the core resource of corporate R&D activities.

Mutually beneficial relationships with suppliers. Organizations and their suppliers are interdependent, and mutually beneficial relationships enhance the ability of both parties to create value.

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

About us

XiangRun Electric (Dongguan) Co.,Ltd, affiliated to Hong Kong Aberdeen Electric Group Co., Ltd.,

is a company focusing on serving the automotive electronics market, new energy vehicles, consumer electronics, and smart home appliances.

Provide professional, high-quality supporting service providers. The company is committed to serving customers with professional products, professional services, and reliable cooperation mechanisms.

There are currently more than 400 employees on the job, and we have R&D centers, product centers, and sales centers in Dongguan/Shenzhen/Wenzhou/.

A comprehensive service provider of Powercub, QC/PD Fast charging bare board, QC/PD Fast Charger "high-tech enterprise" integrating R&D/production/sales

The products are favored by major brands and provide OEM/ODM related supporting services to customers at home and abroad.

List of subsidiaries

XiangRun Electric (Dongguan) Co.,Ltd	Dongguan Sales Center
Wenzhou Xiangrun Technology Co., Ltd.	Wenzhou production base


MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Original-EU

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 16A 250V,4000W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C1+C2+A Total:5V=3.6A,18W ** Overload Protector 16A	79*76*76 (Plug Excluding)	CE,VDE,CB KC,KCC,LVD ERP,ROHS



4000W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Extended-EU

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 16A 250V,4000W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C1+C2+A Total:5V=3.6A,18W 3 X 1.5㎡,AC extended core,EU/KR,1.5M/1.8M(optional) ** Overload Protector 16A	79*76*76 (AC cable Excluding)	CE,VDE,CB KC,KCC,LVD ERP,ROHS



4000W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Original-UK

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 13A 250V,3250W DC OUTPUT USB-C + USB-A1/A2 PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C+A1+A2 Total:5V=3.6A,18W **:UK Plug including 13A Overload protector	79*76*76 (Plug Excluding)	CE,CNAS,BS, UKCA ERP,ROHS








3250W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Extended-UK

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 13A 250V,3250W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C+C2+A Total:5V=3.6A,18W 3 X 1.5㎡,AC extended core,1.5M/1.8M(optional) ,13A Overload protector	79*76*76 (AC cable Excluding)	CE,CNAS,BS, UKCA ERP,ROHS








3250W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Original-FR

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 16A 250V,4000W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C1+C2+A Total:5V=3.6A,18W ** Overload Protector 16A	79*76*76 (Plug Excluding)	CE,VDE,CB KC,KCC,LVD ERP,ROHS



4000W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Extended-FR

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 16A 250V,4000W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C1+C2+A Total:5V=3.6A,18W 3 X 1.5㎡,AC extended core, 1.5M/1.8M(optional) ** Overload Protector 16A	79*76*76 (AC cable Excluding)	CE,VDE,CB KC,KCC,LVD ERP,ROHS



4000W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

Powercube Extended-BR

4AC + 2C1A GaN 33W

Color
White, Purple,Black Blue, Green, Pink

Specification parameters	Size(mm)	Certification
AC OUTPUT 10A 250V,2500W DC OUTPUT USB-C1/C2 + USB-A PDO 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W PPS:3.3V~11V=3.0A,3.3V~16V=2.0A,33W QC 5V=3.0A,9V=3.0A,12V=2.5A,15V=2.0A,20V=1.5A,30W C1+C2+A Total:5V=3.6A,18W 3 X 1.5㎡,AC extended core ** Overload Protector 16A	79*76*76 (AC cable Excluding)	



4000W Max.

Phosphor bronze shrapnel

Safety valve protection

Fire retardant material

POWERCUBE © 2024 翔润电气

MIA
MOBILE:+86 13539056172
WECHAT:13539056172
EMAIL:mia@xiangrundg.com

contact information

广东 东莞

扫一扫上面的二维码图案，加我为朋友。