

WWW.APOLLO-BATTERIES.COM

WWW.APOLLO-BATTERIES.COM

APOLLO INTERNATIONAL ELECTRONICS

Apollo International Electronics Co., Ltd.



Apollo International Electronics Co., Ltd.
深圳市力德电子科技有限公司
Shenzhen Factory Address: No.37, Fuyuan Road, Fenghuang 1st Industrial Park, Fuyong Town, Bao'an District, Shenzhen, Guangdong, China
Dongguan Factory Address: 1st Industrial Zone, Fulong Village, Shipai Town, Dongguan, Guangdong, China
Tel:+86-755-28071815
Fax:86-755-28071815
E-mail:info@apollo-batteries.com
Web: <http://www.apollo-batteries.com/>
<http://apollo-batteries.manufacturer.globalsources.com>

Main Products:

- Laptop battery
- Laptop AC adapter
- Laptop car charger
- Laptop universal adapter
- Power banks
- Camera battery & charger
- Mobile phone battery
- Power tool battery





ABOUT US

We are 13-year manufacturer and exporter of rechargeable batteries and adapters. Founded in 2002, Apollo International Electronics Co., Ltd is a high-tech enterprise specialized manufacturing of rechargeable batteries and adapters. Main products are Laptop battery, Laptop AC adapter, Laptop car charger, Laptop universal adapter, Power banks, Camera battery & charger, Mobile phone battery, Power tool battery.

For your assurance, our products carry UL, CE, RoHS, EKC and CCC approvals. Your orders will be dealt with in our ISO 9001:2008-certified operation. We have successfully delivered OEM products to more than 20 international famous brands since we started.

Our production base occupies 8,000 square meters and houses over 400 staff members. Our monthly production capacity is more than one million sets. We brought in advanced equipment, such as Yamaha chip mounters, soldering machines, aging testers, injection machines, coil match-up machines and battery cycle aging machines.

Welcome to visit our company !

Certificate



Laptop battery	/ 01-03
Laptop AC adapter	/ 04-06
Laptop car charger	/ 07
Laptop universal adapter	/ 08-09
Power banks	/ 10-11
Camera battery & charger	/ 12
Mobile phone battery	/ 13-14
Power tool battery	/ 15

01-Laptop battery 笔记本电池



The choice of MacBook battery
苹果笔记本电池的正确选择



*** For MacBook

A1280
Specification:

- ① For APPLE A1280
- ② Chemistry Li-Polymer
- ③ Capacity 10.9V 4800mAh 48Wh
- ④ Size 208.2*78.1*14.2mm
- ⑤ Weight 314g
- ⑥ Color Silver/Gray
- ⑦ Replace Part No.: A1280 MB771 MB771A MB771AA MB771LLA

FC CE RoHS




Create unlimited power
创造无限动力

*** For Notebook

E5420
Specification:

- ① For Dell E5420
- ② Chemistry Li-Ion
- ③ Capacity 11.1V 4400mAh 49Wh
- ④ Size 208*49*20mm
- ⑤ Weight 355g
- ⑥ Color Black
- ⑦ Replace Part No.: M61Y0XHCJW1T54F3UNHVVW754F0B68X

FC CE RoHS



<p>A1322 Specification:</p> <ul style="list-style-type: none"> ① For APPLE A1322 ② Chemistry Li-Polymer ③ Capacity 10.95V 5800mAh 63Wh ④ Size 211.2*86.8*14.22mm ⑤ Weight 314g ⑥ Color black ⑦ Replace Part No.: A1185, A1181, MA561, MA561FEA, MA561GA 	<p>A1321 Specification:</p> <ul style="list-style-type: none"> ① For APPLE A1321 ② Chemistry Li-Polymer ③ Capacity 10.95V 6700mAh 77.5Wh ④ Size 250.9*95.4*14.58mm ⑤ Weight 400g ⑥ Color Black ⑦ Part No. A1321 31CP68H-77-2 661-5211 661-5476 	<p>A1382 Specification:</p> <ul style="list-style-type: none"> ① For APPLE A1382 ② Chemistry Li-Polymer ③ Capacity 10.95V 6800mAh 77.5Wh ④ Size 250.9*95.4*14.58mm ⑤ Weight 389g ⑥ Color black ⑦ Replace Part No.: A1382, 661-5211, 661-5476 661-5544 620-7134-A 	<p>A1405 Specification:</p> <ul style="list-style-type: none"> ① For APPLE A1405 ② Chemistry Li-Polymer ③ Capacity 7.5V 6700mAh 50Wh ④ Size 204.1*81.5*8.5mm ⑤ Weight 295.5g ⑥ Color black ⑦ Replace Part No.: A1406 A1377 / 020-7379-A / 020-8143-A / 661-6555 / MD760LLA
---	--	--	--



<p>A1406 Specification:</p> <ul style="list-style-type: none"> ① For APPLE A1406 ② Chemistry Li-Polymer ③ Capacity 7.5V 4680mAh 35Wh ④ Size 208*112*6.1mm ⑤ Weight 224g ⑥ Color black 7 ReplacePart- ⑦ No. A140502-7376-A02-7377-AMC368LLAMC368LLA2CP4V 4696-10CP47256-1 2CP45581-1 1MC22LLAMC22LLA 	<p>E430 Specification:</p> <ul style="list-style-type: none"> ① For Lenovo E430 ② Chemistry Li-Ion ③ Capacity 11.1V 4400mAh 49Wh ④ Size 204.5*50.5*20.5mm ⑤ Weight 450g ⑥ Color Black ⑦ Replace Part No.: L11LEP01, L11LEP01, L11LEP01 	<p>Z500 Specification:</p> <ul style="list-style-type: none"> ① For Lenovo Z500 ② Chemistry Li-Ion ③ Capacity 14.4V 2200mAh 32Wh ④ Size 266.9*30.5 ⑤ Weight 185g ⑥ Color Black ⑦ Replace Part No.: L112L401L112MAE1L12M 4R01L112S4E21L112S4K01 	<p>E555 Specification:</p> <ul style="list-style-type: none"> ① For Lenovo E555 ② Chemistry Li-Ion ③ Capacity 10.8V 4400mAh 48Wh ④ Size 208.5*92.8*18.8mm ⑤ Weight 353g ⑥ Color Black ⑦ Replace Part No.: 3INW1965-345N17584K9N17584 5IN17584K9N1761
---	--	--	--

We can OEM replacement laptop batteries for DELL, HP, IBM, APPLE, ASUS, ACER, TOSHIBA, SONY, SAMSUNG, FUJITSU, LENOVO etc. with over 500 models.

Create unlimited power
创造无限动力

For Notebook



E6320

Specification:

- ① For Dell E6320
- ② Chemistry: Li-Ion
- ③ Capacity: 11.1V 4400mAh 85Wh
- ④ Size: 208.5*48.2*18.5
- ⑤ Weight: 342g
- ⑥ Color: Black
- ⑦ Replace Part No.: F6MNVFPRV/G
FR00KX231
KACPSU730A.F6MNV



A31N1302

Specification:

- ① For Asus A31N1302
- ② Chemistry: Li-Ion
- ③ Capacity: 11.25V 2200mAh 25Wh
- ④ Size: 200.1*8.6*57.1mm
- ⑤ Weight: 200g
- ⑥ Color: Black
- ⑦ Replace Part No.:
A31N1302A31LUMDAS1LUMH15
66-6888

BPS24

Specification:

- ① For Sony BPS24
- ② Chemistry: Li-Ion
- ③ Capacity: 11.1V 4400mAh 85Wh
- ④ Size: 204.8*53*20.5mm
- ⑤ Weight: 342g
- ⑥ Color: Black
- ⑦ Replace Part No.:
VGP-BP24/VGP-BP24

430G1

Specification:

- ① For HP 430 G1
- ② Chemistry: Li-Ion
- ③ Capacity: 14.8V 2200mAh 33Wh
- ④ Size: 277*35*21.5mm
- ⑤ Weight: 300g
- ⑥ Color: Black, Grey
- ⑦ Replace Part No.:
H571N-IB-L/P404/H4L2BAA
H4L2BET

X230

Specification:

- ① For Lenovo X230
- ② Chemistry: Li-Ion
- ③ Capacity: 11.1V 4400mAh 85Wh
- ④ Size: 208*48.5*18.5
- ⑤ Weight: 297g
- ⑥ Color: Black
- ⑦ Replace Part No.:
0A93281 0A93282 0A93283 42T
480342Y 4864492 4867482 486
8427487D

O2-Laptop AC adapter 苹果适配器



Only provide energy for Macbook
只为苹果笔记本提供能量



18.5V 4.6A 85W Laptop AC Adapter

Specification:

- ① For Apple A1172
- ② Input: AC 100-240V 1.5A 50-60HZ
- ③ Output: 18.5V 4.6A
- ④ DC Tip: L head



For Macbook



14.5v 3.1A 45w Laptop AC Adapter

Specification:

- ① For Apple A1244
- ② Input: AC 100-240V 1.5A 50-60HZ
- ③ Output: 14.5v 3.1A
- ④ DC Tip: L head

16.5v 3.65A 60w Laptop AC Adapter

Specification:

- ① For Apple A1164
- ② Input: AC 100-240V 1.5A 50-60HZ
- ③ Output: 16.5v 3.65A
- ④ DC Tip: L head

16.5v 3.65A 60w Laptop AC Adapter

Specification:

- ① For Apple A1435
- ② Input: AC 100-240V 1.5A 50-60HZ
- ③ Output: 16.5v 3.65A
- ④ DC Tip: T head

20v 4.25A 85w Laptop AC Adapter

Specification:

- ① For Apple A1424
- ② Input: AC 100-240V 1.5A 50-60HZ
- ③ Output: 20v 4.25A
- ④ DC Tip: T head

We can OEM replacement laptop adapters for DELL, HP, IBM, APPLE, ASUS, ACER, TOSHIBA, SONY, SAMSUNG, FUJITSU, LENOVO etc. with over 300 models. etc. ◀

02-Laptop AC adapter 其他适配器



One you need. All we support
你的需要，我们实现



16V 4.5A 65W
Laptop AC Adapter for IBM

Specification:

- ① Input: AC 100-240V 1.5A 50-60Hz
- ② Output: 16V 4.5A
- ③ DC tip: 5.5*2.8mm

For notebook



One you need. All we support
你的需要，我们实现



19.5V 4.62A 90W
laptop AC Adapter for Dell

Specification:

- ① Input: 100-240V 2.5A 50-60Hz
- ② Output: 19.5V 4.62A
- ③ DC tip: 4.0*1.7mm

For notebook



19V 4.74A 90W
Laptop AC Adapter for Samsung

Specification:

- ① Input: AC 100-240V 1.2A 50-60Hz
- ② Output: 19V 4.74A
- ③ DC tip: 5.5*3.0mm



20V 3.25A 65W
Laptop AC Adapter for Lenovo

Specification:

- ① Input: 100-240V 1.5A 50-60Hz
- ② Output: 20V 3.25A
- ③ DC tip: USB



20V 4.5A 90W
Laptop AC Adapter for IBM

Specification:

- ① Input: 100-240V 1.5A 50-60Hz
- ② Output: 20V 4.5A
- ③ DC tip: 7.3*9.5mm



19V 3.42A 65W
Laptop AC Adapter for Acer

Specification:

- ① Input: 100-240V 1.5A 50-60Hz
- ② Output: 19V 3.42A
- ③ DC tip: 5.5*1.7mm



19.5V 9.23A 180W
laptop AC Adapter for Dell

Specification:

- ① Input: 100-240V 2.5A 50-60Hz
- ② Output: 19.5V 9.23A
- ③ DC tip: 7.4*5.0mm



19.5V 4.62A 65W
Laptop AC Adapter for Dell

Specification:

- ① Input: 100-240V 1.5A 50-60Hz
- ② Output: 19.5V 4.62A
- ③ DC tip: 4.5*3.0mm



19V 1.58A 40W
Laptop AC Adapter for HP

Specification:

- ① Input: 100-240V 1A 50-60Hz
- ② Output: 19V 1.58A
- ③ DC tip: 4.0*1.7mm



18.5V 3.5A 65W
Laptop AC Adapter for HP

Specification:

- ① Input: 100-240V 1.8A-0.6A 50-60Hz
- ② Output: 18.5V 3.5A
- ③ DC tip: 7.4*5.0mm

We can OEM replacement laptop adapters for DELL, HP, IBM, APPLE, ASUS, ACER, TOSHIBA, SONY, SAMSUNG, FUJITSU, LENOVO etc with over 300 models. ◆

03-Laptop car charger.车充



Charge laptop battery. Charge your life
为笔记本电池充电，为你的生活充电



16.5V 3.65A Laptop Car Charger for Apple

Specification:

- ① Input: DC 11-15V max 10A
- ② Output: 16.5 3.65A
- ③ DC Tip Straight Head Five needle with magnetic

*** For Laptop Car Charger



04-Laptop universal adapter.万能适配器



Different Handles Available
核心功能不变，款式多变



Wall 90W universal automatic laptop charger

Specification:

- ① Input Voltage: AC 10-240V
- ② Input Current: 1.0A
- ③ Output voltage: DC15-20V
- ④ Output Current: 1.5, 1.6, 18.5, 1.9, 19.5V 2.0V/4.5A
- ⑤ Power:90W
- ⑥ 2USB Port:5V
- ⑦ Contain home and USB



*** For universal adapter



18.5V 4.6A Laptop Car Charger for Apple

Specification:

- ① Input: DC 11-15V max 10A
- ② Output: 18.5V 4.62A
- ③ DC Tip:elbow /Five needle with magnetic

16.5V 3.65A Laptop Car Charger for Apple

Specification:

- ① Input: DC 11-15V max 10A
- ② Output: 16.5 3.65A
- ③ With magnetic interface

19.5V 4.62A Laptop Car Charger for Dell

Specification:

- ① Input: DC 11-15V max 10A
- ② Output: 19.5V 4.62A
- ③ DC Tip :7.4*5.0mm

20V 3.25A Laptop Car Charger for IBM

Specification:

- ① Input: DC 11-15V max 10A
- ② Output: 20V 3.25A
- ③ DC Tip:7.9*5.5mm

85W Universal Adapter With USB Port

Specification:

- ① LED Voltage Display Adjustable output voltage
- ② With AC and DC Input Cable
- ③ With 8 Interchangeable tips Suit for most brand laptops
- ④ DC input: Input Voltage: DC 11 - 14 V Input Current: 1.5A Max
- ⑤ Output voltage: DC15 - 24V
- ⑥ Output Current: 1.5, 1.6, 1.8, 1.9, 2.0V / 4.5 A, 2.2V/2.0V / 3.0 A
- ⑦ USB Port:5V
- ⑧ Approves CE and FCC/MS
- Overload protection:yes
- Short Circuit Protection:yes
- Connector Size(mm):A:6.3*3.8 B:6.9*1.4 C:3.9*2.5
- D:3.9*2.1 E:5.9*1.9 F:5.0*1.4
- G:4.8*1.7 H:4.0*1.7



We can OEM replacement laptop batteries for DELL, HP, IBM, APPLE, ASUS, ACER, TOSHIBA, SONY, SAMSUNG, FUJITSU, LENOVO etc. with over 500 models. ◆

We can OEM laptop universal adapter for 40w,70w,100w,120w etc. ◆

Long cycle life, Suitable for various type
持久寿命, 适用各种型号

*** For universal adapter



Universal laptop charger 2 in 1 AC/DC 100W /home/car type

Specification:

LED Voltage Display Adjustable output voltage With AC and DC input Cable.

With 8 interchangeable tips Suit for most brand laptops

① DC Input

Input Voltage: DC 11 - 14 V
Input Current: 1.5A Max

② AC Input

Input Voltage: AC 110 - 240 V
Input Current: 1.8A

③ Output voltage: DC 12 - 24V

④ Output Current: 12, 15, 16, 18, 19, 20V / 5A, 22024V / 4.2A

⑤ USB Port 5V

⑥ Approvcs CE and FCCMS

⑦ Overload protection yes

⑧ Short Circuit Protection yes

⑨ Contain home car USB



*** For universal adapter



We can OEM replacement universal adapter for 40w,70w,100w,120w etc with over 100 models. ◀

05-Power banks 移动电源



Compatible with Android and
Apple mobile phone
兼容安卓和苹果手机



Colour: ▶▶▶

APL-38 4000mah/8000mah/12000mah

Specification:

① For mobile smartphone: Iphone, Ipad, PSP, MP3, MP4, other digital

② Input: DC 5V-2A(MAX)

③ Output: DC 5V-2.1A(MAX)

④ Battery type: Li-polymer battery

⑤ Dimensions(mm): L142xW74xH55.5L142xW74xH116.5

⑥ Net Weight: 110g/170g/230g

⑦ Gross Weight: 135g/205g/265g



*** For phone Charging

APL-58 9000mah/12000mah

Specification:

① For mobile smartphone: Iphone, Ipad, PSP, MP3, MP4, other digital

② Input: DC 5V-2A(MAX)

③ Output: DC 5V-2.1A(MAX)

④ Battery type: Li-polymer battery


⑤ Dimensions(mm): L142xW74xH55.5L142xW74xH116.5

⑥ Net Weight: 180g/230g

⑦ Gross Weight: 200g/250g



Colour: ▶▶▶



Both Compatible with Android and Apple mobile phone.Private Model!! ◀

Charger your portable devices
anywhere.anytime
随时随地随身充



For Mobile Phone Charger



Colour >>>

APL-28 6000mah

Specification:

- ① For mobile smartphone/phone,ipad, PSP, MP3, MP4, other digits
- ② Input: DC 5V 2A(MAX)
- ③ Output: DC 5V 2A(MAX)
- ④ Battery Type: Li-polymer battery
- ⑤ Dimensions(mm): 10.7*57.25*148.6
- ⑥ Net Weight: 120g
- ⑦ Gross Weight: 150g



APL-18 2200mah

Specification:

- ① For mobile smart phone/phone,ipad, PSP, MP3, MP4, other digits
- ② Input: DC 5V 1A(MAX)
- ③ Output: DC 5V 1A(MAX)
- ④ Battery Type: Li-ion battery
- ⑤ Dimensions(mm): L80*W51*H21
- ⑥ Net Weight: 85g
- ⑦ Gross Weight: 95g



APL-68 4400mah/6600mah

Specification:

- ① For mobile smartphone/phone,ipad, PSP, MP3, MP4, other digits
- ② Input: DC 5V 2A(MAX)
- ③ Output: DC 5V 2.1A(MAX)
- ④ Battery Type: Li-ion battery
- ⑤ Dimensions(mm): L83.5*W48*H24.5L140*W47.5*H24.2
- ⑥ Net Weight: 145g/210g
- ⑦ Gross Weight: 172g/236g

06-Camera battery&Camera battery charger, 相机电池&充电器



provide energy for camera
为相机提供能量



USB camera battery charger fit for GoPro AHDBT-401

Specification:

- ① Model:DC-401
- ② Input:5V1A
- ③ Output:4.35V 500mah
- ④ USB camera battery charger

For camera



charger fit for NIK EN-EL15

Specification:

- ① Model:DC-45
- ② Input:5V1A
- ③ Output:8.4V500mah
- ④ USB Camera battery charger



charger fit for SN-BX1

Specification:

- ① Model:DC-44
- ② Input:5V1A
- ③ Output:4.2V 500mah
- ④ USB camera battery charger



SJ4000 for SJ

Specification:

- ① Model:SA4000
- ② Cell Type:Li-ion
- ③ Capacity:950mah
- ④ Voltage:3.7V 3.5Ah



LP-E6 for Can

Specification:

- ① Model:LP-E6
- ② Cell Type:Li-ion
- ③ Capacity:1400mah
- ④ Voltage:7.4V

We can do the different models and capacity,the more details pls contact with us !

We can OEM replacement camera batteries and charger for CASIO, CANON,FLUJ,GoPro,JVC,KODAK,
NIKON,OLYMPUS,PANASONIC,SAMSUNG,SANYO, SONY,etc with over 500 models.

07-Mobile phone battery.手机电池



Full Coded Version, Same as Original Battery
替代电池, 与原装匹配

For IP6 PLUS

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 2915mAh
- ③ Voltage: 3.82V 11.14Wh
- ④ Compatible Models: iPhone6

*** For mobile phone



High Efficiency Long Life Battery Cell
高效电池, 提供能量

For SAM S5

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 2800mAh
- ③ Voltage: 3.85V 10.78Wh
- ④ Compatible Models: GALAXY S5/G900S/G900F/G900T/G900R/G900P

*** For mobile phone



For IP6

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 1810mAh
- ③ Voltage: 3.82V 5.3wh
- ④ Compatible Models: iPhone6

For IP5C

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 1510mAh
- ③ Voltage: 3.8V 5.72wh
- ④ Compatible Models: iPhone5C

For IP5

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 1440mAh
- ③ Voltage: 3.8V 5.72wh
- ④ Compatible Models: iPhone5S

For IP4GS

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 1430mAh
- ③ Voltage: 3.7V 5.3wh
- ④ Compatible Models: iPhone 4S



For SAM NOTE4

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 3220mAh
- ③ Voltage: 3.85V 12.4wh
- ④ Compatible Models: N910B/N910W

For LG BL-T9

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 2050mAh
- ③ Voltage: 3.8V 7.79wh
- ④ Compatible Models: D900/D920/Innova 5

For LG4

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 3000mAh
- ③ Voltage: 3.85V 11.55wh
- ④ Compatible Models: LG4/BL41YF

For IP4

Specification:

- ① Chemistry: Li-ion battery
- ② Capacity: 1420mAh
- ③ Voltage: 3.7V 5.3wh
- ④ Compatible Models: iPhone4/4S

We can OEM replacement mobile Phone batteries for IPHONE,SAMSUNG,NOKIA,HTC,MOTOROLA,
MOTOROLA,ALU,GH,awei,SONY,etc with over 800 models. ◆

08-Power tool battery, 动力工具电池



Rapid charge-discharge cycle life
快速充放电, 循环使用



BD-20 For Black&Decker

Specification:

- ① Voltage: 20V
- ② Color: Black
- ③ Weight: 130g
- ④ Chemistry: Li-ion
- ⑤ Capacity: 1500mAh

*** For power tool



BD-36(A) For Black & Decker

Specification:

- ① Voltage: 36V
- ② Color: Black
- ③ Weight: 220g
- ④ Chemistry: Li-ion
- ⑤ Capacity: 1500mAh

BOS-18(C) For Bosch

Specification:

- ① Voltage: 18V
- ② Color: Black
- ③ Weight: 120g
- ④ Chemistry: Li-ion
- ⑤ Capacity: 4000mAh

DE-18(C) For Dewalt

Specification:

- ① Voltage: 18V
- ② Color: Black
- ③ Weight: 130g
- ④ Chemistry: Li-ion
- ⑤ Capacity: 3000mAh

MIL-28(B) For Milwaukee

Specification:

- ① Voltage: 28V
- ② Color: Black
- ③ Weight: 280g
- ④ Chemistry: Li-ion
- ⑤ Capacity: 3000mAh

*** For more products, please visit the website www.apollo-batteries.com
想了解更多产品请登录www.apollo-batteries.com

