




Product Category
Power Strip & Surge Protector
Office Use Power
PDU
Power Cord

www.hlsocket.cn
www.kfpowerstrip.en.alibaba.com



Certification






JIANDE HUNLEE ELECTRICAL APPLIANCE CO., LTD. is a factory focus on market and product development. We burry ourself in proudct and market to expect to give you our best service to meet customer's demand.


HUNLEE located in Hangzhou China, totaling 20000 square meters, is a factory qulified by ISO9001. With 13 years of power socket manufactuering experience, it has 13 stream production lines and more than 400 workers, annual month capacity up to 800K pcs of power sockets.

Kaifan can supply a large scope of quality products covering power strip, office power, PDU rack mount power and power cable. Its products have been sold to most of the coutries in the world.

HUNLEE owns the high capablity of self-production, producing from power strip shell, power cable, plug, switch to final assembling, which means stable quality control, less cost and finally competitve price.

We would like to use our best market service and manufacturing ability to provide you our best product choices.





All Kinds Of Sockets For World-Wide Use

In the current electronic time, power socket plays a very important role in our daily life.

A good portable socket not only provide you convenience but also rest you assured of a better safer environment of electronics using

We burry ourself in manufacturing all kinds of sockets in the world wide.

We promise all our products are made of fireproof material and full copper, which comply with related countries' custom and law request. Meanwhile, we can attach much more function on socket, making them safer, good looking and convenient, such as surge protector, cable management, USB charger.



US03R00

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees



US03R3A1C

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees
3 Type A + 1 C USB ports



US03R4A

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees
4 Type A USB ports



US06R00

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees



US06R3A1C

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees
3 Type A + 1 C USB ports



US06R4A

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees
4Type A USB ports



American Rotatable Wall Tap



WTUS03R00

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees



WTUS03R2A1C

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees
2 Type A + 1 C USB ports



WTUS03R24A

Rating: **15A/125VAC**
Surge Protection:**540J**
Rotatable angle:0-90 degrees
3 Type A USB ports



WTUS06R00S0

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees



WTUS06R2A1CS0

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees
2 Type A + 1 C USB ports



WTUS06R34AS0

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees
3 Type A USB ports



WTUS06R00S1

Rating: **15A/125VAC**
Surge Protection:**1020J**
Rotatable angle:0-90 degrees

OPTIONS:

Product with shelf tunnel, when necessary, customer can order shelf separately to create an expander to place cell phone, iPad, google home, Alexa, toothbrushes, make up sponges and so on.



US06AW34NL

Rating: **15A/125VAC**

Surge Protection:**1020J**

3 Type A USB ports:**5V-3.4A**

Shelf Socket built in shelf create extra space for household items. And the led night light controlled by light sensor,it will be lighting in night time and power off in daytime,also there is a little switch in the bottom can power off the light if you do not want to be lighted when sleeping.



US04AW1A1CNL

Rating: **15A/125VAC**

Surge Protection:**1020J**

1 Type A + 1 C USB ports



US06AW24NL

Rating: **15A/125VAC**

Surge Protection:**1020J**

2 Type A ports:**5V-2.4A**



US06AW1A1CNL

Rating: **15A/125VAC**

Surge Protection:**1020J**

1 Type A + 1 C USB ports



American Shelf Socket



US06BW2400

Rating: **15A/125VAC**
Surge Protection:**1020J**
2 Type A USB ports



US06BW3400

Rating: **15A/125VAC**
Surge Protection:**1020J**
3 Type A USB ports



US06AW1A1C

Rating: **15A/125VAC**
Surge Protection:**1020J**
1 Type A + 1 C USB ports



US08AW2400

Rating: **15A/125VAC**
Surge Protection:**1020J**
2 Type A USB ports



US08AW2400-G

Rating: **15A/125VAC**
Surge Protection:**1020J**
2 Type A USB ports



US08AW2400-B

Rating: **15A/125VAC**
Surge Protection:**1020J**
2 Type A USB ports



US03AW24NL

Rating: **15A/125VAC**
Surge Protection:**300J**
2 Type A USB ports:**5V-2.4A**
with LED night light

Features:

This socket is designed with a mobile phone holder, which is convenient for placing mobile phones when charging.



American Tamper Resistant Socket



USDS0301

Rating: **15A/125VAC**

Surge protection: **300J**

Circuit breaker built in lighted switch

Each outlets with tamper resistant



USDS0401

Rating: **15A/125VAC**

Surge protection: **300J**

Circuit breaker built in lighted switch

Each outlets with tamper resistant



UN0601

Rating: **15A/125VAC**

Surge protection: **300J**

Circuit breaker built in lighted switch

Each outlets with tamper resistant



American Tamper Resistant Socket



USDS0303

Rating: **15A/125VAC**

with overload protection

Surge protection:**300J**

Each outlets with tamper resistant

& individual switch



USDS0404

Rating: **15A/125VAC**

with overload protection

Surge protection:**300J**

Each outlets with tamper resistant

& individual switch



UN0606

Rating: **15A/125VAC**

with overload protection

Surge protection:**300J**

Each outlets with tamper resistant

& individual switch



American Tamper Resistant Socket



US02W15U0

Rating: **10A/125VAC**

Each outlets with tamper resistant

Equipped with two retractable Type C data lines

Features:


This product is equipped with two retractable data lines to facilitate the charging of mobile phones, iPad and other electronic devices.

There are three kinds of data cables for you options:

Android charging cable, apple charging cable and type C charging cable.



American Power Strip with SR



US03CR2A1C

Rating: 10A/125VAC

with master switch

2 Type A+1 C USB ports

Rotatable SR can make the power cord to rotate around 0-180 degrees freely

Features:

Rotatable SR can make the power cord to rotate around 0-180 degrees freely, avoid the angle of the socket and wall and other objects conflict, easy to use.



American Surge Protector with SR



US04CR2A1C

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**900J**
2 Type A+1 C USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely



US04CR3A

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**900J**
3 Type A USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely



US08CR3A1C

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
3 Type A+1 C USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely



US08CR4A

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
4 Type A USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely



US12CR3A1C

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
3 Type A+1 C USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely



US12CR4A

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
4 Type A USB ports
Rotatable SR can make the power cord
to rotate around 0-180 degrees freely

Rotatable Surge Protector

Newly developed rotatable surge protector gives you more convenient experience. Design that the ac outlets can be rotated within 0-90 degrees, it can make your wire outlet neat, increase the hole spacing and improve the utilization of the outlet




US0801R2A1C

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection: **2220J**
2 Type-A & 1 Type-C USB ports
3 USB total output: 18W
Rotatable angle: **0-90** degrees



US0506C34R

Rating: **13A/125VAC**
with circuit breaker switch
with individual switch
Surge protection: **330J**
2 Type A USB ports
USB output: **5V-3.4A**
Rotatable angle: **0-90** degrees



US0501R

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection: **540J**
Rotatable angle: **0-90** degrees




US030U0

Rating: **13A/125VAC**

Surge protection: **0J/300J**

Top and Bottom different color matched
with light indicator



US04011A1C

Rating: **15A/125VAC**

Surge protection: **0J/1020J**

Top and Bottom different color matched
with light indicator
USB output:PD18W



US04012A

Rating: **15A/125VAC**

Surge protection: **0J/1020J**

Top and Bottom different color matched
with light indicator
USB output:DC5V2.4A



US060

Rating: **15A/125VAC**

Surge protection: **0J/1020J**

Top and Bottom different color matched
with light indicator



US03S0

Rating: **13A/125VAC**

Surge protection:**300J**

Dual USB charger output: **5V/2.4A**



US03S1

Rating: **13A/125VAC**

Surge protection:**300J**

Type A+C USB charger output: **5V/3.4A**



US0404

Rating: **15A/125VAC**

Surge protection:**300J**

Each socket controlled by individual switch

Overload protection



US0606

Rating: **15A/125VAC**

Surge protection:**300J**

Each socket controlled by individual switch

Overload protection



USTS010B6

Rating: **15A/125VAC**

with lighted switch at the bottom

Double sided outlet design



USTS012B6

Rating: **15A/125VAC**

with lighted switch at the bottom

Double sided outlet design



US06S0

Rating: **15A/125VAC**

Surge Protection:**300J**

Circuit breaker built in lighted switch



US06D0

Rating: **15A/125VAC**

Surge protection:**300J**

2 Type-A USB ports:**5V-2.4A**

Circuit breaker built in lighted switch



US03TK00

Rating: **10A/125VAC**
with circuit breaker switch
Surge protection:**2100J**



US03TK4A

Rating: **10A/125VAC**
with circuit breaker switch
Surge protection:**2100J**
3 Type A USB ports
USB output:**DC 5V-3.4A**



US03TK2A1C

Rating: **10A/125VAC**
with circuit breaker switch
Surge protection:**2100J**
2 Type A+C USB ports
USB output:**PD18W** fast charging



US06TK00

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**



US06TK4A

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
2 Type A +C USB ports



US06TK3A1C

Rating: **15A/125VAC**
with circuit breaker switch
Surge protection:**2700J**
4 Type A USB ports



American Power Strip



US03MFU2A1CB

3 AC outlets
Rating: **10A/125VAC**
2 Type A+1 C USB ports
USB output: **PD 18W**



US03MFU34B

3 AC outlets
Rating: **10A/125VAC**
3 Type A USB ports
USB output: **DC 5V-3.4A**



American Wall Tap



WTUS03MFU2A1CB

3 AC outlets
Rating: **15A/125VAC**
2 Type A+1 C USB ports
USB output: **PD 18W**



WTUS03MFU34B

3 AC outlets
Rating: **15A/125VAC**
3 Type A USB ports
USB output: **DC 5V-3.4A**



Product Display

This product is made of high quality PC



PDU-US601

Rating: **15A/125VAC**
Surge protection:**300J**
6FT * **14AWG***3C braided power cord



PDU-US501B

Rating: **15A/125VAC**
Surge protection:**300J**
2 Type A USB ports
USB output: DC **5V-2.4A**
6FT * **14AWG***3C braided power cord



PDU-US606

Rating: **15A/125VAC**
Surge protection:**300J**
with master switch&individual switch
6FT * **14AWG***3C braided power cord



PDU-US102

Rating: **15A/125VAC**
Surge protection:**300J**
with overload protection
6FT * **14AWG***3C braided power cord



PDU-US6

Rating: **15A/125VAC**
Surge protection:**300J**
Hole Distance:**42.75mm**



PDU-US6B

Rating: **15A/125VAC**
Surge protection:**300J**
Hole Distance:**29mm**



PDU-US12

Rating: **15A/125VAC**
Surge Protection:**300J**
Circuit breaker built in lighted switch



PDU-US12H

Rating: **15A/125VAC**

Surge Protection:**1000J**

Circuit breaker built in lighted switch

Aluminum alloy can be cut at any length,so number of outlets can be customized



PDU-US080602-6B

Rating: **15A/125VAC**
with master circuit breaker switch
with 8 individual circuit breaker switch
Surge protection:**300J/1020J**
Shell material:Aluminum alloy
The end cap for yellow part can make the cable more tidy



PDU-US0801C2-6B

Rating: **15A/125VAC**
with master circuit breaker switch
Surge protection:**300J/1020J**
Shell material:Aluminum alloy
The end cap for yellow part can make the cable more tidy



PDU-US031A1CR-B

Rating: **15A/125VAC**
with master circuit breaker switch
Type A +C USB ports
USB output:**PD18W**
Shell material:Aluminum alloy
The end cap are rotatable that the angel around 0-180 degrees



American Desk Clamp Socket



ODP1S02AU1 - B

Rating: **13A/125VAC**
2 Type A USB ports
USB output: **DC 5V-2.4A**



ODP1S02AU2 - B

Rating: **13A/125VAC**
Type A+C USB ports
USB output: **PD 18W**



ODP1S03AU1 - B

Rating: **13A/125VAC**
2 Type A USB ports
USB output: **DC 5V-2.4A**



ODP1S03AU2 - B

Rating: **13A/125VAC**
Type A+C USB
USB output: **PD 18W**



ODP1S03AU0D2C

Rating: **13A/125VAC**
Type A+C USB ports
Equipped with two retractable data lines
Aluminum alloy can be cut at any length





GE03030

Rating: **16A/250VAC**
with individual switch
with overload protection
with child protection



GE030103A

Rating: **16A/250VAC**
USB output: **DC5V3.4A**
with master switch
with overload protection
with child protection



GE04040

Rating: **16A/250VAC**
with individual switch
with overload protection
with child protection



GE040103A

Rating: **16A/250VAC**
USB output: **DC5V3.4A**
with master switch
with overload protection
with child protection



GE05050

Rating: **16A/250VAC**
with individual switch
with overload protection
with child protection



GE050103A

Rating: **16A/250VAC**
USB output: **DC5V3.4A**
with master switch
with overload protection
with child protection



FR0401S1A1C

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

USB output: **PD18W**
with light indicator



French New-Developed Power Strip/Surge Protector



FR0201

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched with light indicator



FR0301

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched with light indicator



FR0401

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched with light indicator



FR04013A

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched
USB output: **DC5V2.4A**
with light indicator



FR0501

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched with light indicator



FR0601

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched with light indicator



GE0501

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection



EU New-Developed Power Strip/Surge Protector




GE0201

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection




GE0301

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection




GE0401

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection




GE0501

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection



GE04011A1C

Rating: **16A/250VAC**

Surge protection: **0J/380J**

USB output: **PD18W**

Top and Bottom different color matched

Each outlets with child protection



GE04013A

Rating: **16A/250VAC**

Surge protection: **0J/380J**

Top and Bottom different color matched

Each outlets with child protection

USB output: **DC5V2.4A**



Universal Power Strip



UN05U2A

Rating: **10A/250VAC**
with children protection
Surge protection
USB charger: **5V-2.4A**
Circuit breaker built in lighted switch



UN0601

Rating: **10A/250VAC**
with children protection
Surge protection
Circuit breaker built in lighted switch



UN0501

Rating: **10A/250VAC**
with children protection
Surge protection
Circuit breaker built in lighted switch



UN0505

Rating: **10A/250VAC**
Individual switch
with children protection
with circuit breaker
Surge protection



Brazilian Power Strip



BR03A0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **175J**,
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch



BR04A0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **175J**,
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch



BR06A0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **175J**,
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch



German Power Strip



GE03A0

Rating: **10A/250VAC**
Double pole switch



GE03B0

Rating: **10A/250VAC**
No switch



GE04A0

Rating: **10A/250VAC**
Double pole switch



GE04B0

Rating: **10A/250VAC**
No switch



GE05A0

Rating: **10A/250VAC**
Double pole switch



GE05B0

Rating: **10A/250VAC**
No switch



German Surge Protector



GE05C0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **350J**
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch
Dual USB charger option: **5V/2.1A 5V/2.4A 5V/3.4A**



GE05D0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **350J**
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch



GE06D0

Rating: **10A/250VAC**
L-N line protection only
Energy rating: **350J**
Clamping voltage: **500V**
Speak current: **4.5KA**
Circuit breaker built in lighted switch



German Surge Protector



GETS05S0

Rating: **10A/250VAC**
2 Type-A USB ports
Circuit breaker built in lighted switch



GETS04U24

Rating: **10A/250VAC**
2 Type-A USB ports
USB output: **5V-2.4A**
Circuit breaker built in lighted switch



GE05U24D0

Rating: **16A/250VAC**
2 Type-A USB ports
USB output: **5V-2.4A**
Circuit breaker built in lighted switch



GE05U34D0

Rating: **16A/250VAC**
Type A+C USB ports
USB output: **PD18W**
Circuit breaker built in lighted switch



South Africa Power Strip



SAP02AU2P2

Rating: **16A/250VAC**
2 Type-A USB ports
USB output: **5V-2.4A**
Plug can be removable
16A-1 plug/16A-2 plug



SAP02A00BS

Rating: **16A/250VAC**
with children protection



GE05U24D0

Rating: **16A/250VAC**
2 Type-A USB ports
USB output: **5V-2.4A**
with overload protection



Office Using Socket Series

Office using socket covers desktop power, under-desk and in-desk unit.

Modular design conception integrated all your demand together, providing what you want at any time such as power feed, power with data, USB charger, multimedia options, even smart wifi-controlling or energy-saving.

Desktop Power

C-type clip for fixing product on the edge of desk



Modular design provides you different power supply and variety of function.

Optional Power Module



UK module



South Africa module



French module



German module



Australia module



America module

Optional Function Module





USB module



RJ45 module



Surge Protection module



Single Pole Switch module



Fused module

Plug GST18 connector /IEC C14/ IEC C20 optional



GST18 male plug



America plug



German & French plug



UK plug



Desktop Power



ODPU02FS01

Rating: **13A/250VAC**

Single pole master switch **5A** individual fused



ODPU03FS01D2

Rating: **13A/250VAC**

Single pole master switch **5A** individual fused
2 RJ45 data modular



ODPU02FS01U2

Rating: **13A/250VAC**

Single pole master switch **5A** individual fused
Dual port USB charger



ODPU03FS11U2

Rating: **13A/250VAC**

Single pole master switch **5A** individual fused
Dual port USB charger



Desktop Power



ODPU03FS01D4

Rating: **13A/250VAC**

Single pole master switch **5A** individual fused
4 RJ45 data modular



ODPG040S21U2

Rating: **16A/250VAC**

Duble pole master switch
Dual port USB charger

Under-desk Power

Mounting screw hole kept makes your assembling things easier friendly



Modular design provides you different power supply and variety of function. Power and function module optional list for your choices.

Optional Power Module



UK module



South Africa module



French module



German module



Australia module



America module

Optional Function Module

Data cut-outs module



USB module

Overload Protection module



Circuit Breaker



Double Pole Switch module



Round Switch & Fused module



Surge Protection module





RCBO



Single Pole Switch module



GST 18 input & and output, Fast quick connection Power by Power or by cable.





Under Desk Power



OUDG040000

Rating: **16A/250VAC**
GST18 input and output
Earth connection kept



OUDG080S21

Rating: **16A/250VAC**
Double pole switch
GST18 input and output
Earth connection kept



Under Desk Power



OUDF080S21

Rating: **16A/250VAC**
Double pole switch
GST18 input and output
Earth connection kept



OUUDU02F000

Rating: **13A/250VAC**
Individual **5A** fused
GST18 input and output
Earth connection kept



OUUDU03F000

Rating: **8A/250VAC**
Individual **3.15A** fused
GST18 input and output
Earth connection kept



OUUDU04F000

Rating: **13A/250VAC**
Individual **5A** fused
GST18 input and output
Earth connection kept



OUUDU04F000D4

Rating: **13A/250VAC**
Individual **5A** fused
GST18 input and output
Earth connection kept
4 RJ45 data modular



0UDU02FS12

Rating: **13A/250VAC**
Individual **5A** fused
Individual single pole round switch
GST18 input and output
Earth connection kept



OUUDU04FS11

Rating: **13A/250VAC**
Individual **5A** fused
Master switch
GST18 input and output
Earth connection kept
4 RJ45 data cut-out



OUUDU04FS11

Rating: **13A/250VAC**
Individual **5A** fused
RCBO control
20mm gland hole left for power in
GST18 female output
Earth connection kept



OIDG04F000D2U2

Rating: **16A/250VAC**

GST18 output and input


2 RJ45 coupler

USB charger option: **DC5V, 1A/ 2.4A/ 3.4A**

Adjustable clip for any thickness desk

In-desk Power

GST 18 input & and output, Fast quick connection by GST18 cable.



Modular design provides you different power supply and variety of function. Power and function module optional list for your choices.

Optional Power Module



UK module



South Africa module



French module



German module



Australia module



America module

Optional Function Module

Data cut-outs module



Overload Protection module



R45 module

Double Pole Switch module



Round Switch & Fused module



Surge Protection module





Single Pole Switch module



USB module

Adjustable clip can make your product face any thickness desk.





PDU Rack Mount Power

With beyond advantage compared with traditional socket, PDU rack power using in cabinet and some special electronic environment gives you much safer choices.

The range of power of this kind supply you with vertical, horizontal, 1U,1.5U types with different function like circuit breaker, power monitor, surge protection and so on.

Also, we welcome your ordered power completely as per special demand like DC power, Modular changeable power, 3 phase power and so on.


PDU Introduction:

Size available

Type	Length(mm)	Width(mm)	Height(mm)
19" 1.5U	430	62	46
19" 1U	430	44.5	44.5
None 19" 1.5U	x	62	46
None 19" 1U	x	44.5	44.5

Modular design provides you different power supply and variety of function. Power and function module optional list for your choices.

Optional Power Module



UK module South Africa module French module German module Australia module America module



Locking IEC C19 module IEC C19 module IEC C19 Fused module Locking IEC C13 module IEC C13 module IEC C13 Fused module

Optional Function Module



RJ45 module Overload Protection module Surge Protection module Circuit Breaker RCBO Double Pole Switch module Single Pole Switch module Power Monitor module

Power-in position



IEC C14



IEC C20



Extrusion rear



Extrusion side




Left end cap




Right end cap

Mounting method

Horizontal mount



Vertical mount



Input plug



Command plug



Australia plug



South africa plug



plugGST18 male plug



America plug



German & French plug



UK plug

MV2AU080000

Rating: **10A/250VAC**
19" Horizontal
Australian output
Overload protection
6A fused for each outlet



MH2IE10FS21

Rating: **13A/250VAC**
19" Horizontal Locking IEC C13 output
Master switch
6A fused for each outlet



MH2U060S21

Rating: **13A/250VAC**
19" Horizontal 6xUK power output
Double pole lighted switch



MH1G060S21

Rating: **16A/250VAC**
19" 1U Horizontal 6 French power output
Double pole lighted switch



MH2S060S21

Rating: **16A/250VAC**
19" 1.5U Horizontal 6 South africa power output
Double pole lighted switch



MH1G070S21

Rating: **16A/250VAC**
19" 1U Horizontal 7xGE power output
Double pole lighted switch



M00A080S51

Rating: **15A/125VAC**
Rack mount
Ironed house
Circuit breaker built in lighted switch



M00A120S51

Rating: **15A/125VAC**
Rack mount ironed
House
Circuit breaker built in lighted switch
Size: 1243x40x38.5mm




Modular Swappable PDU

Newly developed modular swappable PDU gives you more flexible choices.

Support Hot Swappable means you do not need to power off when you want to swap into another power supply.

The range of modular power supply and easier swapping contracture provide you easier assembling without any tool.

Different power supply modular compatible provides you possibility to using different country's equipment without any concern on plug compatible.



Current Available Compartment

Item No.	Description
MZV03VA	3 compartment with head end of 16A RCBO & amp meter
MZV03	3 compartment with head end of 16A RCBO
MZV04VA	4 compartment with head end of 16A RCBO & amp meter
MZV03	4 compartment with head end of 16A RCBO
MZV05VA	5 compartment with head end of 16A RCBO & amp meter
MZV05	5 compartment with head end of 16A RCBO
MZV06VA	6 compartment with head end of 16A RCBO & amp meter
MZV06	6 compartment with head end of 16A RCBO

Power Cord


A full series of power cord for your demand, which comply with KEMA-KEUR, INMETRO, UL and ETL.



American extension cord



German extension cord



French extension cord



GST18 male&female cord



UK plug to GST18 female cord



UK plug to IECC13 cord



IECC13 to IECC14 connector

PDU Cabinet

Standard Racks : Floor - standing rack mounts . Optimized for datacenter and other high - density IT applications . Available in 6 U to 45 U sizes . Deep , wide , shallow , mobile , and cable management , and harsh environment additional features available .



Cutting



Bending



Welding



Spraying




Final assembly & Debugging



Finished

Our product display





JIANDE HUNLEE ELECTRICAL APPLIANCE CO., LTD

📍 NO.186, Nanfeng Road, Chengnan Industrial Park,
Meicheng Town, Jiande City, Hangzhou, China

☎ +86-571-5830 9925

☎ +86-134 5690 8939

✉ krr@hzkaifan.com

🌐 www.kfpowerstrip.en.alibaba.com



JIANDE HUNLEE ELECTRICAL APPLIANCE CO., LTD

📍 NO.186, Nanfeng Road, Chengnan Industrial Park,
Meicheng Town, Jiande City, Hangzhou, China

☎ +86-571-5830 9925

☎ +86-134 5690 8939

✉ sales@hlsocket.cn

🌐 www.hlsocket.cn

