



COOL DESHENG


Dongguan Boyujian Electronic Technology Co., Ltd
Company address: Building 1, No. 2 Lianfeng New Road, Dalingshan Town, Dongguan city
Contact: Beauty Ni
Tel:+86 13688993181 WhatsApp:+852 84806106 /+86 13688993181
E-mail：beauty@boyujian.com


型号 / Model	HP3700(下压4热管)			HP3800		
Product image						
Product model	HP3700-BK-No light	HP3700-BK-Colorful	HP3700-BK-ARGB	HP3800-BK-No light	HP3800-NI-No light	HP3800-BK-No light
Product image						
Product model	HP3700-WH-No light	HP3700-WH-Colorful	HP3700-WH-ARGB	HP3800-WH-No light	HP3800-NI-No light	HP3800-WH-No light
整件数量/Number	32个	32个	32个	32个	32个	32个
heat pipes	4热管	4热管	4热管	4热管	4热管	4热管
高度/Limit height	37mm	37mm	37mm	38mm	38mm	38mm
型号 / Model	HP-450V4(下压4热管)			HP-450V6(下压6热管)		
Product image						
Product model	HP-450V4-BK-No light	HP-450V4-BK-Colorful	HP-450V4-BK-ARGB	HP-450V6-BK-No light	HP-450V6-BK-Colorful	HP-450V6-BK-ARGB
Product image						
Product model	HP-450V4-WH-No light	HP-450V4-WH-Colorful	HP-450V4-WH-ARGB	HP-450V6-WH-No light	HP-450V6-WH-Colorful	HP-450V6-WH-ARGB
整件数量/Number	32个	32个	32个	32个	32个	32个
heat pipes	4热管	4热管	4热管	6热管	6热管	6热管
高度/Limit height	45mm	45mm	45mm	45mm	45mm	45mm
Support TDP	140W	140W	140W	160W	160W	160W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/E3）			LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2			AM5/AM4/AM3/AM2/FM1/FM2		
For Xeon Socket	E5-X79-X99-2011-2066			E5-X79-X99-2011-2066		
Product size	L110 * W92 * H45mm			L110 * W92 * H45mm		
Fan size	92*92*15mm			92*92*15mm		
Fan speed	900-2800RPM±10%			900-2800RPM±10%		
Bearing type	Hydraulic bearings			Hydraulic bearings		
Fan air volume	12.59-38.9CFM±10%			12.59-38.9CFM±10%		
Fan noise	32.7 dBA±10%			32.7 dBA±10%		
Fan voltage	12V DC			12V DC		
Fan current	0.1A			0.1A		
Fan power	1.2W			1.2W		
Fan lifespan	50000hour			50000hour		


型号 / Model	HP470 (下压4热管)		
Product image			
Product model	HP470-BK-No light	HP470-BK-Colorful	HP470-BK-ARGB
Product image			
Product model	HP470-WH-No light	HP470-WH-Colorful	HP470-WH-ARGB
整件数量/Number	32个	32个	32个
heat pipes	4热管	4热管	4热管
高度/Limit height	47mm	47mm	47mm
Support TDP	130W	130W	130W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L110 * W92 * H47mm		
Fan size	92*92*25mm		
Fan speed	800-2300RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	11.95-38.2CFM±10%		
Fan noise	22.3-33.8 dBA±10%		
Fan voltage	12V DC		
Fan current	0.3A		
Fan power	3.5W		
Fan lifespan	50000hour		

HP550 (下压4热管)		
		
HP550-BK-No light	HP550-BK-Colorful	HP550-BK-ARGB
		
HP550-WH-No light	HP550-WH-Colorful	HP550-WH-ARGB
32个	32个	32个
4热管	4热管	4热管
47mm	47mm	47mm
130W	130W	130W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L110 * W92 * H47mm		
92*92*25mm		
800-2300RPM±10%		
Hydraulic bearings		
11.95-38.2CFM±10%		
22.3-33.8 dBA±10%		
12V DC		
0.3A		
3.5W		
50000hour		

型号 / Model	HP-690V4		
Product image			
Product model	HP-690V4-BK-No light	HP-690V4-BK-Colorful	HP-690V4-BK-ARGB
Product image			
Product model	HP-690V4-WH-No light	HP-690V4-WH-Colorful	HP-690V4-WH-ARGB
整件数量/Number	24	24	24
heat pipes	4热管	4热管	4热管
Support TDP	150W	150W	150W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L125 * W120 * H69mm		
Fan size	120*120*15mm		
Fan speed	800-1800RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	23.46-61.51CFM±10%		
Fan noise	18.3-37.2 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

HP-690V6		
		
HP-690V6-BK-No light	HP-690V6-BK-Colorful	HP-690V6-BK-ARGB
		
HP-690V6-WH-No light	HP-690V6-WH-Colorful	HP-690V6-WH-ARGB
24	24	24
6热管	6热管	6热管
160	160	160
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L125 * W120 * H69mm		
120*120*15mm		
800-1800RPM±10%		
Hydraulic bearings		
23.46-61.51CFM±10%		
18.3-37.2 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		

型号 / Model	HP-750V4			HP-750V6		
Product image						
Product model	HP-750V4-BK-No light	HP-750V4-BK-Colorful	HP-750V4-BK-ARGB	HP-750V6-BK-No light	HP-750V6-BK-Colorful	HP-750V6-BK-ARGB
Product image						
Product model	HP-750V4-WH-No light	HP-750V4-WH-Colorful	HP-750V4-WH-ARGB	HP-750V6-WH-No light	HP-750V6-WH-Colorful	HP-750V6-WH-ARGB
整件数量/Number	24	24	24	24	24	24
heat pipes	4热管	4热管	4热管	6热管	6热管	6热管
Support TDP	155W	155W	155W	170W	170W	170W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）			LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)			AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066			E5-X79-X99-2011-2066		
Product size	L125 * W120 * H75mm			L125 * W120 * H75mm		
Fan size	120*120*15mm			120*120*15mm		
Fan speed	800-1800RPM±10%			800-1800RPM±10%		
Bearing type	Hydraulic bearings			Hydraulic bearings		
Fan air volume	23.46-61.51CFM±10%			23.46-61.51CFM±10%		
Fan noise	18.3-37.2 dBA±10%			18.3-37.2 dBA±10%		
Fan voltage	12V DC			12V DC		
Fan current	0.2A			0.2A		
Fan power	2.4W			2.4W		
Fan lifespan	50000hour			50000hour		

型号 / Model	HP-750V8			DS1200V4 (4热管)		
Product image						
Product model	HP-750V8-BK-No light	HP-750V8-BK-Colorful	HP-750V8-BK-ARGB	DS1200V4-BK-No light	DS1200V4-Colorful	DS1200V4-BK-ARGB
Product image						
Product model	HP-750V8-WH-No light	HP-750V8-WH-Colorful	HP-750V8-WH-ARGB	DS1200V4-WH-No light	DS1200V4-WH-Colorful	DS1200V4-WH-ARGB
整件数量/Number	24	24	24	10	10	10
heat pipes	8热管	8热管	8热管	4热管	4热管	4热管
Support TDP	180W	180W	180W	200W	200W	200W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）			LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)			AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066			E5-X79-X99-2011-2066		
Product size	L125 * W120 * H75mm			L122 * W75 * H152mm		
Fan size	120*120*15mm			120*120*25mm		
Fan speed	800-1800RPM±10%			2150RPM±10%		
Bearing type	Hydraulic bearings			Hydraulic bearings		
Fan air volume	23.46-61.51CFM±10%			80.18CFM±10%		
Fan noise	18.3-37.2 dBA±10%			32 dBA±10%		
Fan voltage	12V DC			12V DC		
Fan current	0.2A			0.2A		
Fan power	2.4W			2.4W		
Fan lifespan	50000hour			50000hour		

型号 / Model	DS1200V5 (5热管)		
Product image			
Product model	DS1200V5-BK-No light	DS1200V5-BK-Colorful	DS1200V5-BK-ARGB
Product image			
Product model	DS1200V5-WH-No light	DS1200V5-WH-Colorful	DS1200V5-WH-ARGB
整件数量/Number	10个	10个	10个
heat pipes	5热管	5热管	5热管
Support TDP	210W	210W	210W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L122 * W75 * H152mm		
Fan size	120*120*25mm		
Fan speed	2150RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	80.18CFM±10%		
Fan noise	32 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

DS1200V6 (6热管)		
		
DS1200V6-BK-No light	DS1200V6-BK-Colorful	DS1200V6-BK-ARGB
		
DS1200V6-WH-No light	DS1200V6-WH-Colorful	DS1200V6-WH-ARGB
10个	10个	10个
6热管	6热管	6热管
230W	230W	230W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L122 * W75 * H152mm		
120*120*25mm		
2150RPM±10%		
Hydraulic bearings		
80.18CFM±10%		
32 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		

型号 / Model	DS1000V4 (4热管)		
Product image			
Product model	DS1000V4-BK-No light	DS1000V4-Colorful	DS1000V4-BK-ARGB
Product image			
Product model	DS1000V4-WH-No light	DS1000V4-WH-Colorful	DS1000V4-WH-ARGB
整件数量/Number	15个	15个	15个
heat pipes	4热管	4热管	4热管
Support TDP	160W	160W	160W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L96 * W71 * H133mm		
Fan size	92*92*25mm		
Fan speed	800-2300RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	11.95-38.2CFM±10%		
Fan noise	22.3-33.8 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

DS1000V5 (5热管)		
		
DS1000V5-BK-No light	DS1000V5-BK-Colorful	DS1000V5-BK-ARGB
		
DS1000V5-WH-No light	DS1000V5-WH-Colorful	DS1000V5-WH-ARGB
15个	15个	15个
5热管	5热管	5热管
180W	180W	180W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L96 * W71 * H133mm		
92*92*25mm		
800-2300RPM±10%		
Hydraulic bearings		
11.95-38.2CFM±10%		
22.3-33.8 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		

型号 / Model	DS2000V4 (4热管)		
Product image			
Product model	DS2000V4-BK-No light	DS2000V4-Colorful	DS2000V4-BK-ARGB
Product image			
Product model	DS2000V4-WH-No light	DS2000V4-WH-Colorful	DS2000V4-WH-ARGB
整件数量/Number	77	12个	12个
heat pipes	4热管	4热管	4热管
Support TDP	200W	200W	200W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L96 * W135 * H133mm		
Fan size	92*92*25mm		
Fan speed	800-2300RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	11.95-38.2CFM±10%		
Fan noise	22.3-33.8 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

DS2000V6 (6热管)		
		
DS2000V6-BK-No light	DS2000V6-BK-Colorful	DS2000V6-BK-ARGB
		
DS2000V6-WH-No light	DS2000V6-WH-Colorful	DS2000V6-WH-ARGB
12个	12个	12个
6热管	6热管	6热管
230W	230W	230W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L96 * W135 * H133mm		
92*92*25mm		
800-2300RPM±10%		
Hydraulic bearings		
11.95-38.2CFM±10%		
22.3-33.8 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		

型号 / Model	DS3000V6 (6热管)		
Product image			
Product model	DS3000V6-BK-No light	DS3000V6-Colorful	DS3000V6-BK-ARGB
Product image			
Product model	DS3000V6-WH-No light	DS3000V6-WH-Colorful	DS3000V6-WH-ARGB
整件数量/Number	6个	6个	6个
heat pipes	6热管	6热管	6热管
Support TDP	250W	250W	250W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L126 * W135 * H153mm		
Fan size	120*120*25mm		
Fan speed	2150RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	80.18CFM±10%		
Fan noise	32 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

DS3000V7 (7热管)		
		
DS3000V7-BK-No light	DS3000V7-BK-Colorful	DS3000V7-BK-ARGB
		
DS3000V7-WH-No light	DS3000V7-WH-Colorful	DS3000V7-WH-ARGB
6个	6个	6个
7热管	7热管	7热管
275W	275W	275W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L126 * W135 * H153mm		
120*120*25mm		
2150RPM±10%		
Hydraulic bearings		
80.18CFM±10%		
32 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		

型号 / Model	DS3000V6 (6热管)		
Product image			

DS3000V7 (7热管)		
		

Product model	DS3000V6-BK-No light	DS3000V6-Colorful	DS3000V6-BK-ARGB
Product image			
Product model	DS3000V6-WH-No light	DS3000V6-WH-Colorful	DS3000V6-WH-ARGB
整件数量/Number	6个	6个	6个
heat pipes	6热管	6热管	6热管
Support TDP	250W	250W	250W
Lighting effects	No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
Power supply	PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
For Intel Socket	LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
For AMD Socket	AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
For Xeon Socket	E5-X79-X99-2011-2066		
Product size	L126 * W135 * H153mm		
Fan size	120*120*25mm		
Fan speed	2150RPM±10%		
Bearing type	Hydraulic bearings		
Fan air volume	80.18CFM±10%		
Fan noise	32 dBA±10%		
Fan voltage	12V DC		
Fan current	0.2A		
Fan power	2.4W		
Fan lifespan	50000hour		

DS3000V7-BK-No light	DS3000V7-BK-Colorful	DS3000V7-BK-ARGB
		
DS3000V7-WH-No light	DS3000V7-WH-Colorful	DS3000V7-WH-ARGB
6个	6个	6个
7热管	7热管	7热管
275W	275W	275W
No light 不带灯	Colorful 彩灯	5V 3Pin ARGB
PWM 4pin	PWM 4pin	PWM 4pin+5V 3pin ARGB
LGA1700/1200/1150/1151/1155/1156/1356/1366（i3/i5/i7/i9/E3）		
AM5/AM4/AM3/AM2/FM1/FM2 (Ryzen3/Ryzen5/Ryzen7/Ryzen9/Athlon/Phenom)		
E5-X79-X99-2011-2066		
L126 * W135 * H153mm		
120*120*25mm		
2150RPM±10%		
Hydraulic bearings		
80.18CFM±10%		
32 dBA±10%		
12V DC		
0.2A		
2.4W		
50000hour		