

FOXCAN

INNOVATION TECHNOLOGY

EDITION 2024

Company Profile

Foxcan Hong Kong established in 2006, is a leading manufacturer and marketer of universal travel adapter, WIFI Charge, waterproof plug & socket, travel converters, USB car Kit and etc.

Since 2010, Foxcan's factory and R&D department has focus on developing green, innovation technology products. Foxcan's professional R&D team always offer customer the best and unique product concepts. During past 14 years, we have expanded our product range to car accessories and more new Foxcan Patent adapter & converter series.

Customer's satisfaction is always our first priority. We commit to provide innovative products with top quality to customers. We not only have strictly quality control to ensure all the products and raw materials meet the quality standard but also continuously put lots of efforts in quality improvement activities which including the product design, production, quality control, shipping, internal operation, document control, and after sales. Foxcan's manufacturing base is located in Dong Guan, Guangdong province of South China. As a good cooperated enterprise, Foxcan bear the social responsibility, protect the environment, and respect the human rights.

Contract us today, choose Foxcan as your supplier and stand us to create a bright future together.

INDEX

1	PD/QC3.0 Travel Adapter	P04-P10
2	Type-C Travel Adapter	P11-P13
3	USB Travel Adapter	P14-P16
4	Slim Pocket Travel Adapter without USB Charger	P17
5	Best Selling Travel Adapter without USB Charger	P18
6	Slim Pocket Travel Charger	P19-P23
7	Wifi Travel Router & Charger	P24
8	Travel Adapter/Converter with USB	P25-P35
9	Travel Adapter/Converter Combo	P36-P39
10	Travel Converter	P40-P42
11	SAA Universal to Australia	P43-P44
12	Power Strip Socket Surge Protector	P45-P48
13	Single Country Plug Adapter	P49-P55
14	Classic Travel Adapter with/without USB Chargers	P56

New GaN PD & QC3.0 USB-C + USB-A Travel Adapter with Retractable cable chargers



Model: FC-T140 / T120 / T100 / T85 / T70 / T50 / T35

New GaN PD & QC3.0 USB-C + USB-A Travel Adapter with Retractable cable chargers



Model: FC-155PD65
PD65W/3C+2A



Model: FC-155PD45
PD45W/2C+2A



Model: FC-155PD33
PD33W/2C+2A

GaN PD&QC3.0 2USB-C+2USB-A Universal Travel Adapter



Model: FC-4UPD20
PD20W/2C+2A




Model: FC-4UPD35
PD35W/2C+2A





Model: FC-4UPD65
PD65W/2C+2A

GaN PD65W/35W/20W USB-C+USB-A Universal Travel Adapter with Luminous logo



Model: FC-T02 / T02pro / T02Max

65W/35W/20W GaN PD & QC3.0 TYPE C TRAVEL ADAPTER WITH 2C+2A CHARGERS



FOXCAN Model No.	WE-4UPD65/PD45/PD20
Description	65W/35W/20W GaN PD&QC3.0 Type C Travel Adapter with 2C+2A Chargers.
Product Size	55(L) X 58(W) X 78(H) mm.
AC Outlet	Universal socket (unearthed).
AC Plug type	US/AU/EU/UK (unearthed).
AC & DC Power Rating	AC Rating: 8A Max. 100-240VAC. (880W Max. at 110VAC, 1840W at 230VAC).
- AC Power	USB-C1= 65W/35W/20W PD support PPS.
- USB Charger	USB-C1+(USB-C2+USB-A1+A2)45W/20W(5V, 3A). Build-in PD Protocol to support any USB-C devices charging.
Single plug safety protection	To protect one plug can be used at one time by pushing the manual locking mechanism.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, FCC.
Product color	Black, White, colourful.
*Caution	No grounded plug. Travel adapter only. Not convert voltage.

40W PD TYPE C TRAVEL ADAPTER



FOXCAN Model No.	FC-225PD
Description	40W PD Type-C Travel Adapter(uneearthed)
Product Size	114(L)*53(W)*50(H)mm
AC Outlet	Universal socket(suitable for EU/UK/US/AU plug)
AC Plug Type	US / AU / EU / UK (uneearthed)
AC Power Rating	100-240V AC, 10A Max, 50/60Hz
USB-A Charging port	5Vdc, 2.4A Max.
USB-C Charging port	<ul style="list-style-type: none"> > USB-C port with Power Delivery 2.0 up to 28W. > Output : 5-20V, 28W Max.(5V/3A, 9V/2.7A, 12V/2A, 15V/1.7A, 20V/1.4A) > Supports QC2.0 / QC3.0 and USB-C PD PROTOCOL > 28W power supports OVP/OCP/OTP protection > Compliant any USB-C devices and PD fast charging for MacBook, smart phones, tablets and more powerful devices.
Single Plug Safety Protection	To protect one plug can be used at a time by pushing automatic locking mechanism
Efficiency Level VI	DoE VI & CoC V5 Compliance
Patent Protected	Yes
Safety Support	FCC, CE
Product Color	Black / White / Colourful
Packaging	White box (FOC), Additional cost for 4C giftbox or blister packaging
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

GaN PD20W/5V 2.4A USB-C+USB-A Universal Travel Adapter



AU



US



UK



EU

FOXCAN Model No.	FC-148PD20/148C
Description	Travel Adapter With 1USB-C+1USB-A chargers
Product Size	60 (L)x45(W)x55 (H) mm
AC Outlet	Universal socket x 1 (unearthed)
AC Plug type	US/AU/EU/UK (unearthed).
AC & DC Power Rating	AC Rating :6A Max. 100-240V AC (660W Max. at 110VAC, 1380W at 230VAC).
- AC Power	Model:FC-148PD20----output:USB-C=PD20W,USB-A=QC18W, USB-C+USB-A=5V 3A 15W Total.
- USB Charger	Model:FC-148C-----output:USB-C=5V 2.4A Max,USB-A=5V 2.4A Max,USB-C+USB-A=5V 2.4A Total.
Single plug safety protection	To protect one plug can be used at one time by pushing the manual locking mechanism.
USB Power indicator	LED indicator: Light on: USB charging power ready. Light off: USB charging power is malfunction.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, FCC.
Product color	Black, White, colourful.
*Caution	No grounded plug. Travel adapter only. Not convert voltage.

TRAVEL ADAPTER WITH 3USB-C + 2USB-A CHARGERS



FOXCAN Model No.	FC-155C3
Description	Travel Adapter with 3 USB-C + 2 USB-A chargers.
Product Size	57(L) X 67(W) X 69(H) mm.
Dual AC Outlet	Universal socket x1 (unearthed).
AC Plug type	US/AU/EU/UK (unearthed).
AC & DC Power Rating	AC Rating: 8A Max. 100-240VAC. (880W Max. at 110VAC, 1840W at 230VAC).
- AC Power	USB-C1=5V, 3A.
- USB Charger	USB-C2+USB-C3+USB-A1+USB-A2=5V, 2.4A. TOTAL: 5V, 5.6A.
Single plug safety protection	To protect one plug can be used at one time by pushing the manual locking mechanism.
USB Power indicator	LED indicator: Light on: USB charging power ready. Light off: USB charging power is malfunction.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, FCC.
Product color	Black, White, colourful.
*Caution	No grounded plug. Travel adapter only. Not convert voltage.

TYPE C TRAVEL ADAPTER WITH 5X USB(UNEARTHED)

Universal outlet meet
150 countries plug

USB-C port with Power Delivery
Supports USB-C PD PROTOCOL
5-USB Output: 5V DC, 5A or 6A Max

USB Power Indicator

Knob to
push plug out



EU

AU


UK

US

FOXCAN Model No.	FC-155C
Description	Type C Travel Adapter with 5-USB Charger
Product Size	57(L)*67(W)*69(H)mm
AC Outlet	Universal socket X1(uneearthed)
AC Plug Type	US / AU / EU / UK (uneearthed, 4 plugs)
AC & DC Power Rating	AC Rating : 8A Max. 100-240V AC (880W Max. at 110VAC, 1840W at 230VAC)
- AC Power	5-USB Output: 5V DC, 5A or 6A Max
- USB Charger	(Type C: 5V/3A, Type A*4: 5V/2.4A each) Built-in PD Protocol to support any USB-C devices charging
Fuse protection	Built-in fuse protection
Single Plug Safety Protection	To protect user from direct contact with live parts
Safety Protection	To protect one plug can be used at one time by pushing the manual locking mechanism.
USB Power indicator	LED indicator : Light on: USB charging power ready Light off: USB charging power is malfunction
Efficiency Level VI	DoE VI & CoC V5 Compliance
Patent Protected	Yes
Safety Support	CE LVD/EMC, FCC declaration
Product Color	Black / White / Colourful
*Caution	Grounded plug. Travel adapter only, Not convert voltage.



Type-C Travel Adapter with USB charger



FOXCAN Model No.	FC-934U
Description	Travel Adapter With 1USB-C+1USB-A chargers
Product Size	75(L)x48(W)x38 (H) mm
AC Outlet	Universal socket X1(uneartthed)
AC Plug Type	US / AU / EU / UK (uneartthed)
AC & DC Power Rating	AC Rating : 8A Max. 100-240V AC (880W Max. at 110VAC, 1840W at 230VAC)
- AC Power	Output:USB-C=5V 2.4A Max,USB-A=5V 2.4A Max,USB-C+
- USB Charger	USB-A=5V 2.4A Total.
Safety Protection	Fuse Protection, Surge Portection Over Voltage Protection Over Current Protection Short Circuit Protection
USB Power indicator	LED indicator : Light on: USB charging power ready Light off: USB charging power is malfunction
Efficiency Level VI	DoE VI & CoC V5 Compliance
Patent Protected	Yes
Safety Support	CE LVD/EMC, FCC declaration
Product Color	Black / White / Colourful
*Caution	No Grounded plug. Travel adapter only, Not convert voltage.

UNIVERSAL TRAVEL ADAPTER with 4X USB CHARGER

Yellow LED to avoid interference of sleep



Universal outlet meet 150 countries plug

These 2 USB ports are for Android devices
Also these 2 USB can charge iPhone/iPad devices but charge current is 1.5A max

Knob to push plug out

2 USB ports for iOS in the left and right side, output is 5V/2.4Amax
● iOS is the operation system of iPad and iPhone



US/AUS

United Kingdom

Europe



FOXCAN Model No.	FC-4U
Description	Universal Travel Adapter with 4-USB Charger
Product Size	63(L)*55(W)*61(H)mm
AC Outlet	Universal socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 4 plugs)
AC & DC Power Rating	AC Rating: 8A Max. 100-240Vac
- AC Power	880W Max. at 110Vac, 1840W at 230Vac
- USB Charger	4-USB Output: 5Vdc, 3.4A/17W Total.
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Efficiency Level VI	DoE VI Compliance
Patent Protected	Yes
Safety Support	FCC, CE
Product Color	Black / White
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

UNIVERSAL TRAVEL ADAPTER with **2X** USB CHARGER



FOXCAN Model No.	FC-S200
Description	Universal Travel Adapter with 2- USB Charger
Product Size	63(L)*55(W)*55(H)mm
AC Outlet	Universal socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 4 plugs)
AC & DC Power Rating	AC Rating: 6A Max. 100-240Vac
- AC Power	660W Max. at 110Vac, 1380W at 230Vac
- USB Charger	2-USB Output: 5Vdc 2.4A Total
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection
Patent Protected	Yes
Safety Support	FCC, CE
Product Color	Black / White / Gold / Sliver / Red / Blue
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

UNIVERSAL TRAVEL ADAPTER with **2X** USB CHARGER & LUMINOUS LOGO

Universal outlet meet
150 countries plug

Luminous logo Yellow LED
to avoid interference of sleep

Knob to push plug out

2 USB ports with 5Vdc
2.4A/3.4A (in total) (optional)



US



AU



EU



UK



FOXCAN Model No.	WE-2U
Description	Universal Travel Adapter with 2 USB Charger & Luminous Logo
Product Size	55(L)*58(W)*78(H)mm
AC Outlet	Universal socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 4 plugs)
USB Output	2-USB Output: 5Vdc, 2.4A/3.4A (in total) (optional)
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Efficiency Level VI	DoE VI Compliance
Patent Protected	Yes
Safety Support	FCC, CE
Product Color	Black / White
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

SLIM POCKET UNIVERSAL TRAVEL ADAPTER WITH 3-US-OUTLETS(UNEARTHED)



FOXCAN Model No.	FC-301
Description	Slim pocket Universal Travel Adapter with with 3-US-Outlets(uneearthed)
Product Size	106(L)*43.5(W)*24(H)mm
AC Outlet	3-US AC outlets(dual 3-pole outlets included)
AC Plug Type	US / AU / EU / UK (uneearthed & 360 degrees revolving)
AC Power Rating	100-240Vac, 10A Max, 50/60Hz
Single Plug Safety Protection	To protect one plug can be used at one time by pushing the manual locking mechanism.
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Patent Protected	Yes
Safety Support	CE
Product Color	Black / White / Colourful
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

Bestselling travel adapter



US



AU





EU



UK



FOXCAN Model No.	FC-934
Description	Universal Travel Adapter
Product Size	75(L)x48(W)x38 (H) mm
AC Outlet	Universal socket x1 (unearthed).
AC Plug type	US/AU/EU/UK (unearthed).
AC & DC Power Rating	AC Rating: 8A Max. 100-240VAC. (880W Max. at 110VAC, 1840W at 230VAC).
USB Power Indicator	LED Indicator: Light on: USB charging power ready Light off: USB charging power is malfunction
Patent Protected	Yes.
Safety Support	CE, UKCA, FCC.
Product color	Black, White, colourful.
*Caution	No grounded plug. Travel adapter only. Not convert voltage.

GaN 60W PD & QC3.0 SLIM POCKET TRAVEL CHARGER





FOXCAN Model No.	FC-260PD60
Description	GaN 60W PD & QC3.0 Slim Pocket Travel Charger.
Product Size	91(L) X 72.5(W) X 29(H) mm.
AC Plug type	US/AU/EU/UK (unearthed; support AU ground pin).
AC Input	100-240VAC
USB Charging port	USB-C=60W PD support PPS. USB-C1+(USB=A1+USB-A2+USB-A3)=45W+12W(5V, 2.4A). Build-in PD Protocol to support any USB-C devices charging.
Single plug safety protection	To protect one plug can be used at one time by pushing the
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, FCC.
Product color	White color with grey button.
*Caution	No grounded plug. Travel charger only.

SLIM POCKET UNIVERSAL TRAVEL ADAPTER





FOXCAN Model No.	FC-260
Description	Slim Pocket Universal Travel Adapter
Product Size	91(L)*72.5(W)*29(H)mm
AC Plug Type	US / AU / EU / UK (unearthed; support AU ground pin)
AC Input	100-240Vac
USB Output	4-USB Output: 5Vdc, 6A / 30W Total
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Efficiency Level VI	DoE VI and CoC V5 Compliance
Patent Protected	Yes
Safety Support	FCC, DoE declaration
Product Color	White color with Gray button
*Caution	No grounded plug. Travel adapter only.

20W PD & QC3.0 SLIM POCKET TRAVEL CHARGER





FOXCAN Model No.	FC-260CQ
Description	20W PD&QC3.0 Slim Pocket Travel Charger
Product Size	91 (L) *72.5(W)*29(H)mm
AC Plug Type	US/AU/EU/UK (unearthed ; support AU ground pin)
AC Input	100-240VAC
USB-A Charging port	5-12V, 18W Max.(5V/3A, 9V/2A, 12V/1.5A)
USB-C Charging port	> USB-C= 20W PD support PPS.
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage/Over Current/Short Ciucuit Protection
Efficiency Level VI	DoE VI and CoC V5 Compliance
Patent Protected	Yes
Safety Support	FCC, CE, DoE declaration
Product Color	White color with Gray button
*Caution	No grounded plug. Travel charger only.

SLIM POCKET TRAVEL CHARGER with TYPE C CHARGER



FOXCAN Model No.	FC-260C
Description	Slim Pocket Travel Charger with Type C Charger
Product Size	91(L)*72.5(W)*29(H)mm
AC Plug Type	US / AU / EU / UK (unearthed; support AU ground pin)
AC Input	100-240Vac
USB Output	4-USB Output: 5Vdc, 4A / 20W Total Type C Output: 5Vdc, 3A Max.
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Efficiency Level VI	DoE VI and CoC V5 Compliance
Patent Protected	Yes
Safety Support	FCC, DoE declaration
Product Color	White color with Gray button
*Caution	No grounded plug. Travel adapter only.

SLIM POCKET UNIVERSAL TRAVEL ADAPTER



FOXCAN Model No.	FC-260
Description	Slim Pocket Universal Travel Adapter
Product Size	91(L)*72.5(W)*29(H)mm
AC Plug Type	US / AU / EU / UK (unearthed; support AU ground pin)
AC Input	100-240Vac
USB Output	4-USB Output: 5Vdc, 6A / 30W Total
Single Plug Safety Protection	Yes
Safety Protection	Fuse Protection Over Voltage / Over Current / Short Circuit Protection
Efficiency Level VI	DoE VI and CoC V5 Compliance
Patent Protected	Yes
Safety Support	FCC, DoE declaration
Product Color	White color with Gray button
*Caution	No grounded plug. Travel adapter only.

WiFi UNIVERSAL TRAVEL ADAPTER



United Kingdom



US/AUS



Europe

FOXCAN Model No.	FC-W220
Description	Wifi Universal Travel Adapter
Product Size	70(L)*52(W)*58(H)mm
AC Outlet	Universal socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 4 plugs)
AC & DC Power Rating	AC Rating: 6A Max. 100-240Vac - AC Power 660W Max. at 110Vac, 1380W at 230Vac
- USB Charger	2-USB Output: 5Vdc 2.1A Total
OEM Wifi Name	YES
Wireless Port	10/100Mbps WAN/LAN Port
Wireless Mode	AP / Router / Repeater / Bridge
Wireless Security	64/128/512-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Wireless Rate	IEEE802.11n/g/b up to 150Mbps
Safety Support	FCC, CE
Product Color	Black or White
*Caution	No grounded plug. Travel adapter only, Not convert voltage.

2000W TRAVEL CONVERTER/ ADAPTER COMBO WITH 2 USB-C +2 USB-A CHARGER



FOXCAN Model No.	FC-2000S
Description	2000 Watt Travel Converter/Adapter Combo with 2 USB-C + 2USB-A Charger
Product Size	150(L) X 80(W) X 30(H) mm.
AC Outlet	US socket x3(uneartthed).
Power cord	US NEMA 1-15P to IEC320-C13, 0.75mm ² , 1.2M.
AC Plug type	US plug (uneartthed).
Converter Mode (2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (15A)	Rating: 100-240VAC, 15A, 50/60Hz.
USB Charging Mode	Function matching; 4USB-A output 5V 2.4A Max each, Total: 5V, 6A max.
USB Power indicator	LED indicator: Light on: USB charging power ready. Light off: USB charging power is malfunction.
Adapter Plug	AU/EU/UK(uneartthed, 3 plugs)
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

350W sine wave Tarvel Converter/Adapter Combo with 2USB-C+2USB-A Charger




FOXCAN Model No.	FC-S710
Description	350Watt Travel Converter/Adapter Combo with 2USBC+2USB-A Charger
Product Size	160 (L)x100(W)x38 (H) mm
AC Outlet	US socket x3(uneartthed).
Power cord	EU to IEC320-C13,0.75mm ² ,1.2M
AC Plug type	EU plug (uneartthed)
AC Rating	Input: 100-240VAC, 50/60Hz. Output: 100-120VAC, 50/60Hz., 350W max. 100% Sine Wave
USB Charging Mode	USB-C1/C2:PD20W max each USB-A1/A2:QC18W max each USB-C1+USB-C2+USB-A1+USB-A2=5V 3A Total
USB Power indicator	LED indicator: Light on: USB charging power ready. Light off: USB charging power is malfunction. Touch switch
Adapter Plug	IT/AU/EU/UK/US (5 plugs)
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

JPN TRAVEL CONVERTER/ ADAPTER COMBO WITH 1 USB-C + 1 USB-A CHARGER



FOXCAN Model No.	FC-JP50/100
Description	JPN Travel Converter/Adapter Combo with 1 USB-C + 1USB-A Charger
Product Size	130(L)*76(W)*70(H)mm.
AC Outlet	2x1-15R socket (unearthed).
AC Plug type	US NEMA1-15P plug x1(foldable).
Converter Mode (50/100W)	Input: 220-240VAC to 100VAC, 50W. Input: 120VAC to 100VAC, 50Hz., 100W.
Adapter Mode (10A)	Rating: 100-240VAC, 10A, 50/60Hz.
USB Charging Mode	Function matching(1); USB-C: 5V, 3A max., USB-A: 5V, 2.4A max.Total: 5V, 3A max. Function matching (2); USB-C: PD 20W support PPS. USB-A: 5V, 2.4A max. each.
Adapter Plug	AU/EU/UK(unearthed, 3 plugs)
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

2000W TRAVEL CONVERTER/ ADAPTER COMBO WITH 1 USB-C + 2 USB-A CHARGER



FOXCAN Model No.	FC-301-2000
Description	2000W Travel Converter/Adapter Combo with 1 USB-C + 2USB-A Charger.
Product Size	111(L) x 93(W) x 25(H)mm.
AC Outlet	US NEMA1-15R+5-15R socket (unearthed).
AC Plug type	US/AU/EU/UK plug (unearthed).
Converter Mode (2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (10A)	Rating: 100-240VAC, 10A, 50/60Hz.
USB Charging Mode	Function matching(1); USB-C: 5V, 3A max. each, USB-A: 5V, 2.4A max.Total: 5V, 3.4A max. Functon matching (2); USB-C: PD 20W support PPS. USB-A: 5V, 2.4A max. each.
Single Plug Safety Protection	Automatically locking and releasing structure for push-pull plugs to ensure only one plug can be used at a time.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.


2000W TRAVEL CONVERTER/ ADAPTER COMBO WITH 1 USB-C + 1 USB-A CHARGER



FOXCAN Model No.	FC-112C
Description	2000W Travel Converter/Adapter Combo with 1 USB-C + 1USB-A Charger.
Product Size	60(L) x 104(W) x 53(H)mm.
AC Outlet	US NEMA1-15R+5-15R socket (unearthed).
AC Plug type	USA NEMA1-15P plug x1(foldable).
AC Plug type	US/AU/EU/UK plug (unearthed).
Converter Mode (2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (10A)	Rating: 100-240VAC, 10A, 50/60Hz.
USB Charging Mode	Function matching(1); USB-C: 5V, 3A max., USB-A: 5V, 2.4A max. Total: 5V, 3A. Function matching (2); USB-C: PD 20W support PPS. USB-A: 5V, 2.4A max. each.
Adapter Plug	AU/EU/UK(unearthed, 3 plugs).
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

2000W TRAVEL CONVERTER/ADAPTER COMBO WITH 1 USB-C + 1 USB-A CHARGER

USB-C port
18W support PPS.
5V, 3A



USB-A port
5Vdc 2.4A max each

Single Plug
Safety Protection



Knob to push
plug in/out

Knob to push
plug in/out


FOXCAN Model No.	FC-166C
Description	2000W Travel Converter/Adapter Combo with 1 USB-C + 1USB-A Charger.
Product Size	74(L) x 56(W) x 74(H)mm.
AC Outlet	US socket (unearthed).
AC Plug type	US/AU/EU/UK (unearthed).
Converter Mode (2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (8A)	Rating: 100-240VAC, 10A, 50/60Hz.
USB Charging Mode	Function matching(1); USB-C: 5V, 3A max., USB-A: 5V, 2.4A max. Total: 5V, 3A. Function matching (2); USB-C: PD 18W support PPS. USB-A: 5V, 2.4A max. each.
Single Plug Safety Protection	Automatically locking and releasing structure for push-pull plugs to ensure only one plug can be at a time.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

2000W TRAVEL CONVERTER/ADAPTER COMBO WITH 1 USB-C + 1 USB-A CHARGER





FOXCAN Model No.	FC-CA2U
Description	2000W Travel Converter/Adapter Combo with 1 USB-C + 1USB-A Charger.
Product Size	64(L) x 60(W) x 70(H)mm.
AC Outlet	US NEMA1-15R+5-15R socket (unearthed).
AC Plug type	US/AU/EU/UK (unearthed, 4 plugs).
Converter Mode (2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (10A)	Rating: 100-240VAC, 10A, 50/60Hz.
USB Charging Mode	USB-C: 20W PD, QC3.0, AFC, FCP. USB-A: QC 18W, AFC. USB-C+USB-A=5V, 3.1A.
Adapter Plug	US/AU/EU/UK(unearthed, 4 plugs).
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

2000 Watt Universal Travel Converter/Adapter Combo with **5X** USB charger



FOXCAN Model No.	FC-600
Description	2000 Watt Universal Travel Converter/Adapter Combo with 5-USB charger
AC Outlet	Universal socket X1 (unearthed)
Product Size	73(L)*62(W)*70(H)mm
AC Plug Type	US / AU / EU / UK (unearthed, 4 plugs)
AC Converter Mode(2000W)	Input:220-240Vac,50/60Hz Output:100-120Vac,50/60Hz,2000W Max.
AC Adapter & DC Power Rating	AC Rating : 10A Max. 100-240V AC (1100W Max. at 110VAC, 2300W at 230VAC)
- AC Adapter Power	5-USB Output: 5V DC,6A Max.
-USB Charger	(Type C: 5V/3A, Type A*4: 5V/2.4A each) Built-in PD Protocol to support any USB-C devices charging
Fuse protection	Built-in fuse protection
Child Safety Shutter	To protect users from direct contact with live parts.
USB Power indicator	LED indicator : Light on: USB charging power ready Light off: USB charging power is malfunction
Efficiency Level VI	DoE VI & CoC V5 Compliance
Patent Protected	Yes
Safety Support	CE LVD/EMC, FCC declaration
Product Color	Black / White / Colourful
*Caution	No grounded plug. Travel adapter and convert voltage.

2000WATT MULTI NATION TARVEL CONVERTER/ADAPTER COMBO WITH 2.4A **2X** USB CHARGER





FOXCAN Model No.	FC-2000W-U2
Description	2000 Watt Multi Nation Travel Converter / Adapter Combo with 2.4A Dual USB Charger
Product Size	74.5(L)*56(W)*74(H)mm
AC Outlet	US socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 4plugs)
Converter Mode (2000W)	Input: 220-240Vac, 50Hz Output: 110-240Vac, 50Hz, 2000W Max.
Adapter Mode (8A)	Rating: 100-240Vac, 8A, 50/60Hz
USB Charging Mode	AC Input: 100-240Vac, 50/60Hz Dual USB Output: 5Vdc, 2.4A total
LED Indicators	Red LED: Coverter mode indicator Green LED: Adapter mode and USB charging indicator
Fuse Protection	Built-in fuse protection
Safety Support	FCC, CE
Product Color	Black
*Caution	No grounded plug.

1875WATT MULTI NATION TRAVEL CONVERTER WITH 1A USB CHARGER



FOXCAN Model No.	FC-221U
Description	1875Watt Multi Nation Travel Converter with 1A USB Charger
Product Size	114(L)*53(W)*48(H)mm
AC Outlet	US socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 3 plugs)
AC INPUT Rating	220/240Vac, 50Hz
AC OUTPUT Rating	110/120Vac, 1875W Max.
USB DC Output	1000mA 5Vdc
Single Plug Safety	To protect one plug can be used at a time by using the manual locking mechanism
Fuse Protection	Built-in fuse protection
Power Indicator	Blue LED Power
Patent Protected	Yes
Efficiency Level VI	DoE VI Compliance
Safety Support	FCC
Product Color	Black
*Caution	No grounded plug.

2000WATT TARVEL CONVERTER/ADAPTER COMBO SET WITH 2.4A USB CHARGER



FOXCAN Model No.	FC-112P
Description	2000 Watt Multi Nation Travel Converter / Adapter Combo Set with 2.4A Dual USB Charger
Product Size	60(L)*104(W)*53(H)mm
AC Outlet	USA NEMA 1-15R / 5-15R socket x2
AC Plug Type	USA NEMA 1-15R plug x1 (foldable)
Adapter Plug	EU / UK / AU Plug adapter included
Converter Mode (2000W)	Input: 220-240Vac, 50Hz Output: 100/120Vac, 50Hz, 2000W Max.
Adapter Mode (10A)	Rating: 100-240Vac, 10A, 50/60Hz
USB Charging Mode	AC input: 100-240Vac, 50/60Hz Dual USB output: 5Vdc, 2.4A total
Fuse Protection	Built-in fuse protection
Product Color	Black
*Caution	No grounded plug.

0-2000W SMART AUTO SWITCH TRAVEL CONVERTER/ADAPTER COMBO



Two round pins
Φ4.8mm

Two round pins
Φ4.0mm



AU



EU



UK



US

FOXCAN Model No.	FC-113P
Description	0-2000W Smart Auto Switch Travel Converter/Adapter Combo Set.
Product Size	91.5(L) x 51.5(W) x 43.5(H)mm.
AC Outlet	US NEMA1-15R+5-15R socket (unearthed).
AC Plug type	EU plug (unearthed).
Converter Mode (0-2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (10A)	Rating: 100-240VAC, 10A, 50/60Hz.
Adapter Plug	US/AU/EU/UK(unearthed, 4 plugs).
Power Indicator color	White
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	FCC, UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

0-2000W SMART AUTO SWITCH TRAVEL CONVERTER/ADAPTER COMBO



US



EU



UK



AU

FOXCAN Model No.	FC-2000Q
Description	0-2000W Smart Auto Switch Travel Converter/Adapter Combo.
Product Size	114(L) x 53(W) x 48(H)mm.
AC Outlet	US socket x1 (unearthed).
AC Plug type	US/AU/EU/UK (unearthed, 4 plugs).
Converter Mode (0-2000W)	Input: 220-240VAC, 50Hz. Output: 110-120VAC, 50Hz., 2000W max.
Adapter Mode (8A)	Rating: 100-240VAC, 8A, 50/60Hz.
Power Indicator color	White
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	UL-62368-1.
Product color	Black, White, colourful.
*Caution	No grounded plug.

2000WATT TRAVEL CONVERTER/ADAPTER COMBO





FOXCAN Model No.	FC-2000W
Description	2000Watt Travel Converter / Adapter COMBO
Product Size	57.5(L)*67(W)*69(H)mm
AC Outlet	USA socket x1
Adapter Plug	US / EU / UK / AU Plug adapter included
Converter Mode (2000W)	Input: 220-240Vac, 50Hz Output: 110-120Vac, 50Hz, 2000W Max.
Adapter Mode (8A)	Rating: 100-240vac, 8A, 50/60Hz
Fuse Protection	Built-in fuse protection
Patent Protected	Yes
Safety Support	CE
Product Color	Black
*Caution	No grounded plug.

2000WATT MULTI NATION TRAVEL CONVERTER/ADAPTER COMBO



FOXCAN Model No.	FC-2000P
Description	2000Watt Multi Nation Travel Converter/Adapter Combo
Product Size	114(L)*53(W)*48(H)mm
AC Outlet	US socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 3 plugs)
Converter Mode (2000W)	Input: 220-240Vac, 50Hz Output: 110-120Vac, 50Hz, 2000W Max.
Adapter Mode (8A)	Rating: 100-240Vac, 8A, 50/60Hz
Converter/Adapter Mode Setting	Converter/Adapter Manual Switch
Single Plug Safety Protection	To protect one plug can be used at a time by pushing the manual locking mechanism
Fuse Protection	Built-in fuse protection
Power Indicator	Blue LED Power
Patent Protected	Yes
Fuse Protection	CE
Product Color	Black
*Caution	No grounded plug.

25/1875WATT TRAVEL CONVERTER



FOXCAN Model No.	FC-005
Description	25/1875Watt Travel Converter
Product Size	110(L)*65(W)*47.5(H)mm
AC Outlet	USA socket x1 (unearthed)
Adapter Plug	Europe plug
4 Plug Adapter Set	US / AU / EU / UK plug set with travel pouch
High Setting (1875W)	220-240Vac, 50Hz 110-120Vac, 50Hz
Low Setting (25W)	220-240Vac, 50/60Hz 110-120Vac, 50/60Hz
Hi/Low Wattage Setting	25W/1875W Manual Switch
Fuse Protection	Built-in fuse protection
Product Color	White
*Caution	No grounded plug.

50WATT MULTI NATION TRAVEL CONVERTER

Push both buttons simultaneously to push plug out



US



AU




EU



UK


FOXCAN Model No.	FC-136
Description	50Watt Multi Nation Travel Converter
Product Size	108(L)*57(W)*66(H)mm
AC Outlet	USA socket x1 (unearthed)
Adapter Plug	US / AU / EU / UK (unearthed; 3 plug)
AC INPUT Rating	220-240Vac, 50Hz
AC OUTPUT Rating	110-120Vac, 50W Max. 50Hz
Single Plug Safety Protection	To protect one plug can be used at a time by pushing the manual locking mechanism
Indicator	Power Indicator
Patent Protected	Yes
Product Color	Black / Gray
*Caution	No grounded plug.

25/1875WATT MULTI NATION TRAVEL CONVERTER




FOXCAN Model No.	FC-220
Description	25/1875Watt Multi Nation Travel Converter
Product Size	114(L)*53(W)*48(H)mm
AC Outlet	US socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK (unearthed; 3 plugs)
High Setting (1875W)	Input: 220-240Vac, 50Hz Output: 110-120Vac, 50Hz
Low Setting (25W)	Input: 220-240Vac, 50/60Hz Output: 110-120Vac, 50/60Hz
Hi/Low Wattage Setting	25W/1875W Manual Switch
Single Plug Safety Protection	To protect one plug can be used at a time by pushing the manual locking mechanism
Fuse Protection	Built-in fuse protection
Power Indicator	Blue LED Power
Patent Protected	Yes
Product Color	Black
*Caution	No grounded plug.


UNIVERSAL SOCKET TO AUSTRALIA PLUG ADAPTER W/ DUAL USB CHARGERS



USB-A=
5Vdc, 2.4A Max.



USB-C=
5Vdc, 3A Max.



FOXCAN Model No.	FC-182U2
Description	Universal Socket to Australia Plug Adapter W/Dual USB Chargers
AC Outlet	Germany Socket x1 (Grounding) Switzerland Socket x1 (Grounding) Italy Socket x1 (Grounding) Demark Socket x1 (Grounding) US Socket x1 (Grounding) UK Socket x1 (Grounding)
AC Plug Type	AU (Grounding; 3plugs)
AC INPUT Rating	100-250Vac, 50/60Hz
AC OUTPUT Rating	10A, 100-250Vac Max,
USB DC Output	3A 5Vdc Max.
Power Indicator	Blue LED Power
Safety Protection	Over Voltage/Over Current/Short Ciucuit Protection
Patent Protected	Yes
Safety Support	SAA
Product Color	Black/White/Colorful
Packaging	White box (FOC), Additional cost for 4C giftbox or Blister packaging

UNIVERSAL SOCKET TO AUSTRALIA PLUG ADAPTER




FOXCAN Model No.	FC-182
Description	Universal Socket to Australia Plug Adapter
AC Outlet	Germany Socket x1 (Grounding) Switzerland Socket x1 (Grounding) Italy Socket x1 (Grounding) Demark Socket x1 (Grounding) US Socket x1 (Grounding) UK Socket x1 (Grounding)
AC Plug Type	AU (Grounding; 3 plugs)
AC INPUT Rating	100-250Vac, 50/60Hz.
AC OUTPUT Rating	10A, 100-250Vac Max,
Safety Protection	Over Voltage/Over Current/Short Ciucuit Protection
Patent Protected	Yes
Safety Support	SAA
Product Color	Black/White/Colorful
Packaging	White box (FOC), Additional cost for 4C giftbox or Blister packaging

US NEMA 5-15R POWER STRIP SOCKET SURGE PROTECTOR



FOXCAN Model No.	FC-CA611C
Description	US NEMA 5-15R Power Strip Socket Surge Protector.
Product Size	155(L) x 95(W) x 155(H)mm.
AC Outlet	NEMA 5-15R x 6 (earthed).
Cable type	SJT 14AWG 3C power cord with NEMA5-15P plug.
AC & DC Power Rating	AC Rating: 15A, 125VAC. 8USB ports:
- AC Power	60W Total (USB-C1/C2/C3/C4/USB-A1/A2/A3/A4).
- USB Charger	USB-C: output 5V, 3A max. each. USB-A: output 5V, 3A max. each.
Thermal protection	Thermal fuse for MOV temperature control.
Surge protection	680 joules MOV 20D471 for L-N.
Indicator	Power indicator Red color Surge Protection working; indicator Green color.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	UL, cUL.
Product color	Black, White, colourful.
*Caution	Optional surge protection: 2040 joules, L-N/L-G/N-G MOV 20D471x3.

3 OUTLETS DESK CLAMP POWER STRIP WITH USB CHARGING



FOXCAN Model No.	FC-CA310
Description	3 Outlets Desk Clamp Power Strip With USB Charging.
Product Size	187(L) x 35(W) x 25(H)mm.
AC Outlet	NEMA 5-15R x 3 (earthed).
Cable type	SJT 14AWG 3C power cord with NEMA5-15P plug.
AC Power Rating	AC Rating: 15A, 125VAC.
USB Charging Mode	Function matching (1) USB-C: 5V, 3A max., USB-A: 5V, 2.4A max. Total: 5V, 3A. Function matching (2) USB-C: PD 20W support PPS. USB-A: 5V, 2.4A max.
Thermal protection	Thermal fuse for MOV temperature control.
Surge protection	680 joules MOV 20D471 for L-N.
USB Power Indicator	White color.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	UL, cUL.
Product color	Black, White, colourful.
*Caution	Compact size makes it easier to carry or place on desk.

6 AC OUTLETS WALL MOUNT SURGE PROTECTOR WITH PD USB CHARGER



FOXCAN Model No.	FC-CA-G609A-PD30
Description	6 AC Outlets Wall Mount Surge Protector. With PD USB Chargers.
Product Size	155(L) x 95(W) x 155(H)mm.
AC Outlet	EU Schuko socket x6 (earthed).
Cable type	H05WF/3C, 1.5mm ² , length: 1.8m with CEE7/3 plug;CEE 7/7 plug.
AC & DC Power Rating	AC Rating: 16A, 250VAC.
- AC Power	USB-C1= 33W PD support PPS.
- USB Charger	USB-C1+(USB-C2+USB-A1+A2)= 20W+12W(5V, 2.4A). Build-in PD protocol to support any USB-C devices charging.
Thermal protection	Thermal fuse for MOV temperature control.
Surge protection	680 joules MOV 20D471 for L-N.
Indicator	Power indicator Red color Surge Protection working; indicator Green color.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	With safety shutter, Push button switch. Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE.
Product color	Black, White, colourful.
*Caution	Optional surge protection: 2040 joules, L-N/L-G/N-G MOV 20D471x3.

6 AC OUTLETS WALL MOUNT SURGE PROTECTOR WITH PD USB CHARGERS




FOXCAN Model No.	FC-CA-U609A-PD30
Description	6 AC Outlets Wall Mount Surge Protector. With PD USB Chargers.
Product Size	155(L) x 95(W) x 155(H)mm.
AC Outlet	UK socket x6 (earthed).
Cable type	H05WF/3C, 1.5mm ² , 3G Power Cord with UK plug.
AC & DC Power Rating	AC Rating: 13A, 250VAC.
- AC Power	USB-C1= 33W PD support PPS.
- USB Charger	USB-C1+(USB-C2+USB-A1+A2)= 20W+12W(5V, 2.4A). Build-in PD protocol to support any USB-C devices charging.
Thermal protection	Thermal fuse for MOV temperature control.
Surge protection	680 joules MOV 20D471 for L-N.
Indicator	Power indicator Red color Surge Protection working; indicator Green color.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	With safety shutter, Push button switch. Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	UKCA, BS.
Product color	Black, White, colourful.
*Caution	Optional surge protection: 2040 joules, L-N/L-G/N-G MOV 20D471x3.

UNIVERSAL SOCKET TO EU/AU/US/UK PLUG WITH 1 USB-C + 1 USB-A CHARGERS



FOXCAN Model No.	FC-186-EU/AU/US/UK
Description	Universal socket to EU/AU/US/UK plug with 1 USB-C + 1 USB-A chargers.
Product Size	62(L) x 62(W) x 70(H)mm.
AC Outlet	Universal socket x1 (earthed).
AC Plug type	US/AU/EU/UK (earthed).
AC Power Rating	AC Rating: 10/13/16A max., 100-240VAC.
USB Charging Mode	Function matching (1) USB-C: 5V, 3A max., USB-A: 5V, 2.4A max. Total: 5V, 3A. Function matching (2) USB-C: 20W support PPS., USB-A: 5V, 2.4A max.
USB Power Indicator	LED indicator: Light on: USB charging power ready. Light off: USB charging power is malfunction.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, BS8546, FCC.
Product color	Black, White, colourful.
*Caution	Grounded plug. Travel adapter only. Not convert voltage.

UNIVERSAL SOCKET TO EU/AU/US/UK PLUG ADAPTER



FOXCAN Model No.	FC-183-EU/AU/US/UK
Description	Universal socket to EU/AU/US/UK plug adapter.
Product Size	61(L) x 50(W) x 61(H)mm.
AC Outlet	Universal socket x1 (earthed).
AC Plug type	US/AU/EU/UK (earthed).
AC Power Rating	AC Rating: 10/13/16A max., 100-240VAC.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Fuse Protection/Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, BS8546.
Product color	Black, White, colourful.
*Caution	Grounded plug. Travel adapter only. Not convert voltage.

UNIVERSAL SOCKET TO EU PLUG ADAPTER



FOXCAN Model No.	FC-181
Description	Universal socket to EU plug adapter.
Product Size	53(L) x 48.5(W) x 45(H)mm.
AC Outlet	Universal socket x1 (earthed).
AC Plug type	US/AU/EU/UK (earthed).
AC Power Rating	AC Rating: 16A max., 100-240VAC.
Energy Efficiency Level	DoE VI & CoC V5 compliance.
Safety Protection	Over Voltage Protection/ Over Current Protection/Short Circuit Protection.
Patent Protected	Yes.
Safety Support	CE, UKCA, BS8546.
Product color	Black, White, colourful.
*Caution	Grounded plug. Travel adapter only. Not convert voltage.

20W PD EUROPE SOCKET TO US/CN/UK/EU/AU PLUG WITH 1USB-C+1USB-A CHARGERS



US



EU



AU



CN



UK



FOXCAN Model No.	FC-187-US/CN/UK/EU/AU
Description	Universal socket to EU/AU/US/UK/CN plug adapter with 2USB chargers
Product Size	85(L)x62(W)x62(H)mm Max.
AC Outlet	Universal socket x1 (unearthed)
AC Plug Type	US / AU / EU / UK / CN (unearthed; 5 plugs)
AC & DC Power Rating	AC Rating: 10/13/15A/16A Max. 100-240V AC
- AC Power	USB-C/A=20W PD support PPS
- USB Charger	USB-C+USB-A=5V 3A 15W(Total)
USB Power Indicator	LED Indicator: Light on: USB charging power ready Light off: USB charging power is malfunction
Energy Efficiency Level	DoE VI & CoC V5 compliance
Safety Protection	Fuse Protection Over Voltage Protection Over Current Protection Short Circuit Protection
Safety Support	CE, UKCA, BS8546, FCC
Patent Protected	Yes
Product Color	Black, white, colourful
*Caution	Grounded plug.Travel adapter only,Not convert voltage.

FC-S Series

- 4XUS socket to single country plug adapter with 2USB-C+1USB-A charger
- AC rating:10A/15A
Max.100-250Vac 50/60Hz
- USB Rating:5V 3A or PD20W/QC18W
- Safety Approval:FCC,CE,UKCA



 Model:FC-S-5
4XUS socket to US



 Model:FC-S-6
4XUS socket to China / Japan



 Model:FC-S-7
4XUS socket to UK



 Model:FC-S-7S (13A Fuse)
4XUS socket to UK



 Model:FC-S-9
4XUS socket to Europe (Ground Pin)



 Model:FC-S-9C
4XUS socket to Europe (No Ground Pin)



 Model:FC-S-10
4XUS socket to India



 Model:FC-S-10L
4XUS socket to South Africa




 Model:FC-S-11A
4XUS socket to Switzerland



 Model:FC-S-12A
4XUS socket to Italy




 Model:FC-S-13A
4XUS socket to Brazil




 Model:FC-S-14
4XUS socket to Israel



 Model:FC-S-16
4XUS socket to Australia



 Model:FC-S-20
4XUS socket to Denmark

FC-WDSSS-U Series

- Universal & US & EU socket to single country plug adapter
1USB-C + 1USB-A charger
- AC rating:10A/15A
Max.100-250Vac 50/60Hz
- Safety Approval: FCC, CE,
UKCA



 Model:FC-WDSSS-10U
Universal & US & EU socket to India



 Model:FC-WDSSS-14
Universal & US & EU socket to Israel




 Model:FC-WDSSS-10LU
Universal & US & EU socket to South Africa




 Model:FC-WDSSS-16U
Universal & US & EU socket to Australia



 Model:FC-WDSSS-5U
Universal & US & EU socket to US



 Model:FC-WDSSS-7FU (13A Fuse)
Universal & US & EU socket to UK



 Model:FC-WDSSS-11AU
Universal & US & EU socket to Switzerland



 Model:FC-WDSSS-20
Universal & US & EU socket to Denmark




 Model:FC-WDSSS-6U
Universal & US & EU socket to China / Japan




 Model:FC-WDSSS-9U
Universal & US & EU socket to Europe (Ground Pin)



 Model:FC-WDSSS-12AU
Universal & US & EU socket to Italy



 Model:FC-WDSSS-7U
Universal & US & EU socket to UK



 Model:FC-WDSSS-9CU
Universal & US & EU socket to Europe (No Ground Pin)



 Model:FC-WDSSS-13AU
Universal & US & EU socket to Brazil


FC-WDSSS Series

- Universal & US & EU socket to single country plug adapter
- AC rating:10A/15A
Max.100-250Vac 50/60Hz
- Safety Approval: CE, UKCA



 Model:FC-WDSSS-5
Universal & US & EU socket to US



 Model:FC-WDSSS-7S (13A Fuse)
Universal & US & EU socket to UK




  Model:FC-WDSSS-6
Universal & US & EU socket to China / Japan




 Model:FC-WDSSS-9
Universal & US & EU socket to Europe (Ground Pin)




 Model:FC-WDSSS-7
Universal & US & EU socket to UK



 Model:FC-WDSSS-9C
Universal & US & EU socket to Europe (No Ground Pin)



 Model:FC-WDSSS-10
Universal & US & EU socket to India



 Model:FC-WDSSS-14
Universal & US & EU socket to Israel



 Model:FC-WDSSS-10L
Universal & US & EU socket to South Africa



 Model:FC-WDSSS-16
Universal & US & EU socket to Australia




 Model:FC-WDSSS-11A
Universal & US & EU socket to Switzerland



 Model:FC-WDSSS-20
Universal & US & EU socket to Denmark



 Model:FC-WDSSS-12A
Universal & US & EU socket to Italy




 Model:FC-WDSSS-13A
Universal & US & EU socket to Brazil

Classic travel adapter With/Without USB chargers



FC-WA040



FC-935



FC-931L



FC-930



FC-933L



FC-930U



FC-148U



FC-931B

Packaging



we provide various packing solution to suit for different needs, such as advertising, promotion etc.



Designed by FOXCAN HK
FOXCAN.COM