



Professional in Promotional Gift Power Bank

Shenzhen . China

Factory Introduction

About us

Shenzhen Ringstar Technology Co.,Ltd Established in 2010, it is a professional manufacture who is specialized in Power Bank. We own a factory in Shenzhen covers an area of 1,500 square meters and 4 production lines. Our aging room has 5,000 test positions to ensure our power bank's safety. We exported 50,000 power banks monthly last year. The Capacity is from 1,500mAh--20,000mAh.

- 1: Power Bank with built-in cable serial: there are built-in One cable and built-in two cables
- 2: ABS material serial and Metal Serial
- 3: QC 3.0 Fast Charge and PD Serial

Shenzhen Ringstar Technology Co. Ltd.

3/F,Building, Huafeng No.1 Industrial Park
Gushu Baoan Xixiang Shenzhen City, China
Tel: (86)158 9985 4858

E-mail: jack@woopowerbank.com

Web: www.woopowerbank.com



Certification-A

TCT

Certificate of Compliance

Certificate No. : TCT190213E016
 Applicant : Shenzhen Ringstar Technology Co., Ltd
 Address : 3/F, Building 3#, Huaifeng No.1 Science and Technology Park A area, Xixiang Town, Baoan District, Shenzhen, China
 Manufacturer : Shenzhen Ringstar Technology Co., Ltd
 Address : 3/F, Building 3#, Huaifeng No.1 Science and Technology Park A area, Xixiang Town, Baoan District, Shenzhen, China
 Product : Power Bank
 Model No. : W0511
 Trade mark : N/A

The above products have been tested by us with listed standards and found in compliance with the council EMC 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC.

Test standards:	Report(s) Number	Issued By	Issued Date
EN 55032:2012+AC:2015 EN 61000-3-2:2016 EN 61000-3-3:2015 EN 55024:2010+A1:2015	TCT190213E016	TCT	Feb. 19, 2019

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.



Tomsin
 Tomsin/Senior Engineer
 Feb. 19, 2019



Shenzhen TCT Testing Technology Co., Ltd.

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 Http://www.tct-lab.com

TCT

VERIFICATION OF CONFORMITY

TCT190213E017

This verification that the following designated product

Power Bank
Model No: W0511

(Product Identification)

It is herewith confirmed and round to comply with the requirements set up by regulation for the evaluation of electromagnetic compatibility.

This device complies with of the FCC rules. Operation is subject to the following two conditions

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This declaration is the responsibility of the manufacturer/importer

Shenzhen Ringstar Technology Co., Ltd
3/F, Building 3#, Huaifeng No.1 Science and Technology Park A area, Xixiang Town, Baoan District, Shenzhen, China

Identification of regulation: 47 CFR Part 15 Subpart B Class II, Measurement Procedure: ANSI C63.4: 2014. It is only valid in connection with the test report number: TCT190213E017.

TEST LABORATORY

This is the results of test that was carried out from the submitted type-samples of a product in conformity with the specification of the respective standards.

Authorized Signer

Tomsin
 Tomsin/Senior Engineer
 Date Feb. 19, 2019

This verification is only valid for the equipment and configuration described, in conjunction with the test data detailed above

Shenzhen TCT Testing Technology Co., Ltd.

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 Http://www.tct-lab.com

TCT

Certificate of Compliance

Certificate No. : TCT190213C004
 Applicant : Shenzhen Ringstar Technology Co., Ltd
 Address : 3/F, Building 3#, Huaifeng No.1 Science and Technology Park A area, Xixiang Town, Baoan District, Shenzhen, China
 Manufacturer : Shenzhen Ringstar Technology Co., Ltd
 Address : 3/F, Building 3#, Huaifeng No.1 Science and Technology Park A area, Xixiang Town, Baoan District, Shenzhen, China
 Product : Power Bank
 Tested Model : W0511
 Trade mark : N/A

The above products have been tested by us with listed standards and found in compliance with the directive RoHS 2011/65/EU. It is possible to use CE marking to demonstrate the compliance with this RoHS.

Test standards:	Report(s) Number	Issued By	Issued Date
IEC 62321:2008 IEC 62321:2013 IEC 62321:2016	TCT190213C004	TCT	Feb. 29, 2019

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.



Tomsin
 Tomsin/Senior Engineer
 Feb. 29, 2019



Shenzhen TCT Testing Technology Co., Ltd.

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 Http://www.tct-lab.com

Certification-B



Special Instructions

The following prices are EXW without packaging+cable.MOQ:1000 pcs

Product parameters are all actual capacities.

PD means USB- Power Delivery (USB PD) is one of the mainstream fast charging protocols . It is a fast charging specification developed by the USB-IF organization.

1: Power Bank with Built-in Cable

- Capacity from 1500mAh---20,000mAh

A: Built-in Micro Cable+ Adaptors

B: Built-in Micro and Lightning 2 in 1 Cable

C: Built- in Two different Charging Cables

Power Bank W0101



Specification : 130mm*67mm*13.5mm 43.5g

Batteries: Li-Polymer

Capacity :1500mAh

Input: 5V/1.0A

Output: Bulit-in Micro Cable 5V/1.0A

Material: ABS

Color: Black,White

Power:5.5Wh

Optional: Built-in Lightning Cable 5V1.0A

Built-in USB-C Cable 5V/1.0A

Power Bank W0209



Specification : 96mm*61mm*7.0mm 65g

Batteries: Li-Polymer

Capacity :2500mAh

Input: 5V/1.0A

Output: Built-in Micro Cable 5V/1.0A

Material: ABS

Color: Black,White

Power: 9.25Wh

Optional: Built-in Micro & Lightning 2 in 1 Cable, Connect with iPhone adaptor or Type-C adaptor

Power Bank W0409



Specification : 115mm*65mm*9.0mm 93g

Batteries: Li-Polymer

Capacity :4000mAh

Input: 5V/1.0A

Output: Bulit-in Micro Cable 5V/1.0A

Material: ABS

Color: Black,White

Power: 14.8Wh

Optional: Built-in Micro & Lightning 2 in 1
Cable, Connect with iPhone adaptor or
Type-C adaptor

Power Bank W0511



Specification : 120mm*68mm*9.0mm 110g

Batteries: Li-Polymer

Capacity :5000mAh

Input: 5V/1.0A

Output: Bulit-in Micro Cable 5V/1.0A

Material: ABS

Color: Black,White

Power: 18.5Wh

Optional: Built-in Micro & Lightning 2 in 1
Cable, Connect with iPhone adaptor or
Type-C adaptor

Power Bank S0501

Specification : 98mm*63mm*14mm

Batteries: Li-Polymer

Capacity :5,000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White, Blue, Green, Pink

Magnetic Wireless: 5 W

Lights: smart 4 LED White Indicators

Weight: 123g



Power Bank S0503



Specification : 140mm*65mm*14mm

Batteries: Li-Polymer

Capacity :5,000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 113g

Power: 18.5W

Power Bank S0506



Specification : 90mm*63mm*12.5mm

Batteries: Li-Polymer

Capacity :5,000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 105g

Power:18.5W

Power Bank S0507



Specification : 129mm*68mm*10.8mm

Batteries: Li-Polymer

Capacity :5,000mAh

Input 1: Micro USB DC 5V-2A

Input 2 : Type-C DC 5V-2A

Output 1 : 5V/2.1A

Output 2 : 5V/2.1A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 116g

Power:18.5W

Power Bank S0509



Specification : 91.5mm*62mm*12.5mm

Batteries: Li-Polymer

Capacity :5,000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 102g

Power:18.5W

Power Bank S0502



COMPATIBLE



Specification : 129mm*67.8mm*8.9mm 93g

Batteries: Li-Polymer

Capacity :5000mAh

Input: 5V/2.0A

Output: Built-in Micro Cable 5V/2.0A


Material: ABS

Color: Black,White

Power: 18.5Wh

Optional: Built-in Micro & Lightning 2 in 1 Cable, Connect with iPhone adaptor or Type-C adaptor

Power Bank S0505



Specification : 133mm*67mm*8.8mm 112g

Batteries: Li-Polymer

Capacity :5000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Lightning Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: Black,White

Power: 18.5Wh

Others: Bulit-in Type-C Cable

Bulitl-in Micro& Lightning Cable

Power Bank S0510



Specification : 104mm*63mm*13mm 111g

Batteries: Li-Polymer

Capacity :5000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Lightning Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Power: 18.5Wh

Others: Bulit-in Type-C Cable

Bulitl-in Micro& Lightning Cable

Power Bank S0515



Specification : 104mm*64mm*12mm 105g

Batteries: Li-Polymer

Capacity :5000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Lightning Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Power: 18.5Wh

Others: Bulit-in Type-C Cable

Bulitl-in Micro& Lightning Cable

Power Bank W1008



Specification : 147mm*74mm*14.2mm 195g

Batteries: Li-Polymer

Capacity :10,000mAh

Input: 5V/2.0A

Output: Bulit-in Micro Cable 5V/2.0A

Material: ABS

Color: Black,White

Power: 37Wh

Optional: Built-in Micro & Lightning 2 in 1 Cable, Connect with iPhone adaptor or Type-C adaptor



Power Bank S1005



Specification : 148mm*70mm*17mm

Batteries: Li-Polymer

Capacity :10,000mAh

Input: Micro & USB-C 5V/2.0A

Output: Built-in 3 Types Cables 5V/2.1A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 229g

Power:37W

Power Bank S1007

High capacity 10000mah power bank



Specification : 139mm*70mm*15mm

Batteries: Li-Polymer

Capacity :10,000mAh

Input: Micro & USB-C 5V/2.0A

Output: DC 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 194g

Power:37W

Power Bank S1009



Specification : 129mm*69mm*16mm 194g

Batteries: Li-Polymer

Capacity :10,000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Type-C Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Power: 18.5Wh

Others: Bulit-in Lightning Cable

Bulitl-in Micro& Lightning Cable

Power Bank S1010



Specification : 140mm*68mm*15mm

Batteries: Li-Polymer

Capacity :10,000mAh

Input: Micro & USB-C 5V/2.0A

Output: DC 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 229g

Power:37W

Power Bank S1015



Specification : 141mm*73mm*14.8mm 210g

Batteries: Li-Polymer
Capacity :10,000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Lightning Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: Black,White

Power: 37Wh

Others: Bulit-in Type-C Cable

Bulitl-in Micro& Lightning Cable

Power Bank S1019



Specification : 139mm*68mm*16mm 199g

Batteries: Li-Polymer

Capacity :10,000mAh

Input: 5V/2.0A

Output1: Micro Cable 5V/2.0A

Output2: Type-C Cable 5V/2.0A

Output3: USB port 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Power: 18.5Wh

Others: Bulit-in Lightning Cable

Bulitl-in Micro& Lightning Cable

W0608

Specification : Diameter 88.2x Thickness 16.8mm

Batteries: Polymer

Capacity : 6000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: Aluminum alloy and ABS

Color: Black, Gray, Red, Golden

Others:

Micro USB input , within micro USB cable

USB-A output

Within lightning or type-C adapter ,support

iOS device or android .

Shake the power bank to see the power status



C5A

Specification : L105mm*W66mm*H13.1mm152g

Batteries: Polymer

Capacity :6000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: Aluminum alloy and ABS

Color: Black,Gray,Red, Golden

Others:

Micro USB input , within micro USB cable

USB-A output

Within lightning or type-C adapter ,support

iOS device or android .

Shake the power bank to see the power status



Q1038

Specification : L106.5mm*W66.8mm*H13.5mm 157g

Batteries: Polymer

Capacity :8000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: Aluminum alloy and ABS

Color: Black,Gray,Red, Golden

Others:

Built in Micro cable,support iPhone/Android
hole for USB-C adaptor +1USBoutput



Fast Charge Power Bank Q1017PD



Specification : L138mm*W69.5mm*H13.1mm225g

Batteries: Polymer

Capacity :10000mAh

Input: 5~12V Max18W

Output1: 5~12V Max18W QC3.0

Output2: 5~12V Max18W PD3.0

Material: Aluminum alloy and ABS

Color: Black,Gray,Red, Golden

Others: USB-C input , within USB-C cable,
Support Samsung, Huawei, Xiaomi fast charge.
Within Lightning Adapter ,support iPhone8/X
fast charge.

USB-A output port supports QC3.0

Show details about Q1017PD



Type-C input

Type-C output



C-L adapter

10,000mAh--20,000mAh POWER BANK

- Hot Models with 2 USB Output Ports

Power Bank S1001



Specification : 131mm*70mm*15.7mm

Batteries: Li-Polymer

Capacity :10,000mAh

Input: Micro & USB-C 5V/2.0A

Output: DC 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 196g

Power:37W

Power Bank S1006



Specification : 133mm*69mm*13.7mm 200g

Batteries: Li--Polymer

Capacity :10,000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White,Pink,Blue

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

Power Bank S1007



Specification : 106.5mm*67.5mm*26mm

Batteries: Li-Polymer

Capacity :10,000mAh

Input: Micro & USB-C 5V/2.0A

Output: DC 5V/2A

Material: ABS

Color: White/Black(OEM other colors)

Lights: Smart 4 LED White Indicators

Weight: 198g

Power:37W

Power Bank Q1053



Specification : L136mm*W68mm*H15mm 146g

Batteries: Polymer

Capacity :10000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro /TYPE C input

Two USB-A output

Wireless Charge & POWER BANK

- Capacity:8,000mAh--10,000mAh

5W Wireless Power Bank WL0501



Specification : 96mm*63mm*15mm 118g

Batteries: Li--Polymer

Capacity :8,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Wireless Charge Output: 5W

Material: ABS

Color: Black,White

Power:18.5Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL0801



Specification : 135mm*73mm*15mm 183g

Batteries: Li--Polymer

Capacity :8,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:29.6Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL0802



Specification : 135mm*72mm*14.4mm 195g

Batteries: Li--Polymer

Capacity :8,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:29.6Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1001



Specification : 140mm*69mm*19mm 280g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1003



Specification : 137mm*70mm*13mm 206g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1005



Specification : 148mm*70mm*17mm 229g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

10W Wireless Power Bank WL1005 PLUS



Specification : 148mm*70mm*17mm 239g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1006



Specification : 133mm*69mm*13.7mm 200g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1007



Specification : 145mm*70mm*18mm 218g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL1008



Specification : 140mm*67mm*16.5mm 230g

Batteries: Li--Polymer

Capacity :10,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:37Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL2001



Specification : 140mm*69mm*29mm 355g

Batteries: Li--Polymer

Capacity :20,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:64Wh

Others: Micro /TYPE C input

Two USB-A output

5W Wireless Power Bank WL2008



Specification : 140mm*67mm*28.5mm 358g

Batteries: Li--Polymer

Capacity :20,000mAh + 5W Wireless Charger

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Power:74Wh

Others: Micro /TYPE C input

Two USB-A output

Aluminium Alloy PD POWER BANK

PD+QC3.0 Fast Charging Models

PD means USB- Power Delivery (USB PD) is one of the mainstream fast charging protocols . It is a fast charging specification developed by the USB-IF organization.

Below is the Link of PD=Power Delivery detail

<https://www.usb.org/usb-charger-pd>

Fast Charge Power Bank S2006PD



Specification : L137mm*W71mm*H25mm 368g

Batteries: Polymer

Capacity : 20,000mAh

Input: 5-12V Max18W

Output1: 5-12V Max18W QC3.0

Output2: 5-12V Max18W PD3.0

Material: ABS

Color: Black and White

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support Macbook and Nintendo Switch charge

PD18W+QC3.0

Fast Charge Power Bank S1018PD



Specification : L81mm*W60mm*H25mm 177g

Batteries: Polymer

Capacity : 10,000mAh

Input(USB-C): 5-12V Max18W

Output1(USB-C): 5-12V Max18W QC3.0

Output2(USB-A): 5-12V Max22.5W PD3.0

Material: ABS

Color: White and Blue

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support Macbook and Nintendo Switch charge

PD22.5W+QC3.0

Fast Charge Power Bank S2018PD



PD22.5W+QC3.0

Specification : L153mm*W64mm*H26mm 352g

Batteries: Polymer

Capacity : 20,000mAh

Input(USB-C): 5-12V Max18W

Output1(USB-C): 5-12V Max18W QC3.0

Output2(USB-A): 5-12V Max22.5W PD3.0

Material: ABS

Color: Black and White

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support Macbook and Nintendo Switch charge

Fast Charge Power Bank Q1002PD



Specification : L130mm*W67.4mm*H14mm

Batteries: Polymer

Capacity :10000mAh

Input: 5V/2.0A

Output: 5V/2.1A Max

Material: Aluminum alloy

Color: Black, Gray, Red, Golden

Others: USB-C & Micro USB input

Two USB-A output

PD18W+QC3.0

Fast Charge Power Bank Q1011PD



New products
PD 18W

Specification : L133mm*W68mm*H12.5mm 222g

Batteries: Polymer

Capacity : 10000mAh

Input: 5-12V Max18W

Output1: 5-12V Max18W QC3.0

Output2: 5-12V Max18W PD3.0

Material: Aluminum alloy and ABS

Color: Black, Gray, Red, Blue

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung, Huawei, Xiaomi fast charge

Support Macbook and Nintendo Switch charge

Fast Charge Power Bank Q1021PD



New products
PD 18W

Specification : L133mm*W68mm*H12.5mm226g

Batteries: Polymer

Capacity : 10000mAh

Input: 5-12V Max18W

Output1: 5-12V Max18W QC3.0

Output2: 5-12V Max18W PD3.0

Output3: 5V/2.1A

Material: Aluminum alloy and ABS

Color: Black,Gray,Red, Blue

Others: USB-C input/output & micro USB input
QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support Macbook and Nintendo Switch charge

Fast Charge Power Bank Q1027PD



New products
PD 30W

Specification : L142mm*W68mm*H13.4mm235g

Batteries: Polymer

Capacity : 10000mAh

Input(USB-C) : 5-20V Max40W

(Micro-USB) : 5-12V Max18W

Output1: 5-20V Max30W

Output2: 5-20V Max18W

Material: Aluminum alloy and ABS

Color: Black, Red, Blue

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support laptop and Nintendo Switch charge

Fast Charge Power Bank Q1037PD



New products
PD 45W

Specification : L142mm*W68mm*H13.4mm355g

Batteries: Polymer

Capacity : 15000mAh

Input(USB-C) : 5-20V Max45W

(Micro-USB) : 5-12V Max18W

Output1: 5-20V Max45W

Output2: 5-20V Max18W

Material: Aluminum alloy and ABS

Color: Black, Red, Blue

Others: USB-C input/output

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support laptop and Nintendo Switch charge

Fast Charge Power Bank Q1032PD

Specification : L142mm*W70mm*H19.5mm332g

Batteries: Polymer

Capacity : 15000mAh

Input(USB-C) : 5-20V Max45W

(Micro-USB) : 5-12V Max18W

Output1: 5-20V Max45W PD3.0

Output2: 5-12V Max18W QC3.0

Output3: 5V/2.1A Max

Material: Aluminum alloy and ABS

Color: Black, Red, Blue

Others: USB-C input/output & micro USB input

QC3.0 fast charge

Support iPhone8/X fast charge

Support Samsung,Huawei,Xiaomi fast charge

Support laptop and Nintendo Switch charge



New products
PD 45W

PD20000 (65W Input/Output)



PD 65W

Specification : L171mm*W79mm*H23mm567g

Batteries: Lithium Battery

Capacity : 20000mAh

Input(USB-C) : 5-20V Max65W

Output1: 5-20V Max65W PD2.0

Output2: 5-12V Max18W QC3.0

Material: Aluminum alloy and ABS

Color: Black, Gray

Others: USB-C input/output

Support iPhone8/X fast charge.

Support Samsung,Huawei,Xiaomi fast charge.

Support laptop and Nintendo Switch charge.

Notebook's good partner. Output is 83W(Max).

China's largest sales of mobile power.

PD20000 (65W Input/100W Output)



PD 100W

Specification : L171mm*W79mm*H23mm567g

Batteries: Lithium Battery

Capacity : 20000mAh

Input(USB-C) : 5-20V Max65W

Output1: 5-20V Max100W PD2.0

Output2: 5-12V Max18W QC3.0

Material: Aluminum alloy and ABS

Color: Black, Gray

Others: USB-C input/output

Support iPhone8/X fast charge.

Support Samsung,Huawei,Xiaomi fast charge.

Support laptop and Nintendo Switch charge.

Notebook's good partner. Output is 118W(Max).

China's largest sales of mobile power.

10K-20K-30K MAH Serials

- 10,000mAh Power Bank
- 20,000mAh Power Bank
- 30,000mAh Power Bank

Power Bank Q1033C



Specification : L89mm*W63mm*H22mm 180g

Batteries: Polymer

Capacity :10000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro input

Two USB-A output

Digital Display

Power Bank Q1033A



Specification : L89mm*W63mm*H22mm

Batteries: Polymer

Capacity :10000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro input

Two USB-A output

Power Bank Q1033B



New products

Specification : L89mm*W63mm*H22mm 187g

Batteries: Polymer

Capacity :10000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro input

Two USB-A output

Digital Display

Power Bank Q1035A



Specification : L134mm*W68mm*H27mm 410g

Batteries: Polymer

Capacity :20000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro input

Two USB-A output

Power Bank Q1035B



Specification : L134mm*W68mm*H27mm 410g

Batteries: Polymer

Capacity :20000mAh

Input: 5V/2.0A

Output: 5V/2.1A

Material: ABS

Color: Black,White

Others: Micro input


Two USB-A output

Digital Display

Packing box



Packing box



Packing box



Packing box



Packing box



Packing box



QUANHAN

Shenzhen Xinquanhan Technology Co., Ltd

2-5F B/Building , Gushu Xiaweyuan Industrial Park, Xixiang, Baoan District,
Shenzhen City, Guangdong Province, China

Tel: +86-13711948288

Email: karen@biviw.com

WWW.SZQUANHAN.COM

合作品牌商

