

Langfang Saiyi Metal Products Co.,Ltd

Add:East Xiaowu Farm,Wen'an County, Langfang,Hebei
Province.CN

[Https://pengfeispring.en.alibaba.com](https://pengfeispring.en.alibaba.com)

Danny Liu:+86 13127306952

Jack Lv : +86 18633768291



CATALOG

COMPANY PROFILE

Langfang Saiyi Metal Products Co., Ltd. is a large-scale, modern and international comprehensive private enterprise integrating R&D, production and sales of metal products. The company covers the area of 10,000 square meters, equipped with more than 35 sets of production equipment and employing nearly 100 staff members.

The company specializes in a full range of TV bracket products, including fixed TV brackets, adjustable TV brackets, telescopic adjustable TV brackets, articulating arm TV brackets, ceiling TV brackets, desktop stands and floor carts. Its products are exported to more than 50 countries around the world.

Over the years, the company has always taken product quality and customer satisfaction as its core priorities. It continuously introduces advanced equipment from home and abroad, optimizes production processes, strengthens technological innovation capabilities, and strives for excellence in product quality. Guided by the philosophy of Survive by quality, develop by reputation , the company strictly implements the ISO9001 and TS16949 quality management systems, establishing an excellent reputation and high brand recognition in both domestic and international markets.


Soaring afar with utmost sincerity and trustworthiness, The company will continue to deepen its presence in the metal products industry, continuously enhance its R&D and manufacturing capabilities, and provide higher-quality products and more professional services to achieve win-win development with global partners.






**Hot
sale**

■ KM-202B



■ KM-L580



■ KM-L570




TELESCOPIC MOUNTS-伸缩款支架

■ KM-L200




- 1.TV size: 10"-42"
- 2.Load capacity: 30kg
- 3.Distance from the wall: 55-400mm
- 4.Angle of left and right rotation: $\pm 90^\circ$
- 5.VESA: 100*100-200*200mm

■ KM-L400




- 1.TV size: 32"-55"
- 2.Load capacity: 30kg
- 3.Distance from the wall 55-400mm
- 4.Angle of left and right rotation $\pm 90^\circ$
- 5.VESA: 200*200~400*400mm

■ KM-S400




- 1.TV size: 32"-55"
- 2.Tilt up and down: $-5^\circ \sim +8^\circ$
- 3.Load capacity: 30kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation $\pm 90^\circ$
- 6.VESA: 200*200~400*400mm

■ KM-400




- 1.TV size: 32"-55"
- 2.Tilt up and down: 15°
- 3.Load capacity: 25kg
- 4.Distance from the wall 60-390mm
- 5.Angle of left and right rotation $\pm 90^\circ$
- 6.VESA: 200*200~400*400mm

■ KM-200



- 1.TV size: 10"-42"
- 2.Tilt up and down: $-5^\circ \sim +15^\circ$
- 3.Load capacity: 25kg
- 4.Distance from the wall: 60-390mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 100*100-200*200mm

■ KM-117B




- 1.TV size: 10"-42"
- 2.Tilt up and down: $-5^\circ \sim +8^\circ$
- 3.Load capacity: 20kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 100*100-200*200mm

■ KM-117B2



- 1.TV size: 32"-55"
- 2.Tilt up and down: $-5^\circ \sim +8^\circ$
- 3.Load capacity: 20kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation $\pm 90^\circ$
- 6.VESA: 200*200~400*400mm


■ KM-305B



- 1.TV size: 10"-43"
- 2.Tilt up and down: $-5^\circ \sim +15^\circ$
- 3.Load capacity: 15kg
- 4.Distance from the wall: 60-390mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 200*200~400*400mm


TELESCOPIC MOUNTS-伸缩款支架

KM-303A



- 1.TV size: 14"-42"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 15kg
- 4.Distance from the wall :60-330mm
- 5.Angle of left and right rotation: ±90°
- 6.VESA:100*100-200*200mm

KM-304A




- 1.TV size: 14"-42"
- 2.Tilt up and down: -5°/+15°
- 3.Load capacity: 15kg
- 4.Distance from the wall :60-330mm
- 5.Angle of left and right rotation: ±90°
- 6.VESA:100*100-200*200mm

KM-303



- 1.TV size: 14"-42"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 15kg
- 4.Distance from the wall :60-250mm
- 5.Angle of left and right rotation: ±90°
- 6.VESA:100*100-200*200mm

KM-304




- 1.TV size: 14"-42"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 15kg
- 4.Distance from the wall :60-250mm
- 5.Angle of left and right rotation: ±90°
- 6.VESA: 100*100~200*200mm

KM-767




- 1.TV size: 40"-75"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 40kg
- 4.Angle of left and right rotation: ±90°
- 5.VESA: 200*200~600*400mm

KM-L570



- 1.TV size: 32"-65"
- 2.Tilt up and down: -3~10°
- 3.Load capacity: 40kg
- 4.Distance from the wall:55-450mm
- 5.Angle of left and right rotation: ±45°
- 6.VESA: 200*200~400*400mm

KM-L580



- 1.TV size: 32"-80"
- 2.Tilt up and down: -3~10°
- 3.Load capacity: 40kg
- 4.Distance from the wall:55-450mm
- 5.Angle of left and right rotation: ±45°
- 6.VESA: 200*200~600*400mm


KM-201A



- 1.TV size: 26"-55"
- 2.Tilt up and down: ±15°
- 3.Load capacity: 40kg
- 4.Distance from the wall:110-450mm
- 5.Angle of left and right rotation: ±60°
- 6.VESA: : 200*200-400*400mm


TELESCOPIC MOUNTS-伸缩款支架

KM-202B




- 1.TV size: 26"-55"
- 2.Tilt up and down: ±15°
- 3.Load capacity: 40kg
- 4.Distance from the wall:110-450mm
- 5.Angle of left and right rotation: ±60°
- 6.VESA: 200*200~400*400mm

KM-202



- 1.TV size: 32"-75"
- 2.Tilt up and down: ±15°
- 3.Load capacity: 40kg
- 4.Distance from the wall:110-450mm
- 5.Angle of left and right rotation: ±60°
- 6.VESA:200*200~600*400mm

KM-305



- 1.TV size: 10"-42"
- 2.Tilt up and down: -5°/+15°
- 3.Load capacity: 15kg
- 4.Distance from the wall:80-170mm
- 5.Angle of left and right rotation: ±90°
- 6.VESA: 100*100-200*200mm

KM-202A



- 1.TV size: 32"-75"
- 2.Tilt up and down: ±15°
- 3.Load capacity: 40kg
- 4.Distance from the wall:110-450mm
- 5.Angle of left and right rotation: ±60°
- 6.VESA:200*200~600*400mm

KM-P5



- 1.TV size: 40"-60"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 36.5kg
- 4.Angle of left and right rotation: ±90°
- 5.VESA: 200*200~400*400mm

KM-P60



- 1.TV size: 40"-75"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 40kg
- 4.Angle of left and right rotation: ±90°
- 5.VESA: 200*200~600*400mm

KM-P65



- 1.TV size: 40"-85"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 61.5kg
- 4.Angle of left and right rotation: ±90°
- 5.VESA: 200*200~600*400mm

KM-757



- 1.TV size: 40"-70"
- 2.Tilt up and down: -5°/+8°
- 3.Load capacity: 36.5kg
- 4.Angle of left and right rotation: ±90°
- 5.VESA: 200*200~400*400mm

TELESCOPIC MOUNTS-伸缩款支架

KM-G1



- 1.TV size: 50"-100"
- 2.Load capacity: 100kg
- 3.Angle of left and right rotation: $\pm 60^\circ$
- 4.VESA: 400*400-870*630mm

KM-G2




- 1.TV size: 75"-100"
- 2.Load capacity: 100kg
- 3.Angle of left and right rotation: $\pm 60^\circ$
- 4.MAX VESA: 870*630mm

KM-G3



- 1.TV size: 75"-120"
- 2.Load capacity: 150kg
- 3.Angle of left and right rotation: $\pm 60^\circ$
- 4.VESA: 600*600-970*630mm

KM-814



- 1.TV size: 26"-55"
- 2.Tilt up and down: $\pm 15^\circ$
- 3.Load capacity: 20kg
- 4.Distance from the wall: 110-450mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 200*200-400*400mm

KM-X100



- 1.TV size: 10"-26"
- 2.Tilt up and down: $\pm 15^\circ$
- 3.Load capacity: 10kg
- 4.Angle of left and right rotation: $\pm 90^\circ$
- 5.VESA: 75*75-100*100mm

KM-X100A



- 1.TV size: 10"-26"
- 2.Tilt up and down: $\pm 15^\circ$
- 3.Load capacity: 10kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 75*75-100*100mm

KM-X100B



- 1.TV size: 10"-26"
- 2.Tilt up and down: $\pm 15^\circ$
- 3.Load capacity: 10kg
- 4.Distance from the wall: 80-170mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 75*75-100*100mm

KM-014



- 1.TV size: 14"-24"
- 2.Tilt: up&down 180°, left&right 180°
- 3.Load capacity: 10kg
- 4.Distance from the wall: 95mm
- 5.VESA: 75*75mm, 100*100mm

TELESCOPIC MOUNTS-伸缩款支架

KM-P4 NEW



- 1.TV size: 32"-60"
- 2.Tilt up and down: $-5^\circ/+8^\circ$
- 3.Load capacity: 31.5kg
- 4.Angle of left and right rotation: $\pm 90^\circ$
- 5.VESA: 100*100~400*400mm
- 6.Distance from the wall :55-400mm

KM-117B-2(old)



- 1.TV size: 32"-55"
- 2.Tilt up and down: $-5^\circ/+8^\circ$
- 3.Load capacity: 20kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation $\pm 90^\circ$
- 6.VESA: 200*200-400*400mm

KM-117B(old)



- 1.TV size: 10"-42"
- 2.Tilt up and down: $-5^\circ/+8^\circ$
- 3.Load capacity: 20kg
- 4.Distance from the wall: 80-390mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.VESA: 75*75-200*200mm

KM-P4



- 1.TV size: 32"-60"
- 2.Tilt up and down: $-5^\circ/+8^\circ$
- 3.Load capacity: 31.5kg
- 4.Angle of left and right rotation: $\pm 90^\circ$
- 5.VESA: 200*200-400*400mm
- 6.Distance from the wall :55-499mm

KM-X2



- 1.TV size: 55"-90"
- 2.Load capacity: 70kg
- 3.Angle of left and right rotation: $\pm 90^\circ$
- 4.MAX VESA: 200*200-600*600mm

KM-X3




- 1.TV size: 55"-100"
- 2.Load capacity: 120kg
- 3.Angle of left and right rotation: $\pm 90^\circ$
- 4. VESA: 200*200-800*600mm

KM-814(weld)




- 1.TV size: 26"-55"
- 2.Tilt up and down: $\pm 15^\circ$
- 3.Load capacity: 25kg
- 4.Distance from the wall: 110-450mm
- 5.Angle of left and right rotation: $\pm 90^\circ$
- 6.MAX VESA: 200*200-400*400mm




TILETED MOUNTS-可调节支架

KM-001



- 1.TV size: 14"-42"
- 2.Tilt up and down: -5°~+15°
- 3.Load capacity: 35kg
- 4.VESA:100*100mm-200*200mm
- 5.TV to wall: 55mm

KM-002



- 1.TV size: 26"-55"
- 2.Tilt up and down: -5°~+15°
- 3.Load capacity: 35kg
- 4.VESA:200*200mm - 400*400mm
- 5.TV to wall: 55mm

KM-003




- 1.TV size: 32"-55"
- 2.Tilt up and down: -15°~+15°
- 3.Load capacity: 45kg
- 4.VESA:200*200mm-400*400mm

KM-004




- 1.TV size: 40"-80"
- 2.Tilt up and down: -15°~+15°
- 3.Load capacity: 45kg
- 4.VESA:200*200mm-600*400mm

KM-008




- 1.TV size: 40"-80"
- 2.Tilt up and down: -15°~+15°
- 3.Load capacity:40kg
- 4.VESA:200*200mm-600*400mm

KM-35




- 1.TV size: 14"-42"
- 2.VESA:75*75mm~200 * 200mm
- 3.Tilt angle:-15°/ + 15 °
- 4.Load capacity: 30kg

KM-805



- 1.TV size: 32"-55"
- 2.VESA:200*200mm-400 * 400mm
- 3.Distance from the wall: 63mm
- 4.Load capacity: 40kg
- 5.Tilt up and down: -15°~+15°


KM-808




- 1.TV size: 32"-80"
- 2.VESA:200*200mm-600 * 400mm
- 3.Distance from the wall: 40mm
- 4.Load capacity: 40kg
- 5.4.Tilt up and down: ±15°

**Hot
sale**

KM-008



KM-010C



KM-003




TILTED MOUNTS-可调节支架

KM-007



- 1.TV size: 14"-42"
- 2.VESA:75*75mm-200 * 200mm
- 3.Tilt angle:0/ + 15 °
- 4.Load capacity: 30kg

KM-010C



- 1.TV size: 32"-55"
- 2.VESA:200*200mm-400 * 400mm within
- 3.Distance from the wall: 63mm
- 4.Load capacity: 40kg
- 5.Tilt up and down: -5°~+15°

KM-011C




- 1.TV size: 40"-80"
- 2.VESA:200*200mm-600 400mm
- 3.Load capacity: 40kg
- 4.Tilt up and down: -5°~+15°

KM-22T




- 1.TV size: 14"-42"
- 2.MAX VESA:75*75mm~200 * 200mm
- 3.Tilt angle:-15°/ + 15 °
- 4.Load capacity: 30kg

KM-44T



- 1.TV size: 32"-55"
- 2.VESA:200*200mm-400 * 400mm
- 3.Distance from the wall: 63mm
- 4.Load capacity: 40kg
- 5.Tilt up and down: -15°~+15°

KM-64T



- 1.TV size: 40"-80"
- 2.MAX VESA:200*200mm-600*400mm
- 3.Tilt angle:-15°/ + 15 °
- 4.Load capacity: 40kg

KM-C2-T



- 1.TV size: 32"-65"
- 2.Load capacity: 35kg
- 3.VESA:200*200mm - 400*400mm
- 4.Tilt up and down: 0°~+12°

KM-C3-T



- 1.TV size: 40"-75"
- 2.Load capacity: 50kg
- 3.VESA:200*200mm - 600*400mm
- 4.Tilt up and down: 0°~+12°

KM-003-B



- 1.TV size: 32"-70"
- 2.Tilt up and down: -5° ~ +15°
- 3.Load capacity: 40kgs
- 4.VESA:200*200mm-600mm*400mm (WxH)

KM-006



- 1.TV size: 32"-65"
- 2.Tilt up and down: -15°~+15°
- 3.Load capacity:40kgs
- 4.VESA:200*200mm-600mm*400mm(WxH)






**Hot
sale**


KM-004A



KM-010




KM-011



FIXED MOUNTS-固定款支架

KM-003A



- 1.TV size: 32"-55"
- 2.Load capacity: 45kg
- 3.VESA:200*200mm-400mm*400mm

KM-003B



- 1.TV size: 32"-55"
- 2.Load capacity: 45kg
- 3.VESA:200*200mm-400mm*400mm

KM-004A




- 1.TV size: 40"-80"
- 2.Load capacity:45kg
- 3.VESA:200*200mm-600mm*400mm

KM-004B




- 1.TV size: 40-80"
- 2.Load capacity: 45kg
- 3.VESA:200*200mm-600mm*400mm

KM-601




- 1.TV size: 14"-42"
- 2.VESA: 75 * 75 mm - 200*200mm
- 3.Load capacity: 25kg

KM-601B




- 1.TV size: 14"-42"
- 2.VESA: 75 * 75 mm - 200*200mm
- 3.Load capacity: 25kg

KM-010



- 1.TV size: 26"-55"
- 2.VESA 100 * 100-400 * 400mm
- 3.Distance from the wall: 25mm
- 4.Load capacity: 40kg


KM-011



- 1.TV size: 32"-80"
- 2.VESA:200*200mm-600 * 400mm within
- 3.Distance from the wall: 35mm
- 4.Load capacity: 80kg


FIXED MOUNTS-固定款支架

KM-011B



- 1.TV size: 40"-85"
- 2.VESA:200*200mm-600 * 500mm within
- 3.Distance from the wall: 35mm
- 4.Load capacity:40kg

KM-22F



- 1.TV size: 14"-42"
- 2.MAX VESA:75*75mm~200 * 200mm
- 3.Tilt angle:-15°/ + 15 °
- 4.Load capacity: 30kg

KM-44F



- 1.TV size: 32"-55"
- 2.VESA:200*200mm-400 * 400mm
- 3.Distance from the wall: 63mm
- 4.Load capacity: 40kg

KM-64F



- 1.TV size: 40"-80"
- 2.MAX VESA:200*200mm-600*400mm
- 3.Tilt angle:-15°/ + 15 °
- 4.Load capacity: 40kg

C3-F




- 1.TV size: 40"-80"
- 2.Load capacity: 35kg
- 3.VESA:200*200mm - 600*400mm
- 4.TV to wall: 55mm

D2-F




- 1.TV size: 26"-55"
- 2.Load capacity: 30kg
- 3.VESA:200*200mm - 400*400mm
- 4.TV to wall: 55mm

KM-900



- 1.TV size: 60"-100"
- 2.Max VESA:400*400mm-900 * 600mm
- 3.Distance from the wall: 40mm
- 4.Load capacity: 100kg

KM-908



- 1.TV size: 60"-100"
- 2.Max VESA:200*200mm-900 * 600mm
- 3.Load capacity: 100kg



KM-502M



- 1.Scope of application:speakers
- 2.Adjustable height: 950mm-1750mm
- 3.Load capacity: 50kg



DESKTOP MOUNTS-桌面支架

KM-T1



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

KM-T1B



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

KM-T2




1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

KM-T2B



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

KM-T4



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-T4B



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-M2



KM-M1



KM-605



KM-T0B



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

KM-T0



1. TV size :10" -27"
2. Applicable hole spacing: 50*50/75*75/100*100mm
3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm

**Hot
sale**

DESKTOP MOUNTS-桌面支架

KM-T3




- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-T3B



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-T2C



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-2D



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-3D



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:800mm

KM-M1



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°

KM-M2



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°

KM-M2B



- 1. TV size :10" -27"
- 2. Applicable hole spacing: 50*50/75*75/100*100mm
- 3. Maximum bearing capacity: 9kg
- 4.DIP Angle:±90°
- 5.Rotation Angle:360°
- 6.Height Adjustment:400mm


DESKTOP MOUNTS-桌面支架

KM-01



- 1.TV size: 14"-42"
- 2.Max VESA(length): 400mm
- 3.Angle: -10 °
- 4.Load capacity: 40kg

KM-02



- 1.TV size: 32"-75"
- 2.Max VESA(length): 400mm
- 3.Angle: -10 °
- 4.Load capacity: 40kg

KM-605



- 1.TV size: 26"-40"
- 2.VESA: 200 * 200-400 * 300mm
- 3.Shrinkage size: 240-360mm
- 4.Load capacity: 35kg

KM-606



- 1.TV size: 32"-55"
- 2.VESA: 200 * 200-600 * 400mm
- 3.Shrinkage size: 550-600mm
- 4.Load capacity: 35kg

KM-607



- 1.TV size: 32"-70"
- 2.Max VESA: 600* 400mm
- 3.Load capacity: 40kg

KM-605B



- 1.TV size: 26"-55"
- 2.VESA: 200 * 200-400 * 300mm
- 3.Shrinkage size: 240-360mm
- 4.Load capacity: 35kg
- 5.Rotation Angle:120°




TV CART-推车款支架

KM-Y602



- 1.TV size: 32"-55"
- 2.MAX VESA: 400 * 400mm
- 3.Load capacity: 30kg
- 4.Two-section link
- 5.Height adjustment:1050mm-1350mm

KM-1500



- 1.TV size: 32"-65"
- 2.MAX VESA: 600 * 400mm
- 3.Angle: plus or minus 15 °
- 4.Load capacity: 50kg
- 5.Height adjustment:1300mm-1480mm

KM-1500B



- 1.TV size: 32"-65"
- 2.MAX VESA: 600 * 400mm
- 3.Angle: plus or minus 15 °
- 4.Load capacity: 50kg
- 5.Two-section link
- 6.Height adjustment:1300mm-1480mm

KM-1500XZ



- 1.TV size: 32"-63"
- 2.MAX VESA: 400 * 400mm
- 3.Rotating: 90 °
- 4.Load capacity: 50kg
- 5.Height adjustment:1300mm-1480mm

KM-1700



- 1.TV Size:40"-75"
- 2.MAX VESA: 600*400mm
- 3.Load capacity: 50kg
- 4.Height adjustment:1300mm-1500mm

KM-1800



- 1.TV size: 42"~100"
- 2.Max VESA:900*600mm
- 3.Load capacity: 200kg
- 4.Overall height: 1800mm

KM-B2



- 1.TV size: 14"-43"
- 2.MAX VESA:200 * 200mm
- 3.Pallet size :22.4x17.6x3cm
- 4.Load capacity: 15kg
- 5.Base dia 40cm
- 6.PITCH ANGLE 15UP/30 DOWN

KM-B1



- 1.Material: SPCC STEEL+MDF wood
- 2.Screen Size:14"-42"
- 3.Max. Loading: 30kg
- 4.Swivel left/right: ±25°
- 5.Rotation Angle:360°
- 6.VESA: 75x75-200x200mm
- 7.Color:white.
- 8.Height :1180mm

TV CART-推车款支架

KM-2100




- 1.TV size: 60"~120"
- 2.Max VESA:1200*650mm
- 3.Load capacity:200kg
- 4.Height adjustment:1700mm-2100mm

KM-AVA1500




- 1.TV size: 32"-75"
- 2.MAX VESA: 600 * 400mm
- 3.Load capacity: 50kg
- 4.Height adjustment:1100mm-1600mm

KM-AVA1800



- 1.TV size: 40"~80"
- 2.Max VESA:800*500mm
- 3.Load capacity:90kg
- 4.Height adjustment: 1350mm-1650mm

KM-TR42




- 1.TV size: 42"-86"
- 2.MAX VESA:900 * 600mm
- 3.Gross weight:23.5 kg
- 4.Load capacity: 100kg
- 5.Height adjustment:1370mm-1650mm

KM-TR43



- 1.TV size: 55"-120"
- 2.MAX VESA:1100 * 600mm
- 3.Load capacity: 100kg
- 4.Height adjustment:1370mm-1650mm


KM-T100



- 1.TV size: 42"~86"
- 2.Max VESA:900*600mm
- 3.Load capacity: 150kg
- 4.Height adjustment: 1250mm-1550mm

TV CART-推车款支架

KM-1600



- 1.TV size: 32"-55"
- 2.MAX VESA:400 * 400mm
- 3.Load capacity: 50kg
- 4.Rotation:90°
- 5.Color:black/white
- 6.Height adjustment:1040mm-1200mm

KM-1600B



- 1.Material: SPCC STEEL+MDF wood
- 2.Screen Size: 26-65"
- 3.Max. Loading: 40kg
- 4.Swivel left/right: ±25°
- 5.VESA:100x100-600x400mm
- 6.Color:black/white
- 7.Height adjustment:1090mm-1270mm

KM-1500C



- 1.TV size: 14"-42"
- 2.MAX VESA:400 * 400mm
- 3.Load capacity: 21kg

KM-SY1600



- 1.Material: SPCC STEEL+MDF wood
- 2.Screen Size: 26-65"
- 3.Max. Loading: 40kg
- 4.Swivel left/right: ±25°
- 5.VESA: 100x100-600x400mm
- 6.Color: black/white
- 7.Height adjustment:1090mm-1270mm

KM-XZ1600




- 1.Material: SPCC STEEL+MDF wood
- 2.Screen Size: 26-65"
- 3.Max. Loading: 40kg
- 4.Swivel up/down: 90°
- 5.VESA: 100x100-600x400mm
- 6.Color: black/white.
- 7.Height adjustment:1090mm-1270mm



CEILING MOUNTS-吊架款支架

KM-510



- 1.TV size: 14"-42"
- 2.VESA: 75 * 75-200 * 200mm
- 3.Adjustable height: 600mm-1050mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 40kg
- 6.Tilt: 45 °

KM-512



- 1.TV size: 32"-55"
- 2.VESA: 100* 100-400 * 400mm
- 3.Adjustable height: 650mm-920mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 35kg
- 6.Tilt: 90°

KM-512B



- 1.TV size: 26"-60"
- 2.VESA: 100* 100-400 * 400mm
- 3.Adjustable height: 500mm-830mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 40kg
- 6.Angle: +5 ~-45°

KM-511



- 1.TV size: 32"-55"
- 2.VESA: 100* 100-400 * 400mm
- 3.Adjustable height: 650mm-920mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 35kg
- 6.Tilt: 90°

KM-513



- 1.TV size: 32"-70"
- 2.VESA: 100* 100-600 * 400mm
- 3.Adjustable height: 650mm-920mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 35kg
- 6.Tilt: 90°

KM-514



- 1.TV size: 40"-70"
- 2.VESA: 100* 100-600 * 400mm
- 3.Adjustable height: 600mm-1050mm
- 4.Plane rotation Angle is adjustable: 360 °
- 5.Load capacity: 40kg
- 6.Tilt: 90°

KM-560



KM-511



KM-512B



**Hot
sale**

CEILING MOUNTS-吊架款支架

KM-560



- 1.TV size: 32"-75"
- 2.VESA: 100 * 100-600 * 400mm
- 3.Angle: ±15 °
- 4.Plane rotation Angle is adjustable: 130°
- 5.Load capacity: 40kg



KM-Y1



- 1.Foldable or not:Foldable
- 2.Material:Cold rolled steel
- 3.Basic Dimensions (L x W):18.9" □ 22.6" / 48 □ 57.5 cm
- 4.Wheel Stand Dimensions (L x W):16.5" □ 5.9" / 42 □ 15 cm
- 5.Shifter Mount Dimensions (L x W):6.3" □ 4.7" / 16 □ 12 cm
- 6.Folded Dimensions (L x W x H):18.9" □ 30.3" □ 7.5" / 48 □ 77 □ 19 cm
- 7.Dimensions (L * W * H):20.5 □ 5.9 □ 9.5 inches / 52 □ 15 □ 24 cm




ELECTRIC LIFT TABLE 电动升降桌

D-1SU2-2



- 1.Tube Size: Outer tube80*50 T=1.5
Inter tube75*45 T=1.5
- 2.Footset size: 575*70*20mm
- 3.shelf board length: 475mm
- 4.Loading capacity: 80kg
- 5.Running speed: 25-36mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 720-1210mm
- 8.Extension range: 830-1300mm
- 9.Motor: Single motor
- 10.Control system:
Manual integrated controller

D-2SU2-1



- 1.Tube Size: Outer tube65*45 T=1.5
Inter tube60*40 T=1.5
- 2.Footset size: 570*60*20mm
- 3.shelf board length: 470mm
- 4.Loading capacity: 80kg
- 5.Running speed: 20-25mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 720-1210mm
- 8.Extension range: 900-1300mm
- 9.Motor: Single motor
- 10.Control system:
Manual integrated controller

D-2DU2-2



- 1.Tube Size: Outer tube80*50 T=1.5
Inter tube75*45 T=1.5
- 2.Footset size: 580*70*20mm
- 3.shelf board length: 575mm
- 4.Loading capacity: 100kg
- 5.Running speed: 30-36mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 720-1210mm
- 8.Extension range: 990-1600mm
- 9.Motor: Dual motor
- 10.Control system:
Manual integrated controller

D-2DU2-2



- 1.Tube Size: Outer tube80*50 T=1.5
Inter tube75*45 T=1.5
- 2.Footset size: 580*70*20mm
- 3.shelf board length: 575mm
- 4.Loading capacity: 100kg
- 5.Running speed: 30-36mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 720-1210mm
- 8.Extension range: 990-1600mm
- 9.Motor: Dual motor
- 10.Control system:
Manual integrated controller

D-3DU3



- 1.Tube Size: Outer tube80*50 T=1.5
Middle tube75*45 T=1.5
Inter tube70*40 T=1.5
- 2.Footset size: 580*70*20mm
- 3.shelf board length: 575mm
- 4.Loading capacity: 100kg
- 5.Running speed: 30-36mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 620-1270mm
- 8.Extension range: 1000-1600mm
- 9.Motor: Dual motor
- 10.Control system:
Manual integrated controller

D-3DU3



- 1.Tube Size: Outer tube80*50 T=1.5
Middle tube75*45 T=1.5
Inter tube70*40 T=1.5
- 2.Footset size: 580*70*20mm
- 3.shelf board length: 575mm
- 4.Loading capacity: 100kg
- 5.Running speed: 30-36mm/s
- 6.Output voltage: 24V
- 7.Height adjustable: 620-1270mm
- 8.Extension range: 1000-1600mm
- 9.Motor: Dual motor
- 10.Control system:
Manual integrated controller

Hot
sale

D-2DU2-2



D-3DU3



D-1SU2-2

