



深圳市金西瑞电子有限公司  
SHENZHEN KING-SERRY ELECTRONICS CO.,LTD.

ADD: 5th Floor,Block T,Nanlian Hengyu Science and Tech Park, No.1 Ruiji Road,  
Longgang District, Shenzhen, 518116,China.

## Company introduction

Shenzhen King-Serry Electronics Co.,Ltd has been focusing on Radio and IOT technology and super energy-saving technology with an innovative team composed of engineers professional in software and hardware as well as the structure, thus achieving dozens of Patents, Utility Models and Industrial Designs. In virtue of elites whose commitment to excellence in quality and service, great achievements have been gained, also we are applying for certification of New Hi-tech Enterprises.

We are concerned with not only R&D and production of anti-theft security alarms, wireless welcome doorbell, BT intelligent lock alarm, bike-sharing lock alarm, wireless light switch etc in high quality, but also cost-effective solutions of Bluetooth +GPS+GRPS smart IOT, frequency 433M remote control, electronics dart etc. Service of Customized software and hardware R&D as well as finished product ODM and OEM are available .




ISO9001: 2015

BSCI

Alibaba Web: <https://kingserry.en.alibaba.com>

Web: <http://www.king-serry.com>

Homestay/B&B/hotel project




Wooden House



Glass wall office



Homestay/B&B/hotel project



## Superiorities of Smart Switch



**APP Control**  
WiFi receiver,  
remote control



**Frequency: 433.92 MHz**  
Ultra long wireless range  
Wireless range: 100-600 FT



**Without Wiring**  
Wiring & labor - saving,  
damage-free wall switch



**Lengthen life of lamps**  
Unique Soft-starting  
Patent technology



**Easy operation, Easy installation**  
Install anywhere with  
double-sided taps



**Main ON/OFF Switch**  
Left key controls ON for all lamps  
Right key controls OFF for all ones



**Battery lifespan of switch: 6~10 years**  
Maxcell CR2032



**More secure, higher protection**  
Waterproof rate IP66, battery  
power supply for switch, avoid  
the risk of electric shock



**Super long life of switch**  
Mechanical life : 600K times

Wireless Range: 100~600 FT

**433 MHz Receiver**

Model: SW-R01 433 MHz

### 433MHz Receiver Parameters

- \* Product dimensions: 54x28x24 (mm)
- \* Relay life: 400K times on/off
- \* Frequency: 433 MHz
- \* Wireless range: 100~600FT
- \* Standby power consumption:  $\leq 0.05W$
- \* Working voltage: AC 80~275V
- \* Current: 10A
- \* LED Lamp /CFL Lamp: 1000W
- \* Incandescent lamp: 1800W
- \* Working power consumption:  $\leq 0.8W$
- \* Sensitivity: -116dB
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature:  $-40 \sim +70^{\circ}C$
- \* Warranty: 3 Years

### Program Diagram



Wireless Switch:



Model: SW-R03 WiFi 2.4G&433 MHz

## WiFi Receiver Parameters

- \* Product dimensions: 54x28x24 (mm)
- \* Relay life: 400K times on/off
- \* Frequency: WiFi 2.4G&433 MHz
- \* Wireless range: 100~600 FT
- \* Standby power consumption:  $\leq 1.1W$
- \* Working voltage: AC 80~275V
- \* Current: 10A
- \* LED Lamp /CFL Lamp: 1000W
- \* Incandescent lamp: 1800W
- \* Working power consumption:  $\leq 1.3W$
- \* Sensitivity: -116dB
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature: -40 ~ +70 °C
- \* Warranty: 3 Years

## WiFi Smart Switch Diagram



Wireless Switch



amazon echo



Google Home





APP remote control

Notes: Keep WiFi receiver connected with WiFi at home



## Smart Wireless Receiver Making your home smart



Model: SW-R03


(2.4G WiFi&433M)

- \* Compatible to connect Amazon Echo, Google Home, TmallGenie etc smart devices, turn ON / OFF your appliances through voice - control
- \* Synchronous ON/OFF with APP
- \* Remote control the devices: Control home appliances when in the office
- \* Set timers to turn ON/OFF appliances, like what time to turn on/off
- \* Available to share devices to family members, multi-phones can control devices through app simultaneously



Wireless range: 100~600 FT



433MHz Receiver



Model: SW-R12

### (8~36V) Receiver Parameters

- \* Product Size: 43x 23 x 23 (mm)
- \* Working voltage: DC 8~36V
- \* Working frequency: 433.92 MHz
- \* Wireless range: 100~600 FT
- \* Standby power consumption:  $\leq 0.05$  W
- \* Working power consumption:  $\leq 0.8$  W
- \* Load:  $\leq 5$  A
- \* Sensitivity: -116dB
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Warranty: 3 Years
- \* Working temperature : -40 ~ +70 °c



Note : (Power supply) Can connect DC or AC Power Supply

Wireless Range: 100~600 FT

# Remote Control Light Socket

Model: SW-R04 (433MHz)

## Remote Control Light Socket Program Diagram

- \* Product dimensions: 85x43x 43 (mm)
- \* Relay on/off times: 400K times
- \* Key lifespan: 50K times
- \* Emission frequency: 433.92 MHz
- \* Wireless range: 100~600 FT
- \* Standby power consumption:  $\leq 0.05W$
- \* Working power consumption:  $\leq 0.6W$
- \* Current: 5A
- \* Working voltage: AC 80~275V
- \* Incandescent lamp:  $\leq 800W$
- \* LED/CFL lamp:  $\leq 500W$
- \* Fireproof level: V0
- \* Shell material: Fireproof PC material+UV Resistant
- \* Working temperature:  $-40 \sim +70 \text{ }^{\circ}\text{C}$

## 433MHz Remote Control Light Socket Parameters



NEW

Remote Control Light Socket  
(433M)

E27/E26 Bulb Base Holder

LED lamp



$\leq 500W$

CFL lamp



$\leq 500W$

Incandescent lamp



$\leq 800W$



1 wireless switch controls 1 light socket.



1 wireless switch controls 1 light socket.  
2 wireless switches control 1 light socket.



1 wireless switch controls multiple light sockets.



## Superiorities of Remote Control Light Socket




Load short-circuit protection



Overcurrent Protection



Voltage fluctuation protection



Low temperature rise, doesn't get hot







Anti-surge 3000V



Shell fireproof level: V0

## Application Scenes of Smart Remote Control Light Socket



Model: SW-R04 (WIFI&433M)

## Smart Remote Control Light Socket Program Diagram

- \* Product dimensions: 85x43x 43 (mm)
- \* Relay on/off times: 400K times
- \* Key lifespan: 50K times
- \* Emission frequency: WiFi 2.4G&433 MHz
- \* Wireless range: 433.92 MHz: 100~600FT
- \* Standby power consumption:  $\leq 0.75W$
- \* Working power consumption:  $\leq 1.0W$
- \* Current: 5A
- \* Working voltage: AC 80~275V
- \* Incandescent lamp:  $\leq 800W$
- \* LED/CFL lamp:  $\leq 500W$
- \* Fireproof level: V0
- \* Shell material: Fireproof PC material+UV Resistant
- \* Working temperature:  $-40 \sim +70 \text{ }^{\circ}\text{C}$

## Smart Remote Control Light Socket Parameters

Smart Remote Control Light Socket  
(WIFI 2.4G&433M)



E27/E26 Bulb Base Holder



Wireless Switch



amazon echo



Google Home




APP remote control

Notes: Keep WIFI receiver connected with WIFI at home

Wireless Range: 100~600 FT

Smart Remote Control Light Socket



## Smart Remote Control Light Socket E27/E26 Bulb Base Holder



Model: SW-R04 (WIFI&433M)

- \* Compatible to connect Amazon Echo, Google Home, TmallGenie etc smart devices, turn ON / OFF your appliances through voice - control
- \* Synchronous ON/OFF with APP
- \* Remote control the devices: Control home appliances when in the office
- \* Set timers to turn ON/OFF appliances, like what time to turn on/off
- \* Available to share devices to family members, multi-phones can control devices through app simultaneously



## Superiorities of Wireless Plug




Load short-circuit protection



Overcurrent Protection



Voltage fluctuation protection



Low temperature rise, doesn't get hot




Anti-surge 3000V




Shell fireproof level: V0


## No Power Troubleshooting:




① Plug inserted into socket on one side only



② Spacing between plug and socket greater than 5 mm



③ Insertion process is slow



④ Plug pin width less than 4.35mm

The above four operations will cause power failure, meanwhile the indicator will flash red 3 times. Please reinsert the plug correctly or check the plug.

## Application Scenes of Smart Plug



Wireless Range: 100~600 FT

**Wireless Plug**

Model: SW-R05 (433MHz)

## Wireless Plug Program Diagram

- \* Product dimensions: 52x52x25 (mm)
- \* Working voltage: AC 80~275V
- \* Current: 15A
- \* Load: 1500W Led
- \* Emission frequency: 433.92 MHz

- \* Wireless range: 100~600 FT
- \* Standby power consumption:  $\leq 0.05W$
- \* Working power consumption:  $\leq 0.8W$
- \* Fireproof level: V0
- \* Shell material: Fireproof PC material+UV Resistant
- \* Working temperature:  $-40 \sim +70^{\circ}C$

## 433MHz Wireless Plug Parameters



Desk Lamps, Christmas Lights, Printers, TV, Laptops, Electric Fans...




1 wireless switch controls 1 plug.



2 wireless switches control 1 plug.




One switch panel controls multiple plugs



# Smart Plug

Making your home smart



Model: SW-R05 (WiFi&433M)

- \* Compatible to connect Amazon Echo, Google Home, TmallGenie etc smart devices, turn ON / OFF your appliances through voice - control
- \* Synchronous ON/OFF with APP
- \* Remote control the devices: Control home appliances when in the office
- \* Set timers to turn ON/OFF appliances, like what time to turn on/off
- \* Available to share devices to family members, multi-phones can control devices through app simultaneously



Model: SW-R05 (WiFi&433M)

## Smart Plug Program Diagram

- \* Product dimensions: 52x52x25 (mm)
- \* Working voltage: AC 80~275V
- \* Current: 15A
- \* Load: 1500W Led
- \* Emission frequency: 2.4G WiFi&433.92 MHz
- \* Wireless range: 100~600 FT
- \* Standby power consumption:  $\leq 0.9W$
- \* Working power consumption:  $\leq 1.0W$
- \* Fireproof level: V0
- \* Shell material: Fireproof PC material+ UV Resistant
- \* Working temperature:  $-40 \sim +70 \text{ }^{\circ}C$

## Application Scenes of Smart Plug



Load: 1500W Led

## Smart Plug Parameters



The smart socket only works with 2.4 Ghz network.




Notes: Keep WiFi receiver connected with WiFi at home



Model: SW-K1



Model: SW-K2



Model: SW-K3



Model: SW-K1G



Model: SW-K2G



Model: SW-K3G

## Wireless Switch Parameters



- \* Product dimensions: 86x86x11 mm
- \* Switch panel lifespan: 600K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~600 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature:  $-40 \sim +70 \text{ }^{\circ}\text{C}$
- \* Warranty: 3 Years

# Lighten Your Smart Life

- Focused on Wireless Technology for 16 Years
- Direct from Factory



## Customized printing logo



\* Note: The product depicted in this manual may appear slightly different from what you receive in the box \*

Wireless range: 100~600 FT

## Wireless Switch



Model: SW-NK1



Model: SW-NK2




Model: SW-NK3


### Wireless Switch Parameters


- \* Product dimensions: 86x86x13 mm
- \* Switch panel lifespan: 600K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~600 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature : -40 ~ +70 °c
- \* Warranty: 3 Years

### Smart Switch Program Diagram



### Customized printing logo





Model: SW-SK1

- \* Product dimensions: 75x48x15MM
- \* Switch panel lifespan: 400K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~600 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature:  $-40 \sim +70\text{ }^{\circ}\text{C}$
- \* Warranty: 3 Years



Model: SW-CK1


- \* Product dimensions: 75x43x14MM
- \* Switch panel lifespan: 300K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~300 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature :  $-40 \sim +70\text{ }^{\circ}\text{C}$
- \* Warranty: 3 Years



Model: SW-M3

### Remote Control Switch

- \* Product dimensions: 62x30x12MM
- \* Switch panel lifespan: 200K times
- \* Waterproof: IP44
- \* Quantity of the button: 3 buttons
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 60~160 FT
- \* Working temperature : -40 ~ +70 °C
- \* Warranty: 3 Years



Model: SW-AK1

- \* Product dimensions: 120x72x12(mm)
- \* Switch panel lifespan: 300K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~300 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature : -40 ~ +70 °C
- \* Warranty: 3 Years

### Movable magnetic wireless switch

Press ON Button: All lights open

Press OFF Button: All lights close



Model: SW-CA2


### Wireless Switch Parameters

- \* Product dimensions: 60x60x13 mm
- \* Switch panel lifespan: 300K times
- \* Waterproof: IP66
- \* Working voltage (Battery): Maxell CR2032
- \* Life of battery: 6~10 years
- \* Standby current:  $\leq 0.1\mu\text{A}$
- \* Working frequency: 433.92MHz
- \* Wireless range: 100~300 FT
- \* Material: Fireproof PC
- \* Fireproof level: V0
- \* Working temperature:  $-40 \sim +70 \text{ }^{\circ}\text{C}$
- \* Working humidity:  $-40 \sim +80 \text{ }^{\circ}\text{C}$

---

### ON/OFF Wireless switch

Left key controls ON for all lamps, Right key controls OFF for all ones




Model: SW-A2



Model: SW-A2G



Model: SW-NA2



Model: KS-SF21

## Power Failure Alerter



- \* Dimensions: 59(L)\*72(W)\*50mm(H)
- \* Standby Current :  $\approx 13\mu\text{A}$
- \* Volume:  $\geq 108\text{dB}$
- \* Standby Lifespan of Alkaline Battery: >2 years
- \* Power Supply: 3\*AAA Alkaline Battery or Rechargeable Nickel Metal



Model: KS-DB03

## Long Range Wireless Doorbell


\* Waterproof \* Long range \* Low temperature resistance



- \* Physically simple and elegance.
- \* Ringtone rhythm lamp and loudspeaker which are aesthetically and acoustically pleasant.
- \* Feel extra comfortable when lite up gently at night time.
- \* Batteries life span is ~ 6 to 10 years and rarely for batteries replacement.
- \* IP66 waterproof, low temperature resistance, suitable expose to outdoor rain and snow weather.
- \* Advanced wireless technology, long distance transmission, suitable for grand houses or heavy duty anti-theft doors.
- \* Extra detailing functions: Power-off memory function, privacy button, ultra-low power consumption, pairable wireless sensors.
- \* Workable areas: Private houses, villas, schools, companies, hospitals and etc..

Wireless range: Open space ~400m, 20m~80m indoor with obstacles.

**Wireless Doorbell**



Model: KS-DB04

### Long Range Wireless Doorbell

\* Waterproof \* Long range \* Low temperature resistance



- \* Oval design, elegant and generous.
- \* Easy to select ringtone with the forward and back button.
- \* Loud and melodious ringtone is made over the metal loudspeaker
- \* Up to 3~5 years battery life (10 times per day).
- \* Light-weight push button, can be installed in the mounting bracket or be used as call button with a lanyard (lanyard is optional).
- \* Push button is waterproof, dustproof and low temperature resistant, suitable for outdoor use, no worry rain and snow weather,
- \* Advanced wireless technology, long transmission distance (measured city square 110 meters, river 400 meters), suitable for tall villas or heavy anti-theft doors.
- \* More features: power-off memory, private buttons, low power consumption, can add PIR motion detectors/magnetic sensors.
- \* Application: homes, villas, schools, companies, hospitals and other places, used as wireless doorbells or call reminders.



Model: KS-SF23

### Motion Sensor Alarm / Welcome Doorbell



- \* Welcome/doorbell/alarm/sensor lamp 4in1 multi-function.
- \* 8 chord high definition voices, 6 kinds of welcome songs and 35 doorbell music can be chosen !
- \* Built-in lithium battery and Micro USB charging port, can be last for about 2-4 months by one time full charging.

Model: KS-SF23MP

### Motion Sensor Doorbell With Customized Voice

New functions:



- \* No need plug-in card, built-in U disk, DIY voice or recording, mini USB interface connected to the computer to download.
- \* Support WAV and MP3 formats, 40mm loudspeakers, broadcast warning notes or promotional advertisements or store names, much clearer and louder




Model: KS-SF23S

### Infrared Induction Welcome Doorbell



- \* Welcome/doorbell/alarm/sensor lamp multi-functions.
- \* 8 chord high definition voices, 6 kinds of welcome songs and 35 doorbell music can be selected
- \* Provide either AAA alkaline battery or Micro USB power interface option for power supply plug



Model: KS-SF20


### Motion Sensor Alarm / Chime / Alert




- \* Shop Keeper in day time, anti-thief in the night, welcome / doorbell / alarm / color lights / lighting 5in1 multi-functions.
- \* 8 chord music chip, 40mm big horn, 36 chime melodies, remember your last set melody and volume level once power off.
- \* Remote transmission range up to 280m / 918ft in the open space.
- \* Colorful LED lights, adjustable brightness, use different colors distinguish multiple entrances
- \* 4 stage adjustable volume ( Loud / High / Medium / low from 113-25dB)
- \* Receiver can learn from up to 32 wireless sensors like PIR motion, magnetic or vibration sensor as well as up to 8 remote controllers.
- \* Dual power supply: Alkaline battery + Micro USB

Model: KS-SF20MP

New functions:



- \* No need plug-in card, built-in U disk, DIY voice or recording, mini USB interface connected to the computer to download.
- \* Support WAV and MP3 formats, 40mm loudspeakers, broadcast warning notes or promotional advertisements or store names, much clearer and louder.



Backyard / Front Door



Step/pathway/shopping malls



Model: KS-SF20

## Wireless Welcome Doorbell **PRO** Motion Sensor Alarm / Chime / Alert



Vibration Function



Multiple sounds available



Different Lights & Chimes For Different Areas



Battery + USB Power  
Power Off Memory



280 Metres Long Distance Transmission



40mm Loud Speaker



- \* Enhanced version of the split motion sensor, it is more valuable to buy and more enjoyable to use.
- \* 4 different areas are recognizable by the lighted quadrant on the receiver or by the different ringtone.
- \* Multilingual welcome voices, dog barking, siren alarm, music and other high-definition prompt sounds. A variety of options for a variety of scenes.
- \* Added silent and strong vibration reminder, more privacy and no disturbance.
- \* The 4th version of power-saving technology, reduces the trouble of changing batteries.
- \* Alkaline battery and USB power supply available, power off memory, more convenient.
- \* Flexible use and multi-purpose. Receiver can add up to 32 transmitters like PIR sensor, magnetic sensor and doorbell button etc. And can add up to 8 remotes.
- \* 280m long wireless range in open areas, suitable for larger hours and higher floors. Application suggestion: suitable for all kinds of stores, shopping malls, offices, factories, hotels, high-end clubs, houses, villas etc.

( KS or EV1527 220K Code of smart security system )

Working frequency: 433.92 MHz



### PIR motion sensor

KS-WLS02



- \* PIR motion sensor
- \* High Emission Power & Long Wireless Range
- \* Multi Power Supply: Alkaline or Micro USB
- \* Temperature Compensation
- \* Wide Angle Detection
- \* 360° rotating base



### Magnetic Sensor

KS-WLS07-DM




- \* Magnetic Sensor
- \* High Emission Power&Long Wireless Range
- \* High Compatibility
- \* Mini Size
- \* Power Supply: 1\*AAA battery
- \* Long Standby time
- \* Simple Installation



Model: KS-SF19


### 4in1 on / off type Simple Magnetic Sensor Door Alarm



- \* Super loud alarm, volume up to 110dB;
- \* Durable battery, 3\* LR44 battery for 1 years work (Contain batteries).
- \* Universal design, simply installation and easy to use.
- \* Widely use in door, window, refrigerator door and file cabinet.

Model: KS-SF19UP

### 4in1 button type Simple Magnetic Sensor Door Alarm



- \* 108dB alarm volume.
- \* Work for over 24 months with 2\* AAA batteries.
- \* Universal design, simply installation and easy to use.
- \* Can freely set 4 stages of delayed-time reminder like 2S, 5S, 10S, 20S.
- \* Widely use in door, window, supermarket freezer and file cabinet.

Model: KS-SF03R

### Classic Remote Control Magnetic Sensor Door Alarm



- \* 108dB alarm volume.
- \* 2\*AAA batteries for over 12months continuous work.
- \* Remote controller arm/disarm function, emergence function, doorbell function.
- \* Warmly function: Doorbell, emergence help function.

Model: KS-SF18C

### Remote Control Magnetic Sensor Audible and Visual alarm



- \* 108dB alarm volume.
- \* 2\* AAA batteries for 12months work.
- \* Remote control arm/disarm, don't scare yourself, only scared the thief.



(optional)



Model: KS-SF22R

**Bicycle / Electric tricycle / New energy car Vibration and Displacement Alarm**



- \* Using Triaxial Accelerometer Sensor and special algorithms, more accurate catch the theft, reduce noise interference and other false trigger.
- \* 7 levels adjustable sensitivity, suitable for more application.
- \* 6 kinds bell sound use for searching the bicycle.
- \* 3\* AAA batteries can be standby for 6~10 months.
- \* IP65 waterproof.




(optional)





Model: KS-SF04R

**Remote control vibration Alarm**



- \* 110dB alarm volume.
- \* 2\* AAA batteries for over 12months continuous work.
- \* 10 levels vibration sensitivity can adjust.
- \* Widely use in bicycle or motor.

## Open mailbox reminding




Model: KS-SF30R

### Long-range Split Driveway Alarm PRO



- \* Dual monitoring detection, infrared and radar dual sensing, low false alarm rate; the indicator of detector can be turned off, making it more private.
  - \* Flexible use and multi-purpose. Receiver can add up to 32 transmitters like PIR sensor, magnetic sensor and doorbell button etc. And can add up to 8 remotes.
  - \* 8 chord music chip, loud and melodious ringtone is made over the 40mm big loudspeaker.
  - \* 4 different areas are recognizable by the lighted quadrant on the receiver or by the different ringtone.
  - \* Added silent and strong vibration reminder, more privacy and no disturbance.
  - \* The 4th version of power-saving technology, reduces the trouble of changing batteries.
  - \* Alkaline battery and USB power supply available, power off memory, more convenient.
  - \* 280m long wireless range in open areas, suitable for larger hours and higher floors.
- More applications are waiting for you to explore!





**IP65**  
Weatherproof

Model: KS-SF32R

### Vehicle Anti-theft Alarm PRO



Please charge and activate before use!

- \* Vehicle Anti-theft Alarm PRO, your new bodyguard for bikes and vehicles !
- \* Build in lithium battery, USB-C charge, no replace battery !
- \* The 4th version of power-saving technology, long remote battery life!
- \* 3 Ringtones, long wireless range, easy to find your bike!
- \* Bracket/Zip ties/Double-sided tape 3 installation ways, suitable for various models vehicle!
- \* Car-level 6-segment alarm sound, 110dB loud alarm, effectively deter thief!
- \* Three-dimensional displacement sensor and special algorithms can accurately identify theft and reduce false alarms!
- \* 7 adjustable sensitivity levels from touch to beat, suitable for various occasions!
- \* PC+ anti-UV material, waterproof and dustproof, high and low temperature resistance, not afraid of wind, rain and severe cold and heat!




KS-WL03C (optional) KS-WL09C



Model: KS-SF31

### Bike Alarm Taillight with Turn Signals



Warning light



Brake light



Turn signal



Electric bell



Anti-theft alarm



6 Light modes




Remote control



Waterproof and dustproof



USB chargeable



High & low temperature resistance



WL02C (optional) WL10C

- \* Warning light/Brake light/Turn signal/Electric bell/Anti-theft alarm, 5-in-1 bike taillight - The new bike accessory!
- \* Reminding the other drivers and pedestrians with light and sound warning, effectively protect the safety of vehicle and rider!
- \* Warning light will automatically light up when passing through a tunnel or during the night rides!
- \* Brake light will be highlighted immediately when you brake or slow down!
- \* Press remote control on the handle bar to ring the electric bell and alert the other drivers and pedestrians!
- \* Press right/left turn signal before turning or making a lane change, right/left turn signal turns on clicking sound!
- \* Take off the remote control and arm when parking, deterring thieves effectively by loud alarm sound and blink light, protect your vehicle!
- \* PC+ anti-UV material, waterproof and dustproof, high and low temperature resistance, not afraid of wind, rain and severe cold and heat!
- \* The 4th version of power-saving technology, the host standby time is up to 4-8 months, and the remote control is up to 3-5 years!
- \* A variety of personalized settings make you more comfortable!



Model: KS-SF33R

### Anti-theft Bike Tail Light Alarm



KS-WL03C (optional) KS-WL09C

- \* Taillight/Brake light/Anti-theft alarm/Bike bell 4-in-1 function!
- \* Reminding the surrounding pedestrians and drivers with light and sound warning, effectively protect the safety of the car and the rider!
- \* Warning light will automatically light up when passing through a tunnel or during the night rides!
- \* Brake light will be highlighted immediately when you brake or slow down!
- \* Arming when parking, deterring thieves and protect your car effectively by loud alarm sound and blink light!
- \* PC+ anti-UV material, waterproof and dustproof, high and low temperature resistance, not afraid of wind, rain and severe cold and heat!
- \* The 4th version of power-saving technology, long remote battery life!

# Design and Self-innovation Technology Patent



4 Utility Model Patents



1 Design patent

# Certificates



IC



CE



CQC



PSE



FCC



ROHS