

The park is managed under the coordination of Mr. Wu Yinlong, a returnee entrepreneur from Duchang.The industry encompasses miniature DC, motors, power cords for small appliances, vaporizers, and batterie,personal care appliances and accessories such as housing and eccentric wheels, with 10 existing enterprises in the park.

JIANGXI DUCHANG

CHANGLONG MOTOR

PRODUCT BROCHURES

Company Profile

Prosperity reaches all nine provinces, and dragons soar across the four seas. Jiangxi Changlong Motor Co., Ltd. was established in December 2015 with an investment of 100 million yuan. It is located in Furongshan Industrial Park, Duchang County, in the center of the Golden Triangle of Nanchang, Jiujiang, and Jingdezhen. We currently have a total of 15300 square meters of factory buildings, warehouses, office spaces, living spaces, etc. We have purchased various production equipment such as winding machines, spot welding machines, chassis assembly machines, three in one assembly machines, rubber cover brush insertion machines, double bearing non-magnetic magnetic machines, air compressors, laser marking machines, etc. We specialize in producing micro DC motors suitable for products such as razors, car doors, office communication equipment, household appliances, electric toys, etc., forming an annual production capacity of 80 million micro motors.

The company has strong R&D technical strength, pursues excellence, and is brave in innovation. Currently, it has multiple innovative invention patents and was rated as a national high-tech enterprise in 2019. In December 2019, the "Weitelong" motor produced by Jiangxi Changlong Motor Co., Ltd. was awarded the title of "Jiangxi Famous Brand Product". Since its establishment, the company has always adhered to the spirit of forge ahead and continuous innovation. It strives for survival by quality and development by reputation. With advanced production technology and equipment, mature production technology and sales Internet advantages, it has ensured the production of micro motors with "high quality, timely supply and satisfactory service". At the same time, it has pursued the operating principle of lean production, cost reduction and efficiency increase, high-quality service and good social responsibility, and has won the full recognition of government department leaders and the trust and recognition of customers.

Changlong people adhere to the business philosophy of "professional management and innovative spirit", and the service concept of "seeking truth and pragmatism, innovative development, and sincere cooperation". Ensuring quality is our eternal pursuit, and we passed the ISO9001 quality management system certification in 2016; At present, the company has established good supporting cooperative relationships with hundreds of enterprises such as Xiaomi Ecological Chain, Philips, Feike, Braun, Riwei, Hua'er, Kedeshi, Ruike, Qizhou, Langwei, Hualing, Leiwa, Fanke, Rike, Kairui, Xialong, etc., laying a solid foundation for further expansion and strength of the enterprise.

Looking ahead to the future, Changlong people will make unremitting efforts, with "seeking truth, efficiency, pragmatism, and innovation" as their code of conduct, and "taking responsibility, creating value, and serving society" as their corporate values. They will work together sincerely, be brave in innovation, and become industry leaders.

JIANGXI CHANGLONG MOTOR CO.,LTD

ADDRESS: Furongshan Industrial Park, Duchang County, Jiujiang City, Jiangxi Province

CONTACT: Mr. Wu Number: 13566281598

TELEPHONE: 0086-792-5166068 / 5166568

URL: http://www.wtlmotor.com

FD-180PA

TYPICAL APPLICATION

※ Electric Shaver
※ Barber shears
※ Cigarette makers

FF-030SA

TYPICAL APPLICATION

※ Shaving machine
※ Lipstick machine

TYPICAL APPLICATION

※ Nose Trimmer
※ Electric Toothbrush
※ Household Appliance

MODEL: FF-050SH

weitelong 威特龙 CHANGLONG MOTOR

TYPICAL APPLICATION

※ Nose Trimmer
※ Electric Toothbrush
※ Household Appliance
※ Electric Toy

MODEL: FF-050SH

MODEL: FF-120PA

TYPICAL APPLICATION

※ Nose Trimmer
※ Electric Shaver
※ Household Appliance

MODEL: FF-150SH

TYPICAL APPLICATION

※ Electric Shaver/Hair Clipper
※ Callus Remover
※ Household Appliance
※ Office Automation Equipment

MODEL: FF-160SH

TYPICAL APPLICATION

※ Electric Shaver/Hair Clipper
※ Callus Remover
※ Household Appliance
※ Office Automation Equipment

weitelong 威特龙 CHANGLONG MOTOR

MODEL: FF-180SH

TYPICAL APPLICATION

※ Hair Clipper
※ Electric Shaver

MODEL: FF-170SH

TYPICAL APPLICATION

※ Electric Shaver
※ Electric Toothbrush
※ Hair Clipper

MODEL: FF-260PC

TYPICAL APPLICATION

※ Office Automation Equipment
※ Electric Shaver
※ Household Appliance

TYPICAL APPLICATION

※ Foot grinder
※ Bald head machine

MODEL: FF-260SH

weitelong 威特龙 CHANGLONG MOTOR

TYPICAL APPLICATION

※ Electric Shaver
※ Barber shears
※ Bald head machine

MODEL: FF-280SD

MODEL: FF-280PE

TYPICAL APPLICATION

※ Hair Clipper
※ Electric Shaver
※ Household Appliance
※ Office Automatioin Equipment

MODEL: FF-290SH

TYPICAL APPLICATION

※ Office Automation Equipment
※ Barber shears



TYPICAL APPLICATION

※ Electric Shaver
※ Household Appliance

MODEL: FF-330PA

weitelong 威特龙 CHANGLONG MOTOR

TYPICAL APPLICATION

※ Office Automation Equipment
※ Barber shears
※ Household Appliance

MODEL: FF-D360PA

MODEL: FF-337PA

TYPICAL APPLICATION

※ Office Automation Equipment
※ Barber shears
※ Household Appliance

MODEL: FF-N30PA

TYPICAL APPLICATION

※ Nose Trimmer
※ Electric Shaver
※ Household Appliance



TYPICAL APPLICATION

※ Hair Dryer
※ Office Automation Equipment
※ Household Appliance

MODEL：RD-365SA

weitelong 威特龙 CHANGLONG MOTOR

TYPICAL APPLICATION

※ Hair clipper motor
※ Motor for optical head machine

MODEL：RF-530pa

TYPICAL APPLICATION

※ Hair Dryer
※ Office Automation Equipment
※ Household Appliance

MODEL：RD-380SH

TYPICAL APPLICATION

※ Electric motor for shaver
※ Motor for optical head machine

MODEL：FF-250ch

TYPICAL APPLICATION

※ Electric Shaver
※ Hairball trimmer

MODEL：RF-510PA

TYPICAL APPLICATION

※ Electric motor for shaver

MODEL：FF-230ch

WINDING WIRE

EUROPEAN STANDARD ROUND PLUG+DOUBLE-LAYER TAIL

LBS43 TYPE-C CHARGING CABLE

LBS11 ANDROID CHARGING CABLE

USB+8 PREFIX CHARGING CABLE 1

USB+8 PREFIX CHARGING CABLE 2

USBA+LBS14 SMALL TAIL

USB+8 PREFIX CHARGING CABLE

LBS20 5521DC HEAD CHARGING WIRE

LBS33 TYPE-C CHARGING CABLE

JIANGXI LONGBANG ELECTRIC APPLIANCE CO., LTD.

ADDRESS: Furongshan Industrial Park, Duchang County, Jiujiang City, Jiangxi Province
CONTACT: Mr. Wu MOBILE: 135 6628 1598



TYPICAL APPLICATION

※ Motors for barber shears

MODEL: BFN032

CHANGSHENG MOTOR

TYPICAL APPLICATION

※ Tattoo pen with motor

※Carving and cutting motor



MODEL: BON020

TYPICAL APPLICATION

※ Motors for barber shears



MODEL: BIF024



TYPICAL APPLICATION

※Motors for air pumps

※Professional cutting motor

MODEL: BON026



TYPICAL APPLICATION

※ Motors for barber shears

MODEL: BIF029

TYPICAL APPLICATION

※Electric motor for shaver



MODEL: BFN021

WND 14280

14280-350mAh

MODEL	WND 14280
Cell size (mm)	14*28.5
Rated voltage (V)	3.7
Capacity(mAh)	350
Internal resistance of battery cell(mΩ)	55
Discharge current(A)	1.75
Voltage range(V)	4.2~2.75
Number of cycles	1000 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products razor

14280-450mAh

MODEL	WND 14280
Cell size (mm)	14*28.5
Rated voltage (V)	3.7
Capacity(mAh)	450
Internal resistance of battery cell(mΩ)	60
Discharge current(A)	2.25
Voltage range(V)	4.2~2.75
Number of cycles	1000 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products wireless mouse

WND 14430

14430-500mAh

MODEL	WND 14430
Cell size (mm)	14*43.5
Rated voltage (V)	3.7
Capacity(mAh)	500
Internal resistance of battery cell(mΩ)	35
Discharge current(A)	1.5
Voltage range(V)	4.2~2.75
Number of cycles	80 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products projector

14430-650mAh

MODEL	WND 14430
Cell size (mm)	14*43.5
Rated voltage (V)	3.7
Capacity(mAh)	650
Internal resistance of battery cell(mΩ)	55
Discharge current(A)	1.95
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products neck fan

WND 14500

14500-600mAh

MODEL	WND 14500
Cell size (mm)	14*50.5
Rated voltage (V)	3.7
Capacity(mAh)	600
Internal resistance of battery cell(mΩ)	35
Discharge current(A)	1.8
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary+manganese
Scope of application	Electronic products flashlight

14450-800mAh

MODEL	WND 14450
Cell size (mm)	14*50.5
Rated voltage (V)	3.7
Capacity(mAh)	800
Internal resistance of battery cell(mΩ)	40
Discharge current(A)	2.4
Voltage range(V)	4.2~2.75
Number of cycles	1000 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products power bank

WEI NENG DA WEINEDA NEW ENERGY LITHIUM BATTERY PARAMETERS

WND 18500

18500-1200mAh

MODEL	WND 18500
Cell size (mm)	18*50.5
Rated voltage (V)	3.7
Capacity(mAh)	1200
Internal resistance of battery cell(mΩ)	20
Discharge current(A)	3.6
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary+manganese
Scope of application	Electronic products hair clippers

WND 18500

18500-1400mAh

MODEL	WND 1850
Cell size (mm)	18*50.5
Rated voltage (V)	3.7
Capacity(mAh)	1700
Internal resistance of battery cell(mΩ)	20
Discharge current(A)	4.2
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary+manganese
Scope of application	Electronic products facial cleansing brush

WND 18500

18500-1600mAh

MODEL	WND 18500
Cell size (mm)	18*50.5
Rated voltage (V)	3.7
Capacity(mAh)	1600
Internal resistance of battery cell(mΩ)	25
Discharge current(A)	4.8
Voltage range(V)	4.2~2.75
Number of cycles	1000 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products e-cigarette

WND 18650

18650-2500mAh

MODEL	WND 18650
Cell size (mm)	18*65.5
Rated voltage (V)	3.7
Capacity(mAh)	2500
Internal resistance of battery cell(mΩ)	20
Discharge current(A)	7.5
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products power bank

WND 18650

18650-2000mAh

MODEL	WND 18650
Cell size (mm)	18*65.5
Rated voltage (V)	3.7
Capacity(mAh)	2000
Internal resistance of battery cell(mΩ)	20
Discharge current(A)	6
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products smartphone

WND 18650

18650-2600mAh

MODEL	WND 18650
Cell size (mm)	18*65.5
Rated voltage (V)	3.7
Capacity(mAh)	2600
Internal resistance of battery cell(mΩ)	20
Discharge current(A)	7.8
Voltage range(V)	4.2~2.75
Number of cycles	800 times≥80%Ci
Material system	Ternary
Scope of application	Electronic products digital camera

685972-4100mAh



102627-600mAh

2S1P-18650-1800mAh
7.4V(Flat)

2S1P-18650-1800mAh
7.4V(In-Line)

14280-400mAh

14500-500mAh

81 MESH COVER

89 MESH COVER

61 MESH COVER

61 MESH COVER GOLD

61 MESH COVER

8023 POLE

8023

MODEL:213

MODEL:10

MODEL:0273

MODEL:L01

MODEL:L01 BLACK

MODEL:9005A

MODEL:301

MODEL:0276

MODEL:0273

JINLIN LIGHT INDUSTRY SHELL SERIES

MODEL:2331 BLUE


MODEL:1640 BLUE

MODEL:1640

MODEL:9005B

MODEL:2408

MODEL:5636

MODEL:2408 BLACK

MODEL:2332

MODEL:2331