






DESIGN ORIGINATES
FROM LIFE



FLAT GARAGE DOOR
(MIRROR PANEL)



PRODUCT PARAMETERS

M A T E R I A L :ALUMINUM MATERIAL
ALUMINUM COLOR: MATTE BLACK (OTHER COLORS AVAILABLE FOR SELECTION)
DOOR PANEL THICKNESS: 40MM/43MM
ALUMINUM WALL THICKNESS: 0.326MM/0.4MM

COMPOSITE PANEL GARAGE DOOR (GRID BOARD/FLAT PLATE)



PRODUCT PARAMETERS

M A T E R I A L : S T E E L S

S T E E L S C O L O R : M A T T E B L A C K (G R I D , W O O D G R A I N , A N D O R A N G E P E E L P A T T E R N S
C A N B E C U S T O M I Z E D)

D O O R P A N E L T H I C K N E S S : 4 0 M M / 4 3 M M

A L U M I N U M W A L L T H I C K N E S S : 0 . 3 2 6 M M / 0 . 4 M M

GLASS GARAGE DOOR
(FULLY TRANSPARENT GLASS, ALUMINUM FRAME GLASS)



PRODUCT PARAMETERS

M A T E R I A L : GLASS/ALUMINUM
ALUMINUM COLOR: MATTE BLACK (GRID, WOOD GRAIN, AND ORANGE PEEL
PATTERNS CAN BE CUSTOMIZED)
DOOR PANEL THICKNESS: 40MM/43MM
ALUMINUM WALL THICKNESS: 0.326MM/0.4MM


GRILLE GARAGE DOOR



PRODUCT PARAMETERS

M A T E R I A L :ALUMINUM MATERIAL
ALUMINUM COLOR: MATTE BLACK (OTHER COLORS AVAILABLE FOR SELECTION)
DOOR PANEL THICKNESS: 40MM/43MM
ALUMINUM WALL THICKNESS: 0.326MM/0.4MM

GRAPHIC PAPER DIAGRAM



QUALITY DEPENDS ON THE DETAILS



POWERFUL ELECTRICAL MOTOR WITH REMOTES

Large tensile electrical motor can open and close your garage door with in 30 second

TORSION SPRING

High-strength balanced weight torsion spring to extend the service life of the motor



TRACKS AND PULLEYS

Very strong tracking system with quiet and smooth pulleys traction

HINGE

High quality aluminum hinge stable connection and flexible rotation



FOLDING GARAGE DOOR (GRILLE DOOR/GLASS)



PRODUCT PARAMETERS

M A T E R I A L : GLASS/ALUMINUM
ALUMINUM COLOR: MATTE BLACK (GRILLE/ALUMINUM FRAME GLASS OPTIONAL)
DOOR PANEL THICKNESS: 40MM/43MM
ALUMINUM WALL THICKNESS: 0.326MM/0.4MM