



www.wakeup-power.com

Hangzhou Wakeup Technology Co.,LTD
杭州唯恪科技有限公司

RM.1701-1702,Block A,Keda Investment Building,555 Xincheng Road,Binjiang District,Hangzhou,310053,Zhejiang,China.
浙江省杭州市滨江区信诚路555号科达投资大厦A座1701-1702室

吴蕾 Kerry Wu

+86 135 7547 0045
kerry.wu@wakeup-power.com
+86 193 5730 6539

吴长佳 Vincent Wu

+86 137 5710 8759
vincent.wu@wakeup-power.com
+86 173 0097 7065




Item.No.	HW-JC66C / HW-JC66SC		HW-JC66PD / HW-JC66SPD	
Charging Ports	USB-A1+USB-C+USB-A2		USB-A1+USB-C+USB-A2	
Total Output	17W Max		PD20W Max	
Single USB A1/A2	5V2.4A Max		QC18W 5V3A, 9V2A, 12V1.5A	
Single USB C Output	-		PD20W 5V3A, 9V2.22A,12V1.67A, PPS3.3-11V/2.0A	
USB A1/A2+C	-	1200 Joules	-	1200 Joules
Surge Protector	5V3.4A Max		5V3A Max	
Dimensions	163x79x48.5mm		163x79x48.5mm	

Hangzhou Wakeup Technology Co.,LTD
杭州唯恪科技有限公司




3
OUTLETS



Item.No.	HW-299	HW-299C	HW-299PD
Charging Ports	2 USB-A	2 USB-A+1 USB-C	2 USB-A+1 USB-C
Total Output	12W Max	17W Max	PD20W Max
Single USB A Output	5V2.4A Max	5V2.4A Max	5V2.4A Max
Single USB C Output	-	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.5A, PPS3.3-11V/2.0A
USB A+C	-	5V3.4A Max	5V3A Max
Cable	SJT 14AWG/3C	SJT 14AWG/3C	SJT 14AWG/3C
Dimensions	170x44x28mm	180x44x28mm	180x44x28mm

4
OUTLETS



Item.No.	HW-300 / HW-300S	HW-300C / HW-300CS	HW-300PD / HW-300PDS
Charging Ports	2 USB-A	2 USB-A+1 USB-C	2 USB-A+1 USB-C
Total Output	12W Max	17W Max	PD20W Max
Single USB A Output	5V2.4A Max	5V2.4A Max	5V2.4A Max
Single USB C Output	-	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.5A, PPS3.3-11V/2.0A
USB A+C	-	5V3.4A Max	5V3A Max
Surge Protector	-	450 Joules	-
			450 Joules
Cable	SJT 14AWG/3C	SJT 14AWG/3C	SJT 14AWG/3C
Dimensions	230x44x28mm	240x44x28mm	240x44x28mm

6
OUTLETS



Item.No.	HW-301 / HW-301S	HW-301C / HW-301CS	HW-301PD / HW-301PDS
Charging Ports	2 USB-A	2 USB-A+1 USB-C	2 USB-A+1 USB-C
Total Output	12W Max	17W Max	PD20W Max
Single USB A Output	5V2.4A Max	5V2.4A Max	5V2.4A Max
Single USB C Output	-	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.5A, PPS3.3-11V/2.0A
USB A+C	-	5V3.4A Max	5V3A Max
Surge Protector	-	450 Joules	-
			450 Joules
Cable	SJT 14AWG/3C	SJT 14AWG/3C	SJT 14AWG/3C
Dimensions	290x44x28mm	300x44x28mm	300x44x28mm

6
OUTLETS



Item.No.	HW-303	HW-303S	HW-303S3
Product Name	6AC OUTLETS Wide Spaced outlet	6AC OUTLETS Wide Spaced outlet	6AC OUTLETS Wide Spaced outlet
Surge Protector	-	90 Joules	1200 Joules
Cable	SJT 14AWG/3C	SJT 14AWG/3C	SJT 14AWG/3C
Dimensions	255x50.6x28mm	255x50.6x28mm	267x50.6x28mm



Big Space Outlet
For Big Plug

8
OUTLETS



10
OUTLETS



Item.No.	HW-306C3 / HW-306SC3	HW-306PD3 / HW-306SPD3	HW-306PD4 / HW-306SPD4			
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2	USB-A1+USB-C1+ USB-C2+USB-A2			
Total Output	17W Max	PD20W Max	32W Max			
Single USB A1	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	5V3A Max			
Single USB A2	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	QC20W 5V3A, 9V2.22A, 12V1.67A			
Single USB C1 Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	5V3A Max			
Single USB C2 Output	-	-	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A			
USB A1/A2+C1	5V3.4A Max	5V3A Max	-			
USB A1+C1/A2+C2	-	-	5V3A Max			
USB A1+C2/A1+C1+C2	-	-	12W+PD20W			
USB A2+C1/A1+C1+A2	-	-	12W+QC20W			
USB A1+C1+A2+C2	-	-	5V3A+5V3A			
Surge Protector	-	2450 Joules	-	2450 Joules	-	2450 Joules
Cable	SJT 14AWG/3C		SJT 14AWG/3C			
Dimensions	245x80.6x28mm		245x80.6x28mm			

Item.No.	HW-307C3 / HW-307SC3	HW-307PD3 / HW-307SPD3	HW-307PD4 / HW-307SPD4			
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2	USB-A1+USB-C1+ USB-C2+USB-A2			
Total Output	17W Max	PD20W Max	32W Max			
Single USB A1	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	5V3A Max			
Single USB A2	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	QC20W 5V3A, 9V2.22A, 12V1.67A			
Single USB C1 Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	5V3A Max			
Single USB C2 Output	-	-	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A			
USB A1/A2+C1	5V3.4A Max	5V3A Max	-			
USB A1+C1/A2+C2	-	-	5V3A Max			
USB A1+C2/A1+C1+C2	-	-	12W+PD20W			
USB A2+C1/A1+C1+A2	-	-	12W+QC20W			
USB A1+C1+A2+C2	-	-	5V3A+5V3A			
Surge Protector	-	2450 Joules	-	2450 Joules	-	2450 Joules
Cable	SJT 14AWG/3C		SJT 14AWG/3C			
Dimensions	275x80.6x28mm		275x80.6x28mm			

2
OUTLETS



1
OUTLETS



Item.No.	HW-JC68C / HW-JC68SC	HW-JC68PD / HW-JC68SPD
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2
Total Output	17W Max	PD20W Max
Single USB A1/A2	5V2.4A Max	5V3A
Single USB C Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
USB A1/A2+C	5V3.4A Max	5V3A Max
Surge Protector	-	490 Joules
Dimensions	78.3x70.5x48.5mm	78.3x70.5x48.5mm

Item.No.	HW-145
Charging Ports	USB-C
Total Output	PD20W
Single USB C Output	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
Cable	SPT-2/SPT-2-B 16AWG/2C
Dimensions	86x39x25mm

3
OUTLETS



2
OUTLETS



Item.No.	HW-JC69C / HW-JC69SC	HW-JC69PD / HW-JC69SPD
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2
Total Output	17W Max	PD20W Max
Single USB A1/A2	5V2.4A Max	5V3A Max
Single USB C Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
USB A1/A2+C	5V3.4A Max	5V3A Max
Surge Protector	-	490 Joules
Dimensions	78.3x100.5x48.5mm	78.3x100.5x48.5mm

Item.No.	HW-143C / HW-143SC	HW-143PD / HW-143SPD
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2
Total Output	17W Max	PD20W Max
Single USB A1/A2	5V2.4A Max	5V3A Max
Single USB C Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
USB A1/A2+C	5V3.4A Max	5V3A Max
Surge Protector	-	490 Joules
Cable	SJT/SJT-B 16AWG/3C	SJT/SJT-B 16AWG/3C
Dimensions	75x79x25.5mm	75x79x25.5mm

1
OUTLETS






Magnetic Charging


5 in 1 charger to make your desktop neat



3
OUTLETS



Detach adaptor for 4-port USB Charger



Connect adaptor for an additional 4 USB power solution

Item.No.	HW-281S
Product Name	9 AC OUTLETS
Dimensions	303x81x26mm



Item.No.	UC0015Q32	UC0015
Charging Ports	3 USB-A(3.1A)+1 USB-C(20W)	4USB-A
Total Output	32W	5V4.8A Max
Single USBA Output	5V2.4A Max	-
Single USBC Output	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	-
USB A1+A2 Output	5V3A Max	-
USB A3+C Output	5V3A Max	-
USB A1+A2+C Output	12W+PD20W	-
USB A1+A2/A3+A4 Output	-	5V2.4A Max
Plug foldable	Yes	Yes
Dimensions	80.3x60.1x24.3mm	80.3x60.1x24.3mm

Item.No.	HW-JC67C3 / HW-JC67SC3	HW-JC67PD3 / HW-JC67SPD3	HW-JC67PD4 / HW-JC67SPD4			
Charging Ports	USB-A1+USB-C+USB-A2	USB-A1+USB-C+USB-A2	USB-A1+USB-C1+USB-C2+USB-A2			
Total Output	17W Max	PD20W Max	32W Max			
Single USB A1	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	5V3A Max			
Single USB A2	5V2.4A Max	QC18W 5V3A, 9V2A, 12V1.5A	QC20W 5V3A, 9V2.22A, 12V1.67A			
Single USB C1 Output	5V3A Max	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	5V3A Max			
Single USB C2 Output	-	-	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A			
USB A1/A2+C1	5V3.4A Max	5V3A Max	-			
USB A1+C1/A2+C2	-	-	5V3A Max			
USB A1+C2/A1+C1+C2	-	-	12W+PD20W			
USB A2+C1/A1+C1+A2	-	-	12W+QC20W			
USB A1+C1+A2+C2	-	-	5V3A+5V3A			
Surge Protector	-	490 Joules	-	490 Joules	-	490 Joules
Dimensions	93x101x47.6mm	93x101x47.6mm	93x101x47.6mm			



Item.No.	UC001Q20	UC002Q20	UC003Q20
Charging Ports	1 USB-A+1 USB-C	1 USB-A+ 1 USB-C	1 USB-A+ 1 USB-C
Total Output	PD20W Max	PD20W Max	PD20W Max
USB A Output	QC18W 5V3A, 9V2A, 12V1.5A	QC18W 5V3A, 9V2A, 12V1.5A	QC18W 5V3A, 9V2A, 12V1.5A,
USB C Output	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
USB A+C Output	5V3A Max	5V3A Max	5V3A Max
Plug foldable	No	Yes	Yes
Dimensions	26.5x43.3x45.4mm	29.8x35.2x43.7mm	29.8x35.2x43.7mm

Item.No.	UC015Q20	UC015Q33	UC016Q20
Charging Ports	1 USB-A+1 USB-C	1 USB-A+ 1 USB-C	1 USB-A+ 1 USB-C
Total Output	PD20W Max	33W Max	PD20W Max
USB A Output	QC18W 5V3A, 9V2A, 12V1.5A	QC18W 5V3A, 9V2A, 12V1.5A	QC18W 5V3A, 9V2A, 12V1.5A,
USB C Output	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	PD30W 5V3A, 9V3A,12V2.5A, 20V1.5A, PPS3.3-11V/3A	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A
USB A+C Output	5V3A Max	5V3A Max	5V3A Max
Plug foldable	No	No	Yes
Dimensions	26.7x41x45mm	26.7x41x45mm	30x47.8x50.2mm



Item.No.	UC004Q20	UC007Q20	UC007Q30
Charging Ports	1 USB-A+1 USB-C	1 USB-A+ 1 USB-C	1 USB-A+ 1 USB-C
Total Output	PD20W Max	PD20W Max	PD30W Max
USB A Output	QC18W 5V3A, 9V2A, 12V1.5A	QC18W 5V3A, 9V2A, 12V1.5A	QC27W 5V3A, 9V2A, 12V1.5A, 20V1.35A
USB C Output	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	PD20W 5V3A, 9V2.22A, 12V1.67A, PPS3.3-11V/2.0A	PD30W 5V3A, 9V3A, 12V2.5A, PPS3.3-11V/2.6A
USB A+C Output	5V3A Max	5V3A Max	5V3A Max
Plug foldable	No	Yes	Yes
Dimensions	29x41x42.6mm	27.9x39.8x43mm	28.3x43.3x40mm



Item.No.	UC006C	UC009C	UC011C
Charging Ports	USB-C	USB-C	1 USB-C
Total Output	30W Max	65W Max	PD20W Max
USB C Output	PD30W 5V3A, 9V3A, 12V2.5A, PPS3.3-11V/3A	PD65W 5V3A, 9V3A, 12V3A,15V3A, 20V3.25A	PD20W 5V3A, 9V2.22A, 12V1.67A
Plug foldable	Yes	Yes	No
Dimensions	27.9x40x40.1mm	35.9x43.5x42mm	28.7x28.7x30.5mm



Item.No.	UC008Q48	UC008Q65	UC017Q66
Charging Ports	1 USB-A+1 USB-C1+1 USB C2	1 USB-A+1 USB-C1+1 USB C2	1 USB-A+1 USB-C1+1 USB C2
Total Output	PD48W Max	PD65W Max	PD66W Max
Type-C1	PD30W 5V3A, 9V3A, 12V3A, 15V 2A, 20V1.5A, PPS3.3-11V/2.6A	PD65W 5V3A, 9V3A, 12V3A, 15V 3A, 20V3.25A, PPS3.3-21V/3A	-
Type-C2	QC18W 5V3A, 9V2A, 12V1.5A	PD65W 5V3A, 9V3A, 12V3A, 15V 3A, 20V3.25A, PPS3.3-21V/3A	-
USB-A	QC18W 5V3A, 9V2A, 12V1.5A	QC60W 5V3A, 9V3A, 12V3A, 20V3A	QC66W 5V3A, 9V3A, 12V3A, 4.5V5A, 5V4.5A, 20V3.3A
Type-C1+C2	PD30W+PD18W	PD45W+PD20W	PD45W+PD20W
Type-C1+A/C2+A	-	-	PD45W+QC20W
Type-C1/C2	-	-	PD66W 5V3A, 9V3A, 12V3A, 15V 3A, 20V3.3A, PPS3.3-21V/3A
Type-C1+USBA	PD30W+QC18W	PD45W+QC18W	-
Type-C2+A	18W Max	15W	-
Type-C1+C2+A	PD30W+18W	PD45W+15W	PD45W+18W
Plug foldable	Yes	Yes	Yes
Dimensions	31x65x65mm	31x65x65mm	33x57x57mm

Item.No.	UC003	UC005
Charging Ports	2 USB-A	2 USB-A
Total Output	5V3.4A Max	5V3.4A Max
USB A Output	5V2.4A Max	5V2.4A Max
Plug foldable	Yes	Yes
Dimensions	30.1x35.5x44mm	28.3x43.3x40mm



Item.No.	UC010Q65	UC012Q100
charging Ports	2 USB-C + 1 USB-A	3 USB-C + 1 USB-A
Total Output	65W Max	100W Max
Single USB C1/C2 Output	PD65W 5V3A, 9V3A, 12V3A, 15V3A, 20V3.25A, PPS3.3-11V/5A	PD100W 5V3A, 9V3A, 12V3A, 15V3A, 20V5A, PPS3.3-21V/5A
Single USB C3 Output	-	PD65W 5V3A, 9V3A, 12V3A, 15V3A, 20V3.25A, PPS3.3-21V/3A
Single USB A Output	QC60W 5V5A, 5V4.5A, 9V3A, 12V3A, 20V3A	QC60W 5V5A, 5V4.5A, 9V3A, 12V3A, 20V3A
USB C1+C2 Output	PD45W+PD20W	-
USB C1+C2/C3 Output	-	PD65W+PD30W
USB C2+C3 Output	-	PD65W+PD30W
USB C1/C2+A Output	-	PD65W+QC30W
USB C1+A Output	PD45W+QC18W	-
USB C2+A Output	7.5W+7.5W	-
USB C3+A Output	PD45W+7.5W+7.5W	-
USB C1+C2+AOutput	-	12W+12W
USB C1+C2+C3 Output	-	PD45W+PD30W+PD20W
USB C1+C2+C3+A Output	-	PD45W+PD30W+12W+12W
Plug foldable	Yes	Yes
Dimensions	31.4x68x41.5mm	30.4x82.2x56.6mm

Item.No.	UC002C	UC003C	UC004C
Charging Ports	1 USB-C	1 USB-C	1 USB-C
Total Output	PD20W Max	PD20W Max	PD20W Max
USB C Output	PD20W 5V3A, 9V2.22A, 12V1.67A	PD20W 5V3A, 9V2.22A, 12V1.67A	PD20W 5V3A, 9V2.22A, 12V1.67A
Plug foldable	Yes	Yes	No
Dimensions	30x35.3x43.6mm	30x35.3x43.6mm	28.6x41x42.5mm