



Creating Trust
Winning Together

MEDICAL PRODUCTS

2024/2025



About Ullwin

Founded in 1994, Ullwin operates in the supply chain for medical supplies, industrial products, and cosmetic packaging and has continuously expanded to areas with high potential.

We have a solid and successful history of providing market research, product development, supplier development, and trading services to our clients globally. For over 28 years, we have been committed to win-win relationships with our customers worldwide.



Act with Integrity

We're honest, transparent, and committed to doing what's best for our customers and company. We believe that integrity is the key to create trust and building business to last.



Create Win-Win Situation

We aim to create a win-win situation with our customers for long-term mutual success. We believe the success of a business in this era is the success of all the parties contributing to the supply chain.



Stay Open

Keeping an open mind to new ideas allows us to stay abreast of global trends and seize new opportunities in this rapid-changing market.



CONTENTS



DIGITAL THERMOMETER



INFRARED THERMOMETER



BLOOD PRESSURE MONITOR



MONITORING SYSTEM



TESTING SYSTEM



BANDAGE & TAPE



MICROSCOPE SLIDES



PILL ORGANIZER



MOTHER & BABY CARE

DIGITAL THERMOMETER

DMT-2069

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
12.3cm x 1.9cm x 1.1cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-2068

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
12.5cm x 1.8cm x 1.2cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-2067

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
12.5cm x 1.9cm x 1.1cm (L x W x H)
Approx. 10.8grams (Battery Included)

DMT-4153

Pen Style Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.5cm x 1.9cm x 1.1cm (L x W x H)
Approx. 12grams (Battery Included)

DMT-2080

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
13.1cm x 2.0cm x 1.2cm (L x W x H)
Approx. 13grams (Battery Included)

DMT-4131

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.1cm x 1.9cm x 1.0cm (L x W x H)
Approx. 12grams (Battery Included)

DMT-416

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.2cm x 1.9cm x 1.1cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-301

High-Precision Basal Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.3cm x 1.8cm x 0.9cm (L x W x H)
Approx. 10grams (Battery Included)

DIGITAL THERMOMETER

DMT-4171

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Predictive Measuring Optional
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 16grams (Battery Included)

DMT-4773

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Backlight Optional
Dual Scale with °C/°F
10 Reading Memories
10s/20s/30s Response Time
Predictive Measuring Optional
Low Battery Indicator
Automatic Power-off

Battery: 3.0V CR2032
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 24grams (Battery Included)

DMT-4132

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.8cm x 2.2cm x 1.2cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-418

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Predictive Measuring Optional
Automatic Power-off

Battery: 1.5V LR41
13.9cm x 2.3cm x 1.2cm (L x W x H)
Approx. 12grams (Battery Included)

DMT-4281

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
60s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
13.1cm x 2.0cm x 1.2cm (L x W x H)
Approx. 13grams (Battery Included)

DMT-4775

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Backlight Optional
Dual Scale with °C/°F
10 Reading Memories
10s/20s/30s Response Time
Predictive Measuring Optional
Low Battery Indicator
Automatic Power-off

Battery: 3.0V CR2032
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 25grams (Battery Included)

DMT-3072

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Predictive Measuring Optional
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 16grams (Battery Included)

DMT-437 Cartoon Series

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
14.5cm x 2.3cm x 1.7cm (L x W x H)
Approx. 11grams (Battery Included)

DIGITAL THERMOMETER

DMT-4161

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
Low Battery Indicator
Predictive Measuring Optional
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 16grams (Battery Included)

DMT-4127

Compact Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.2cm x 1.8cm x 1.1cm (L x W x H)
Approx. 10grams (Battery Included)

DMT-412

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.4cm x 1.8cm x 1.1cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-4130

Rigid Tip Thermometer



FEATURE

Beeps
Rigid Tip
Jumbo LCD
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.0cm x 1.9cm x 1.0cm (L x W x H)
Approx. 12grams (Battery Included)

DMT-4333

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.9cm x 2.2cm x 1.2cm (L x W x H)
Approx. 12grams (Battery Included)

DMT-4318

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Jumbo LCD
Fever Alarm
Water Proof
Last Reading Recall
Fever Line Indicator
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.9cm x 2.2cm x 1.3cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-4737

Retro Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Aroloy Display
Common Read
Last Reading Recall
Dual Scale with °C/°F
Automatic Power-off

Battery: 3.0V CR1225
14.1cm x 2.2cm x 1.2cm (L x W x H)
Approx. 17grams (Battery Included)

DMT-4155

Pen Style Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.8cm x 1.9cm x 1.1cm (L x W x H)
Approx. 12grams (Battery Included)

DIGITAL THERMOMETER

DMT-4336

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.0cm x 2.0cm x 1.2cm (L x W x H)
Approx. 10grams (Battery Included)

DMT-4320

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Jumbo LCD
Fever Alarm
Water Proof
Last Reading Recall
Fever Line Indicator
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
13.9cm x 2.3cm x 1.3cm (L x W x H)
Approx. 13grams (Battery Included)

DMT-3062

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
High Precision Optional
Dual Scale with °C/°F
10s/20s/30s Response Time
Low Battery Indicator
Automatic Power-off

Battery: 1.5V LR41
14.3cm x 2.5cm x 1.4cm (L x W x H)
Approx. 16grams (Battery Included)

DMT-437

Flexible Tip Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Last Reading Recall
Dual Scale with °C/°F
10s/20s/30s Response Time
Automatic Power-off

Battery: 1.5V LR41
12.4cm x 1.9cm x 1.1cm (L x W x H)
Approx. 11grams (Battery Included)

DMT-101

Classic Digital Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Last Reading Recall
Dual Scale with °C/°F
Automatic Power-off

Battery: 1.5V LR41
12.3cm x 1.8cm x 0.9cm (L x W x H)
Approx. 10grams (Battery Included)

DMT-4759

Jumbo LCD Thermometer



FEATURE

Beeps
Rigid Tip
Fever Alarm
Water Proof
Jumbo LCD Size
Backlight Optional
Dual Scale with °C/°F
10 Reading Memories
Low Battery Indicator
10s/20s/30s Response Time
Automatic Power-off

Battery: 3.0V CR2032
13.6cm x 3.8cm x 1.7cm (L x W x H)
Approx. 28grams (Battery Included)

DMT-4760B

Bluetooth Thermometer



FEATURE

Beeps
Flexible Tip
Fever Alarm
Water Proof
Jumbo LCD Size
Backlight Optional
Dual Scale with °C/°F
10 Reading Memories
Low Battery Indicator
10s/20s/30s Response Time
Predictive Measuring Optional
Bluetooth Optional
Automatic Power-off

Battery: 3.0V CR2032
13.6cm x 3.8cm x 1.7cm (L x W x H)
Approx. 29grams (Battery Included)

DMT-4726

Jumbo LCD Thermometer



FEATURE

Beeps
Flexible Tip
Jumbo LCD
Fever Alarm
Water Proof
Backlight Optional
Fever Line Indicator
Dual Scale with °C/°F
10 Reading Memories
10s/20s/30s Response Time
Predictive Measuring Optional
Automatic Power-off

Battery: 3.0V CR2032
13.5cm x 3.4cm x 1.7cm (L x W x H)
Approx. 26grams (Battery Included)

Model	DMT-2069	DMT-2068	DMT-2067	DMT-4153	DMT-2080	DMT-4131	DMT-416	DMT-301
								
	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.00°C - 42.99°C 90.00°F - 109.99°F
	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.50°C - 42.00°C ± 0.10°C 95.90°F - 107.60°F ± 0.20°F
	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.50°C or > 42.00°C ± 0.20°C < 95.90°F or > 107.60°F ± 0.40°F
	Common Read	Common Read	Common Read	Fast Read	Common Read	Fast Read	Fast Read	Common Read
	Rigid	Rigid	Rigid	Rigid	Rigid	Rigid	Rigid	Rigid
	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	19.0 x 7.0mm	19.0 x 7.0mm	19.0 x 7.0mm	18.4 x 6.7mm	18.0 x 6.2mm	18.4 x 6.7mm	18.4 x 6.7mm	15.5 x 7.0mm
	1.5V LR41 or UCC 392	1.5V LR41 or UCC 392	1.5V LR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392
	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day
Unit Dimension	12.3 x 1.9 x 1.1cm	12.5 x 1.8 x 1.2cm	12.5 x 1.9 x 1.1cm	12.5 x 1.9 x 1.1cm	13.1 x 2.0 x 1.2cm	13.1 x 1.9 x 1.0cm	12.2 x 1.9 x 1.1cm	12.3 x 1.8 x 0.9cm
Unit Weight	Approx. 11grams	Approx. 11grams	Approx. 10.8grams	Approx. 12grams	Approx. 13grams	Approx. 12grams	Approx. 11grams	Approx. 10grams
Packing	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN
CTN Dimension	49.0 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	49.5 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm
G.W.	12kg	12kg	12kg	12kg	12kg	12kg	12kg	12kg

Model	DMT-4171	DMT-4773	DMT-4130	DMT-418	DMT-4281	DMT-4775	DMT-3072	DMT-437 cartoon series
								
	32.0°C - 43.9°C 90.0°F - 111.9°F	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 42.9°C 90.00°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 42.9°C 90.0°F - 109.9°F
	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F
	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F
	Fast Read	Fast Read	Fast Read	Fast Read	Common Read	Fast Read	Fast Read	Fast Read
	Rigid	Rigid	Rigid	Rigid	Flexible	Flexible	Flexible	Flexible
	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	25.4 x 11.4mm	25.4 x 11.4mm	22.0 x 9.0mm	22.0 x 9.0mm	18.0 x 6.2mm	25.4 x 11.4mm	25.4 x 11.4mm	18.4 x 6.7mm
	1.5V LR41	3.0V CR2032	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41 or UCC 392	3.0V CR2032	1.5V LR41	1.5V LR41, SR41 or UCC 392
Unit Dimension	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day
	14.3 x 2.5 x 1.4cm	14.3 x 2.5 x 1.4cm	13.2 x 2.3 x 1.2cm	13.9 x 2.3 x 1.2cm	13.1 x 2.0 x 1.2cm	14.3 x 2.5 x 1.4cm	14.3 x 2.5 x 1.4cm	14.5 x 2.3 x 1.7cm
	Approx. 16grams	Approx. 24grams	Approx. 12grams	Approx. 12grams	Approx. 13grams	Approx. 25grams	Approx. 16grams	Approx. 11grams
	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN
CTN Dimension	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 40.5cm	49.0 x 36.0 x 40.5cm	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 40.5cm	66.5 x 45.0 x 47.5cm
	14kg	14kg	14kg	14kg	12kg	14kg	14kg	16kg

	DMT-4161	DMT-4127	DMT-412	DMT-4130	DMT-4333	DMT-4318	DMT-4737	DMT-4155
Model								
Range	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	35.5°C - 42.0°C 96.0°F - 109.0°F	32.0°C - 42.9°C 90.0°F - 109.9°F
Accuracy	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.1°C 95.9°F - 107.6°F $\pm$ 0.2°F < 35.5°C or > 42.0°C $\pm$ 0.2°C < 95.9°F or > 107.6°F $\pm$ 0.4°F
Response	Fast Read	Fast Read	Fast Read	Fast Read	Fast Read	Fast Read	Common Read	Fast Read
Head	Rigid	Rigid	Rigid	Rigid	Flexible	Flexible	Rigid	Rigid
°C / °F	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Fever Beeper	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Waterproof	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
Display Size	25.4 x 11.4mm	13.5 x 6.0mm	18.4 x 6.7mm	22.0 x 9.0mm	21.4 x 7.7mm	22.0 x 9.0mm	65.0 x 10.0mm	18.4 x 6.7mm
Battery Type	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	3.0V CR1225	1.5V LR41, SR41 or UCC 392
Battery Life	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day
Unit Dimension	14.3 x 2.5 x 1.4cm	12.2 x 1.8 x 1.1cm	12.4 x 1.8 x 1.1cm	13.0 x 1.9 x 1.0cm	13.9 x 2.2 x 1.2cm	13.9 x 2.2 x 1.3cm	14.1 x 2.2 x 1.2cm	12.8 x 1.9 x 1.1cm
Unit Weight	Approx. 16grams	Approx. 10grams	Approx. 11grams	Approx. 12grams	Approx. 12grams	Approx. 11grams	Approx. 17grams	Approx. 12grams
Packing	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN
CTN Dimension	58.5 x 37.5 x 40.5cm	49.0 x 36.5 x 40.5cm	49.0 x 36.0 x 40.5cm	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 40.5cm	58.5 x 37.5 x 44.5cm	70.5 x 60.5 x 27.0cm	49.5 x 36.0 x 40.5cm
G.W.	14kg	12kg	12kg	14kg	14kg	14kg	15kg	12kg

Model	DMT-4336	DMT-4320	DMT-3062	DMT-437	DMT-101	DMT-4759	DMT-4760B	DMT-4726
								
	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.00°C - 43.99°C 90.00°F - 111.99°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 42.9°C 90.0°F - 109.9°F	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 43.9°C 89.6°F - 111.0°F	32.0°C - 42.9°C 89.6°F - 109.2°F
	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F	35.5°C - 42.0°C ± 0.1°C 95.9°F - 107.6°F ± 0.2°F
	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F	< 35.5°C or > 42.0°C ± 0.2°C < 95.9°F or > 107.6°F ± 0.4°F
	Fast Read	Fast Read	Common Read	Fast Read	Common Read	Fast Read	Fast Read	Fast Read
	Flexible	Flexible	Flexible	Flexible	Rigid	Rigid	Flexible	Flexible
	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
	18.4 x 6.7mm	22.0 x 9.0mm	25.4 x 11.4mm	18.4 x 6.7mm	15.5 x 7.0mm	29.0 x 21.0mm	29.0 x 21.0mm	25.5 x 18.0mm
	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	1.5V LR41, SR41 or UCC 392	3.0V CR2032	3.0V CR2032	3.0V CR2032
	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day	About 1Year for 3 Times per day
Unit Dimension	13.0 x 2.0 x 1.2cm	13.9 x 2.3 x 1.3cm	14.3 x 2.5 x 1.4cm	12.4 x 1.9 x 1.1cm	12.3 x 1.8 x 0.9cm	13.6 x 3.8 x 1.7cm	13.6 x 3.8 x 1.7cm	13.5 x 3.4 x 1.7cm
Unit Weight	Approx. 10grams	Approx. 13grams	Approx. 16grams	Approx. 11grams	Approx. 10grams	Approx. 28grams	Approx. 29grams	Approx. 26grams
Packing	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN	1pc / Gift Box; 10 Gift Boxes / Inner Box; 30 Boxes / CTN
CTN Dimension	49.0 x 36.5 x 40.5cm	58.5 x 37.5 x 44.5cm	58.5 x 37.5 x 40.5cm	49.5 x 36.0 x 40.5cm	49.0 x 36.0 x 40.5cm	66.5 x 45.0 x 47.5cm	66.5 x 45.0 x 47.5cm	66.5 x 45.0 x 47.5cm
G.W.	12kg	14kg	14kg	12kg	12kg	16kg	16kg	16kg

INFRARED THERMOMETER

DET-3020

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Distance Sensor Optional
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.7cm x 4.5cm x 6.5cm (L x W x H)
Approx. 131grams

DET-3019

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Bluetooth Optional
Vibration Optional
Distance Sensor Optional
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.5cm x 3.9cm x 4.9cm (L x W x H)
Approx. 93grams

DET-3012

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Distance Sensor Optional
Automatic Power-off

Battery: 2 x "AAA" Batteries
14.8cm x 4.7cm x 6.9cm (L x W x H)
Approx. 117grams

DET-3010

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Distance Sensor Optional
Automatic Power-off

Battery: 2 x "AAA" Batteries
16.8cm x 3.8cm x 4.7cm (L x W x H)
Approx. 97grams

DET-1013

Infrared Ear Thermometer



FEATURE

Measure in Ear
Probe Covers Optional
Easy Probe Cover Remove Design
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Backlight Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AA" Batteries
13.5cm x 3.6cm x 4.5cm (L x W x H)
Approx. 107grams

DET-103

Infrared Ear Thermometer



FEATURE

Measure in Ear
Probe Covers Optional
10 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Jumbo Display
Replaceable Battery
Compact Ergonomic Size
Easy Probe Cover Remove Design
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.5cm x 3.8cm x 4.7cm (L x W x H)
Approx. 83grams

DET-105

Infrared Ear Thermometer



FEATURE

Measure in Ear
10 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Jumbo Display
Replaceable Battery
Compact Ergonomic Size
Easy Probe Cover Remove Design
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.5cm x 3.9cm x 5.0cm (L x W x H)
Approx. 85grams

DET-102

Infrared Ear Thermometer



FEATURE

Measure in Ear
10 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Replaceable Battery
Compact Ergonomic Size
Automatic Power-off

Battery: CR2032, Replaceable
11.9cm x 3.8cm x 3.6cm (L x W x H)
Approx. 40grams

INFRARED THERMOMETER

DET-1015

Infrared Ear Thermometer



FEATURE

Measure in Ear
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Fashionable Test Button Light
Beeps
Probe Covers Optional
Easy Probe Cover Remove Design
Backlight Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AA" Batteries
14.6cm x 3.8cm x 5.7cm (L x W x H)
Approx. 117grams

DET-3018

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Distance Indicated Light
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.5cm x 3.9cm x 4.9cm (L x W x H)
Approx. 97grams

DET-306

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
10 Reading Memories
1 Second Reading
Compact Ergonomic Size
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.3cm x 4.1cm x 4.4cm (L x W x H)
Approx. 84grams

DET-3022

One-Button Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Backlight Optional
Replaceable Battery
Automatic Power-off

Battery: CR2032, Replaceable
8.3cm x 4.2cm x 4.2cm (L x W x H)
Approx. 45grams

DET-3011

Rotatable Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Distance Sensor Optional
Automatic Power-off

Battery: 2 x "AAA" Batteries
15.4cm x 4.1cm x 2.6cm (L x W x H)
Approx. 102grams

DET-3024

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AAA" Batteries
13.0cm x 3.6cm x 3.0cm (L x W x H)
Approx. 85grams

DET-3021

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Backlight Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AAA" Batteries
14.5cm x 9.1cm x 4.2cm (L x W x H)
Approx. 131grams

DET-3023

Infrared Forehead Thermometer



FEATURE

Measure on Forehead
Non-contact
30 Reading Memories
1 Second Reading
Dual Scale with °C/°F
Beeps
Talking Optional
Bluetooth Optional
Replaceable Battery
Automatic Power-off

Battery: 2 x "AAA" Batteries
13.4cm x 3.8cm x 7.9cm (L x W x H)
Approx. 106grams

Model								
Type	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Ear	Infrared Ear	Infrared Ear	Infrared Ear
Response Time	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second
Memory	30 Memories	30 Memories	30 Memories	30 Memories	30 Memories	10 Memories	10 Memories	10 Memories
Range	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	32.0°C - 43.0°C 89.6°F - 109.4°F	32.0°C - 43.0°C 89.6°F - 109.4°F	32.0°C - 43.0°C 89.6°F - 109.4°F	32.0°C - 43.0°C 89.6°F - 109.4°F
Accuracy	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F	35.5°C - 42.0°C $\pm$ 0.2°C 95.9°F - 107.6°F $\pm$ 0.4°F
Obeject Mode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Fever Alarm	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Backlight	Optional	LED	Optional	Optional	Optional	Optional	Optional	Optional
Display Size	25.8 x 23.7mm	22.3 x 27.3mm	26.1 x 25.3mm	20.8 x 16.3mm	25.4 x 24.4mm	18.9 x 22.6mm	20.0 x 22.4mm	12.0 x 27.0mm
Power Source	2 "AAA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries	2 "AA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries	CR2032, Replaceable
Probe Cover	No	No	No	No	Optional	Optional	Optional	No
Battery Life	About 3000 readings	About 3000 readings	About 3000 readings	About 3000 readings	About 6000 readings	About 6000 readings	About 3000 readings	About 3000 readings
Unit Dimension	15.7 x 4.5 x 6.5cm	15.5 x 3.9 x 4.9cm	14.8 x 4.7 x 6.9cm	16.8 x 3.8 x 4.7cm	13.5 x 3.6 x 4.5cm	15.5 x 3.8 x 4.7cm	15.5 x 3.9 x 5.0cm	11.9 x 3.8 x 3.6cm
Unit Weight	Approx. 131grams	Approx. 93grams	Approx. 117grams	Approx. 97grams	Approx. 107grams	Approx. 83grams	Approx. 85grams	Approx. 40grams
Packing	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 100 pcs / Carton
Carton Dimension	55.0 x 49.5 x 38.0cm	59.0 x 35.5 x 32.5cm	55.0 x 49.5 x 38.0cm	51.0 x 41.0 x 54.0cm	42.0 x 37.0 x 57.0cm	47.5 x 45.0 x 39.0cm	59.0 x 35.5 x 32.5cm	49.0 x 31.5 x 39.5cm
Carton Weight	12kg	14kg	12kg	14kg	7kg	14kg	14kg	10kg

Model	DET-1015	DET-3018	DET-306	DET-3022	DET-3011	DET-3024	DET-3021	DET-3023
Type	Infrared Ear	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Forehead	Infrared Forehead
Response Time	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second	1 Second
Memory	30 Memories	30 Memories	10 Memories	30 Memories	30 Memories	30 Memories	30 Memories	30 Memories
Range	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F	34.0°C - 43.0°C 93.2°F - 109.4°F
Accuracy	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F	35.5°C - 42.0°C ± 0.2°C 95.9°F - 107.6°F ± 0.4°F
Obeject Mode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fever Alarm	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Backlight	Optional	4 Colors	Optional	Optional	Optional	Optional	Optional	LED
Display Size	21.0 x 26.0mm	22.3 x 27.3mm	20.9 x 22.5mm	23.3 x 23.0mm	24.7 x 25.7mm	21.7 x 18.8mm	24.0 x 26.2mm	34.6 x 36.5mm
Power Source	2 "AA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries	CR2032, Replaceable	2 "AAA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries	2 "AAA" Batteries
Probe Cover	Optional	No	No	No	No	No	No	No
Battery Life	About 6000 readings	About 3000 readings	About 3000 readings	About 3000 readings	About 3000 readings	About 3000 readings	About 3000 readings	About 3000 readings
Unit Dimension	14.6 x 3.8 x 5.7cm	15.5 x 3.9 x 4.9cm	15.3 x 4.1 x 4.4cm	8.3 x 4.2 x 4.2cm	15.4 x 4.1 x 2.6cm	13.0 x 3.6 x 3.0cm	14.5 x 9.1 x 4.2cm	13.4 x 7.9 x 3.8cm
Unit Weight	Approx. 117grams	Approx. 97grams	Approx. 84grams	Approx. 45grams	Approx. 102grams	Approx. 85grams	Approx. 131grams	Approx. 106grams
Packing	1pc / Gift box; 60 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 200 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 100 pcs / Carton	1pc / Gift box; 100 pcs / Carton
Carton Dimension	51.0 x 42.0 x 42.5cm	56.0 x 35.0 x 38.5cm	54.5 x 49.0 x 38.0cm	48.5 x 35.0 x 45.0cm	43.0 x 39.0 x 40.0cm	44.0 x 37.5 x 41.0cm	63.0 x 54.0 x 38.0cm	64.0 x 56.5 x 38.0cm
Carton Weight	13kg	15kg	14kg	17kg	7kg	13.5kg	20kg	16.5kg

UPPER ARM BLOOD PRESSURE MONITOR

DBP-6193

Tubeless Blood Pressure Monitor



FEATURE

Latest One Piece Design
Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Lithium Battery Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
12.4cm x 7.2cm x 2.5cm (L x W x H)
Approx. 123grams

DBP-61D0

Tubeless LED Blood Pressure Monitor



FEATURE

Crisp LED Display
Latest One Piece Design
Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: Lithium Battery or Type-C
12.4cm x 7.2cm x 2.5cm (L x W x H)
Approx. 123grams

DBP-61C5

Arm Blood Pressure Monitor



FEATURE

Crisp LED Display
Measure on Inflation
Bluetooth Optional
Talking Optional
Low Battery Detection
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: Lithium Battery or Type-C
12.8cm x 13.0cm x 4.4cm (L x W x H)
Approx. 247grams

DBP-1318

Arm Blood Pressure Monitor



FEATURE

Bluetooth Optional
Digital Error Messages
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Result Indicator
2×60 Memories with Date and Time
Automatic Power-off

Battery: 4 "AAA" or AC Adapter
13.9cm x 8.8cm x 4.3cm (L x W x H)
Approx. 317grams

DBP-6195

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
14.0cm x 10.3cm x 5.1cm (L x W x H)
Approx. 188grams

DBP-6194

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
11.0cm x 10.2cm x 5.7cm (L x W x H)
Approx. 193grams

DBP-6182

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Low Battery Detection
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
15.0cm x 10.8cm x 6.5cm (L x W x H)
Approx. 255grams

DBP-6196

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
10.3cm x 9.3cm x 5.1cm (L x W x H)
Approx. 217grams

UPPER ARM BLOOD PRESSURE MONITOR

DBP-62A1B

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 4 "AAA" or Type-C
9.8cm x 9.0cm x 6.2cm (L x W x H)
Approx. 183grams

DBP-61A0

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 4 "AAA" or Type-C
9.8cm x 9.0cm x 6.2cm (L x W x H)
Approx. 181grams

DBP-6185

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Cuff Tightness Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Low Battery Detection
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
15.0cm x 10.8cm x 6.5cm (L x W x H)
Approx. 319grams

DBP-6179

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
ECG Test Optional
Bluetooth Optional
Talking Optional
Backlight Optional
Low Battery Detection
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×150 Memories with Date and Time
Automatic Power-off

Battery: 3 "AAA" or Type-C
14.2cm x 10.7cm x 4.4cm (L x W x H)
Approx. 275grams

DBP-1359

Arm Blood Pressure Monitor



FEATURE

Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×60 Memories with Date and Time
Automatic Power-off

Battery: 4 "AA" or AC Adapter
13.1cm x 10.1cm x 4.4cm (L x W x H)
Approx. 480grams

DBP-1358

Arm Blood Pressure Monitor



FEATURE

Bluetooth Optional
Talking Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2×60 Memories with Date and Time
Automatic Power-off

Battery: 4 "AA" or AC Adapter
13.1cm x 10.1cm x 4.4cm (L x W x H)
Approx. 425grams

DBP-1312

Arm Blood Pressure Monitor



FEATURE

Talking Optional
Digital Error Messages
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Result Indicator
2×60 Memories with Date and Time
Automatic Power-off

Battery: 4 "AA" or AC Adapter
13.1cm x 10.2cm x 6.5cm (L x W x H)
Approx. 358grams

DBP-1351

Arm Blood Pressure Monitor



FEATURE

Talking Optional
Digital Error Messages
Irregular Heartbeat Detection
Blood Pressure Result Indicator
2×60 Memories with Date and Time
Automatic Power-off

Battery: 4 "AA" or AC Adapter
13.1cm x 10.2cm x 6.5cm (L x W x H)
Approx. 358grams

UPPER ARM BLOOD PRESSURE MONITOR

DBP-1314

Arm Blood Pressure Monitor



FEATURE

Irregular Heartbeat Detection
Blood Pressure Result Indicator
Digital Error Messages
Talking Optional
Extra Large Display
4x30 Memories with Date and Time
Deluxe Carry Case
AC Adapter Port
Average Last 3 Results
Automatic Power-off

Battery: 4 "AA" or AC Adapter
16.2cm x 11.0cm x 6.2cm (L x W x H)
Approx. 278grams

DBP-1333

Arm Blood Pressure Monitor



FEATURE

Bluetooth Optional
Blood Pressure Result Indicator
Digital Error Messages
Talking Optional
Backlight Optional
Extra Large Display
Irregular Heartbeat Detection
2x60 Memories with Date and Time
Deluxe Carry Case
AC Adapter Port
Average Last 3 Results
Automatic Power-off

Battery: 4 "AA" or AC Adapter
16.4cm x 11.1cm x 6.0cm (L x W x H)
Approx. 353grams

DBP-1305

Arm Blood Pressure Monitor



FEATURE

Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
2x60 Memories with Date and Time
Deluxe Carry Case
AC Adapter Port
Average Last 3 Results
Automatic Power-off

Battery: 4 "AA" or AC Adapter
16.6cm x 11.4cm x 7.2cm (L x W x H)
Approx. 304grams

DBP-1231

Arm Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Large Display
Irregular Heartbeat Detection
1x120 Memories with Date and Time
Deluxe Carry Case
AC Adapter Port
Average Last 3 Results
Automatic Power-off

Battery: 4 "AAA" or AC Adapter
14.0cm x 9.8cm x 4.8 cm (L x W x H)
Approx. 224grams

DBP-6192

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Low Battery Detection
Average Last 3 Results
3 "AAA" Batteries or Type-C
WHO Classification Indicator
Automatic Power-off

Battery: 3 "AAA" or Type-C
15.0cm x 8.0cm x 4.6cm (L x W x H)
Approx. 150grams

DBP-6177

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
ECG Test Optional
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Low Battery Detection
3 "AAA" Batteries or Type-C
Average Last 3 Results
Large Display
Sensitive Touch Buttons
Automatic Power-off

Battery: 3 "AAA" or Type-C
15.0cm x 8.0cm x 4.6cm (L x W x H)
Approx. 213grams

DBP-6175

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Low Battery Detection
3 "AAA" Batteries or Type-C
Average Last 3 Results
Large Display
Automatic Power-off

Battery: 3 "AAA" or Type-C
12.8cm x 13.0cm x 4.4cm (L x W x H)
Approx. 247grams

DBP-6181

Arm Blood Pressure Monitor



FEATURE

Measure on Inflation
Arm Shake Indicator
Cuff Loose Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Average Last 3 Results
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Low Battery Detection
3 "AAA" Batteries or Type-C
Large Display
Automatic Power-off

Battery: 3 "AAA" or Type-C
15.6cm x 10.9cm x 7.5cm (L x W x H)
Approx. 297grams

	DBP-6193	DBP-61D0	DBP-61C5	DBP-1318	DBP-6195	DBP-6194	DBP-6182	DBP-6196
Model								
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressure Range	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 300mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg
Pulse Range	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute
Pressure Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
Display Size	10.0 x 3.7cm	LED	LED	4.3 x 6.6cm	5.2 x 5.2cm	5.2 x 5.2cm	8.6x 9.1cm	6.2 x 4.7cm
Memory Bank	2 x 150	2 x 150	2 x 60 (Maximum 2 x 150)	2 x 60	2 x 150	2 x 150	2 x 60 (Maximum 2 x 150)	2 x 150
Data Time	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute
IHB Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Blood Pressure Risk Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Average Last 3 Result	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Included Cuff Size	22.0 - 42.0cm (8.7" - 16.5")	22.0 - 42.0cm (8.7" - 16.5")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")
Low Battery Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Power-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Source	3 "AAA" or Type-C	Lithium Battery or Type-C	Lithium Battery or Type-C	4 "AAA" or AC Adapter	3 "AAA" or Type-C	3 "AAA" or Type-C	3 "AAA" or Type-C	3 "AAA" or Type-C
Battery Life	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)
Backlight	Optional	Yes	No	No	Optional	Optional	Optional	Optional
Talking	Optional	Optional	Optional	No	Optional	Optional	Optional	Optional
Bluetooth	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Unit Dimensions	12.4 x 7.2 x 2.5cm	12.4 x 7.2 x 2.5cm	12.8 x 13.0 x 4.4cm	13.9 x 8.8 x 4.3cm	14.0 x 10.3 x 5.1cm	11.0 x 10.2 x 5.7cm	15.0 x 10.8 x 6.5cm	10.3 x 9.3 x 5.1cm
Unit Weight	Approx. 123g	Approx. 123g	Approx. 247g	Approx. 317g	Approx. 188g	Approx. 193g	Approx. 255g	Approx. 217g
Packing	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box
Packing	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton
Carton Size	34.0 x 34.0 x 30.0cm	34.0 x 34.0 x 30.0cm	40.5 x 36.5 x 43.0cm	37.0 x 35.0 x 40.0cm	34.0 x 34.0 x 40.5cm	34.0 x 38.0 x 40.5cm	40.5 x 35.5 x 42.0cm	34.0 x 34.0 x 40.5cm
Carton Weight	7.3KG	7.3KG	14KG	14KG	10.2KG	10.6KG	14KG	10.9KG

Model	DBP-62A1B	DBP-61A0	DBP-6185	DBP-6179	DBP-1359	DBP-1358	DBP-1312	DBP-1351
								
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressure Range	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute
Pressure Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
Display Size	4.2 x 5.2cm	5.2 x 5.2cm	9.1 x 9.3cm	6.2 x 11.2cm	6.7 x 6.9cm	4.5 x 6.2cm	4.6 x 6.2cm	4.6 x 6.2cm
Memory Bank	2 x 150	2 x 150	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)	2 x 60	2 x 60	2 x 60	2 x 60
Data Time	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute
IHB Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Blood Pressure Risk Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Average Last 3 Result	Yes	Optional	Yes	Yes	Yes	Yes	Yes	Yes
Included Cuff Size	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")
Low Battery Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Power-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Source	4 "AAA" or Type-C	4 "AAA" or Type-C	3 "AAA" or Type-C	3 "AAA" or Type-C	4 "AA" or AC Adapter	4 "AA" or AC Adapter	4 "AA" or AC Adapter	4 "AA" or AC Adapter
Battery Life	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)
Backlight	Optional	Optional	Optional	Optional	Optional	No	No	No
Talking	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Bluetooth	Optional	No	Optional	Optional	Optional	Optional	No	No
Unit Dimensions	9.8 x 9.0 x 6.2cm	9.8 x 9.0 x 6.2cm	15.0 x 10.8 x 6.5cm	14.2 x 10.7 x 4.4cm	13.1 x 10.1 x 4.4cm	13.1 x 10.1 x 4.4cm	13.1 x 10.2 x 6.5cm	13.1 x 10.2 x 6.5cm
Unit Weight	Approx. 183g	Approx. 181g	Approx. 319g	Approx. 275g	Approx. 480g	Approx. 425g	Approx. 358g	Approx. 358g
Packing	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box
Packing	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton
Carton Size	34.0 x 38.0 x 40.5cm	34.0 x 38.0 x 40.5cm	40.5 x 35.5 x 42.0cm	40.5 x 36.5 x 43.0cm	37.0 x 35.0 x 40.0cm	37.0 x 35.0 x 40.0cm	37.0 x 35.0 x 40.0cm	37.0 x 35.0 x 40.0cm
Carton Weight	10.3KG	10.2KG	14KG	14.5KG	14KG	14KG	14KG	14KG

	DBP-1314	DBP-1333	DBP-1305	DBP-1231	DBP-6192	DBP-6177	DBP-6175	DBP-6181
Model								
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressure Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg
Pulse Range	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute
Pressure Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
Display Size	5.5 x 8.4cm	6.8 x 10.2cm	5.8 x 8.4cm	4.6 x 6.2cm	4.3 x 6.6cm	8.3 x 5.3cm	6.5x 11.8cm	9.1 x 9.3cm
Memory Bank	4 x 30	2 x 60	2 x 60	2 x 60	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)
Data Time	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute
IHB Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Blood Pressure Risk Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Average Last 3 Result	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Included Cuff Size	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")	22.0 - 36.0cm (8.6" - 14.2")
Low Battery Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Power-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Source	4 "AA" or AC Adapter	4 "AA" or AC Adapter	4 "AA" or AC Adapter	4 "AAA" or AC Adapter	3 "AAA" or Type C	3 "AAA" or Type C	3 "AAA" or Type C	3 "AAA" or Type C
Battery Life	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)
Backlight	No	Optional	Optional	No	Optional	Optional	Optional	Optional
Talking	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Bluetooth	No	Optional	Optional	No	Optional	Optional	Optional	Optional
Unit Dimensions	15.5 x 10.9 x 6.3cm	16.4x 11.3 x 6.0cm	16.6x 11.4 x 7.2cm	14.0x 9.8 x 4.8cm	15.0 x 8.0 x 4.6cm	15.0 x 8.0 x 4.6cm	12.8 x 13.0 x 4.4cm	15.6 x 10.9 x 7.5cm
Unit Weight	Approx. 278g	Approx. 353g	Approx. 304g	Approx. 224g	Approx. 150g	Approx. 213g	Approx. 247g	Approx. 297g
Packing	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box	1pc / Gift box
Packing	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton	24pcs / Carton
Carton Size	40.5 x 35.5 x 42.0cm	40.5 x 35.5 x 42.0cm	40.5 x 35.5 x 42.0cm	37.0 x 35.0 x 40.0cm	34.0 x 34.0 x 30.0cm	34.0 x 34.0 x 30.0cm	40.5 x 36.5 x 43.0cm	40.5 x 35.5 x 42.0cm
Carton Weight	14KG	14KG	14KG	14KG	11.5KG	13KG	14KG	14KG

WRIST BLOOD PRESSURE MONITOR

DBP-8198

Wrist Blood Pressure Monitor



FEATURE

Measure on Inflation
Excessive Movement Indicator
Position Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Automatic Power-off

Battery: 2 "AAA" Batteries
8.4cm x 6.5cm x 3.0cm (L x W x H)
Approx. 86grams

DBP-8188

Wrist Blood Pressure Monitor



FEATURE

Slim Design
Measure on Inflation
Position Indicator
Bluetooth Optional
Backlight Optional
Talking Optional
Large Display
Blood Pressure Risk Indicator
Average Last 3 Results
2x150 Memories with Date and Time
Low Battery Detection
Automatic Power-off

Battery: 2 "AAA" Batteries
8.4cm x 6.2cm x 2.5cm (L x W x H)
Approx. 71grams

DBP-2253

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
7.7cm x 6.4cm x 3.2cm (L x W x H)
Approx. 115grams

DBP-2141

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Irregular Heartbeat Detection
Talking Optional
2x60 Memories with Date and Time
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
8.4cm x 6.4cm x 2.9cm (L x W x H)
Approx. 114grams

DBP-2261

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
8.5cm x 6.2cm x 2.5cm (L x W x H)
Approx. 115grams

DBP-2266

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
8.5cm x 6.2cm x 2.5cm (L x W x H)
Approx. 115grams

DBP-2220

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
7.7cm x 6.4cm x 3.2cm (L x W x H)
Approx. 120grams

DBP-2229

Wrist Blood Pressure Monitor



FEATURE

Digital Error Messages
4x30 Memories with Date and Time
Irregular Heartbeat Detection
Blood Pressure Result Indicator
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
7.6cm x 6.8cm x 2.9cm (L x W x H)
Approx. 120grams

WRIST BLOOD PRESSURE MONITOR

DBP-2208

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Includes Carry Case
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
7.7cm x 6.4cm x 3.2cm (L x W x H)
Approx. 117grams

DBP-2242

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Extra Large Display
Irregular Heartbeat Detection
Talking Optional
Backlight Optional
2x60 Memories with Date and Time
Includes Carry Case
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
8.4cm x 6.4cm x 2.9cm (L x W x H)
Approx. 115grams

DBP-8199

Wrist Blood Pressure Monitor



FEATURE

Measure on Inflation
Arm Shake Indicator
Position Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Automatic Power-off

Battery: 2 "AAA" Batteries
8.2cm x 6.4cm x 2.8cm (L x W x H)
Approx. 116grams

DBP-8197

Wrist Blood Pressure Monitor



FEATURE

Measure on Inflation
Arm Shake Indicator
Position Indicator
Bluetooth Optional
Talking Optional
Backlight Optional
Irregular Heartbeat Detection
Average Last 3 Results
Blood Pressure Risk Indicator
2x150 Memories with Date and Time
Automatic Power-off

Battery: 2 "AAA" Batteries
8.3cm x 6.4cm x 3.0cm (L x W x H)
Approx. 118grams

DBP-8178

Wrist Blood Pressure Monitor



FEATURE

Slim Design
Measure on Inflation
Position Indicator
Bluetooth Optional
Backlight Optional
Talking Optional
Large Display
Blood Pressure Risk Indicator
Average Last 3 Results
2x150 Memories with Date and Time
Low Battery Detection
Automatic Power-off

Battery: 2 "AAA" Batteries
7.3cm x 6.6cm x 2.8cm (L x W x H)
Approx. 155grams

DBP-8176H

Wrist Blood Pressure Monitor



FEATURE

Slim Design
Measure on Inflation
Position Indicator
Bluetooth Optional
Backlight Optional
Large Display
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
Average Last 3 Results
2x150 Memories with Date and Time
Chargeable 3.7V Lithium Battery or Type-C
Low Battery Detection
Automatic Power-off

Battery: Rechargeable 3.7V 180mAh Lithium/Type-C
6.2cm x 5.5cm x 1.9cm (L x W x H)
Approx. 84grams

DBP-8189

Wrist Blood Pressure Monitor



FEATURE

Slim Design
Measure on Inflation
Position Indicator
Talking Optional
Large Display
Irregular Heartbeat Detection
Blood Pressure Risk Indicator
Average Last 3 Results
2x150 Memories with Date and Time
Low Battery Detection
Automatic Power-off

Battery: 2 "AAA" Batteries
8.4cm x 6.2cm x 2.4cm (L x W x H)
Approx. 84grams

DBP-2160

Wrist Blood Pressure Monitor



FEATURE

Blood Pressure Result Indicator
Digital Error Messages
Large Display
Irregular Heartbeat Detection
Talking Optional
2x60 Memories with Date and Time
Includes Carry Case
Average Last 3 Results
Automatic Power-off

Battery: 2 "AAA" Batteries
8.5cm x 6.2cm x 2.5cm (L x W x H)
Approx. 114grams

	DBP-8198	DBP-8188	DBP-2253	DBP-2141	DBP-2261	DBP-2266	DBP-2220	DBP-2229
Model								
Type	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressure Range	0 to 299mmHg	0 to 299mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute
Pressure Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
Display Size	3.7 x 3.7cm	4.3 x 4.4cm	4.9 x 3.8cm	4.5 x 3.0cm	4.3 x 4.0cm	4.3 x 4.0cm	4.9 x 3.8cm	4.5 x 3.0cm
Memory Bank	2 x 150	2 x 60 (Maximum 2 x 150)	2 x 60	1 x 120	2 x 60	2 x 60	2 x 60	4 x 30
Data Time	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute
IHB Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Blood Pressure Risk Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Average Last 3 Result	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Included Cuff Size	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")
Low Battery Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Power-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Source	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries
Battery Life	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)
Backlight	Optional	Optional	Optional	No	Optional	Optional	Optional	No
Talking	Optional	Optional	Optional	Optional	Optional	Optional	Optional	No
Bluetooth	Optional	Optional	No	No	No	No	No	No
Unit Dimensions	8.4 x 6.5 x 3.0cm	8.4 x 6.2 x 2.5cm	7.7 x 6.4 x 3.2cm	8.4 x 6.4 x 2.9cm	8.5 x 6.2 x 2.5cm	8.5 x 6.2 x 2.5cm	7.7 x 6.4 x 3.2cm	7.6 x 6.8 x 2.9cm
Unit Weight	Approx. 86g	Approx. 71g	Approx. 115g	Approx. 114g	Approx. 115g	Approx. 115g	Approx. 120g	Approx. 120g
Packing	1pc / Gift box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton
Carton Size	33.0 x 36.5 x 36.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	40.0 x 37.5 x 32.0cm	57.0 x 46.5 x 21.5cm
Carton Weight	11KG	14KG	14KG	14KG	14KG	14KG	13KG	13KG

	DBP-2208	DBP-2242	DBP-8199	DBP-8197	DBP-8178	DBP-8176H	DBP-8189	DBP-2160
Model								
Type	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressure Range	0 to 300mmHg	0 to 300mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 299mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute	30 to 180 Beat / Minute
Pressure Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
Display Size	4.9 x 3.8cm	4.9 x 3.8cm	4.6 x 3.1cm	4.6 x 3.1cm	4.4 x 4.2cm	3.4 x 3.5cm	3.2 x 4.0cm	3.0 x 4.5cm
Memory Bank	2 x 60	2 x 60	2 x 150	2 x 150	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)	2 x 60 (Maximum 2 x 150)	2 x 60
Data Time	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute	Month + Day + Hour + Minute
IHB Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Blood Pressure Risk Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Average Last 3 Result	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Included Cuff Size	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")	13.5 - 21.5cm (5.3" - 8.5")
Low Battery Detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Power-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Source	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	2"AAA" batteries	Chargeable 3.7V 180mAh lithium battery or Type-C	2"AAA" batteries	2"AAA" batteries
Battery Life	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)	About 2 months (test 3 times/day, 30 days/month)
Backlight	Optional	Optional	Optional	Optional	Optional	Optional	Optional	No
Talking	Optional	Optional	Optional	Optional	Optional	No	No	Optional
Bluetooth	No	No	Optional	Optional	Optional	Optional	No	No
Unit Dimensions	7.7 x 6.4 x 3.2cm	8.4 x 6.4 x 2.9cm	8.2 x 6.4 x 2.8cm	8.3 x 6.4 x 3.1cm	7.3 x 6.6 x 2.8cm	6.2 x 5.5 x 1.9cm	8.4 x 6.2 x 2.4cm	8.5 x 6.2 x 2.5cm
Unit Weight	Approx. 117g	Approx. 115g	Approx. 116g	Approx. 118g	Approx. 155g	Approx. 84g	Approx. 92g	Approx. 114g
Packing	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton	1pc / Gift box, 8pcs / Inner box, 48pcs / Carton
Carton Size	40.0 x 37.5 x 32.0cm	57.0 x 46.5 x 21.5cm	33.0 x 36.5 x 36.5cm	33.0 x 36.5 x 36.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm	57.0 x 46.5 x 21.5cm
Carton Weight	13KG	14KG	11.7KG	11.4KG	14KG	14KG	14KG	14KG

FINGERTIP PULSE OXIMETER

XM-114

Fingertip Pulse Oximeter



FEATURE

Beep and tips
Automatic power off
Light weight easy to carry
Large LED display, 2 display modes
Intelligent power saving design, 2 x "AAA" alkaline batteries

Battery: 2 x AAA Batteries
Unit dimension: 60 x 32 x 32.9mm

XM-112

Fingertip Pulse Oximeter



FEATURE

Beep and tips
Automatic power off
Light weight easy to carry
Large LCD display, 2 display modes
Intelligent power saving design, 2 x "AAA" alkaline batteries

Battery: 2 x "AAA" Batteries
OLED display dimension: 22.7 x 17.8mm
Unit dimension: 60 x 32 x 32.9mm

XM-103 Bluetooth/XM-113

Fingertip Pulse Oximeter



FEATURE

Beep and tips
Automatic power off
Light weight easy to carry
Adjustable brightness, 5 display modes
Intelligent power saving design, 2 x "AAA" alkaline batteries
Dual color OLED display, 360° rotatable view direction

Battery: 2 x AAA Batteries
OLED display dimension: 21.7 x 11.2mm
Unit dimension: 60 x 32 x 31.4mm

XM-101 Bluetooth/XM-111

Fingertip Pulse Oximeter



FEATURE

Beep and tips
Automatic power off
Light weight easy to carry
Adjustable brightness, 5 display modes
Intelligent power saving design, 2 x AAA alkaline batteries
Dual color OLED display, 360° rotatable view direction

Battery: 2 x AAA Batteries
OLED display dimension: 21.7 x 11.2mm
Unit dimension: 60.2 x 35 x 35.5mm

BLOOD GLUCOSE MONITORING SYSTEM

BG-713t

Blood Glucose Monitoring System



FEATURE

GDH-FAD Enzyme
HCT: 0-70%
0.6ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Low / High Glucose Marker

Battery: Two 3.0V CR2032 Button Battery
78mm x 63.4mm x 14mm (L x W x H)
Approx. 40grams

BG-713r

Blood Glucose Monitoring System



FEATURE

GDH-FAD Enzyme
HCT: 0-70%
0.6ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Low / High Glucose Marker

Battery: Two 3.0V CR2032 Button Battery
78mm x 63.4mm x 14mm (L x W x H)
Approx. 40grams

BG-101 (Coding) BG-201 (Auto-coding)

Blood Glucose Monitoring System



FEATURE

GOD Enzyme
HCT: 30-55%
1ul Small Blood Sample
5 Seconds Measuring Time
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Coding/No-coding Optional

Battery: One 3.0V CR2032 Lithium Battery
80.5mm x 55mm x 16.3mm (L x W x H)
Approx. 35.8grams

BG-102 (Coding) BG-202 (Auto-coding)

Blood Glucose Monitoring System



FEATURE

GOD Enzyme
HCT: 30-55%
1ul Small Blood Sample
5 Seconds Measuring Time
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Coding/No-coding Optional

Battery: One 3.0V CR2032 Lithium Battery
86.2mm x 54mm x 20.5mm (L x W x H)
Approx. 41.2grams

BG-208(GOD) / 708(GDH)

Blood Glucose Monitoring System



FEATURE

GOD/GDH Enzyme
HCT: 30-55% / 0-70%
1/0.6ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Coding/No-coding Optional

Battery: One 3.0V CR2032 Lithium Battery
83.7mm x 58mm x 16.7mm (L x W x H)
Approx. 38grams

BG-710

Blood Glucose Monitoring System



FEATURE

GDH-FAD Enzyme
HCT: 0-70%
0.6ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
1000 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Speaker, Reading Broadcast
Ergonomic Design, Easier to Use
Backlight, Bluetooth/USB Optional

Battery: 2 "AAA" Batteries
94.9mm x 56.5mm x 22.8mm (L x W x H)
Approx. 50grams

BG-707

Blood Glucose Monitoring System



FEATURE

GDH-FAD Enzyme
HCT: 0-70%
0.6ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case

Battery: One 3.0V CR2032 Lithium Battery
90mm x 61mm x 18.1mm (L x W x H)
Approx. 51.6grams

BG-211

Blood Glucose Monitoring System



FEATURE

GOD Enzyme
HCT: 30-55%
1ul Small Blood Sample
5 Seconds Measuring Time
Strip Ejector
360 Reading Memories
7, 14, 28 Day Average
Alarm Clock Reminder
Switchable Dual Scale
Automatic Power-off
Deluxe Carry Case
Coding/No-coding Optional

Battery: One 3.0V CR2032 Lithium Battery
90mm x 62.2mm x 19.6mm (L x W x H)
Approx. 41.2grams



Model	BG-208	BG-101/201	BG-102/202	BG-103/203	BG-205	BG-211
Measurement Range	40-600 mg/dL (2.2-33.3 mmol/L)	40-600 mg/dL (2.2-33.3 mmol/L)	40-600 mg/dL (2.2-33.3 mmol/L)	40-600 mg/dL (2.2-33.3 mmol/L)	40-600 mg/dL (2.2-33.3 mmol/L)	40-600 mg/dL (2.2-33.3 mmol/L)
Sample	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood
Sample Size	Approximate 1 Microlitre	Approximate 1 Microlitre	Approximate 1 Microlitre	Approximate 1 Microlitre	Approximate 1 Microlitre	Approximate 1 Microlitre
Measuring Time	5 seconds	5 seconds	5 seconds	5 seconds	5 seconds	5 seconds
Battery	One 3.0V CR2032 Lithium Battery	One 3.0V CR2032 Lithium Battery	One 3.0V CR2032 Lithium Battery	One 3.0V CR2032 Lithium Battery	One 3.0V CR2032 Lithium Battery	One 3.0V CR2032 Lithium Battery
Unit Dimension	83.8 x 58 x 16.7mm (L x W x H)	80.5 x 55 x 16.3mm (L x W x H)	86.2 x 54 x 20.5mm (L x W x H)	109 x 29.7 x 18.9mm (L x W x H)	106.5 x 26.5 x 21.5mm (L x W x H)	90 x 62.2 x 19.6mm (L x W x H)
Unit Weight	Approximate 38g	Approximate 35.8g	Approximate 41.2g	Approximate 33g	Approximate 68g	Approximate 41.2g
Method	GOD	GOD	GOD	GOD	GOD	GOD
HCT	30%-55%	30%-55%	30%-55%	30%-55%	30%-55%	30%-55%
LCD Size	34.6 x 31.1mm	28 x 26mm	34.6 x 31.1mm	43.7 x 17.6mm	41.8 x 41.8mm	36 x 31mm
Carton Size	37.0 x 32.5 x 20.5cm	37.0 x 32.5 x 20.5cm	37.0 x 32.5 x 20.5cm	37.0 x 32.5 x 20.5cm	37.0 x 32.5 x 20.5cm	37.0 x 32.5 x 20.5cm
Carton Weight	4.7Kg	4.7Kg	4.7Kg	4.7Kg	4.7Kg	4.7Kg



Model	BG-707	BG-708	BG-709b	BG-710	BG-713r	BG-713t
Measurement Range	9-600 mg/dL (0.5-33.3 mmol/L)	9-600 mg/dL (0.5-33.3 mmol/L)	9-600 mg/dL (0.5-33.3 mmol/L)	9-600 mg/dL (0.5-33.3 mmol/L)	9-600 mg/dL (0.5-33.3 mmol/L)	9-600 mg/dL (0.5-33.3 mmol/L)
Sample	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood	Fresh Capillary Whole Blood
Sample Size	Approximate 0.6 Microlitre	Approximate 0.6 Microlitre	Approximate 0.6 Microlitre	Approximate 0.6 Microlitre	Approximate 0.6 Microlitre	Approximate 0.6 Microlitre
Measuring Time	5 seconds	5 seconds	5 seconds	5 seconds	5 seconds	5 seconds
Battery	One 3.0V CR2032 Lithium Battery, Replaceable	One 3.0V CR2032 Lithium Battery, Replaceable	2 "AAA" Batteries	2 "AAA" Batteries	Two 3.0V CR2032 Button Battery	Two 3.0V CR2032 Button Battery
Unit Dimension	90 x 61 x 18.1mm (L x W x H)	83.8 x 58 x 16.7mm (L x W x H)	90 x 61 x 23.6mm (L x W x H)	94.9 x 56.5 x 22.8mm (L x W x H)	78 x 63.4 x 14mm (L x W x H)	78 x 63.4 x 14mm (L x W x H)
Unit Weight	Approximate 51.6g	Approximate 38g	Approximate 51.6g	Approximate 50g	Approximate 40g	Approximate 40g
Method	GDH	GDH	GDH	GDH	GDH	GDH
HCT	0%-70%	0%-70%	0%-70%	0%-70%	0%-70%	0%-70%
LCD Size	35.4 x 30.9mm	34.6 x 31.1mm	35.4 x 30.9mm	35.4 x 30.9mm	32 x 36.6mm	32 x 36.6mm
Carton Size	35.0 x 23.5 x 31.0cm	37.0 x 32.5 x 20.5cm	35.0 x 23.5 x 31.0cm	35.0 x 23.5 x 31.0cm	35.0 x 23.5 x 31.0cm	35.0 x 23.5 x 31.0cm
Carton Weight	5.3Kg	4.7Kg	5.3Kg	5.3Kg	5.3Kg	5.3Kg

MONITORING SYSTEM

HB-101

Hemoglobin Monitoring System



FEATURE

10 Microliter
10s Fast Testing
1000 Test Memories
Large LCD
Clear Display Icons
Automatic Power-off

Memory: 1000 test results
Unit dimension: 126 x 57 x 24mm
Battery: 3 x AAA Batteries or Mini USB DC5V

HB-201

Hemoglobin Monitoring System



FEATURE

10 Microliter
10s Fast Testing
1000 Test Memories
Large LCD
Bluetooth & Speaker
Backlight Optional
Clear Display Icons
Automatic Power-off

Memory: 1000 test results
Unit dimension: 126 x 71 x 25mm
Battery: 3 x AAA Batteries or Mini USB DC5V

BF-101 / BF-101b (Bluetooth)

Lipid Panel Monitoring System



FEATURE

35 Microliter
3 Minutes Fast Testing
1000 Test Memories
Large LCD
Bluetooth & Speaker
Clear Display Icons
Wide Operating Temperature
Automatic Power-off

Memory: 1000 test results
Unit dimension: 126 x 71 x 25mm
Battery: 300mA 1.5V x 3 Alkaline Batteries

BF-102

Lipid Panel Monitoring System



FEATURE

35 Microliter
3 Minutes Fast Testing
1000 Test Memories
Large LCD
Bluetooth & Speaker
Clear Display Icons
Wide Operating Temperature
Automatic Power-off

Memory: 1000 test results
Unit dimension: 126 x 71 x 25mm
Battery: 300mA 1.5V x 3 Alkaline Batteries

TESTING SYSTEM

Urine Test

Drug Test Cup & Panel



FEATURE

Easy To Use
Accurate & Safe
Quick result: 5minutes
More Economical Than ELISAs
For Professional in Vitro Diagnostic Use Only

Infectious Disease Test

Monkeypox Antigen Test Cassette



FEATURE

Principle: Chromatographic Immunoassay
Format: Cassette
Sample Size: 30 uL Serum or Plasma
Sample: Oropharyngeal Swab/Whole Blood/Serum/Plasma
Test Time: 15 minutes
Shelf Life: 24 months

Infectious Disease Test

Malaria P.f & Pan Rapid Test



FEATURE

Principle: Chromatographic Immunoassay
Format: Cassette
Sample Size: 5 uL
Sample: Whole Blood
Test Time: 15-20 minutes
Shelf Life: 24 months

Infectious Disease Test

Dengue NS1 Antigen Rapid Test



FEATURE

Principle: Chromatographic Immunoassay
Format: Cassette
Sample Size: 35-50 uL
Sample: Whole Blood/Serum/Plasma
Test Time: 15 minutes
Shelf Life: 24 months

BANDAGE & TAPE

Cohesive Elastic Bandage



FEATURE

Hand-Tear Easily
Soft & Comfortable
Prefect Ventilation
Good Elasticity
Well Waterproof
Different Colors

Material: Non-woven or Cotton
Size: 2.5cm x 4.5m, 5cm x 4.5m, 7.5cm x 4.5m, 10cm x 4.5m, 15cm x 4.5m

Silicone Scar Dressing



FEATURE

Prevents Hyperplasia of Scars
Relieve Itching Symptoms
Softens Scars
Reduce Scar Hyperemia
Lighten Scar Color
Pasted Repeatedly

Material: Silicone, Gel
Size: 1.25cm x 1.5m, 2.5cm x 1.5m, 5cm x 1.5m

Surgical Tape



FEATURE

Hand-Tear Easily
Soft & Comfortable
Good Stickness
Prefect Ventilation
Good Weatherability
Hight Tensile Strength

Material: Now-woven, PE, Zinc Oxide, Silk
Size: 1.25cm x 5m, 2.5cm x 5m, 5cm x 5m, 7.5cm x 5m, 10cm x 5m

Kinesiology Tape



FEATURE

Hand-Tear Easily
Soft & Comfortable
Strong Stickness
Hight Tensile Strength
Help Muscle Contraction
Support & Relax Soft Tissue

Material: Cotton
Size: 2.5cm x 5m, 5cm x 5m, 7.5cm x 5m, 10cm x 5m

WOUND PLASTER

Cartoon Wound Plaster



FEATURE

Material: Cartoon Printed PE
Size: 72 x 19mm

Adhesive Wound Plaster



FEATURE

Material: Elastic Fabric/Cotton/PE film
Size: 72 x 19mm

Adhesive Wound Plaster



FEATURE

Material: Blue PE film
Size: 72 x 19mm

Round Wound Plaster



FEATURE

Material: PE film
Size: dia. 22mm

Nasal Strip



FEATURE

Material: Non-woven
Size: 55 x 17mm

Corn Plaster



FEATURE

Material: Fabric
Size: 65 x 21mm

WOUND DRESSING

Adhesive Dressing Strip



FEATURE

Material: Elastic Fabric
Size: 60mm x 1m

Ahesive Wound Dressing



FEATURE

Material: PU film
Size: 60 x 70mm

Adhesive Eye Patch



FEATURE

Material: Non-woven
Size: 50 x 75mm

Acne Patch



FEATURE

Material: Hydrocolloid
Size: Various

Hydrocolloid Dressing



FEATURE

Material: Hydrocolloid, PU film
Size: Various

Hydrogel Dressing



FEATURE

Material: Hydrogel, PU film
Size: Various

MICROSCOPE SLIDES


Plain Microscope Slides



FEATURE

Glass material: super white glass, soda lime glass
Dimensions: 25x75mm, 1"x3"mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Edges: Ground edges, Cut edges, Beveled edges

Single Frosted Microscope Slides



FEATURE

Glass material: super white glass, soda lime glass
Frosted one end, one side
Dimensions: 25x75mm, 1"x3"mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Edges: Ground edges, Cut edges, Beveled edges
Ideal for labeling with a pencil or marking pen

Double Frosted Microscope Slides



FEATURE

Glass material: super white glass, soda lime glass
Frosted one end, two sides
Dimensions: 25x75mm, 1"x3"mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Edges: Ground edges, Cut edges, Beveled edges
Ideal for marking with pencil, marking pen and labeling systems

Color Frosted Microscope Slides



FEATURE

Glass material: super white glass, soda lime glass
Frosted one end, one side
Dimensions: 25x75mm, 1"x3"mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Color: white, blue, pink, yellow, green, orange, aqua, lilac, tan, peach
Recommend for Thermal Transfer printer, Inkjet printer, Laser printer and permanent marker

MICROSCOPE SLIDES

Positive Charged Microscope Slides



FEATURE

Glass material: super white glass, soda lime glass
Frosted one end, one side
Dimensions: 25x75mm, 1"x3" mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Recommended for routine H&E stains, IHC, ISH, frozen sections, cytology smear
Suitable for thermal transfer printer, Inkjet printer, laser printer and permanent marker

Hydrophilic Adhesion Slides



FEATURE

Glass material: super white glass, soda lime glass
Frosted one end, one side
Dimensions: 25x75mm, 1"x3" mm, 26x76mm
Thickness: 1.0-1.2mm
Corner: 90°corners, 45°corners
Packaging: 50pcs/box, 72pcs/box, 100pcs/box
Recommended for manual IHC staining, automatic IHC staining with the Dako, Leica and Roche Ventana IHC automated stainer
Ideal for use in H&E staining for routine and frozen sections like fat section, brain section and bone section
where require stronger adhesion
Recommend for thermal transfer printer, Inkjet printer, laser printer and permanent marker

Cell Counting Chamber Slides



FEATURE

Composed of microscope slides and cover glass with special coating
Designed for sperm counting and motility analysis
With different quantity of counting chamber according to customers' needs
The depth of the chamber can be 10um, 15um and 20um
Customized designs are available

Cover Glass



FEATURE

Glass material: super white glass, soda lime glass, Boro 3.3 glass
Dimensions: 18x18mm, 20x20mm, 22x22mm, 24x24mm, 24x32mm, 24x40mm, 24x50mm, 24x60mm
Thickness: 0.09-0.23mm
Packaging: 100pcs/box, 200pcs/box
Recommend for automated and manual coverslipping

PILL ORGANIZER

Round Pill Organizer



FEATURE

Material: ABS, PS
Size: 10.0 x 10.0 x 3.5cm

4Case Pill Organizer



FEATURE

Material: ABS, PP
Size: 7.6 x 7.5 x 2.35cm

Weekly Pill Organizer



FEATURE

Material: PP
Size: 11.4 x 3.0 x 1.3cm

Weekly Pill Organizer



FEATURE

Material: PP
Size: 15.2 x 5.5 x 2.5cm

Weekly Pill Organizer



FEATURE

Material: PP
Size: 22.3 x 5.6 x 2.7cm

Weekly Pill Organizer



FEATURE

Material: PP
Size: 18.3 x 9.3 x 3.3cm

PILL ORGANIZER

Weekly Pill Organizer



FEATURE

Material: PP
Size: 19 x 7.8 x 3.9cm

Weekly Pill Organizer



FEATURE

Material: PS, PP
Size: 10.5 x 7.5 x 4.5cm

Weekly Pill Organizer



FEATURE

Material: PP
Size: 16.0 x 6.8 x 6.8cm

Weekly Pill Organizer



FEATURE

Material: ABS, PP
Size: 14.5 x 8.0 x 4.2cm

Weekly Pill Organizer



FEATURE

Material: ABS, PP
Size: 11.5 x 4.3 x 12.8cm

Weekly Pill Organizer



FEATURE

Material: ABS, PP
Size: 8.8 x 8.8 x 9.8cm

MOTHER & BABY CARE

Electric Breast Pump

LD-2010/2010L/3010/3010L



FEATURE

LED Display
Anti-backflow
4 Modes & 9 Levels
Ultra-quiet
Pain-free Breast Pumps
Color Optional
Night Lamp Optional

Unit dimension: 129 x 91 x 83mm
Unit weight: 280g/309g
Battery: 4 "AA" Batteries/Li-ion 2000mAh/Type-C

Electric Breast Pump

LD-209/209L/309/309L



FEATURE

Lightweight & Smart
Anti-backflow
4 Modes & 9 Levels
Ultra-quiet
Pain-free Breast Pumps
Color Optional
Easy to Clean

Unit dimension: 100 x 100 x 46mm
Unit weight: 160g/210g
Battery: Li-ion 2000mAh or Type-C

Automatic Breast Pump

LD-305/305L



FEATURE

Suction Up to 270mmHg
Flexible Dual-Pump Design
2-Phase Expression Technology
10 Suction Levels Optional
Soft & Comfortable Breastshield
Silent & Discreet Pumping
Unique System For Milk Storage
Easy to Assemble, Use & Clean

Unit dimension: 190 x 100 x 57mm
Unit weight: 423g/518g
Battery: Li-ion 1800mAh or Medical AC Adapter

Automatic Breast Pump

LD-302



FEATURE

2-Phase Expression Technology
10 Suction Levels Optional
Soft & Comfortable Breastshield
Silent & Discreet Pumping
Unique System For Milk Storage
Easy to Assemble, Use & Clean
Compact & Lightweight

Unit dimension: 129 x 129 x 55mm
Unit weight: 265g
Battery: 4 "AA" Batteries or Medical AC Adapter

MOTHER & BABY CARE

Wearable Breast Pump

LD-208L



FEATURE

Portable Design
Anti-backflow
4 Modes & 9 Levels
Ultra-quiet
Pain-free Breast Pumps
Color Optional
Easy to Clean

Unit dimension: 97 x 66 x 138mm
Unit weight: 265g
Battery: 1200mAh or Type-C

Fertility Testing System

FM-103



FEATURE

Convenient Usage
Clear Digital Display
High Accuracy: >99%
3 In 1: 3 Most Important Fertility Hormones Measurement

Detection project: LH / HCG / FSH
Detection method: Chromatographic Immunoassay
Battery: 1*CR2032 Battery

Manual Breast Pump

LD-101



FEATURE

Streamline & Comfortable Handle
Soft & Comfortable Breastshield
Silent & Discreet Pumping
Unique System For Milk Storage
Easy to Assemble, Use & Clean
Compact & Lightweight

Unit dimension: 205 x 186 x 90mm
Unit weight: 159g

Fertility Testing System

HCG-101/102/103



FEATURE

One-step Test
Easy to Use
Fast Testing
Easy Visually Interpretation
Fast Response
High Sensitivity

Detection project: LH / HCG / FSH
Accuracy: > 99%
Sensitivity: 25 mIU/mL

Thank You



Ullwin (Shanghai) Industrial Co., Ltd
Rm. 06, 10/F, Block B, SilvaBay Tower,
269 Haining Rd., Shanghai 200080 China

Email: Business@ullwin.com
Website: www.ullwin.com