

snowtry BingShi®
冰氏 SinoKool

合肥中雪制冷设备有限公司

HE FEI SINO-SNOW REFRIGERATION EQUIPMENT CO.,LTD.



合肥中雪制冷设备有限公司

合肥市肥西县经济开发区城西湖路

国内销售部电话:+86 0555-6769433 +86 0555-6769509

传真:0551-63507951

邮箱:export@hualingxichu.com info@hualingxichu.com

网址:www.s-icesnow.com

Heifei Sino-Snow Refrigeration Equipment CO., Ltd

Chengxihu Road, Feixi County Economic Development Zone, Hefei City

Export Tel:+86 555 8362424 +86 555 8363434 +86 555 7168555

FAX:+0551-63507951

Email:export@hualingxichu.com info@hualingxichu.com

Web:www.s-icesnow.com



合肥中雪制冷设备有限公司为安徽华菱西厨装备股份有限公司全资子公司，位于安徽省合肥市，主要从事商用冰箱、操作台及制冰机研发、生产、销售。具备年产客房制冰机5万台、商用制冰机2万台，风冷商用冰箱、操作台20万台套产能。

我司产品生产线采取全自动化生产模式，从钣金生产、预装箱体、发泡、总装到测试、包装，无焊接、无打磨、无打胶工艺，核心机组国内首家采用真空氮检漏工艺，确保冰箱制冷可靠性，以上工艺和设备就是为了保证高效生产，高品质生产。

产品专注风冷冰箱要点，采用平台化和模块化及标准化设计理念，创新解决行业一直存在的痛点。生产工艺大量去人为因素影响，确保产品一致性。制冷机组完全独立模块，在客户现场只更换机组，不用维修制冷系统，售后服务方便。产品测试引用欧美更高标准，通过欧洲CE认证，国内3C认证，为了满足各种条件下安全可靠使用。

Hefei Sino-snow Refrigeration Equipment Co., Ltd. is a wholly-owned subsidiary of Anhui Hualing Kitchen Equipment Co., Ltd., located in Hefei City, Anhui Province, mainly engaged in the research and development, production and sales of commercial refrigerators, consoles and ice makers. It has an annual production capacity of 50,000 guest room ice makers, 20,000 commercial ice makers, and 200,000 sets of air-cooled commercial refrigerators and consoles.

Our product production line adopts a fully automated production mode, from sheet metal production, pre assembly of boxes, foaming, final assembly to testing and packaging, without welding, without grinding and without gluing processes. The core unit is the first in China to use vacuum helium leak detection process to ensure the reliability of refrigerator refrigeration. The above processes and equipment are designed to ensure efficient production and high-quality production.

The product focuses on the main points of air-cooled refrigerators, adopts platform, modular and standardized design concepts, and innovatively solves the pain points that have always existed in the industry. The production process is largely free from human factors to ensure product consistency. The refrigeration unit is completely independent module, only the unit can be replaced at the customer's site without repairing the refrigeration system. The after-sales service is convenient. Product testing refers to higher standards in Europe and the United States, and has passed European CE certification and domestic 3C certification, in order to meet various conditions for safe and reliable use.

Let's work together to let everyone use air-cooled refrigerators, promote the progress of the industry, and enjoy a better life.

Products Contents

产品目录

全系列风冷无霜冰箱，进入5G智能化管理时代。
A full range of air-cooled frost-free refrigerators have entered the era of 5G intelligent management.

亚太700系列 Asia Pacific 700 Series

立柜	01
Upright	
操作台/带靠背操作台	02
Counter/Counter with backrest	
展示柜	03
Display cabinet	
操作台展示柜	04
Counter display cabinet	
双温冰箱	05
Double temperature refrigerator	

亚太760系列 Asia Pacific 760 series

立柜	06
Upright	
操作台/带靠背操作台	07
Counter/Counter with backrest	
展示柜	08
Display cabinet	
操作台展示柜	09
Counter display cabinet	
双温冰箱	10
Double temperature refrigerator	

亚太800系列 Asia Pacific800 Series

立柜	11
Upright	
操作台/带靠背操作台	12
Counter/Counter with backrest	
冰箱烤盘柜	13
Refrigerator tray cabine	
操作台烤盘柜	14
Operating console tray cabinet	

欧款系列 European style series

立柜	15
Upright	
展示柜	17
Display cabinet	
操作台	19
Counter	
带靠背操作台	19
Counter with backrest	
操作台展示柜	20
Counter display cabinet	
沙拉台	21
Salae counter	
披萨台	22
Pizza counter	

美款系列 American style series

立柜	23
Upright	
展示柜	24
Display cabinet	
操作台	26
Counter	
沙拉台	27
Salae counter	

制冰机系列 Ice maker series

流水式制冰机	29
Integrated ice maker	
喷淋式制冰机	30
Spray system ice machine	
分体式制冰机	31
Split ice maker	
台式制冰机	32
Desktop ice maker	
自动出冰制冰机	32
Automatic ice dispenser	
立式小冰柜	33
Vertical freezer	
制冷展示柜	34
Refrigerated display case	

公司核心专利 Patent

中国发明专利:ZL202110984176.5


中国实用新型:ZL202122026986.8

中国实用新型:ZL202122026849.4

中国实用新型:ZL202122026934.0

中国实用新型:ZL202122026935.5

中国实用新型:ZL2021220226933.6



辊扎生产线 Roll tie production line

全伺服，全自动化生产线，效率高，产品一致性强。
Full servo, fully automated production line, high efficiency, strong product consistency



发泡生产线 Foaming production line

进箱，出箱，合模，注料，旋转，立箱，全自动。
Into the box, out of the box, mold clamping, injection, rotation, vertical box, fully automat.



生产测试线 Test production line

每台产品功率，温度曲线与条码一一对应，每台产品满足要求才出厂。
The power and temperature curves of each product correspond to the barcode one by one, and each product can only leave the factory when it meets the requirements.



实验室 Laboratory

国标实验室，性能匹配，工况测试，成品抽查，满足不同温度湿度条件下的测试。
National standard laboratory, performance matching, working condition test, finished product spot check, meet the test under different temperature and humidity conditions.



柔性折弯生产线 Flexible Bending Line


柔性折弯机集高精度、高效能与高自动化于一体，适配多材质板材，可快速完成复杂折弯，助力提升产品质量和效率。
Flexible bending machine combines high precision, high performance and high automation, suitable for multi-material plate, can quickly complete complex bending, help to improve product quality and efficiency.



操作台一体化机组
Console monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.



冰箱一体化机组
Refrigerator monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.



电脑精确控温+WIFI物联
Precise temperature control +WIFI
电脑显示屏，操作便捷，状态清晰。
Digital display, easy operation.




下进风上出风
Lower air inlet and upper air outlet
下进风，多方向出风，散热快。
Lower air inlet, multi-directional air outlet, fast heat dissipation.



TPE门封条
TPE door sealt
低温不变形，不漏冷气，可拆卸，方便清洁。
No deformation at low temperature, no air-conditioning leakage, detachable, easy to clean.



内部节省空间
Internal space saving
箱内无蒸发部分，存放空间更大。
No evaporation part in the box, more storage space.



操作台化霜水自蒸发系统
Self-evaporating system of console defrosted water
不需蒸发包和排水管。
No need for evaporation packs and drains.



风道设计
Air duct design
客户随意堆放都能确保冷气均匀。
Customers can stack at will to ensure uniform cooling.




冰箱化霜水自蒸发系统
Self-evaporating system of refrigerator defrosted water
安全可靠。
Safe and reliable.


Asia Pacific 700 style upright
亚太款700系列立柜

Air cooling no frost
风冷无霜


Asia Pacific 700 style counter
亚太款700系列操作台




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R6870X2	冷藏(Refrigerator)	680*700*1935	705*725*1985	450L	240W	+1~+8 (°C)	R290
A1F6870X2	冷冻(Freezer)	680*700*1935	705*725*1985	450L	450W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1270X4	冷藏(Refrigerator)	1200*700*1935	1225*725*1985	870L	350W	+1~+8 (°C)	R290
A1F1270X4	冷冻(Freezer)	1200*700*1935	1225*725*1985	870L	480W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1870X6	冷藏(Refrigerator)	1800*700*1935	1825*725*1985	1350L	450W	+1~+8 (°C)	R290
A1F1870X6	冷冻(Freezer)	1800*700*1935	1825*725*1985	1350L	600W	-10~-18 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1270X2	冷藏(Refrigerator)	1200*700*825	1225*725*860	273L	200W	+1~+8 (°C)	R290
A2F1270X2	冷冻(Freezer)	1200*700*825	1225*725*860	273L	360W	-10~-18 (°C)	R290
A2R1270K2	冷藏(Refrigerator)	1200*700*925	1225*725*960	273L	200W	+1~+8 (°C)	R290
A2F1270K2	冷冻(Freezer)	1200*700*925	1225*725*960	273L	360W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1570X2	冷藏(Refrigerator)	1500*700*825	1525*725*860	379L	260W	+1~+8 (°C)	R290
A2F1570X2	冷冻(Freezer)	1500*700*825	1525*725*860	379L	450W	-10~-18 (°C)	R290
A2R1570K2	冷藏(Refrigerator)	1500*700*925	1525*725*960	379L	260W	+1~+8 (°C)	R290
A2F1570K2	冷冻(Freezer)	1500*700*925	1525*725*960	379L	450W	-10~-18 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1870X2	冷藏(Refrigerator)	1800*700*825	1825*725*860	484L	350W	+1~+8 (°C)	R290
A2F1870X2	冷冻(Freezer)	1800*700*825	1825*725*860	484L	500W	-10~-18 (°C)	R290
A2R1870K2	冷藏(Refrigerator)	1800*700*925	1825*725*960	484L	350W	+1~+8 (°C)	R290
A2F1870K2	冷冻(Freezer)	1800*700*925	1825*725*960	484L	500W	-10~-18 (°C)	R290

Asia Pacific 700 style upright
亚太款700系列立柜 >>> (CCC)

Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1D1270X4	Double temperature 双温单机组	1200*700*1935	1225*725*1985	410L*2	450W	+1~+8 (°C) -10~-18 (°C)	R290
A1T1270X4	Double temperature 双温双机组	1200*700*1935	1225*725*1985	410L*2	450*2W	+1~+8 (°C) -10~-18 (°C)	R290




冰箱一体化机组
Refrigerator monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.



内部节省空间
Internal space saving
箱内无蒸发部分，存放空间更大。
No evaporation part in the box,
more storage s

Asia Pacific 700 style upright showcase
亚太款700系列展示柜 >>> (CCC)




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1270G2	冷藏(Refrigerator)	1200*700*1935	1225*725*1985	870L	240W	+1~+8 (°C)	R290
A1F1270G2	冷冻(Freezer)	1200*700*1935	1225*725*1985	870L	450W	-10~-18 (°C)	R290




TPE门封条
TPE door seal
低温不变形，不漏冷气，
可拆卸，方便清洁。
No deformation at low temperature
no air-conditioning leakage, detachable,
easy to clean.



电脑精确控温+WIFI物联
Precise temperature control +WIFI
电脑显示屏，操作便捷，状态清晰。
Digital display, easy operation.




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1D1870X6	Double temperature 双温单机组	1800*700*1935	1825*725*1985	410L+890L	650W	+1~+8 (°C) -10~-18 (°C)	R290
A1T1870X6	Double temperature 双温双机组	1800*700*1935	1825*725*1985	410L+890L	650*2W	+1~+8 (°C) -10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1870G3	冷藏(Refrigerator)	1800*700*1935	1825*725*1985	1350L	450W	+1~+8 (°C)	R290
A1F1870G3	冷冻(Freezer)	1800*700*1935	1825*725*1985	1350L	600W	-10~-18 (°C)	R290

Asia Pacific 700 style counter refrigerator showcase
亚太款700系列操作台展示柜


Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1270G2	冷藏(Refrigerator)	1200*700*825	1225*725*860	273L	200W	+1~+8 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1570G2	冷藏(Refrigerator)	1500*700*825	1525*725*860	379L	260W	+1~+8 (°C)	R290





Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1870G2	冷藏(Refrigerator)	1800*700*825	1825*725*860	484L	350W	+1~+8 (°C)	R290


Asia Pacific 760 style upright
亚太760系列立柜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1R6876X2	冷藏(Refrigerator)	680*760*1935	705*785*1985	495L	240W	+1~+8 (°C)	R290
A1F6876X2	冷冻(Freezer)	680*760*1935	705*785*1985	495L	450W	-10~-18 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1R1276X4	冷藏(Refrigerator)	1200*760*1935	1225*785*1985	960L	350W	+1~+8 (°C)	R290
A1F1276X4	冷冻(Freezer)	1200*760*1935	1225*785*1985	960L	480W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1R1876X6	冷藏(Refrigerator)	1800*700*1935	1825*785*1985	1490L	450W	+1~+8 (°C)	R290
A1F1876X6	冷冻(Freezer)	1800*700*1935	1825*785*1985	1490L	600W	-10~-18 (°C)	R290



Asia Pacific 760 style counter
亚太760系列操作台 >>> (CCC)

Air cooling no frost
风冷无霜



Asia Pacific 760 style upright
亚太760系列立柜 >>> (CCC)



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1276X2	冷藏(Refrigerator)	1200*760*825	1225*785*860	301L	200W	+1~+8 (°C)	R290
A2F1276X2	冷冻(Freezer)	1200*760*825	1225*785*860	301L	360W	-10~-18 (°C)	R290
A2R1276K2	冷藏(Refrigerator)	1200*760*925	1225*785*960	301L	200W	+1~+8 (°C)	R290
A2F1276K2	冷冻(Freezer)	1200*760*925	1225*785*960	301L	370W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1576X2	冷藏(Refrigerator)	1500*760*825	1525*785*860	418L	260W	+1~+8 (°C)	R290
A2F1576X2	冷冻(Freezer)	1500*760*825	1525*785*860	418L	450W	-10~-18 (°C)	R290
A2R1576K2	冷藏(Refrigerator)	1500*760*925	1525*785*960	418L	260W	+1~+8 (°C)	R290
A2F1576K2	冷冻(Freezer)	1500*760*925	1525*785*960	418L	480W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1876X2	冷藏(Refrigerator)	1800*760*825	1825*785*860	534L	350W	+1~+8 (°C)	R290
A2F1876X2	冷冻(Freezer)	1800*760*825	1825*785*860	534L	500W	-10~-18 (°C)	R290
A2R1876K2	冷藏(Refrigerator)	1800*760*925	1825*785*960	534L	360W	+1~+8 (°C)	R290
A2F1876K2	冷冻(Freezer)	1800*760*925	1825*785*960	534L	510W	-10~-18 (°C)	R290

亚太系列冰箱 4类气候类型能耗限定值 (GB 26920.2)

立式冷冻箱	A1F1276X4	日耗电量kWh/24h	月耗电量kWh/m	年耗电量kWh/a	冷冻平台柜	A2F1576X2	日耗电量kWh/24h	月耗电量kWh/m	年耗电量kWh/a
	1级	8.28	251.8	3022		1级	4.69	142.5	1711
	2级	9.79	297.7	3573		2级	5.54	168.5	2022
立式冷藏箱	A1R1276X4	日耗电量kWh/24h	月耗电量kWh/m	年耗电量kWh/a	冷藏平台柜	A2R1576X2	日耗电量kWh/24h	月耗电量kWh/m	年耗电量kWh/a
	1级	2.74	83.3	1000		1级	1.57	47.7	573
	2级	3.24	98.5	1182		2级	1.85	56.2	675
	3级	4.00	121.6	1460		3级	2.28	69.3	832



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1D1276X4	Double temperature 双温单机组	1200*760*1935	1225*785*1985	450L*2	450W	+1~+8 (°C) -10~-18 (°C)	R290
A1T1276X4	Double temperature 双温双机组	1200*760*1935	1225*785*1985	450L*2	450*2W	+1~+8 (°C) -10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1D1876X6	Double temperature 双温单机组	1800*760*1935	1825*785*1985	450L+890L	650W	+1~+8 (°C) -10~-18 (°C)	R290
A1T1876X6	Double temperature 双温双机组	1800*760*1935	1825*785*1985	450L+890L	650*2W	+1~+8 (°C) -10~-18 (°C)	R290


Asia Pacific 760 style upright showcase
亚太760系列展示柜

Air cooling no frost
风冷无霜

Asia Pacific 760 style counter refrigerator showcase
亚太760系列操作台展示柜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1R1276G2	冷藏(Refrigerator)	1200*760*1935	1225*785*1985	960L	240W	+1~+8 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1276G2	冷藏(Refrigerator)	1200*760*825	1225*785*860	301L	200W	+1~+8 (°C)	R290




冰箱一体化机组
Refrigerator monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.




电脑精确控温+WIFI物联
Precise temperature control +WIFI
电脑显示屏，操作便捷，状态清晰。
Digital display, easy operation.



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1576G2	冷藏(Refrigerator)	1500*760*825	1525*785*860	301L	260W	+1~+8 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A1R1876G3	冷藏(Refrigerator)	1800*760*1935	1825*785*1985	1490L	450W	+1~+8 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigrant 制冷剂
A2R1876G2	冷藏(Refrigerator)	1800*760*825	1825*785*860	508L	450W	+1~+8 (°C)	R290


Asia Pacific 800 style upright
亚太800系列立柜 >>> (CCC)

Air cooling no frost
风冷无霜


Asia Pacific 800 style counter
亚太800系列操作台 >>> (CCC)




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R6880X2	冷藏(Refrigerator)	680*800*1935	705*825*1985	525L	240W	+1~+8 (°C)	R290
A1F6880X2	冷冻(Freezer)	680*800*1935	705*825*1985	525L	480W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1280X4	冷藏(Refrigerator)	1200*800*1935	1225*825*1985	1020L	350W	+1~+8 (°C)	R290
A1F1280X4	冷冻(Freezer)	1200*800*1935	1225*825*1985	1020L	520W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A1R1880X6	冷藏(Refrigerator)	1800*800*1935	1825*825*1985	1590L	460W	+1~+8 (°C)	R290
A1F1880X6	冷冻(Freezer)	1800*800*1935	1825*825*1985	1590L	680W	-10~-18 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1280X2	冷藏(Refrigerator)	1200*800*825	1225*825*860	320L	200W	+1~+8 (°C)	R290
A2F1280X2	冷冻(Freezer)	1200*800*825	1225*825*860	320L	380W	-10~-18 (°C)	R290
A2R1280K2	冷藏(Refrigerator)	1200*800*925	1225*825*960	320L	200W	+1~+8 (°C)	R290
A2F1280K2	冷冻(Freezer)	1200*800*925	1225*825*960	320L	380W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1580X2	冷藏(Refrigerator)	1500*800*825	1525*825*860	444L	270W	+1~+8 (°C)	R290
A2F1580X2	冷冻(Freezer)	1500*800*825	1525*825*860	444L	500W	-10~-18 (°C)	R290
A2R1580K2	冷藏(Refrigerator)	1500*800*925	1525*825*960	444L	270W	+1~+8 (°C)	R290
A2F1580K2	冷冻(Freezer)	1500*800*925	1525*825*960	444L	500W	-10~-18 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity(L) 容量	Power 功率	Temperature(°C) 温度	Refrigerant 制冷剂
A2R1880X2	冷藏(Refrigerator)	1800*800*825	1825*825*860	568L	370W	+1~+8 (°C)	R290
A2F1880X2	冷冻(Freezer)	1800*800*825	1825*825*860	568L	570W	-10~-18 (°C)	R290
A2R1880K2	冷藏(Refrigerator)	1800*800*925	1825*825*960	568L	370W	+1~+8 (°C)	R290
A2F1880K2	冷冻(Freezer)	1800*800*925	1825*825*960	568L	520W	-10~-18 (°C)	R290

Asia Pacific 800 style baking refrigerator
亚太800系列烤盘柜


Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Insert disc number 插盘数	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂
A1R6880P2	冷藏(Refrigerator)	680*800*1935	705*825*1985	15盘	525L	240W	+1~+8 (°C)	R290
A1F6880P2	冷冻(Freezer)	680*800*1935	705*825*1985	15盘	525L	450W	-18~-22 (°C)	R290




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Insert disc number 插盘数	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂
A1R1280P4	冷藏(Refrigerator)	1200*800*1935	1225*825*1985	30盘	1020L	350W	+1~+8 (°C)	R290
A1F1280P4	冷冻(Freezer)	1200*800*1935	1225*825*1985	30盘	1020L	520W	-18~-22 (°C)	R290



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Insert disc number 插盘数	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂
A1R1880P6	冷藏(Refrigerator)	1800*800*1935	1825*825*1985	45盘	1590L	460W	+1~+8 (°C)	R290
A1F1880P6	冷冻(Freezer)	1800*800*1935	1825*825*1985	45盘	1590L	680W	-18~-22 (°C)	R290

Asia Pacific 800 style counter backing refrigerator
亚太800系列操作台烤盘柜




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Insert disc number 插盘数	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂
A2F1580P2	冷冻(Freezer)	1500*800*825	1525*825*860	12盘	444L	290W	-18~-22 (°C)	R290



操作台一体化机组
Console monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.



下进风上出风
Lower air inlet and upper air outlet
下进风，多方向出风，散热快。
Lower air inlet, multi-directional
air outlet, fast heat dissipation.




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Insert disc number 插盘数	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂
A2F2020P3	冷冻(Freezer)	2020*800*825	2045*825*860	18盘	568L	550W	-18~-22 (°C)	R290

European style upright
欧款系列立柜 >>>




欧款立式冷柜能效汇总

European-style upright freezer/refrigerator Energy Efficiency summary




欧款平台冷柜能效汇总


European-style counter freezer/refrigerator Energy Efficiency summary




European style upright
欧款系列立柜 >>>




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R6871N1	冷藏(Refrigerator)	680*710*2010	705*735*2060	540L	320W	D/C/B 927/618 /430	0~+8 (°C)	R290	Cubigel/Donper 48	
E1F6871N1	冷冻(Freezer)	680*710*2010	705*735*2060	540L	380W	D/C/B 2518/1679 /1175	-18~-22 (°C)	R290	Cubigel/Donper 48	



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1371N2	冷藏(Refrigerator)	1340*710*2010	1365*735*2060	1002L	380W	D/C/B 1423/948 /664	0~+8 (°C)	R290	Cubigel/Donper 25	
E1F1371N2	冷冻(Freezer)	1340*710*2010	1365*735*2060	1002L	550W	D/C/B 4004/2670/1868	-18~-22 (°C)	R290	Cubigel/Donper 25	



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R6871N2	冷藏(Refrigerator)	680*710*2010	705*735*2060	540L	240W	D/C/B 927/618 /430	0~+8 (°C)	R290	Cubigel/Donper 48	
E1F6871N2	冷冻(Freezer)	680*710*2010	705*735*2060	540L	380W	D/C/B 2518/1679 /1175	-18~-22 (°C)	R290	Cubigel/Donper 48	




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1371N4	冷藏(Refrigerator)	1340*710*2010	1365*735*2060	1002L	380W	D/C/B 1423/948 /664	0~+8 (°C)	R290	Cubigel/Donper 25	
E1F1371N4	冷冻(Freezer)	1340*710*2010	1365*735*2060	1002L	550W	D/C/B 4004/2670/1868	-18~-22 (°C)	R290	Cubigel/Donper 25	



European style upright
欧款系列立柜





Air cooling no frost
风冷无霜





Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R6881N1	冷藏(Refrigerator)	680*810*2010	705*835*2060	632L	320W	D/C/B 1014/677/470	0~+8 (°C)	R290	Cubigel/Donper 48	
E1F6881N1	冷冻(Freezer)	680*810*2010	705*835*2060	632L	380W	D/C/B 2781/1854/748	-18~-22 (°C)	R290	Cubigel/Donper 48	



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1381N2	冷藏(Refrigerator)	1340*810*2010	1365*835*2060	1172L	380W	D/C/B 1606/1069/748	0~+8 (°C)	R290	Cubigel/Donper 25	
E1F1381N2	冷冻(Freezer)	1340*810*2010	1365*835*2060	1172L	550W	D/C/B 4551/3033/2124	-18~-22 (°C)	R290	Cubigel/Donper 25	



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R6881N2	冷藏(Refrigerator)	680*810*2010	705*835*2060	632L	240W	D/C/B 1014/677/470	0~+8 (°C)	R290	Cubigel/Donper 48	
E1F6881N2	冷冻(Freezer)	680*810*2010	705*835*2060	632L	380W	D/C/B 2781/1854/748	-18~-22 (°C)	R290	Cubigel/Donper 48	




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1381N4	冷藏(Refrigerator)	1340*810*2010	1365*835*2060	1172L	380W	D/C/B 1606/1069/748	0~+8 (°C)	R290	Cubigel/Donper 25	
E1F1381N4	冷冻(Freezer)	1340*810*2010	1365*835*2060	1172L	550W	D/C/B 4551/3033/2124	-18~-22 (°C)	R290	Cubigel/Donper 25	

European style upright
欧款系列立柜



SinoKooool





Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R7483N1	冷藏(Refrigerator)	740*830*2010	765*855*2060	710L	320W	D/C/B 1054/704/492	0~+8 (°C)	R290	Cubigel/Donper 42	
E1F7483N1	冷冻(Freezer)	740*830*2010	765*855*2060	710L	380W	D/C/B 2861/1935/1354	-18~-22 (°C)	R290	Cubigel/Donper 42	



冰箱一体化机组
Refrigerator monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.




内部节省空间
Internal space saving
箱内无蒸发部分，存放空间更大。
No evaporation part in the box,
more storage s



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1483N2	冷藏(Refrigerator)	1480*830*2010	1505*855*2060	1344L	380W	D/C/B 1697/1134/792	0~+8 (°C)	R290	Cubigel/Donper 15	
E1F1483N2	冷冻(Freezer)	1480*830*2010	1505*855*2060	1344L	550W	D/C/B 4836/3224/2255	-18~-22 (°C)	R290	Cubigel/Donper 15	

European style upright showcase
欧款系列展示柜 >>>

Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R7483G1	冷藏(Refrigerator)	740*830*2010	765*855*2060	710L	320W	D/C 1054/704	0~+8 (°C)	R290	Cubigel/Donper 48	
E1R6871G1	冷藏(Refrigerator)	680*710*2010	705*735*2060	540L	380W	D/C 927/618	0~+8 (°C)	R290	Cubigel/Donper 48	




TPE门封条
TPE door seal

低温不变形，不漏冷气，
可拆卸，方便清洁。
No deformation at low temperature
no air-conditioning leakage, detachable,
easy to clean.



电脑精确控温+WIFI物联
Precise temperature control +WIFI

电脑显示屏，操作便捷，状态清晰。
Digital display, easy operation.




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E1R1483G2	冷藏(Refrigerator)	1480*830*2010	1505*855*2060	1344L	380W	D/C 1697/1134	0~+8 (°C)	R290	Cubigel/Donper 15	
E1R1371G2	冷藏(Refrigerator)	1340*710*2010	1365*735*2060	1002L	550W	D/C 1423/948	-18~-22 (°C)	R290	Cubigel/Donper 15	


European style counter
欧款系列操作台 >>>




SinoKooool



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R1370N2	冷藏(Refrigerator)	1360*700*850	1385*725*885	277L	210W	D/C/B 1762/1174/821	0~+8 (°C)	R290	Cubigel/Donper 75	
E2F1370N2	冷冻(Freezer)	1360*700*850	1385*725*885	277L	320W	D/C 2752/1833	-18~-22 (°C)	R290	Cubigel/Donper 75	
E2R1370K2	冷藏(Refrigerator)	1360*700*950	1385*725*985	277L	210W	D/C/B 1762/1174/821	0~+8 (°C)	R290	Cubigel/Donper 50	
E2F1370K2	冷冻(Freezer)	1360*700*950	1385*725*985	277L	320W	D/C 2752/1833	-18~-22 (°C)	R290	Cubigel/Donper 50	




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R1770N3	冷藏(Refrigerator)	1795*700*850	1820*725*885	428L	320W	D/C/B 1989/1322/927	0~+8 (°C)	R290	Cubigel/Donper 57	
E2F1770N3	冷冻(Freezer)	1795*700*850	1820*725*885	428L	340W	D/C 3263/2170	-18~-22 (°C)	R290	Cubigel/Donper 57	
E2R1770K3	冷藏(Refrigerator)	1795*700*950	1820*725*985	428L	320W	D/C/B 1989/1322/327	0~+8 (°C)	R290	Cubigel/Donper 36	
E2F1770K3	冷冻(Freezer)	1795*700*950	1820*725*985	428L	340W	D/C 3263/2170	-18~-22 (°C)	R290	Cubigel/Donper 36	



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R2270N4	冷藏(Refrigerator)	2230*700*850	2255*725*885	580L	350W	D/C/B 2208/1472/1032	0~+8 (°C)	R290	Cubigel/Donper 48	
E2F2270N4	冷冻(Freezer)	2230*700*850	2255*725*885	580L	360W	D/C 3785/2520	-18~-22 (°C)	R290	Cubigel/Donper 48	
E2R2270K4	冷藏(Refrigerator)	2230*700*950	2255*725*985	580L	350W	D/C/B 2208/1472/1032	0~+8 (°C)	R290	Cubigel/Donper 32	
E2F2270K4	冷冻(Freezer)	2230*700*950	2255*725*985	580L	360W	D/C 3785/2520	-18~-22 (°C)	R290	Cubigel/Donper 32	

European style counter refrigerator showcase
欧款系列操作台展示柜 >>>

Air cooling no frost
风冷无霜




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R1370G2	冷藏(Refrigerator)	1360*700*850	1385*725*885	277L	210W	D/C/B 1762/1174/821	0~+8 (°C)	R290	Cubigel/Donper	75




操作台一体化机组
Console monoblock unit
一体化机组，维修更换方便。
Integrated unit, easy to replace.



下进风，多方向出风，散热快。
Lower air inlet, multi-directional
air outlet, fast heat dissipation.



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R1770G3	冷藏(Refrigerator)	1795*700*850	1820*725*885	428L	320W	D/C/B 2047/1361/952	0~+8 (°C)	R290	Cubigel/Donper	57




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Annual Power Consumption 年耗电量	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E2R2270G4	冷藏(Refrigerator)	2230*700*850	2255*725*885	580L	350W	D/C/B 2299/1633/1073	0~+8 (°C)	R290	Cubigel/Donper	48


European style salad counter
欧款系列沙拉台 >>>




SinoKooool



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060N2	冷藏(Refrigerator)	903*600*876	928*625*1026	195L	243W	+2~+8 (°C)	R290	Cubigel/Donper	88
E4R9070N2	冷藏(Refrigerator)	903*700*876	928*725*1026	227L	243W	+2~+8 (°C)	R290	Cubigel/Donper	76
E4R1360N3	冷藏(Refrigerator)	1368*600*876	1393*625*1026	317L	243W	+2~+8 (°C)	R290	Cubigel/Donper	76
E4R1370N3	冷藏(Refrigerator)	1368*700*876	1393*725*1026	370L	243W	+2~+8 (°C)	R290	Cubigel/Donper	50
E4R1460N3	冷藏(Refrigerator)	1485*600*876	1510*625*1026	363L	243W	+2~+8 (°C)	R290	Cubigel/Donper	52
E4R1470N3	冷藏(Refrigerator)	1485*700*876	1510*725*1026	436L	243W	+2~+8 (°C)	R290	Cubigel/Donper	46



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060L2	冷藏(Refrigerator)	935*600*1026	960*625*1200	178L	313W	+2~+8	R290	Cubigel/Donper	86
E4R9070L2	冷藏(Refrigerator)	935*700*1026	960*725*1200	208L	313W	+2~+8	R290	Cubigel/Donper	74
E4R1360L3	冷藏(Refrigerator)	1400*600*1026	1425*625*1200	290L	313W	+2~+8	R290	Cubigel/Donper	54
E4R1370L3	冷藏(Refrigerator)	1400*700*1026	1425*725*1200	340L	313W	+2~+8	R290	Cubigel/Donper	48






Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060H2	冷藏(Refrigerator)	903*600*876	928*625*1026	195L	313W	+2~+8	R290	Cubigel/Donper	88
E4R9070H2	冷藏(Refrigerator)	903*700*876	928*725*1026	227L	313W	+2~+8	R290	Cubigel/Donper	76
E4R1360H3	冷藏(Refrigerator)	1368*600*876	1393*625*1026	317L	313W	+2~+8	R290	Cubigel/Donper	54
E4R1370H3	冷藏(Refrigerator)	1368*700*876	1393*725*1026	370L	313W	+2~+8	R290	Cubigel/Donper	50




European style pizza counter
欧款系列披萨台





Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060K2	冷藏(Refrigerator)	903*600*976	928*625*1026	195L	243W	+2~+8 (°C)	R290	Cubigel/Donper	88
E4R9070K2	冷藏(Refrigerator)	903*700*976	928*725*1026	227L	243W	+2~+8 (°C)	R290	Cubigel/Donper	76
E4R1360K3	冷藏(Refrigerator)	1368*600*976	1393*625*1026	317L	243W	+2~+8 (°C)	R290	Cubigel/Donper	54
E4R1370K3	冷藏(Refrigerator)	1368*700*976	1393*725*1026	370L	243W	+2~+8 (°C)	R290	Cubigel/Donper	50
E4R1460K3	冷藏(Refrigerator)	1485*600*976	1510*625*1026	363L	243W	+2~+8 (°C)	R290	Cubigel/Donper	52
E4R1470K3	冷藏(Refrigerator)	1485*700*976	1510*725*1026	436L	243W	+2~+8 (°C)	R290	Cubigel/Donper	46



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060S2	冷藏(Refrigerator)	903*600*1012	928*625*1170	205L	313W	+2~+8	R290	Cubigel/Donper	88
E4R9070S2	冷藏(Refrigerator)	903*700*1012	928*725*1170	243L	313W	+2~+8	R290	Cubigel/Donper	76
E4R1360S3	冷藏(Refrigerator)	1368*600*1012	1393*625*1170	343L	313W	+2~+8	R290	Cubigel/Donper	54
E4R1370S3	冷藏(Refrigerator)	1368*700*1012	1393*725*1170	400L	313W	+2~+8	R290	Cubigel/Donper	50



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
E4R9060D2	冷藏(Refrigerator)	903*600*1096	928*625*1236	205L	313W	+2~+8	R290	Cubigel/Donper	88
E4R9070D2	冷藏(Refrigerator)	903*700*1096	928*725*1236	240L	313W	+2~+8	R290	Cubigel/Donper	76
E4R1360D3	冷藏(Refrigerator)	1368*600*1096	1393*625*1236	330L	313W	+2~+8	R290	Cubigel/Donper	54
E4R1370D3	冷藏(Refrigerator)	1368*700*1096	1393*725*1236	385L	313W	+2~+8	R290	Cubigel/Donper	50

American style upright
美款下机组系列立柜




SinoKooool



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸	Packing Size(WxDxH) 包装尺寸	Gross Capacity 容量(L)	Power 功率	Temperature 温度	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F5082X1	冷冻(Freezer)	501.5*823.5*2120 (19.7*32.4*83")	542*890*2160(mm) 21.33*35*85"	392L	280W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	57
U3F6882X1	冷冻(Freezer)	686*823.5*2120 (27*32.4*83")	726*890*2160(mm) 28.5*35*85"	580L	280W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	39
U3R5082X1	冷藏(Refrigerator)	501.5*823.5*2120 (19.7*32.4*83")	542*890*2160(mm) 21.33*35*85"	392L	180W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	57
U3R6882X1	冷藏(Refrigerator)	686*823.5*2120 (27*32.4*83")	726*890*2160(mm) 28.5*35*85"	580L	180W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	39



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸	Packing Size(WxDxH) 包装尺寸	Gross Capacity 容量(L)	Power 功率	Temperature 温度	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F1082X2	冷冻(Freezer)	1003*823.5*2120(mm) 39.5*32.4*83"	1043*890*2160(mm) 41*35*85"	903L	380W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	26
U3F1382X2	冷冻(Freezer)	1372*823.5*2120(mm) 39.5*32.4*83"	1412*890*2160(mm) 41*35*85"	1280L	450W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	21
U3R1082X2	冷藏(Refrigerator)	1003*823.5*2120(mm) 39.5*32.4*83"	1043*890*2160(mm) 41*35*85"	903L	205W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	26
U3R1382X2	冷藏(Refrigerator)	1372*823.5*2120(mm) 39.5*32.4*83"	1412*890*2160(mm) 41*35*85"	1280L	260W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	21




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸	Packing Size(WxDxH) 包装尺寸	Gross Capacity 容量(L)	Power 功率	Temperature 温度	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F2082X3	冷冻(Freezer)	2054.5*823.5*2120(mm) 81*32.4*83"	2094.5*890*2160(mm) 82.5*35*85"	1975L	690W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	13
U3R2082X3	冷藏(Refrigerator)	2054.5*823.5*2120(mm) 81*32.4*83"	2094.5*890*2160(mm) 82.5*35*85"	1975L	410W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	13


American style upright showcase
美款系列展示柜




Air cooling no frost
风冷无霜



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F5082G1	冷冻(Freezer)	501.5*850*2120(mm) 19.7**32.4**83"	542*890*2160(mm) 21.33**35**85"	392L	250W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	66
U3F6882G1	冷冻(Freezer)	686*850*2120(mm) 27**32.4**83"	726*890*2160(mm) 28.5**35**85"	580L	320W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	43
U3R5082G1	冷藏(Refrigerator)	501.5*850*2120(mm) 19.7**32.4**83"	542*890*2160(mm) 21.33**35**85"	392L	150W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	66
U3R6882G1	冷藏(Refrigerator)	686*850*2120(mm) 27**32.4**83"	726*890*2160(mm) 28.5**35**85"	580L	190W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	43




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F1082G2	冷冻(Freezer)	1003*850*2120(mm) 39.5**32.4**83"	1043*890*2160(mm) 41**35**85"	903L	430W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	26
U3F1382G2	冷冻(Freezer)	1372*850*2120(mm) 39.5**32.4**83"	1412*890*2160(mm) 41**35**85"	1280L	520W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	21
U3R1082G2	冷藏(Refrigerator)	1003*850*2120(mm) 39.5**32.4**83"	1043*890*2160(mm) 41**35**85"	903L	275W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	26
U3R1382G2	冷藏(Refrigerator)	1372*850*2120(mm) 39.5**32.4**83"	1412*890*2160(mm) 41**35**85"	1280L	300W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	21




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸	Packing Size(WxDxH) 包装尺寸	Gross Capacity 容量(L)	Power 功率	Temperature 温度	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U3F2082G3	冷冻(Freezer)	2054.5*850*2120(mm) 81**32.4**83"	2094.5*890*2160(mm) 82.5**35**85"	1975L	790W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	13
U3R2082G3	冷藏(Refrigerator)	2054.5*850*2120(mm) 81**32.4**83"	2094.5*890*2160(mm) 82.5**35**85"	1975L	460W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	13


American style upright
美款上机组系列立柜




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U1R6881N1	冷藏(Refrigerator)	680*810*2010	705*835*2060	560L	240W	0~+8 (°C)	R290	Cubigel/Donper	48
U1F6881N1	冷冻(Freezer)	680*810*2010	705*835*2060	560L	380W	-18~-22 (°C)	R290	Cubigel/Donper	48



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U1R1381N2	冷藏(Refrigerator)	1340*810*2010	1368*835*2060	1180L	380W	0~+8 (°C)	R290	Cubigel/Donper	15
U1F1381N2	冷冻(Freezer)	1340*810*2010	1368*835*2060	1180L	550W	-18~-22 (°C)	R290	Cubigel/Donper	15



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U1R6881N2	冷藏(Refrigerator)	680*810*2010	705*835*2060	560L	240W	0~+8 (°C)	R290	Cubigel/Donper	48
U1F6881N2	冷冻(Freezer)	680*810*2010	705*835*2060	560L	380W	-18~-22 (°C)	R290	Cubigel/Donper	48




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigrant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U1R1381N4	冷藏(Refrigerator)	1340*810*2010	1368*835*2060	1180L	380W	0~+8 (°C)	R290	Cubigel/Donper	15
U1F1381N4	冷冻(Freezer)	1340*810*2010	1368*835*2060	1180L	550W	-18~-22 (°C)	R290	Cubigel/Donper	15


American style counter
美款系列操作台




Air cooling no frost
风冷无霜




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4F7380X1	冷冻(Freezer)	735*800*905(mm) 29*31.5*35.75"	775*840*945(mm) 30.5*33*37.2"	214L	170W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	84
U4F7380K1	冷冻(Freezer)	735*800*1005(mm) 29*31.5*39.56"	775*840*1045(mm) 30.5*33*41.1"	214L	170W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	84
U4R7380X1	冷藏(Refrigerator)	735*800*905(mm) 29*31.5*35.75"	775*840*945(mm) 30.5*33*37.2"	214L	100W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	84
U4R7380K1	冷藏(Refrigerator)	735*800*1005(mm) 29*31.5*39.56"	775*840*1045(mm) 30.5*33*41.1"	214L	100W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	84



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4F1280X2	冷冻(Freezer)	1233*800*905(mm) 48.5*31.5*35.75"	1273*840*945(mm) 50.1*33*37.2"	384L	220W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	46
U4F1280K2	冷冻(Freezer)	1233*800*1005(mm) 48.5*31.5*39.56"	1273*840*1045(mm) 50.1*33*41.1"	384L	220W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	46
U4R1280X2	冷藏(Refrigerator)	1233*800*905(mm) 48.5*31.5*35.75"	1273*840*945(mm) 50.1*33*37.2"	384L	130W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	46
U4R1280K2	冷藏(Refrigerator)	1233*800*1005(mm) 48.5*31.5*39.56"	1273*840*1045(mm) 50.1*33*41.1"	384L	130W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	46




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4F1580X2	冷冻(Freezer)	1530*800*905(mm) 60.25*31.5*35.75"	1570*840*945(mm) 61.8*33*37.2"	485L	275W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	30
U4F1580K2	冷冻(Freezer)	1530*800*1005(mm) 60.25*31.5*39.56"	1570*840*1045(mm) 61.8*33*41.1"	485L	275W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	30
U4R1580X2	冷藏(Refrigerator)	1530*800*905(mm) 60.25*31.5*35.75"	1570*840*945(mm) 61.8*33*37.2"	485L	170W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	30
U4R1580K2	冷藏(Refrigerator)	1530*800*1005(mm) 60.25*31.5*39.56"	1570*840*1045(mm) 61.8*33*41.1"	485L	170W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	30




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4F1880X3	冷冻(Freezer)	1846*800*905(mm) 72.75*31.5*35.75"	1886*840*945(mm) 74.25*33*37.2"	593L	310W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	28
U4F1880K3	冷冻(Freezer)	1846*800*1005(mm) 72.75*31.5*39.56"	1886*840*1045(mm) 74.25*33*41.1"	593L	310W	-17.8~-23.3(°C) [0~-10(°F)]	R290	Cubigel/Donper	28
U4R1880X3	冷藏(Refrigerator)	1846*800*905(mm) 72.75*31.5*35.75"	1886*840*945(mm) 74.25*33*37.2"	593L	190W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	28
U4R1880K3	冷藏(Refrigerator)	1846*800*1005(mm) 72.75*31.5*39.56"	1886*840*1045(mm) 74.25*33*41.1"	593L	190W	0~+10(°C) [32~50(°F)]	R290	Cubigel/Donper	28


American style salad table
美款系列沙拉台




Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4R7380S1	冷藏(Refrigerator)	735*800*1083(mm) 29*31.5*42.75"	775*840*1123(mm) 30.5*33*44.2"	214L	170W	0~+10(°C) [32~50 (°F)]	R290	Cubigel/Donper	78



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4R1280S2	冷藏(Refrigerator)	1233*800*1083(mm) 48.5*31.5*42.75"	1273*840*1123(mm) 50.1*33*44.2"	384L	220W	0~+10(°C) [32~50 (°F)]	R290	Cubigel/Donper	44





Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4R1580S2	冷藏(Refrigerator)	1530*800*1083(mm) 60.25*31.5*42.75"	1570*840*1123(mm) 61.8*33*44.2"	485L	275W	0~+10(°C) [32~50 (°F)]	R290	Cubigel/Donper	30





Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容量(L)	Power 功率	Temperature 温度(°C)	Refrigerant 制冷剂	Compressor 压缩机	40"loading Quantity 40尺高柜
U4R1880S3	冷藏(Refrigerator)	1846*800*1083(mm) 72.75*31.5*42.75"	1886*840*1123(mm) 74.25*33*44.2"	593L	310W	0~+10(°C) [32~50 (°F)]	R290	Cubigel/Donper	28

Water stream system ice machine
流水式制冰机



方冰外形图



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-40E	方冰(Cube ice)	505*575*775	585*665*870	35kg/24h	12kg	300W



月牙冰外形图

方冰外形图



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-40	方冰(Cube ice)	505*656*905	585*720*1000	40kg/24h	16kg	500W
ZBY-40	月牙冰(Crescent ice)	505*656*905	585*720*1000	40kg/24h	16kg	500W



月牙冰外形图

方冰外形图

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-60	方冰(Cube ice)	610*656*905	690*720*1000	60kg/24h	22kg	600W
ZBY-60	月牙冰(Crescent ice)	610*656*905	690*720*1000	60kg/24h	22kg	600W





月牙冰外形图

方冰外形图



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-90	方冰(Cube ice)	715*656*905	795*720*1000	90kg/24h	30kg	760W
ZBY-90	月牙冰(Crescent ice)	715*656*905	795*720*1000	90kg/24h	30kg	760W

Spray system ice machine
喷淋式制冰机



喷淋圆角方冰


Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBS-20	喷淋圆角方冰(Spray Rounded-Cube Ice)	385*520*600	440*580*660	20kg/24h	6kg	300W



喷淋圆角方冰





喷淋子弹冰



喷淋圆柱冰


Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBS-40	喷淋圆角方冰(Spray Rounded-Cube Ice)	465*580*760	525*640*860	40kg/24h	12kg	480W
ZBS-40Z	喷淋子弹冰(Spray Bullet Ice)	465*580*760	525*640*860	40kg/24h	12kg	480W
ZBS-40Y	喷淋圆柱冰(Spray Cylinder Ice)	465*580*760	525*640*860	40kg/24h	12kg	480W



喷淋圆角方冰





喷淋子弹冰



喷淋圆柱冰


Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBS-60	喷淋圆角方冰(Spray Rounded-Cube Ice)	595*650*1000	655*710*1100	60kg/24h	30kg	750W
ZBS-60Z	喷淋子弹冰(Spray Bullet Ice)	595*650*1000	655*710*1100	60kg/24h	30kg	750W
ZBS-60Y	喷淋圆柱冰(Spray Cylinder Ice)	595*650*1000	655*710*1100	60kg/24h	30kg	750W



喷淋圆角方冰





喷淋子弹冰



喷淋圆柱冰



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBS-90	喷淋圆角方冰(Spray Rounded-Cube Ice)	765*650*1000	825*710*1100	90kg/24h	40kg	950W
ZBS-90Z	喷淋子弹冰(Spray Bullet Ice)	765*650*1000	825*710*1100	90kg/24h	40kg	950W
ZBS-90Y	喷淋圆柱冰(Spray Cylinder Ice)	765*650*1000	825*710*1100	90kg/24h	40kg	950W

Split Ice maker
分体式制冰机





方冰外形图

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-160	方冰(Cube ice)	机头:560*630*570 储冰桶:560*830*1020	机头:640*710*640 储冰桶:640*910*960	150kg/24h	90kg	800W



方冰外形图



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-230	方冰(Cube ice)	机头:760*630*570 储冰桶:760*830*1090	机头:840*710*640 储冰桶:840*910*1020	230kg/24h	180kg	950W



方冰外形图



Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-300	方冰(Cube ice)	机头:760*630*690 储冰桶:760*830*1090	机头:840*710*760 储冰桶:840*910*1020	300kg/24h	180kg	1500W

Desktop/Automatic ice maker
台式/自动出冰机




方冰外形图

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-20	方冰(Cube ice)	380*470*600	440*510*660	20kg/24h	8kg	155W




方冰外形图

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBF-20C	方冰(Cube ice)	385*455*600	440*510*660	20kg/24h	8kg	155W



月牙冰外形图

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZB-28	月牙冰(Crescent ice)	380*450*630	440*500*660	6kg/24h	6kg	245W





月牙冰外形图

▲ Automatic ice discharge/自动出冰

Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Ice-making Capacity 制冰量(kg)	Ice Storage 储冰量(kg)	Power 功率(W)
ZBY-25	月牙冰(Crescent ice)	350*535*686	430*595*735	25kg/24h	3kg	320W



Small vertical refrigerator
立式小冰箱 >>>







Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容积(L)	Temperature 温度(°C)	Power 功率(W)
BC-62G	冷藏(玻璃门)	440*530*695	490*580*730	62L	0~+8(°C)	55W







Model No. 型号	Classification 分类	External Size(WxDxH) 产品尺寸(mm)	Packing Size(WxDxH) 包装尺寸(mm)	Gross Capacity 容积(L)	Temperature 温度(°C)	Power 功率(W)
BD-58	冷冻(发泡门)	440*512*695	490*560*730	58L	-10~-18(°C)	50W



refrigerated display case
制冷展示柜 >>>



型号 Model	产品尺寸(mm) Product dimensions	包装尺寸(mm) Pdimensionsackage	电源配置 Power configuration	温度 Temperature	冷却方式 Cooling method	制冷剂 Refrigerants	功率 Power	温控器 Thermostat
SK-0974Z2	900*740*1200	990*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1274Z2	1200*740*1200	1290*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1574Z2	1500*740*1200	1590*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1874Z2	1800*740*1200	1890*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控
SK-0970Z2	900*700*1200	990*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1270Z2	1200*700*1200	1290*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1570Z2	1500*700*1200	1590*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1870Z2	1800*700*1200	1890*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控



型号 Model	产品尺寸(mm) Product dimensions	包装尺寸(mm) Pdimensionsackage	电源配置 Power configuration	温度 Temperature	冷却方式 Cooling method	制冷剂 Refrigerants	功率 Power	温控器 Thermostat
SK-0974R2	900*740*1200	990*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1274R2	1200*740*1200	1290*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1574R2	1500*740*1200	1590*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1874R2	1800*740*1200	1890*830*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控
SK-0970R2	900*700*1200	990*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1270R2	1200*700*1200	1290*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1570R2	1500*700*1200	1590*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1870R2	1800*700*1200	1890*790*1309	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控



型号 Model	产品尺寸(mm) Product dimensions	包装尺寸(mm) Pdimensionsackage	电源配置 Power configuration	温度 Temperature	冷却方式 Cooling method	制冷剂 Refrigerants	功率 Power	温控器 Thermostat
SK-0974T3	900*740*1350	990*830*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1274T3	1200*740*1350	1290*830*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1574T3	1500*740*1350	1590*830*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1874T3	1800*740*1350	1890*830*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控
SK-0970T3	900*700*1350	990*790*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	680W	智能温控
SK-1270T3	1200*700*1350	1290*790*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	835W	智能温控
SK-1570T3	1500*700*1350	1590*790*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	990W	智能温控
SK-1870T3	1800*700*1350	1890*790*1459	230V/50Hz	+2°C ~ +8°C	风冷	R290	1150W	智能温控