

SKW
FARREACH®

Cable

Home Theater PC

Tel: +86(756)8699660

Fax: +86(756)8699663

Email: Simon@farreach-electronic.com

Website: www.farreach-cable.com

Add: No.6 Chuangye Road East., Liangang Industrial Zone, Zhuhai, Guangdong, China



Farreach Electronic Co., Limited

www.farreach-cable.com

Email: Simon@farreach-electronic.com

Farreach Electronic Co., Limited has been established since 2006, located in Zhuhai City, China, specializing in designing & manufacturing HDMI & AOC HDMI Cable, Type C Converter Cable, DisplayPort Cable and variety Hubs more over 17 years, providing high quality product with competitive prices and excellent after-sale service to our customers.

We are the member of certified HDMI Adapter, owning international certificates such as CE/RoHS /Reach/UL/FCC/ISO 9001/ ISO 14001/ BSCI/ HDMI 2.1 Ultra certificate, HDMI Premium certificate, and etc.

Welcome to become to our strategic partners in the coming time!

ZHUHAI FACTORY



VIETNAM FACTORY



USB-C Hub
03-12 PAGE



USB-C Adapter
13-14 PAGE



USB4 Cable
15 PAGE



MFI Lightning Cable
16 PAGE



HDMI Cable
17-18 PAGE



8K DisplayPort Cable
19 PAGE



DisplayPort Adapter
20 PAGE



AOC Cable
21-24 PAGE



Coaxial&DVI&VGA&
NetworkingCable
25 PAGE



Audio Cable
26 PAGE



Toslink Cable
27 PAGE



Adapter
28 PAGE


Bracket Docking



TP-C075B

360° Rotation Bracket Docking Station

USB-C connector
1×HDMI output: 4K@60Hz
1×USB-C: Max 10Gbps
2×USB3.0: 5Gbps
RJ45: 1000Mbps
PD 100W




Place Your
Design Here

TP-C068B

12 in 1 USB-C Dock with HDMI
& DP & VGA output (MST)

USB-C connector
1×HDMI output: 4K@30Hz
1×DP output: 4K@60Hz
1×VGA output: 1080P@60Hz
1×USB-C: Max 5Gbps
2×USB3.0: 5Gbps
1×USB2.0: 480Mbps
1×Audio output: 3.5mm audio
RJ45: 1000Mbps
SD/TF Cards Slots: support SD2.0
PD 100W



USB-C Docking



USB-C Docking



TP-C116B

Input:USB-C

Output:USB3.0*3+SD/TF+RJ45+HDMI2.0*2+USB-C+USB-C PD

Material:ALuminum Metal



USB-C Docking



TP-C117B

Input:USB-C

Output:USB3.0*3+SD/TF+RJ45+HDMI2.1*2+USB-C PD

Material:ALuminum Metal



TP-C118B

Input:USB-C

Output:USB3.0*3+HDMI2.1+USB-C PD

Material:ALuminum Metal



TP-C119B

Input:USB-C

Output:USB3.0*3+RJ45+HDMI2.1+USB-C PD

Material:ALuminum Metal



TP-C120B

Input:USB-C

Output:USB3.0*3+RJ45+HDMI2.1*2+USB-C PD

Material:ALuminum Metal

USB-C Docking



TP-C071B

12 in 1 USB-C Dock with HDMI & DP
& DP output (MST)

USB-C connector

1×HDMI output: 4K@30Hz

2×DP output: 4K@60Hz

1×USB-C: Max 5Gbps

3×USB3.0: 5Gbps

1×Audio output: 3.5mm audio

RJ45: 1000Mbps

SD/TF Cards Slots: support SD2.0

PD 100W

USB-C Docking



TP-C058B

13 in 1 USB-C Dock with HDMI & HDMI &
DP output (MST)

USB-C connector

1 × HDMI output: 4K@60Hz

1 × HDMI output: 4K@30Hz

1 × DP output: 8K@60Hz

1 × USB-C: 480Mbps

3 × USB3.0: Max 5Gbps

1 × USB2.0: 480Mbps

1 × Audio output: 3.5mm audio

RJ45: 1000Mbps

SD/TF Cards Slots: Support SD2.0

PD 100W

USB-C Docking

TP-C061B

12 in 1 USB-C Dock with HDMI & DP & VGA output (MST)

USB-C connector

1×HDMI output: 4K@30Hz

1×DP output: 4K@60Hz

1×VGA output: 1080P@60Hz

4×USB3.0: Max 5Gbps

1×Audio output: 3.5mm audio

RJ45: 1000Mbps

SD/TF Cards Slots: Support SD2. 0

PD 100W



Mockup

Place Your
Design Here

USB-C Docking

TP-C088B

10 in 1 USB C Dock with HDMI

USB-C connector

1×HDMI output: 4K@60Hz

2×USB-C: Max 10Gbps

2×USB3.0: 5Gbps

1×Audio output: 3.5mm audio

RJ45: 1000Mbps

SD/TF Cards Slots: support SD3.0

PD 100W



TP-C020B

5 in 1 USB-C Dock with HDMI

USB-C connector

1×HDMI output: 4K@60Hz

3×USB3.0: 5Gbps

PD 100W



Dual HDMI

TP-C100B ▶

USB-C to Dual HDMI Adapter

- USB-C connector
- 2×HDMI output: 4K@30Hz
- 1×USB3.0: 5Gbps
- PD 100W



◀ TP-C101B

USB-C to HDMI & VGA Adapter

- USB-C connector
- 1×HDMI output: 4K@30Hz
- 1×VGA output: 1080P@60Hz
- 1×USB3.0: 5Gbps
- PD 100W




Place Your
Design Here

SSD Enclosure

TP-C039B

Super Speed USB SSD Enclosure

- M.2 Enclosure, USB-C GEN2 standard
- Transfer Speed: 10Gbps
- Support: PCIE3.0/SATA3.0



USB-C Adapter



TP-C007A-02
USB-CM to HDMI AF



AD1011-001
USB-CF to HDMI M



AD9016
USB-C M to HDMI AF



TP-C003B
USB-CM to VGA F



USB-2023A-009
USB-CM to 3.5mm Audio



TP-C002B
USB-CM to DVI F



TP-C031B-002
USB-CM to HDMI AF



TP-C093B-002
USB-C to Dual
3.5mm Audio



TP-C091A-001
USB-CM to HDMI AM



TP-C016B
USB-CM to DP M



USB-2023A-013
USB-CM to 3.5mm M

- 1) Convert USB-C to HDMI/DVI/VGA display or 3.5mm audio.
- 2) Vivid Video.
- 3) Impeccable Build Quality.
- 4) Plug & Play Solution.
- 5) Wide Compatibility.

USB Adapter



AD7014
USB AM to CF



AD7017
USB-CF to Micro BM



AD8013
USB-CF to AF

AD8011
USB-CM to
USB AF + Micro BM



AD9004
USB-CM to AF



AD9013
USB-CM to CF 90°



AD9018 USB-CM to CF



AD9021 USB-CF to BM



AD9022 USB-CM to AF 90°



AD8014
USB-CF to AM 90°

USB4 Cable

- 1) 240W Leading Fast Charging Technology.
- 2) Move Files Fast: Up to 40Gbps.
- 3) HD Display: 8K@60Hz or 4K@144Hz.
- 4) Advanced Durable Design.
- 5) Universal Compatibility.



USB-4001B-003



USB-4001B-014



USB-4001B-016



USB-4001B-010



USB-4001B-015



USB-4001B-012



USB-4002A-025



USB-4002A-023



USB-4017A-009

Place Your Design Here

Made for iPhone | iPad | iPod


- 1) MFI Certified Lightning Connector.
- 2) Fast Charging and Rapid Sync.
- 3) Advanced Durable Design.
- 4) Stylish and Slim.

 USB-2021A-006	 APP-001B-013	 APP-001A-011
 APP-001B-018		 APP-001B-017
 APP-001B-016	 APP-001B-014	 APP-001B-012



8K HDMI Cable

- 1)48Gbps bandwidth,resolution up to 8K@60Hz/4K@120Hz
- 2)Downwards compatible to HDMI 2.0/1.4/1.3 version
- 3)Auto Low Latency Mode
- 4)Enhances refresh rate:VRR/QMS/QFT
- 5)Durable Design



Place Your Design Here

HDMI Cable



8K DisplayPort Cable

- 1) DP2.1 is VESA Certified with 40Gbps bandwidth, resolution up to 16K@60Hz/8K@120Hz
- 2) DP1.4 with 32.4Gbit/s(HBR3) of bandwidth, resolution up to 8K@60Hz/4K@144Hz
- 3) Fully DisplayPort Version2.1/1.4 Compliant
- 4) Downwards compatible to older DisplayPort standards.
- 5) Durable Design.



DP-001A



DP-013A



DP-006B



DP-013B



DP-019A



DP-002B



DP-003B



Mockup
Place Your
Design Here

DisplayPort Adapter

- 1) Convert DisplayPort to HDMI/DVI/VGA display.
- 2) Ultra Quality, 24K gold plated connector.
- 3) Plug & Play.
- 4) Universal Compatibility.



AD6001
DP M to HDMI AF



AD6002
DP M to VGA F



AD6003
DP M to DVI F



AD6009
DP M to HDMI AF



AP-056A
DP M to HDMI AM



AP-027A
DP M to HDMI AF



AP-005A
DP M to VGA F



AP-063A
DP M to HDMI AF



AP-003A
DP M to DVI F



AP-062A
DP M to HDMI AM

AOC HDMI



Active Optical HDMI Cable

- 1) Small diameter: 4.5mm-5.0mm.
- 2) Low attenuation: 0.0035dB/M.
- 3) Support 4K@60Hz, 4K@120Hz, 8K@60Hz.
- 4) Length: 8K version up to 100M, 4K version up to 200M.

AOC HDMI



Place Your
Design Here

AOC USB

OP-USB03



OP-USB04



OP-USB05



OP-USB06



OP-USB08



OP-USB07



Mockup
Place Your
Design Here

AOC HDMI/DP/DVI



OP-DP05



OP-DP06



OP-DVI01



OP-HD33

Coaxial&DVI&VGA&Networking Cable

Coaxial Cable

Antenna coaxial cable is commonly used for sending an antenna signal to a TV, Set Top Box or IPTV.

- 1) Digital TV Ready.
- 2) HDTV & IPTV Ready.
- 3) Coaxial cable base on the request: 3C-2V, RG59 or RG6.



HC-005EM-02
9.5 M to 9.5 F 90°



HC2016B
FM to FM



TV003
9.5 M to 9.5 M 90°



TV-005FM
FM to FM 90°

DVI/VGA Cable

- 1) DVI-D: Digital signal, single link(18+1) or dual link(24+1).
- 2) DVI-I: Digital signal and analog signal, single link(18+5) or dual link(24+5).



DD1001A
DVI(18+1) M to DVI(18+1) M



DD2001A
DVI(24+1) M to DVI(24+1) M



HD2001A
HDMI AM to DVI(24+1) M



HV1001A
VGA M to VGA M

Networking Cable

- 1) Cat-8: 40Gbps(Gigabit Ethernet)
- 2) Cat-7: 10Gbps(Gigabit Ethernet)
- 3) Cat-6e: 1000Mbps(Gigabit Ethernet)
- 4) Cat-5e: 100Mbps(Fast Ethernet)



WI002



WI001



WI007



WI009

Connect & play music from your Smartphone, tablet, portable CD & MP3 player to a car stereo, portable speaker or other 3.5mm stereo audio output.

Audio Cable



HC1201



HC5101B-022



HC5102B-011




HC-5103B



HC3219



HC5104A-009



HC5402A



HC5702B



Toslink Cable




OF-1001B



OF-1002B



OF-1015A



OF-1101A



OF-2025A



OF-2033A



OF-2036A



OF-4012A



OF-4013A



OF-4014A

1) 24K gold plated toslink connector.
2) Φ1.0mm Plastic optical fiber core.
3) Insertion loss ≤ 0.2dB per meter.
4) Immune to all forms of EMI/RFI.
5) Support 5.1/6.1/7.1 audio channel.
6) Used for PC/DVD/CDMD.

Place Your Design Here

Adapter



AD1004-002
HDMI AM-AF 360° rotating



AD1005-007
HDMI CM to AF



AD1006-002
HDMI DM to AF



AD3002-003
DVI M to VGA F



AD3003-005
DVI F to HDMI AF



AD3003-007
DVI M to HDMI AF



AD4001-011
HDMI AF to AF



OF-6001
Toslink F-F



OF-6004
Toslink 1x2 splitter



OF-6006
Toslink M-F

