

LUXTRON

LUXTRON ELECTRONICS CO., LTD.

Factory add: 29 Sanqin Rd, Sanqin, Hutang town, Changzhou China

Tel: +86-135 8545 1018

E-mail: sales@luxtronlink.com

<http://www.luxtronlink.com>

Zip Code: 213162



LUXTRON

LINK SOLUTION



LUXTRON is located at Changzhou, around 200km west of Shanghai port. We have 2 cable factories. One mainly produce the LAN cable and another factory produce USB cable assemblies, to meet the increasing demands for the phone charging. Since 2003 we supply cables for many electronic manufacturers and brand companies such as SAMSUNG and HAMA. We are specialized in the cables and connectors. We also know more about what you care: quality, price, MOQ, leadtime, payment terms etc... We are striving to provide you best products with keen price to meet your market demand.


Main products:

- *Lan cables/Patch cords (UTP/FTP CAT.5E/6/6A/7),
- *USB cables (USB 2.0/3.1 Micro 5P/Type C/Lightning 8P),
- *Audio/Video cables such as RCA, HDMI, XLR etc....
- *Hubs & docks

Certificate: UL, CE, REACH, RoHS

Mainly exported to USA, Russia, Germany and countries of South America.

Main Customers & Certificates:



ISO9001:2015



Content



Lan Cable



Patch Cable



Telephone Cable



AV Cable



HD Cable



USB4 Cable



USB cable



USB HUB



HDMI Extender

Lan Cable



Lan Cable

CAT.7 Lan Cable

- Application
- Especially suitable for all class FS applications.
 - ISDN, Ethernet 10 Base-T, Fast Ethernet 100 Base-T, Gigabit Ethernet 1000 Base-T, 10G Base-T. (IEEE 802.3)

S/FTP Shielded CAT.7 Twisted pair installation cable



CAT.6 Lan Cable

- Application
- Exceeds ANSI/TIA-568-C.2 and ISO 11801 and Edition class E Category 6 channel standards.
 - Exceeds requirements of ANSI/TIA-568-C.2 and IEC 61156-5 Category 6 component standards.
 - Meets IEEE 802.3af and IEEE 802.3at for PoE applications

CAT.6 Twisted pair installation cable



CAT.6A Lan Cable

- Application
- Especially suitable for all class FS applications.
 - ISDN, Ethernet 10 Base-T, Fast Ethernet 100 Base-T, Gigabit Ethernet 1000 Base-T, 10G Base-T. (IEEE 802.3)

U/FTP Shielded CAT.6A Twisted pair installation cable



CAT.5E Lan Cable

- Application
- Exceeds ANSI/TIA-568-C.2 and ISO 11801 and Edition class D Category 5E channel standards.
 - Exceeds requirements of ANSI/TIA-568-C.2 and IEC 61156-5 Category 5E component standards.
 - Meets requirements of IEEE 802.3af and IEEE 802.3at for PoE applications.

CAT.5e Twisted pair installation cable



Ethernet Cable



305M/pull out box



colour pull out box



colour pull out box



500M/wooden reel



1000ft/wooden reel




500M/plastic reel

Jacket material can be PVC, LSZH or PE for outdoor use.

Item No.	Category	Data Rate	Frequency	Applications
LT-9001	CAT.5e UTP	Up to 1000 Mbps	100 MHz	Ethernet, Fast Ethernet, Gigabit Ethernet
LT-9002	CAT.5e FTP			
LT-9003	CAT.6 UTP	Up to 1000 Mbps	250 MHz	Gigabit Ethernet, 10G Ethernet(55 meters)
LT-9004	CAT.6 FTP			
LT-9005	CAT.6A U/FTP	Up to 10 Gbps	500 MHz	Gigabit Ethernet, 10G Ethernet(55 meters)
LT-9006	CAT.6A SSTP			
LT-9007	CAT.7 SSTP	Up to 10 Gbps	600 MHz	Gigabit Ethernet, 10G Ethernet(100 meters)

Patch Cable



CAT 7 Patch Cable



Patch Cable

LT-1001
CAT 7 S/FTP Patch Cable



LT-1002
CAT.6a S/FTP Patch cable



LT-1003
CAT 6a UTP Slim Cable
Black



LT-1004
CAT 6 FTP Cable
Blue



LT-1005
CAT 6 UTP Cable
Green



LT-1006
CAT 5e FTP Cable
White



LT-1007
CAT 5e FTP Cable
Light Blue



LT-1008
CAT 5e FTP Cable
Orange



LT-1009
CAT 5e UTP Cable
Red



LT-1010
CAT 5e UTP Cable
Black



LT-1011
CAT 5e UTP Cable
Blue




LT-1012
CAT 5e UTP Cable
Yellow



Telephone Cable



LT-2001
Telephone cable 100m/roll
Flat PVC jacket
2C 2.3*3.8mm
4C 2.3*4.8mm
6C 2.3*6.8mm
8C 2.3*8.8mm



LT-2002
Telephone Handset corc
4C flat cable
4P4C-4P4C



LT-2003
Telephone Line cord
Ivory
flat cable
A: 6P2C-6P2C
B: 6P4C-6P4C



LT-2004
Telephone Line cord
Silver Satin
4C flat cable
6P4C-6P4C



LT-2005
UK Telephone Line cord
Black
flat cable
A: UK6P2C-US6P2C
B: UK6P4C-US6P4C



LT-2006
Telephone Line cord
Black
4C flat cable
8P4C-6P4C



LT-2007
US Modular plug
A:4P4C
B:6P2C
C:6P4C
D:6P6C
E:8P8C



LT-2008
Telephone Line cord
Black
6C flat cable
6P6C-6P6C



LT-2009
RJ45 Boot
A: 5.5mm
B: 6.5mm



A/V Cable

LT-3001
RCA Cable
3RCA plug-plug
A: Nickel Plug
B: Gold Plug



LT-3002
S/PDIF Optical Fiber cable
Toslink Male-Male
A: O.D: 2.2MM
B: O.D: 4MM



LT-3003
VGA cable
HD 15P M-M



LT-3004
RCA Audio Cable
2RCA plug-plug
A: Nickel Plug
B: Gold Plug



LT-3005
RCA Audio Cable
3.5mm Stereo plug to 2RCA plugs
A: Nickel Plug
B: Gold Plug



LT-3006
Premium RCA Cable



LT-3007
Audio Cable
3.5mm Stereo plug-jack
A: Nickel Plug
B: Gold Plug



LT-3008
Audio Cable
3.5mm Stereo plug-plug
A: Nickel Plug
B: Gold Plug



LT-3009
Audio Splitter Cable
3.5mm Stereo plug-Double 3.5mm jack
A: Nickel Plug
B: Gold Plug



LT-3010
TV Cable
PAL 9.5mm plug-jack
A: 3C2V Cable
B: RG59 Cable



LT-3011
TV Cable
PAL 9.5mm plug-plug
A: 3C2V Cable
B: RG59 Cable



LT-3012
TV Cable
PAL 9.5mm plug(Angle)-jack(Angle)
A: 3C2V Cable
B: RG59 Cable



LT-3013
Audio Cable
6.35mm Stereo plug-plug
A: Nickel Plug
B: Gold Plug



LT-3014
TV Cable
F Screw plug-plug
A: RG59 Cable
B: RG6 Cable



LT-3015
Video Cable
RG59 Cable
BNC plug-plug



HD Cable

LT-HDC01

HDMI V2.1 8K cable
19P M-M gold plated



LT-HDC02

HDMI V2.1 8K cable
19P M-M gold plated



LT-HDC07

HDMI to DVI cable



LT-HDC08

HDMI cable
360° rotation plug



LT-HDC03

HDMI V2.0 4K cable
19P M-M gold plated



LT-HDC04

HDMI V2.0 4K cable
19P M-M gold plated



LT-HDC09

HDMI cable
180° rotation plug



LT-HDC10

HDMI A to Micro cable



LT-HDC05

HDMI AOC cable
19P M-M gold plated



LT-HDC06

HDMI V1.4 Basic cable
19P M-M gold plated



LT-HDC11

DP cable



LT-HDC12

DP to Mini DP cable



HD Cable



LED Display Cable

Charging and data transmission the same time



Macbook Pro fully charged in 2 Hours



Real-time monitor screen display



Smart Power Display

66W max Power

LT-L070



5A current

Smart power display

PD 100W

LT-L070C



Support 8K @ 60Hz

USB4.0 Cable



240W PD charging 40Gbps data transferring

LUXTRON

- 40 Gbps data transfer
- 240W PD charge
- 8K 60Hz Screen Projection
- E-marker chip

LT-USB4

LED Cable



LT-L068



LT-L068C



LT-L069



LT-L069C

USB Cable / Charger

LT-6001
Gold cable
Plugs in Type C, Lightning, Micro 5P

LT-6002
3 in 1 charging cable
LED lumination cable

LT-6003
PD 120W charging cable
Current: 6A
All Metal plug housing
6mm jacket, different color
A: Type C-C
B: C-Lightning 8P

LT-6004
PD 240W cable
with E-marker
Silicon cable
5A current

LT-6005
PD 240W cable
90° Angle plug
with E-marker
Nylon Braiding
5A current

LT-6006
PD 240W cable
Dual 90° Angle plugs
with E-marker
Nylon Braiding
5A current

HL-6007
USB Charging Cable
Plugs in Type C, Lightning, Micro 5P
Colors in black, blue, grey

LT-6008
USB Charing Cable
USB Type C - Lightning
Colors in green, blue, red, yellow

LT-6009
USB Charging Cable
Liquide Silicon jacket
USB A to Type C

LT-6010
40W PD charger
Europe plug 2P
Dual C ports

LT-6011
In-car Cigarette Charger
Output 38W dual-circuit
Dual ports A+C
Supports PD & QC

LT-6012
20W PD charger with cable
A: 1m C-C cable
B: 1m C-Lightning cable

USB Data Cable

LT-6013

MFI cable PD 20W
C male to lightning



LT-6014

USB Basic Cable
White PVC cable
A: USB A-Type C
B: USB A-Lightning 8P
C: USB A-Micro 5P



LT-6015

USB3.1 Type C Cable
USB Type C plug-plug
Data speed upto 10G
A: Nickel
B: Gold



LT-6016

USB2.0 Type C Cable
USB Type C plug-plug
Data speed upto 480Mbps
Current upto 5A
A: 3A
B: 2A



LT-6017

USB3.0 Type C Cable
USB3.0 Cable A plug-Type C plug
Data speed upto 5G
A: Nickel
B: Gold



LT-6018

USB2.0 Type C Cable
USB2.0 A plug-Type C plug
Data speed upto 480Mbps
Charging Current upto :
A: 5A
B: 3A
C: 2A



LT-6019

USB TPE Cable
TPE soft touch White
USB C-Lightning 8P
18W PD



LT-6020

USB Extension Cable
USB A male to A female



LT-6021

USB PD Cable
USB C-Lightning 8P
20W PD
Dark grey braiding
Metal shell



LT-6022

USB Printer Cable
USB A plug- B plug Nickel



USB Data Cable

LT-6023

USB Charing Cable
USB A plug- Mini plug Nickel



LT-6024

USB Charing Cable
USB A plug- Micro 5P plug Nickel



LT-6025

USB Micro OTG Cable
USB Micro plug to A jack
15cm, Nickel



LT-6026

USB 2.0 Type C OTG Cable
USB Type C plug to A jack
15cm, Nickel



LT-6027

USB Mini OTG Cable
USB Mini plug to A jack
15cm, Nickel



LT-6028

USB Flat Cable
USB A plug- Micro plug Nickel



LT-6029

USB Flat Charing Cable
Flat PVC cable
USB A plug to Type C
Nickel



LT-6030

USB 3.0 Type C OTG Cable
Braided cable
Support 5Gbps
Black, grey



LT-6031

USB Charing Cable
A: DC plug 4*1.7mm, Nickel
B: DC plug 2.5*0.7mm, Nickel



LT-6032

USB Charing Cable
A: DC plug 5.5*2.1mm, Nickel
B: DC plug 5.5*2.5mm, Nickel



USB Hub

LT-HC0101

Type C to HDMI adaptor cable
HDMI 4K @ 30Hz
Nickel plated with Al-alloy shells
Siver color



LT-HC0102

Type C to HDMI adaptor cable
HDMI 4K @ 30Hz
Gold plated with Al-alloy shells
Grey color



USB Hub

LT-HC0501

5 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)
SD/TF card reader (480 Mbps)



LT-HC0502

5 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
USB 3.0*1 (5 Gbps)
USB 2.0*2 (480 Mbps)



LT-HC0301

3 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)
PD (100W Max)



LT-HC0302

3 in 1 Type C Hub
PD (100W Max)
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)




LT-HC0601

6 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)
USB 2.0*2 (480 Mbps)
SD/TF card reader (480 Mbps)



LT-HC0602

6 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)
SD/TF card reader (480 Mbps)



LT-HC0401

4 in 1 Type C Hub
PD (100W MAX)
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)



LT-HC0402

4 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
USB 3.0*1 (5 Gbps)
USB 2.0*2 (480 Mbps)



LT-HC0603

6 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
Type C 2.0 data transfer 480Mbps
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)
RJ45 100Mbps



LT-HC0604

6 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
Type C 3.1*3 data transfer 10Gbps
RJ45 100Mbps



USB Hub

LT-HC0701

7 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
Type C 2.0 data transfer 480Mbps
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)
SD/TF card reader (480 Mbps)




LT-HC0702

7 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
USB 3.0*1 (5 Gbps)
USB 2.0*2 (480 Mbps)
SD/TF card reader (480 Mbps)



LT-HC0801

8 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
Type C 2.0 data transfer 480Mbps
USB 3.0*1 (5 Gbps)
USB 2.0*1 (480 Mbps)
SD/TF card reader (480 Mbps)
RJ45 100Mbps



LT-HC0802

8 in 1 Type C Hub
HDMI*1 (4K @ 30Hz)
PD 100W (Max)
USB 3.0*2 (5 Gbps)
USB 2.0*1 (480 Mbps)
SD/TF card reader (480 Mbps)
RJ45 100Mbps



LT-T-28

USB C to USB A Splitter
USB 3.0*1 (5Gbps)
USB 2.0*3 (480Mbps)



LT-HC1301

USB A Splitter
USB 3.0*1 (5Gbps)
USB 2.0*3 (480Mbps)



HDMI Extender/Splitter

LT-HD-EX120M

HDMI Extender 120m
4K



LT-HD-EX60M

HDMI Extender 60m
1080P



LT-HD-SW-4

HDMI Swicher 4*1
HDMI 2.0 4K @ 60Hz
With Audio
Use standard 26AWG input 8m and
output 8m



LT-HD-MT4*2

HDMI Matrix 4*2
HDMI 2.0 4K @ 60Hz



LT-HD-SP-4

HDMI Splitter 1*4
HDMI 2.0 4K @ 60Hz



LT-HD-SP-2

HDMI Splitter 1*2
HDMI 2.0 4K @ 60Hz

