opaqi 欧派奇

精益求精 匠心精神 为客户做好每一个产品

Quality Priority & Private Design, Making Partners' Success!

东莞市欧派奇电子科技有限公司

Dongguan OPAQI Electronic Technology Co., Ltd

Home Page: www.opaqi.com
Inquiry Mail to: ivan.kam@oaqi.com
Mobile: +86-159 8962 7805 (WeChat & WhatsApp)

CONTENTS

1 公司介绍
Factory Introduction

2 二合一
充电器+移动电源
2-IN-1
Adapter Power Bank

3 移动电源
Multifunctional
Power Bank

4 户外储能电源
Outdoor
Portable Power System

5 充电器系列
Fast
Charger & Adapter

6 桌面快充排插
Desktop Socket
Fast Charge

opaqi

企业简介 Corporate Profile





CULTURE
核心文化

Philosophy:

Customer-centric,
Integrity First,
Keep self-innovation.

Purpose:

Quality Priority,
Stay Credibility,
Sincerity in service.
Keep Innovation

Mission :

Strive for excellence,
Delivering perfect products
to make customers success!

OPAQI / Basic Info

Established in 2007, OPAQI factories located in Tang'xia Town, Dongguan City, China.

Equipped with 40+ designers & engineers, more than 400 workers, one modern Safety Testing Lab and two separate factories with total plant sizes 20,000m², OPAQI has already served 100+ customers from 30+ countries, achieved more than 200+ OEM/ODM successful projects.

Up to now, we've passed the audit and certified with the "China High-Tech Enterprise". Meanwhile, our factory or products have already been certified with ISO 9001、 ISO 14000、CCC、 CE、ROHS、FCC、PSE、KC、ETL、MSDS、UN38.3 etc.



OPAQI / Basic Info



Established Date: 2007



Registered Capital: RMB ￥2 million



Core Business: Power Bank, Phone Charger, Adapter, Heating Battery etc



Employees : Approx. 400+



Factory Plant Size: 20,000㎡



Production Capacity: 30,000PCS / Day – 60,000PCS / Day(Depends on products)



Plant Address : Bao'an Zone, ShenZhen City, Guangdong ,China

Company Qualification



高新技术企业



广东省守合同重信用企业



电子数码行业理事单位



常务副会长单位



专精特新中小企业



创新型中小企业

OPAQI Partners



Manufacturing Facility





Factory Size
20,000㎡



Workers
400+



Designers/Engineers
40+



Intelligent Testing Device
25+

Manufacturing Facility



Mold Injection Workshop



SMT Workshop



Power Bank Manufacturing



Power Adapter Manufacturing



Aging Test Workshop



Raw Material Warehouse

opaqi

企业简介 Corporate Profile

Packing, Logistic & After Sales

包装物流与售后

logistics & after-sale



Accessories Warehouse
3000㎡



Packing Workshop



Finished Product Warehouse
1500㎡



After Sales Team
20+

Product Category



2-IN-1
Adapter Power Bank



Multifunctional
Power Bank



Fast
Charger & Adapter



Outdoor
Portable Power System



Desktop Socket
Fast Charge



100+ Design Patents



10+ Utility Model Patent

Research & Development

Experts

Senior technical experts of power supply and battery
to overcome technical problems

R & D Team

Strong R & D team with 40+ Designers/Engineers
Providing premium products with safe design

Patents

Applied various national patents
Avoiding intellectual property disputes

Quality Product
Certificates Obtained





















opaqi 欧派奇

2-IN-1 Adapter Power Bank

二合一充电器+移动电源

20W·22.5W·30W.....



2-IN-1
20W Adapter + Power Bank 5000mAh
YJ-690A





Adapter Mode	
Input:	100V-240V~,50/60Hz,0.3A Max
Output:	Type-C/Lightning 5V/2A

Power Bank Mode	
Input:	Type-C/Lightning - 5V/3A, 9V/2A
Output:	Type-C/Lightning - 5V/3A, 9V/2.2A, 12V/1.5A Multi-port 5V/2A Max
Battery Cell:	5000mAh/3.6V/18Wh, Lithium-ion
Rated Output:	2500mAh @ 5V/2A
Conversion Rate:	>70%

Optional Plug Type: EU/UK/US/CN
Case Material: PC, PC+ABS,
Size: 9.1*5*3.4cm(Cable Not Included)

2-IN-1
20W Adapter + Power Bank 10000mAh
YJ-691A








Adapter Mode	
Input:	100V-240V~,50/60Hz,0.3A Max
Output:	Type-C/Lightning 5V/2A

Power Bank Mode	
Input:	Type-C/Lightning - 5V/3A, 9V/2A
Output:	Type-C/Lightning - 5V/3A, 9V/2.2A, 12V/1.5A Multi-port 5V/2A Max
Battery Cell:	10000mAh/3.85V/38.5Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥70%

Optional Plug Type: EU/UK/US/CN
Case Material: PC, PC+ABS,
Size: 10.5*5.3*3.4cm(Cable Not Included)

2-IN-1
30W Adapter + Power Bank 10000mAh
YJ-691B






Adapter Mode	
Input:	100V-240V~, 50/60Hz, 0.3A Max
Output:	Type-C1/C2 - 5V/2A

Power Bank Mode	
Input:	Type-C1/C2 - 5V/3A, 9V/3A, 12V/2.5A,15V/2A,20V/1.5A
Output:	Type-C1/C2 - 5V/3A, 9V/3A, 12V/2.5A,15V/2A,20V/1.5A Multi-port 5V/3A Max
Battery Cell:	5000mAh/7.7V/38.5Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥70%

Optional Plug Type: EU/UK/US/CN
Case Material: PC, PC+ABS,
Size: 10.5*5.3*3.4cm(Cable Not Included)

2-IN-1
22.5W Adapter + Power Bank 96000mAh
YJ-540A







Adapter Mode	
Input:	100V-240V~, 50/60Hz, 0.6A Max
Output:	Type-C - 5V/3A,9V/2.22A,12V/1.5A USB – 5V/4.5A(SCP), 5V/3A, 9V/2A, 12V/1.5A Dual Port 5V/3A Max

Power Bank Mode	
Input:	Type-C - 5V/2A, 9V/2A
Output:	Type-C- 5V/3A, 9V/2.22A, 12V/1.5A max USB – 5V/4.5A(SCP), 5V/3A, 9V/2A, 12V/1.5A Dual -Port 5V/3A Max
Battery Cell:	9600mAh/3.63V/34.85Wh, Lithium-ion
Rated Output:	5700mAh @ 5V/2A
Conversion Rate:	≥72%

Optional Plug Type: EU/UK/US/CN
Case Material: PC, PC+ABS,
Size: 11*5.8*2.9cm

opaqi 欧派奇

Multifunctional Power Bank

移动电源系列

10W·20W·22.5W·67W·130W·240W.....



Fast Charge 67W
Power Bank 20000mAh with Built-in Cable
YJ-721A





Power Bank	
Input:	Type-C Port/Type-C Cable 5V/3A, 9V/3A, 12V3A,15V/3A,20V/3.25A
Output:	Type-C Port/Type-C Cable - 5V/3A, 9V/3A, 12V3A,15V/3A,20V/3.35A(67W) Max
	USB-A - 5V/3A, 9V/2A, 10V/2.25A(SCP), 12V/1.5A
	Total Output 5V/3A Max
Battery Capacity:	5000mAh x 4PCS
Battery Power:	5000mAh - 14.8V/74Wh, Lithium-ion Polymer
Rated Output:	12000mAh @ 5V/3A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 15.3*7*2.8cm

Fast Charge 130W
Power Bank 20000mAh with Built-in Cable
YJ-722A





Power Bank		
Input:	Type-C Port/Type-C Cable 5V/3A, 9V/3A, 12V3A,15V/3A,20V/3.25A	
Output:	Type-C Port/Type-C Cable - 5V/3A, 9V/3A, 12V3A,15V/3A,20V/5A	
	USB-A – 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A	
	Type-C Port +Type-C Cable=65W+65W(130W Max)	
	USB-A +Type-C Cable=22.5W+65W(87.5W Max)	
	Type-C Cable+(Type-C+USB-A) =65W+15W(80W Max)	
	Type-C Port +USB-A= 5V/3A(15W Max)	
Battery Capacity:	5000mAh x 4PCS	
Battery Power:	20000mAh/3.6V/72Wh, Lithium-ion	
Rated Output:	12000mAh @ 5V/2A	Case Material: PC+ABS,
Conversion Rate:	≥75%	Size: 162*56*41cm

Fast Charge 240W
Power Bank 27000mAh with Built-in Cable
YJ-723A





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/3A, 12V3A,15V/3A,20V/5A
	Type-C Cable: 5V/3A, 9V/3A, 12V3A, 15V/3A, 20V/5A, 28V/5A
Output:	Type-C Port: 5V/3A, 9V/3A, 12V3A,15V/3A,20V/5A
	Type-C Cable: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28V/5A
	USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A
	Type-C Port +Type-C Cable=100W+140W(240W Max)
	USB-A +Type-C Cable=22.5W+140W(162.5W Max)
	Type-C Cable+(Type-C+USB-A) =140W+15W(155W Max)
	Type-C Port +USB-A= 5V/3A(15W Max)
Battery Power:	27000mAh/3.6V/97.2Wh, Lithium-ion
Rated Output:	16200mAh @ 5V/2A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 162*56*50cm

Fast Charge 22.5W
Power Bank 10000mAh with Built-in Cable
YJ-716A





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2.22A, 12V1.5A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V1.5A
Output:	Type-C Port: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Type-C Cable: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Lightning Cable: 5V/2.4A,9V/2.22A
	Total Output: 5V/3A
Battery Power:	10000mAh/3.89V/38.9Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 64*60*30cm

Fast Charge 22.5W
Power Bank 10000mAh with Built-in Cable
YJ-716B







-自定义图案-

Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2.22A, 12V1.5A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V1.5A
Output:	Type-C Port: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Type-C Cable: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Lightning Cable: 5V/2.4A,9V/2.22A
	Total Output: 5V/3A
Battery Power:	10000mAh/3.89V/38.9Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 64*60*29cm

Fast Charge 22.5W
Power Bank 10000mAh with Built-in Cable
YJ-727A





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2.22A, 12V1.5A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V1.5A
Output:	Type-C Port: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Type-C Cable: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Lightning Cable: 5V/2.4A,9V/2.22A
	Total Output: 5V/3A
Battery Power:	10000mAh/3.89V/38.9Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 70*54*30mm

Fast Charge 22.5W
Power Bank 10000mAh with Built-in Cable
YJ-727B





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2.22A, 12V1.5A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V1.5A
Output:	Type-C Port: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Type-C Cable: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.5A
	Lightning Cable: 5V/2.4A,9V/2.22A
	Total Output: 5V/3A
Battery Power:	10000mAh/3.89V/38.9Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 70*54*29mm

Fast Charge 22.5W
Power Bank 5000mAh(Built-in Dual Charging Plug)
YJ-715A





Power Bank		
Input:	Type-C1: 5V/3A, 9V/2A, 12V1.5A	
	Type-C2: 5V/3A, 9V/2A, 12V1.5A	
Output:	Type-C1: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.67A	
	Type-C2: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.67A	
	Lightning : 5V/2.4A,9V/2.22A	
	Total Output: 5V/3A	
Battery Power:	5000mAh/3.6V/18Wh, Lithium-ion	
Rated Output:	2700mAh @ 5V/2A	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	116g	Size: 77*54*28mm

Fast Charge 22.5W
Power Bank 5000mAh(Built-in Dual Charging Plug)
YJ-743A





-自定义图案-

Power Bank		
Input:	Type-C1: 5V/3A, 9V/2A, 12V1.5A	
	Type-C2: 5V/3A, 9V/2A, 12V1.5A	
Output:	Type-C1: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.67A	
	Type-C2: 5V/3A,9V/2.22A,10V/2.25A(SCP),12V/1.67A	
	Lightning : 5V/2.4A,9V/2.22A	
	Total Output: 5V/3A	
Battery Power:	5000mAh/3.6V/18Wh, Lithium-ion	
Rated Output:	2700mAh @ 5V/2A	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	116g	Size: 82*54*26mm

Wireless Fast Charge
Power Bank 10000mAh(Magsafe)
YJ-595A







Power Bank	
Input:	Type-C: 5V/3A, 9V/2A, 12V1.5A(18W) Max
Output:	Type-C: 5V/3A, 9V/2.2A, 12V/1.5A (20W)Max
	USB-A:5V/3A,9V/2A,12V/1.5A,10V/2.25A(SCP)(22.5W)Max.
	USB+TYPE-C: 5V/3A(15W) Max
	Wireless : 5W, 7.5W, 10W, 15W
Battery Power:	10000mAh/3.85V/38.5Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%
Product Weight:	215g

Case Material: PC+ABS,
Size:103*67*19mm

Wireless Fast Charge
Power Bank 10000mAh(Magsafe)
YJ-595D





Power Bank	
Input:	Type-C: 5V/2.4A, 9V/2A(18W) Max
Output:	Type-C: 5V/2.4A, 9V/2.2A, 12V/1.6A (20W)Max
	USB-A:5V/2.4A,9V/2A,12V/1.5A(18W)Max.
	USB+TYPE-C: 5V/3A(15W) Max
	Wireless : 5W, 7.5W, 10W, 15W
Battery Power:	10000mAh/3.85V/38.5Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%
Product Weight:	215g

Case Material: PC+ABS,
Size:103*67*19mm

Wireless Fast Charge
Power Bank 5000mAh(Magsafe)
YJ-595B





Power Bank	
Input:	Type-C: 5V/2.4A, 9V/2A(18W) Max
Output:	Type-C: 5V/2.4A, 9V/2.2A, 12V/1.6A (20W)Max
	Wireless : 5W, 7.5W, 10W, 15W
Battery Power:	5000mAh/3.85V/19.25Wh, Lithium-ion Polymer
Rated Output:	2800mAh @ 5V/2.4A
Conversion Rate:	≥75%
Product Weight:	146g

Case Material: PC+ABS,
Size:103*67*13mm

Fast Charge 22.5W
Power Bank 20000mAh(Built-in Dual Cables)
YJ-702A







Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A, 10V/2.25A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V/1.5A, 10V/2.25A
	USB-A :5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A
	Lightning: 5V/2.4A, 9V/2.22A
	Multi-Output: 5V/3A Max
Battery Power:	20000mAh/3.85V/77Wh, Lithium-ion Polymer
Rated Output:	12000mAh @ 5V/2A
Conversion Rate:	≥75%
Product Weight:	337g

Case Material: PC+ABS,
Size:89*86*34mm

Fast Charge 22.5W
Power Bank 10000mAh(Built-in Dual Cables)
YJ-698A







Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A
	USB-A :5V/2.4A
	Lightning: 5V/2.4A, 9V/2.22A
	Multi-Output: 5V/3A Max
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/2A
Conversion Rate:	≥75%
Product Weight:	232g

Case Material: PC+ABS,
Size:89*84*27mm

Fast Charge 22.5W
Power Bank 10000mAh(Built-in Dual Cables)
YJ-668B





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A
	Type-C Cable: 5V/3A, 9V/2.22A, 12V/1.5A
	USB-A :5V/3A,9V/2A,12V/1.5A,10V/2.25A
	Lightning Cable: 5V/2.4A, 9V/2.22A
	Multi-Output: 5V/3A Max
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer
Rated Output:	5800mAh @ 5V/3A
Conversion Rate:	≥70%
Product Weight:	273g

Case Material: PC+ABS,
Size:153*70*19mm

Fast Charge 22.5W
Power Bank 20000mAh(Built-in Dual Cables)
YJ-669B





Power Bank		
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A	
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2.22A, 12V/1.5A	
	USB-A :5V/3A,9V/2A,12V/1.5A,10V/2.25A	
	Lightning Cable: 5V/2.4A, 9V/2.22A	
	Multi-Output: 5V/3A Max	
Battery Power:	20000mAh/3.7V/37Wh, Lithium-ion Polymer	
Rated Output:	12000mAh @ 5V/3A	
Conversion Rate:	≥70%	Case Material: PC+ABS,
Product Weight:	446g	Size:153*70*31mm

Fast Charge 22.5W
Power Bank 10000mAh(Built-in Dual Cables)
YJ-656A





Power Bank		
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A	
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 12V/2.25A	
	USB-A :5V/2.4A	
	Lightning Cable: 5V/2.4A, 9V/2.22A	
	Multi-Output: 5V/3A Max	
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer	
Rated Output:	5800mAh	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	252g	Size:152*70*19mm

Fast Charge 22.5W
Power Bank 20000mAh(Built-in Dual Cables)
YJ-657A





Power Bank		
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A	
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 12V/2.25A	
	USB-A :5V/2.4A	
	Lightning Cable: 5V/2.4A, 9V/2.22A	
	Multi-Output: 5V/3A Max	
Battery Power:	20000mAh/3.7V/74Wh, Lithium-ion Polymer	
Rated Output:	12000mAh	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	443.5g	Size:152*70*32mm

Fast Charge 22.5W
Power Bank 10000mAh with Digital Screen
YJ-658A





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A
	USB-A1: 5V/3A,9V/2A,12V/1.5A,10V/2.25A
	USB-A2: 5V/3A,9V/2A,12V/1.5A,10V/2.25A
	Multi-Output: 5V/3A Max
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer
Rated Output:	5800mAh @5V/2A
Conversion Rate:	≥75%
Product Weight:	237g

Case Material: PC+ABS,
Size:152*70*17mm

Fast Charge 22.5W
Power Bank 20000mAh with Digital Screen
YJ-659A





Power Bank	
Input:	Type-C Port: 5V/3A, 9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A
	USB-A1: 5V/3A,9V/2A,12V/1.5A,10V/2.25A
	USB-A2: 5V/3A,9V/2A,12V/1.5A,10V/2.25A
	Multi-Output: 5V/3A Max
Battery Power:	20000mAh/3.7V/74Wh, Lithium-ion Polymer
Rated Output:	12000mAh @5V/2A
Conversion Rate:	≥75%
Product Weight:	428g

Case Material: PC+ABS,
Size:152*70*30mm

Fast Charge 22.5W
Power Bank 20000mAh(Built-in 4 Cables)
YJ-699A





Power Bank		
Input:	Type-C Port: 5V/3A, 9V/2A	
	USB-A Cable: 5V/2A	
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A	
	USB-A Cable: 5V/2.4A	
	Lightning Cable: 5V/2.4A	
	Micro-USB Cable: 5V/2.4A	
	Multi-Output: 5V/3A Max	
Battery Power:	20000mAh/3.7V/74Wh, Lithium-ion Polymer	
Rated Output:	12000mAh @5V/3A	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	500g	Size:152*70*31mm

Fast Charge 22.5W
Power Bank 10000mAh
Digital Screen & Built-in 2 Cables
YJ-626A





Power Bank	
Input:	Type-C Port:5V/3A,9V/2A, 12V/1.5A
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A
	Lightning Cable: 5V/2A
	USB-A: 5V/3A,9V/2A,10V/2.25A,12V/1.5A
	Multi-Output: 5V/3A Max
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer
Rated Output:	5800mAh @5V/2A
Conversion Rate:	≥75%
Product Weight:	240g

Case Material: PC+ABS,
Size:142*69*19mm

Fast Charge 22.5W
Power Bank 20000mAh
Digital Screen & Built-in 2 Cables
YJ-627A





Power Bank		
Input:	Type-C Port:5V/3A,9V/2A, 12V/1.5A	
Output:	Type-C Port: 5V/3A, 9V/2.22A, 12V/1.5A	
	Type-C Cable: 5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A	
	Lightning Cable: 5V/2A	
	USB-A: 5V/3A,9V/2A,10V/2.25A,12V/1.5A	
	Multi-Output: 5V/3A Max	
Battery Power:	20000mAh/3.7V/74Wh, Lithium-ion Polymer	
Rated Output:	12000mAh	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Product Weight:	433g	Size:143*70*31mm

Fast Charge 22.5W
Power Bank 30000mAh
Digital Screen & Built-in 2 Cables
YJ-628A





Power Bank	
Input:	Type-C1: 5V/2.4A,9V/2A,12V/1.5A
	Lightning 1: 5V/2.4A
Output:	Type-C1:5V/2.4A,9V/2.22A,12V/1.67A
	Type-C2:4.5V/5A(SCP),5V/4.5A(SCP),5V/3A,9V/2A,12V/1.5A
	Lightning 2: 5V/2.4A
	USB1: 4.5V/5A(SCP),5V/4.5A(SCP),5V/3A,9V/2A,12V/1.5A
	USB2: 5V/2A
	USB3 :5V/2A
	USB4:5V/2A
	Multi-Output: 5V/3A Max
Battery Power:	30000mAh/3.7V/111Wh, Lithium-ion Polymer
Rated Output:	18000mAh
Conversion Rate:	≥75%

Case Material: PC+ABS,
Size: 153*70*45mm

Wireless Charge 15W
Fast Charge 22.5W
Power Bank 10000mAh with Phone Holder
YJ-522B





Power Bank	
Input:	Type-C: 5V/3A, 9V/2A MAX
	IP: 5V/2A, 9V/2A MAX
Output:	Type-C:5V/3A,9V/2.22A,12V/1.5A
	USB1: 4.5V/5A(SCP),5V/4.5A(SCP),5V/3A,9V/2A,12V/1.5A
	USB2: 4.5V/5A(SCP),5V/4.5A(SCP),5V/3A,9V/2A,12V/1.5A
	Multi-Output: 5V/3A Max
	Wireless Charge : 15W Max
Battery Power:	10000mAh/3.7V/37Wh, Lithium-ion Polymer
Rated Output:	6000mAh
Conversion Rate:	≥75%
Weight:	240g

Case Material: PC+ABS,
Size: 152*69*19mm

Fast Charge 22.5W
Mini Power Bank 9600mAh with Digital Screen
YJ-523A







Power Bank		
Input:	Type-C: 5V/3A, 9V/2A MAX	
	Micro-USB: 5V/2A, 9V/2A MAX	
Output:	Type-C:5V/3A,9V/2A,12V/1.5A max	
	USB: 4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A	
	USB + TYPE-C: 5V/3A Max	
	Multi-Output: 5V/3A Max	
Battery Power:	9600mAh/3.63V/34.85Wh, Lithium-ion	
Rated Output:	5600mAh	
Conversion Rate:	≥75%	Case Material: PC+ABS,
Weight:	185g	Size: 103*52*26mm

10W
Mini Power Bank 9600mAh with Digital Screen
YJ-523B





Power Bank	
Input:	Type-C: 5V/2A MAX
	Micro-USB: 5V/2A MAX
Output:	USB: 5V/2.1A
Battery Power:	9600mAh/3.7V/35.5Wh, Lithium-ion
Rated Output:	5600mAh
Conversion Rate:	≥75%
Weight:	188g
Size:	103*52*26mm
Case Material:	PC+ABS,

opaqi 欧派奇

Outdoor Portable Power System

户外储能电源系列

300W·500W.....



Portable Power System 500W I-35A





Key Features	
Input:	Type-C: 5V/3A, 9V/3A, 12V/3A,15V/3A, 20V/3.25A 65W Max.
	Solar Panel: 12-20V/5A, 100W Max.
AC Output	Pure Sine Wave Inverter , 220V~1.5A, 50HZ, 500W(Peak 1000W) AC 500W Max(550W),
DC Output:	Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W Max.
	USB1/USB2:18W Max.
	USB1+USB2:36W Max.
	USB1+Type-C:5V/3A Max.
	USB2+Type-C:5V/3A Max.
	USB1+USB2+Type-C:5V/5A
	AC+DC:565W
	Flash Light 1 Power: 6W
	Flash Light 2 Power: 6W
	Wireless Charge:15W Max
	Jump Starter: 300A Max
Battery Power:	108000mAh
Rated Power:	388Wh
Product Size:	226*168*155mm Case Material: PC+ABS,

Portable Power System 300W I-33A



Key Features	
Input:	Type-C: 5V/3A, 9V/3A, 12V/3A,15V/3A, 20V/3A 60W Max.
	Solar Panel: 12-24V/5A, 100W Max.
AC Output	Pure Sine Wave Inverter , 220V~1.5A, 50HZ, 300W(Peak 600W); AC 300W Max(350W),
DC Output:	Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 60W Max.
	USB1/USB2:18W Max.
	USB1+USB2:36W Max.
	USB1+Type-C:5V/3A Max.
	USB2+Type-C:5V/3A Max.
	USB1+USB2+Type-C:5V/6A
	AC+DC:360W
	Flash Light 1 Power: 6W
	Flash Light 2 Power: 6W
	Wireless Charge:15W Max
	Jump Starter: 300A Max
Battery Power:	96000mAh
Rated Power:	350Wh
Product Size:	226*168*155mm Case Material: PC+ABS,

Portable Power System 300W I-33B





Key Features	
Input:	Type-C: 5V/3A, 9V/3A, 12V/3A,15V/3A, 20V/3A 60W Max.
	Solar Panel: 12-24V/5A, 100W Max.
AC Output	Pure Sine Wave Inverter , 220V~1.5A, 50HZ, 300W(Peak 600W); AC 300W Max(350W),
DC Output:	Type-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 60W Max.
	USB1/USB2:18W Max.
	USB1+USB2:36W Max.
	USB1+Type-C:5V/3A Max.
	USB2+Type-C:5V/3A Max.
	USB1+USB2+Type-C:5V/6A
	AC+DC:360W
	Flash Light 1 Power: 6W
	Flash Light 2 Power: 6W
	Wireless Charge:15W Max
Battery Power:	64000mAh
Rated Power:	230Wh
Product Size:	226*168*155mm Case Material: PC+ABS,

opaqi 欧派奇

GaN Charger Adapter
GaN氮化镓充电器

20W·30W·35W·65W·140W.....





HN339A/B/C/D 20W GaN(A+C) Charger	
Input:	100-240V~,50/60Hz,0.8A Max
Output:	Type-C: 5V/3A,9V/2.22A,12V/1.67A(20W)Max.
	USB: 5V/3A,9V/2A,12V/1.5A(18W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.8*6cm
	EU Plug: 4.3*2.8*8cm
	UK Plug: 5*4.8*7.2cm
Case:	PC Material



HN340A/B/C/D 30W GaN(A+C) Charger	
Input:	100-240V~,50/60Hz,0.8A Max
Output:	Type-C:5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A, PPS 3.3-11V/2.5A (30W)Max.
	USB:5V/3A,9V/2A,12V/1.5A(18W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.8*6cm
	EU Plug: 4.3*2.8*8cm
	UK Plug: 5*4.8*7.2cm
Case:	PC Material

GaN Fast Charge Adapter(U+C) 30W
HN302A/B/C/D







GaN Fast Charge Adapter(U+C) 30W / HN302A/B/C/D	
Input:	100-240V~,50/60Hz,0.8A Max
Output:	Type-C:5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A, PPS 3.3-11V/2.5A (30W)Max.
	USB:5V/3A,9V/2A,12V/1.5A(18W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.8*6.4cm
	EU Plug: 4.3*2.8*8.5cm
	UK Plug: 4.9*4.8*7.7cm
Case:	PC Material

GaN Fast Charge Mini Adapter 35W (C+C)
HN286A/B/C/D







GaN Fast Charge Mini Adapter 35W (C+C) HN286A/B/C/D	
Input:	100-240V~,50/60Hz,0.8A Max
Output:	Type-C1: 5V/3A,9V/3A,12V/2.92A,15V/2.33A,20V/1.75A(35W)Max,PPS 3.3-11V/3A
	Type-C2: 5V/3A,9V/3A,12V/2.92A,15V/2.33A,20V/1.75A(35W)Max,PPS 3.3-11V/3A
	Type-C1 + Type-C2: 18W + 18W
Size:	CN/US Plug: 4.1*3.2*4.4cm
	EU Plug: 4.1*3.2*8.1cm
	UK Plug: 4.1*5*6.7cm
Case:	PC Material

GaN Fast Charge Mini Adapter 65W (C+U)
HN161B







GaN Fast Charge Mini Adapter 65W (C+U) HN161B 65W GaN	
Input:	100-240V~,50/60Hz, 1.5A Max
Output:	Type-C: 3.3-11V/3A,5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A Max.
	USB: 4.5V/5A,5V/3A,5V/4.5A,9V/3A,12V/3A,20V/2.25A Max.
	Type-C+USB: 45W+18W(63W)Max.
Size:	CN/US Plug: 7.3*3.4*3.1cm
Optional Plug:	CN, US, EU, UK, AU
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS

GaN Fast Charge Adapter 65W (2C+1U)
HN301A/B/C/D







GaN Fast Charge Adapter 65W (2C+1U) HN301A/B/C/D	
Input:	100-240V~,50/60Hz, 1.5A Max
Output:	Type-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W)Max, PPS 3.3-11V/3A
	Type-C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A(65W)Max, PPS 3.3-11V/3A
	USB:5V/3A,9V/3A,10V/2.25A,12V/3A,20V/2.25A(45W)Max
	Type-C1+Type-C2:45W+18W
	Type-C1+USB:45W+18W
	Type-C2+USB:5V/3A 15W
	Type-C1+(Type-C2+USB):45W+15W
Size:	CN/US Plug: 5.1*3.1*6cm
	EU Plug: 5.1*3.1*9.7cm
	UK Plag: 5.3*5*8.1cm
Optional Plug:	CN, US, EU, UK, AU
Case:	PC Material

GaN Fast Charge High Power Adapter 140W (3C+1U) HN289A





GaN Fast Charge High Power Adapter 140W (3C+1U) HN289A	
Input:	100-240V~,50/60Hz, 3A Max
Output:	Type-C1: 5V/3A,9V/3A,15V/3A,20V/5A,28V/5A(140W)Max. Type-C2/Type-C3: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (100W)Max. USB: 5V/3A,4.5V/5A,5V/4.5A (22.5W)Max. Type-C1+Type-C2: 100W+30W Type-C1+Type-C3: 100W+30W Type-C2+Type-C3: 65W+65W Type-C1+USB: 100W+22.5W Type-C2+USB: 100W+22.5W Type-C3+USB: 20W Type-C1+Type-C2+Type-C3: 65W+30W+30W Type-C1+Type-C2+USB: 65W+30W+22.5W Type-C2+(Type-C3+USB): 100W+20W Type-C1+Type-C2+(Type-C3+USB): 65W+30W+20W
Size:	CN/US Plug: 8.7*3.1*6cm
Optional Plug:	CN, US, EU, UK, AU
Case:	PC Material

opaqi 欧派奇

Super Si Charge Adapter

Super Si 超级硅充电器

12W·18W·20W·25W·30W·50W·65W.....





HN335A/B/C/D 12W Super Si Fast Charger(2A)	
Input:	100-240V~,50/60Hz,0.5A Max
Output:	USB1: 5V/2.4A(12W)Max. USB2: 5V/2.4A(12W)Max. USB1+USB2: 5V/2.4A(12W)Max.
Size:	CN/US Plug: 4.3*2.8*6cm EU Plug: 4.3*2.8*8cm UK Plug: 5*4.8*7.2cm
Optional:	CN, US, EU, UK, AU
Case:	PC Material



HN337A/B/C/D 18W Super Si Fast Charger(A)	
Input:	100-240V~,50/60Hz,0.5A Max
Output:	USB:5V/3A,9V/2A,12V/1.5A(18W)Max.
Size:	CN/US Plug: 4.3*2.8*6cm EU Plug: 4.3*2.8*8cm UK Plug: 5*4.8*7.2cm
Optional:	CN, US, EU, UK, AU
Case:	PC Material



HN338A/B/C/D 20W Super Si Fast Charger(A)	
Input:	100-240V~,50/60Hz,0.5A Max
Output:	USB: 5V/3A, 9V/2A,12V/1.5A, 10V/2A(20W)Max.
Size:	CN/US Plug: 4.3*2.8*6cm EU Plug: 4.3*2.8*8cm UK Plug: 5*4.8*7.2cm
Optional:	CN, US, EU, UK, AU
Case:	PC Material

Super Si Fast Charge Adapter 20W (C+U)
HN228A







Super Si Fast Charge Adapter 20W (C+U) HN228A	
Input:	100-240V~,50/60Hz, 0.8A Max
Output:	Type-C:5V/3A,9V/2.22A12V/1.67A (20W)Max.
	USB:5V/3A,5V/4A(SCP),9V/2A,12V/1.5A (20W)Max.
	Type-C+USB:5V/3A(15W)Max.
Size:	CN/US Plug: 3.2*3.2*5.3cm EU Plug: 3.2*3.2*7.4cm
Optional Plug:	CN, US, EU, UK, AU
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS

Super Si Fast Charge Adapter 20W (C) HN228B







Super Si Fast Charge Adapter 20W (C) HN228B	
Input:	100-240V~,50/60Hz, 0.8A Max
Output:	Type-C:5V/3A,9V/2.22A,12V/1.67A (20W)Max.
Size:	CN/US Plug: 3.2*3.2*5cm EU Plug: 3.2*3.2*7.1cm
Optional Plug:	CN, US, EU
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS

Super Si PPS Fast Charge Adapter 30W (C+U) HN238A







Super Si PPS Fast Charge Adapter 30W (C+U) HN238A	
Input:	100-240V~,50/60Hz, 0.8A Max
Output:	Type-C: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A,PPS 3.3-11V/2.5A(30W)Max.
	USB: 5V/3A,5V/4.5A(SCP),9V/2A,12V/1.5A (22.5W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: :3.1*3.1*5.8cm EU Plug: 3.6*3.1*7.9cm UK Plug: 4.9*4.4*6.5cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS

Super Si PPS Fast Charge Adapter 30W (C)
HN238B







Super Si PPS Fast Charge Adapter 30W (C) HN238B	
Input:	100-240V~,50/60Hz, 0.8A Max
Output:	Type-C: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A,PPS 3.3-11V/2.5A(30W)Max.
Size:	CN/US Plug: 3.1*3.1*5.5cm EU Plug: 3.6*3.1*7.6cm UK Plug: 4.9*4.4*6.2cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS

Super Si Fast Charge Adapter 20W (C+U)
HN259A







Super Si Fast Charge Adapter 20W (C+U) HN259A	
Input:	100-240V~,50/60Hz, 0.5A Max
Output:	Type-C: 5V/3A,9V/2.22A,12V/1.67A (20W)Max. USB: 5V/3A,9V/2A,12V/1.5A (18W)Max. Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.7*6.3cm EU Plug: 4.3*2.7*8.4cm UK Plug: 5*4.8*7.2cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS, UKCA

Super Si Fast Charge Adapter 20W (C)
HN259B







Super Si Fast Charge Adapter 20W (C) HN259B	
Input:	100-240V~,50/60Hz, 0.5A Max
Output:	Type-C: 5V/3A,9V/2.22A,12V/1.67A (20W)Max.
Size:	CN/US Plug: 4.3*2.7*6.3cm EU Plug: 4.3*2.7*8.4cm UK Plug: 5*4.8*7.2cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE , FCC , RoHS, UKCA

Mini Fast Charge Adapter 25W (U+C)
HN273A







Mini Fast Charge Adapter 25W (U+C) HN273A	
Input:	100-240V~,50/60Hz, 0.6A Max
Output:	Type-C:5V/3A,9V/2.78A,12V/2.08A ,PPS:3.3-5.9V/3A or 3.3-11V/2.25A(25W)Max.
	USB: 5V/3A,9V/2A,12V/1.5A(18W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.7*6.3cm EU Plug: 4.3*2.7*8.4cm UK Plug: 5*4.8*7.2cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material

Super Si Fast Charge Adapter 20W (U+C)
HN291A/B/C/D







Super Si Fast Charge Adapter 20W (U+C) HN291A/B/C/D	
Input:	100-240V~,50/60Hz, 0.8A Max
Output:	Type-C: 5V/3A,9V/2.22A,12V/1.67A(20W)Max.
	USB: 5V/3A, 9V/2A， 12V/1.5A (18W)Max.
	Type-C+USB: 5V/3A(15W)Max.
Size:	CN/US Plug: 4.3*2.8*5.9cm EU Plug: 4.3*2.8*8cm UK Plug: 4.9*4.8*7.2cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material

Super Si Fast Charge Adapter 50W (C+C)
HN277A







Super Si Fast Charge Adapter 50W (C+C) HN277A	
Input:	100-240V~,50/60Hz, 1.0A Max
Output:	Type-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.5A(50W)Max,PPS 3.3-11V/3A
	Type-C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.5A(50W)Max,PPS 3.3-11V/3A
	Type-C1 + Type-C2: 20W+20W
Size:	CN/US Plug: 5.2*3.1*5.3cm EU Plug: 5.2*3.1*9cm UK Plug: 5.3*5*7.5cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE, FCC, ROHS, UKCA

Super Si Fast Charge Adapter 65W (C+C+U)
HN251A





Super Si Fast Charge Adapter 65W (C+C+U) HN251A	
Input:	100-240V~,50/60Hz, 1.5A Max
Output:	Type-C1/Type-C2: 5V/3A,9V/3A,12V/3A,15V/3A, 20V/3.25A(65W)Max, PPS 3.3-11V/3A USB: 5V/3A,4.5V/5A,5V/4.5A,9V/3A,12V/3A,20V/2.25A(45W)Max Type-C1+Type-C2: 45W+18W Type-C1+USB: 45W+18W Type-C2+USB: 5V/3A 15W Type-C1+(Type-C2+USB):45W+15W
Size:	CN/US Plug: 5.1*3.1*6cm EU Plug: 5.1*3.1*9.7cm UK Plug: 5.3*5*8.1cm
Optional Plug:	CN, US, EU, UK
Case:	PC Material
Certificate:	CCC, CE, FCC, ROHS, UKCA

opaqi 欧派奇

Multifunctional Desktop Fast Charge Socket

多功能桌面快充排插

20W·30W·65W·100W.....



GaN Power Supply Socket 20W
PB-20





GaN Power Supply Socket 20W PB-20	
Input:	AC 200-240V~,50/60Hz, 0.8A Max
AC Power:	Rated Voltage: 250V~ Rated Power: 2500W MAX Rated Current: 10A MAX
Output:	Type-C1/Type-C2: 5V/3A;9V/2.22A,12V/1.67A USB: 5V/3A,9V/2.22A,12V/1.67A Type-C1+Type-C2: 5V/3A Type-C1+USB: 5V/3A Type-C2+USB: 5V/3A Type-C1+Type-C2+USB: 5V/3A
Size:	12*4.6*4.2cm
Cable Length:	1.5 meter
Case:	PC Material
Weight:	304g

GaN Power Supply Socket 30W
PB-30





GaN Power Supply Socket 30W PB-30	
Input:	AC 200-240V~,50/60Hz, 0.8A Max
AC Power:	Rated Voltage: 250V~ Rated Power: 2500W MAX Rated Current: 10A MAX
Output:	Type-C1/Type-C2:5V/3A,9V/3A,12V/2A,15V/2A,20V/1.5A USB:5V/3A,9V/3A,12V/2A,20V/1.5A Type-C1+Type-C2:5V/3A Type-C1+USB:5V/3A Type-C2+USB:5V/3A Type-C1+Type-C2+USB:5V/3A
Size:	12*4.6*4.2cm
Cable Length:	1.5 meter
Case:	PC Material
Weight:	311g

GaN Power Supply Socket 65W
PB-101A





GaN Power Supply Socket 65W PB-101A	
Input:	AC 200-240V~,50/60Hz, 1.5A Max
AC Power:	Rated Voltage: 250V~ Rated Power: 2500W MAX Rated Current: 10A MAX
Output:	Type-C1/Type-C2: 5V/3A,9V/3A,12V/3A, 15V/3A,20V/3.25A USB1:5V/1A USB2: 5V/3A,9V/3A,12V/3A,20V/3A Type-C1+Type-C2: 45W+20W Type-C1+USB2: 45W+18W Type-C2+USB2: 15W Type-C1/Type-C2/USB2+USB1: 60W+5W Type-C1+Type-C2/USB2+USB1: 45W+15W+5W Type-C1+(Type-C2+USB2): 45W+15W (Type-C2+USB2)+USB1: 15W+5W Type-C1+(Type-C2+USB2)+USB1: 45W+15W+5W
Size:	11.9*4.7*4.2cm
Cable Length:	1.5 meter
Case:	PC Material
Weight:	400g

GaN Power Supply Socket 100W
PB-100A/B/C/D





GaN Power Supply Socket 100W	PB-100A/B/C/D		
Input:	AC 200-240V~,50/60Hz, 2.0A Max		
AC Power:	Rated Voltage: 250V~ Rated Power: 2500W MAX Rated Current: 10A MAX		
Output:	Type-C1/Type-C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A USB1:5V/1A USB2:5V/3A,9V/3A,12V/2.5A,20V/1.5A Type-C1+Type-C2:65W+30W Type-C1+USB2:65W+30W Type-C2+USB2:15W USB1+USB2:5W+30W Type-C1/Type-C2+USB1:65W+5W Type-C1+Type-C2/USB2+USB1:65W+30W+5W Type-C1+(Type-C2+USB2) :65W+15W (Type-C2+USB2)+USB1:15W+5W Type-C1+(Type-C2+USB2)+USB1:65W+15W+5W		
Size:	14.9*4.7*4cm	Case:	PC Material
Cable Length:	1.5 meter	Weight:	516g

“我们承诺
为每一位客户提供优质的产品与服务”

We Promise to Provide Premium Quality Products and Best Service for our Customers!

谢谢观赏！

Opaqi--Your Reliable Partner

