



**A supplier who can help the customers to
choose suitable optical products**

OUR BUSINESS AND COMPANY PROFILE

HENAN KINGOPT IMPORT & EXPORT CO., LTD.

AND

NANYANG KINGOPT OPTICAL INSTRUMENT CO., LTD.



KINGOPT is your trusted partner in precision optics. We design, develop, and craft high-quality optical solutions, including optical lens, cctv lens, Prisms, Binoculars, etc.

Our goal : Establish “Kingopt”brand enterprise and become one of the best optics company in China.

We are sure the reason that we can satisfy you in optical lens and prism, cctv lens, binoculars and monocular is because of the following ones:

*** Our boss has worked intently for 28 years in optical field.**





*** Our boss has worked intently for 28 years in optical field.**




*** We have 14,000 square meters of standardized factory buildings.**



*** We have a clean and tidy workshop environment.**



*** We have the modern optical inspection instruments and equipments.**



*** We have a complete R&D team of 2 optical system designers and 3 mechanical designers, 10 engineers and technicians. Electronic design team 5 persons;**






* **Esteemed Partners**

CARSON

Bushnell



Kenko

Vixen

SVBONY

GIGAPENGUIN

IR=ision[®]



如红 | RUHONG

NAILTRIBE





*Esteemed Partners



*** Precision Optical Lens**

*** Binoculars & Monocular**

*** CCTV Lens**

*** Precision Optical Lens**


Off-the-shelf lens and customized lens according to drawings

Processing Capacity



Materials	All kinds of high quality optical glass, quartz and crystal
Diameter	Φ 3- Φ 350mm
Radius	R 1.5mm-∞
Center thickness tolerance	±0.01mm
Diameter tolerance	±0.005mm
Surface quality	20/10--80/50
Surface accuracy	<1λ
Irregularity	λ/10
Decenter	15"
Coating	BBAR coating, dichroic coating, super broad band antireflective coating, others coatings according to customer's request.

Customized lens according to drawings



- customized lens as per your complete drawings
- We can give you the lowest prices under keeping the quality as per your use.
- We can give you a suggestion to reduce the processing difficulty and cost, but it can satisfy your need.

Customized lens according to drawings
Dichroic coating , anti-laser coating and etc.



*** Partial off-the-shelf binoculars &
Monocular upon customized outer
armour**

MONOCULAR




MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPMV 8x33 ED	8x	33mm	8°	17mm	4.16mm	5E3G	4E3G	ROOF /BAK4	Yes	2m	268g	72x49x136 mm	US\$5000	US\$30-40

MONOCULAR



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPMV 10x50 ED	10x	50mm	5.9°	17.5mm	5.05mm	4E3G	4E3G	ROOF /BAK4	Yes	3m	436g	75x168 mm	US\$3900	US\$29-38
WPMV 12x50 ED	12x	50mm	5°	16mm	4mm	4E3G	4E3G	ROOF /BAK4	Yes	4.5m	436g	75x168 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
KHA02 7x18 Fix Focus	7x	18mm	8°	10.5mm	2.57mm	3E2G	2E1G	ROOF /BK7	No	3m	140g	81x113x33 mm	US\$5000	US\$5.5-8.5
KHA02 7x18 Adjustable focus	7x	18mm	8°	11mm	2.75mm	3E2G	2E1G	ROOF /BK7	No	1.5m	152g	81x113x33 mm	US\$5000	US\$7-10
KHA02 8x21 Adjustable focus	8x	21mm	7.2°	7mm	3.16mm	3E2G	2E1G	ROOF /BK7	No	1.5m	165g	94x112x32 mm	US\$5000	US\$7.5-11

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
KHU730	7X	30mm	7.5°	14mm	4mm	3E2G	2E1G	PORRO /BK7	NO	2m	338g	124x55x107 mm	US\$5000	US\$11-16

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
KHL 8x32	8x	32mm	5.6°	14mm	3.6mm	3E2G	2E1G	ROOF /BK7	No	2.7m	480g	130X47X149 mm	US\$3800	US\$11-15
KHL 10x32	10x	32mm	5.3°	11mm	2.96mm	3E2G	2E1G	ROOF /BK7	No	3.5m	480g	130X47X149 mm		
WPHL 8x32	8x	32mm	5.6°	14mm	3.6mm	3E2G	3E2G	ROOF /BK7	Yes	2.7m	480g	130X47X149 mm	US\$3800	US\$14-18
WPHL 10x32	10x	32mm	5.3°	11mm	2.96mm	3E2G	3E2G	ROOF /BK7	Yes	3.5m	480g	130X47X149 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
KHL 8x42	8x	42mm	5.5°	13mm	3.83mm	3E2G	2E1G	ROOF /BK7	No	5.1m	520g	135x150x63 mm	US\$3900	US\$11-15
KHL 10x42	10x	42mm	5.3°	10mm	3.16mm	3E2G	2E1G	ROOF /BK7	No	4.3m	520g	135x150x63 mm		
WPHL 8x42	8x	42mm	5.5°	13mm	3.83mm	3E2G	3E2G	ROOF /BK7	Yes	5.1m	520g	135x150x63 mm	US\$3900	US\$14-18
WPHL 10x42	10x	42mm	5.3°	10mm	3.16mm	3E2G	3E2G	ROOF /BK7	Yes	4.3m	520g	135x150x63 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
KHL 10x50	10x	50mm	4.5°	13mm	3.5mm	3E2G	2E1G	ROOF /BK7	No	3m	760g	175x64.5x139 mm	US\$4500	US\$18-23
KHL 12x50	12x	50mm	4.3°	10mm	2.94mm	3E2G	2E1G	ROOF /BK7	No	3.3m	760g	175x64.5x139 mm		
WPHL 10x50	10x	50mm	4.5°	13mm	3.5mm	3E2G	3E2G	ROOF /BK7	Yes	3m	765g	175x64.5x139 mm	US\$4500	US\$22-27
WPHL 12x50	12x	50mm	4.3°	10mm	2.94mm	3E2G	3E2G	ROOF /BK7	Yes	3.3m	765g	175x64.5x139 mm		

BINOCULARS




MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
WPHK 8x42	8x	42mm	7.4°	14mm	4.34mm	4E3G	3E2G	ROOF /BK7	Yes	4m	625g	120x150x55 mm	US\$4500	US\$21-27
WPHK 10x42	10x	42mm	5.6°	14mm	3.2mm	4E3G	3E2G	ROOF /BK7	Yes	4m	650g	120x150x55 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
WPHK22 8x42	8x	42mm	7.4°	14mm	4.34mm	4E3G	3E2G	ROOF /BK7	Yes	4.5m	650g	165x65x133 mm	US\$4500	US\$22-28
WPHK22 10x42	10x	42mm	5.7°	14mm	3.16mm	4E3G	3E2G	ROOF /BK7	Yes	4.1m	650g	165x65x133 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
WPH2K-1042	10x	42mm	6.1°	13mm	4.1mm	4E3G	3E2G	ROOF /BK7	Yes	3.5m	600g	128x54x146.5 mm	US\$4500	US\$22-28
WPH2K-1250	12x	50mm	5°	13mm	3.95mm	4E3G	3E2G	ROOF /BK7	Yes	6m	760g	135x61.5x177 mm	US\$4500	US\$25-32

BINOCULARS

25MM



32MM



42MM



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPHG 8x25	8x	25mm	6.6°	13mm	2.87mm	3E2G	3E2G	ROOF /BK7	Yes	3.1m	320g	120x43x105 mm	US\$4000	US\$16-21
WPHG 10x25	10x	25mm	5.1°	9mm	2.32mm	3E2G	3E2G	ROOF /BK7	Yes	3.4m	320g	120x43x105 mm		
WPHG 8x32	8x	32mm	7.4°	16mm	4.24mm	4E3G	4E3G	ROOF /BAK4	Yes	3.7m	480g	130x46x120 mm	US\$4500	US\$29-35
WPHG 10x32	10x	32mm	5.8°	15mm	3.3mm	4E3G	4E3G	ROOF /BAK4	Yes	3.7m	480g	130x46x120 mm		
WPHG 8x42	8x	42mm	7.2°	17mm	5.36mm	4E3G	4E3G	ROOF /BAK4	Yes	4m	700g	135x46x130 mm	US\$4500	US\$43-50
WPHG 10x42	10x	42mm	6°	16mm	4.2mm	4E3G	4E3G	ROOF /BAK4	Yes	3.7m	700g	135x46x130 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPHV 8x32ED	8x	32mm	7.4°	16mm	4.24mm	4E3G	4E3G	ROOF/BAK4	Yes	3.7m	480g	130x46x120 mm	US\$4500	US\$38-45
WPHV 10x32ED	10x	32mm	5.8°	15mm	3.3mm	4E3G	4E3G	ROOF/BAK4	Yes	3.7m	480g	130x46x120 mm		
WPHV 8x42 ED magnesium alloy	8x	42mm	7.2°	17mm	5.36mm	4E3G	4E3G	ROOF/BAK4	Yes	4m	700g	135x46x130 mm	US\$4500	US\$55-65
WPHV 10x42 ED magnesium alloy	10x	42mm	6°	16mm	4.2mm	4E3G	4E3G	ROOF/BAK4	Yes	3.7m	700g	135x46x130 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
WPHV 8x33	8x	33mm	8°	17mm	4.16mm	5E3G	4E3G	ROOF /BAK4	Yes	3.2m	560g	130x50x135 mm	US\$4500	US\$62-82

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPHV 10x50ED magnesium alloy	10x	50mm	5.9°	17.5mm	5.05mm	4E3G	4E3G	ROOF /BAK4	Yes	3m	900g	133x62x171 mm	US\$4500	US\$68-88
WPHV 12x50ED magnesium alloy	12x	50mm	5°	16mm	4mm	4E3G	4E3G	ROOF /BAK4	Yes	4.5m	900g	133x62x171 mm		

BINOCULARS



MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
WPHV12x56 ED Flat-field correction magnesium alloy	12x	56mm	5.7°	21.3mm	4.6mm	6E4G	4E3G	ROOF /BAK4	Yes	2.5m	1214g	180x150x67 mm	US\$4900	US\$160-190
WPHV15x56 ED Flat-field correction magnesium alloy	15x	56mm	4.75°	18.2mm	3.7mm	6E4G	4E3G	ROOF /BAK4	Yes	2.5m	1178g	175x150x67 mm		

Photography Monocular



Optical Properties

MODEL	POWER	Diameter of Objective lens	Field of view	Exit pupil distance	Exit pupil diameter	Ocular lenses	Objective lenses	Prism	Water proof	The nearest distance	Net weight	Product size	mold fee for custom appearance	Field of unit price with different order quantity
DGM 8x42	8x	42mm	7.2°	17mm	5.36mm	4E3G	4E3G	ROOF /BAK4	Yes	4m	519g	139x121x74 mm	US\$20000	US\$90-130

Electronic Properties

Sensor	Lens	Storage	Microphone	USB	WIFI	Camera resolution	Picture format	Video Resolution	Image compression format	Battery	Charger	Indicator light	Function
2MP	Customized lenses	32G TF card, Max 128G	built-in	TYPE-C	2.4GHz	2MP	JPEG	1920*1080	MP4	4000ma	5V/1A	LED lights	Support 3 Phone/tablet together

Full-color Night Vision Device



MODEL	Diameter of Objective lens	Digital Zoom	Sensor	Photo	video	Resolution	Memory	Display screen	AI digital noise reduction	Power Supply	Battery	Net weight	Product size	mold fee for custom appearance	Field of unit price with diffierent order quantity
NV2100 C-K1	25mm	4x	1/1.8" CMOS	2K	2K	4MP	4G	3.6 inch	YES	DC 5V /2A	5000mA	412g	132x69x145 mm	US\$12000	US\$130-160


***CCTV Lens**

Off-the-shelf lens



Optical lenses including CCTV lenses, MTV lenses, MegaPixel lenses, Board lenses, Monitoring lenses, Zoom lens assemblies, Wide-angle lenses, Scanner lenses, Fingerprint device lens series, and customizable lens solutions to your design.


ODM lens design and assembly



If an off-the-shelf solution can't meet your needs, we can work with you to create a customized solution optimized for your application.

According to the drawing provided, we can make optical and metal parts internally and deliver them as a final product.

We also provide our supports to newly development or special specified lenses from the stage of design to prototype to mass production.





KINGOPT OPTICS

Henan Kingopt Import & Export Co.,Ltd

Nanyang Kingopt Optical Instrument CO.,LTD

Kingopt Industrial Park, Gaoxin District, Nanyang City, 473000,
Henan Province, China

Contact person : Ms. Yangfeng Liu

E-Mail: kingopt@kingopt.com

Website: www.kingopt.com

THANKS!