



Shenzhen CPVAN Automation Technology Co., Ltd

Adds:3F, Nanyu Industrial Park, Huachang Road, Longhua District,
Shenzhen 518109, China

Tel: + 86-755-23087066

E-mail: sales@cpvans.com

Website: www.cpvans.com



Smart Life with CPVAN Technology

CPVAN core concept is about automation to make your home safety, comfortable and more funs



Shenzhen CPVAN Automation Technology Co., Ltd established in 2004 which mainly focus on the real estate in the beginning, with thousands of company and customers cooperation, the chairman of CPVAN decided to develop own products to keep the quality going.

With the first two years kinds of intercom products into the market, own real estate area and won the good reputation. At CPVAN we understand the customer everyday life. Our products fit your daily needs whether you are at home, at work, on the road or even while travelling.


We have developed the perfect smart home products for every occasion with Fire alarms and smart home security solutions ect. With 19 years market experience, we, CPVAN invested many of related companies which is professional with it's own industry, Fire security, Forlife,&etc.

About Us

The CPVAN core concept is about
Automation to make your home safty, easier and more fun.








Smart Life

World's leading IoT Platform

Smart Life/ Tuya Smart is an all-in-one APP to connect lighting, security and more devices in your home. With its user-friendly interaction and simple controls, you can easily monitor and manage everything in your home.


As a partner at TUYA IoT Ecosystem, CPVAN always extensive portfolio connected products and integrated with Tuya Smart and Google Home/ Alexa, providing you with endless ways to seamlessly automate your home.



FIRE ALARM SYSTEM

Stand Alone Smoke Detector with 5/10 Year battery, TUV/ VDS EN14604 certificated






Your Reliable Fire Alarm System Manufacturer



CP-CO11R

Interlinked Carbon Monoxide Alarm

- Ⓐ Interlinked carbon monoxide detector which can interconnected with smoke alarms, heat alarms and remotes
- Ⓑ 10 Year lithium battery life
- Ⓒ EN50291 Certificated



CP-SM11R

Interlinked Smoke Alarm

- Ⓐ Photoelectric technology RF Interconnected smoke detector
- Ⓑ 10 years life time
- Ⓒ Power: Carbon Zinc battery
- Ⓓ Interlinked devices: : Max 30pcs per group
- Ⓔ Flash alarm indicator (red LED)
- Ⓕ Loud warning with 85-decibel siren
- Ⓖ TUV EN14604 Listed



CP-HD11R

Interconnected Heat Detector

- Ⓐ Input voltage: DC3V battery
- Ⓑ Wireless interconnecting frequency: 433.92Mhz
- Ⓒ Alarm level: 10 years
- Ⓓ BS5446-2:2003 certificated



CP-CS01

Smoke and Carbon Monoxide Alarms

- A Combination co smoke alarm smoke carbon monoxide detector in one
- B DC 3V battery operated, low power consumption
- C Big test button for easy operation



FSD001

5-Year Micro Smoke Alarm



FSD002

10-Year Micro Smoke Detector



CP-SM11

10-Year Stand Alone Smoke Detector

- A Photoelectric technology
- B 10 years life time
- C Loud warning with 85-decibel siren
- D Lithium battery-powered
- E EN14604 Listed



CP-SM01

10-Year Smoke Alarm



CP-SM03

10-Year Smoke Alarm



Carbon Monoxide Detector

- Ⓐ Detection of carbon monoxide, sound and light alarm If the concentration exceeds
- Ⓑ Loud 85 decibel alarm
- Ⓒ LCD Display

CP-CO10



Carbon Monoxide Alarm - 10 Year battery

- Ⓐ LCD display concentration
- Ⓑ 10 year sensor and battery life
- Ⓒ EN 50291-1:2018 Certificated

CP-CO11



Carbon Monoxide Alarm

- Ⓐ Loud 85 decibel alarm
- Ⓑ Electrochemical Sensor
- Ⓒ 7-year sensor life
- Ⓓ EN 50291-1:2018 Certificated


CP-JKD621



Gas Detector

- Ⓐ Alarm with Indicator, sound, voice prompt
- Ⓑ Test/Silence button
- Ⓒ Warm-up time 180 seconds
- Ⓓ Sensor life: about 5 years

CP-GS20



SMART HOME ALARM SYSTEMS

Powered by Tuya, WIFI+GSM Alarm System, support APP Push/ SMS /voice monitoring / network center Alarm





CP-G10

WIFI Alarm System

- Ⓐ Wi-Fi alarm system, supports multiple alarm notification channels, like APP push/ voice phone call, etc
- Ⓑ Support APP remote arm/disarm, parameter setting and accessory management
- Ⓒ Based on uCOS - III operation system with multi-task function
- Ⓓ WiFi online to obtain equipment latest working status, auto alarm when offline
- Ⓔ Built-in powerful CPU master based on 32-bit Cortex-M3 core
- Ⓕ Support APP remote arm / disarm/recording/take picture/monitoring



CP-G20/G24

GSM/4G+WIFI Home Alarm System

- Ⓐ Support Multiple Alarm Channels (APP Push / SMS / Voice monitoring / network center Alarm, to ensure the alarm performance stable and reliable)
- Ⓑ Simple and intuitive design with 2.4" TFT color screen
- Ⓒ Up to 100 wireless sensors, 10 remote keyfobs and 10 RFID tags can be connected
- Ⓓ Support SMS arm/disarm and parameters setting, support voice arm/disarm



CP-G50/ G54

WIFI+GSM/4G+PSTN Alarm System

- Ⓐ GSM/4G+WIFI+PSTN Alarm System
- Ⓑ Simple and intuitive operation with 2.4" TFT color screen showing live status, date and time, touch keypad and SOS button
- Ⓒ Also compatible with landline / VoIP phone lines
- Ⓓ Support Amazon alexa and google home
- Ⓔ 4G(only in 4G version)/ GSM(2G)/GPRS+WiFi alarm system, supports multiple alarm notification channels, like APP push/ SMS/ voice phone call...



CP-PG103/4G

WIFI+GSM/4G Alarm System

- Ⓐ Simple and intuitive operation with 2.4" TFT color screen showing live status, date and time, touch keypad and SOS button
- Ⓑ Built-in powerful CPU based on 32-bit Cortex-M3 core with multi-task operation function
- Ⓒ 4G(only in 4G version)/ GSM(2G)/GPRS+WiFi alarm system, supports multiple alarm notification channels, like APP push/ SMS/ voice phone call...
- Ⓓ With 3 hardwired zone (EoLR)
- Ⓔ Support operation logs and alarm events storage and tracing



CP-PG107/4G

WIFI+GSM/4G Alarm System


- Ⓐ Simple and intuitive operation with 4.3" TFT full color touch screen with computer interface showing live status, date and time
- Ⓑ Built-in powerful CPU based on 32-bit Cortex-M3 core with multi-task operation function
- Ⓒ 4G(only in 4G version)/ GSM(2G)/GPRS+WiFi alarm system, supports multiple alarm notification channels, like APP push/SMS/voice phone call...
- Ⓓ APP or hub can control electrical appliances by smart sockets (with same RF frequency)
- Ⓔ Support multi language menu, voice operation notice and SMS alarm settings



CP-G60/ G64

WIFI+GSM/4G Alarm System

- Ⓐ Up to 100 wireless zones, and the name of the first 10 wireless zones can be customized
- Ⓑ 10 remote tags can be learned with customized name
- Ⓒ Powered by Tuya, works with Amazon Alexa, Google Assistant & 30K other Tuya devices
- Ⓓ Support phone remote arming, disarming, monitoring, intercom etc
- Ⓔ RFID on the keyboard: functions such as arming, disarming, doorbell, etc



CP-G13/ G16

WIFI+GSM/4G Alarm System

- A** Up to 100 wireless zones, and the name of the first 10 wireless zones can be customized
- B** Powered by Tuya, works with Amazon Alexa, Google Assistant & 30K other Tuya devices
- C** Record 20 Seconds Alarm Voice Message. If alarm occurs, the alarm host will dial preset number and play the record voice message.
- D** Support phone remote arming, disarming, monitoring, intercom etc.
- E** 10 remote tags can be learned with customized name



CP-D30

Door Sensor for Alarm System



CP-R10

Remote for Alarm System



CP-P20

Motion Sensor for Alarm System



CP-D10

Door Sensor for Alarm System



CP-P10

Motion Sensor for Alarm System



CP-K10

Keypad for Alarm System



CP-SN12

Wireless Outdoor Solar Siren

- Ⓐ Built-in lithium battery powered by solar energy
- Ⓑ Work as a live/standalone alarm hub, wireless siren (with Home Alarm Systems)
- Ⓒ Support 30 wireless defense zones and remote controllers
- Ⓓ 2 wired zones for 2 wired detectors or wired alarm system



CP-SN10

Wireless Indoor Alarm Siren

- Ⓐ Work as a standalone alarm hub or wireless siren (with Home Alarm Systems)
- Ⓑ Wireless learning code, 50 remote controllers and detectors can be learned



CP-S10R

Wireless Smoke Detector

- Ⓐ Detect smoke, works with Home Alarm System
- Ⓑ Anti-light, Mothproof, Dustproof, Normal and alarm LED indication



CP-SN16

Wireless Outdoor Alarm Siren With Strobe

- Ⓐ work as a standalone alarm host or wireless siren.
- Ⓑ 20 wireless defense zones.
- Ⓒ At most 5 wireless remote controllers.
- Ⓓ Alarm with both voice prompts and quick flash strobe.
- Ⓔ Wireless learning code: adding new accessories, convenient , safe and efficient



CP-CO10

CO Detector for Alarm System


- Ⓐ Work as a standalone alarm host or a RF sensor
- Ⓑ Loud 85 decibel alarm
- Ⓒ LCD Display
- Ⓓ Permanent carbon monoxide sensor
- Ⓔ 2 years warranty for the CO-sensing unit



CP-GS20



Gas Detector for Alarm System

- Ⓐ LPG and neutral gas detecting
- Ⓑ Alarm with Indicator, sound, voice prompt
- Ⓒ Test/Silence button
- Ⓓ Warm-up time 180 seconds
- Ⓔ Sensor life: about 5 years

A modern, two-story house with a dark, flat roof and large windows. The house features a combination of dark grey concrete and light-colored vertical wooden slats. The interior lights are on, and the sky is a mix of blue and orange from the setting or rising sun. The house is surrounded by a green lawn and some trees in the background.

HOME SECURITY SYSTEM - WIFI

Provide reliable smart security system including access control, remote monitoring and security alarm.





CP-OSC20FL

2MP/ 3MP/ 5MP Outdoor Floodlight Camera

- Ⓐ 2/3/5MP 20 meters infrared / starlight night vision, two-way voice
- Ⓑ 2 pcs floodlight, 20 pcs IR Led for infrared light
- Ⓒ Support 128G TF card storage and cloud storage
- Ⓓ PTZ 355 degree horizontal, and 90 degree vertical
- Ⓔ Customized Google hub, google chormecast, echo show, usd2.5 pluses if be needed



CP-IPC30PT

3MP Smart PTZ Camera

- Ⓐ 3MP high resolution
- Ⓑ Pan-tilt WIFI camera with panoramic viewing angles
- Ⓒ 355° horizontal field of view with smart tracking
- Ⓓ Remote monitoring via phone APP



CP-OSC50PT

5MP Outdoor Dual Band Camera

- Ⓐ 5MP high resolution
- Ⓑ 2.4G& 5G dual band wifi frequency connection
- Ⓒ IR and color night vision
- Ⓓ ONVIF supported
- Ⓔ PTZ 355 degree horizontal, and 90 degree vertical



CP-OSC10PT

1080P PTZ Outdoor Camera

PTZ 355 degree horizontal, and 90 degree vertical
Support 128G TF card storage and cloud storage



Night Vision



IP65 waterproof



Motion Detection



355°wide angle



5200Mah Battery Camera

Rechargeable Large Capacity 5200mAh Battery
lifetime lasting over 2 months (under 15 times awake per day)



1080P



345°wide angle



IP66 waterproof



Google home

CP-OSC10BC



Smart Video Doorbell

2*18650 Batteries (Not included). 20 times wake up,
15s video browsing in a day.. Battery lasts 6 mons
Works with Alexa Echo Show (optional, add the feature +2.5USD)



Amazon Alexa



Two-way audio



1080P



Night Vision

CP-VD8P



CP-IPCAM60PTW

1080P PTZ Indoor Camera

PTZ 345 degree horizontal, and 85 degree vertical; Support moving objects tracking



1080P



345°wide angle



Remote viewing



Alexa



Google home



1080P HD Indoor Camera

Works with Google Home/ Alexa
(optional, add the feature +2.5USD)



Amazon Alexa



Two-way audio



Motion Detection



Night Vision

CP-IPC20PT



1080P HD Outdoor Camera

Tuya IP65 outdoor waterproof bullet camera
2MP high-resolution lens and wide 80° viewing angle



Night Vision



IP65 waterproof



Motion Detection



1080P

CP-OSC10FA



CO2 Meter

- Ⓐ Tuya Smart WIFI Air Quality Monitor
- Ⓑ Atmospheric pressure: 86Kpa - 106Kpa
- Ⓒ Changing colors according CO2 air quality grade range

CP-CO2M1



CO2 Meter with Screen

- Ⓐ Tuya Smart WIFI Air Quality Monitor
- Ⓑ Atmospheric pressure: 86Kpa - 106Kpa
- Ⓒ Detection method for CO2 : Infrared (NDIR)
- Ⓓ Large screen LED display

CP-CO2M2



CP-S09

WiFi IR Remote Control with Temperature & Humidity Sensor with screen

- Ⓐ Temperature humidity sensor and IR control 2 in 1 design
- Ⓑ Support multi-brand and multi-type infrared products, with massive remote control code base
- Ⓒ Support Voice Control : Amazon alexa, Google Assistant



FSD001-WiFi

WiFi Smoke Alarm

- Ⓐ Buzzing alarm with push-notifications on your smartphone for complete peace of mind
- Ⓑ No hub required, easy to connect to your Wi-Fi
- Ⓒ Loud 85-decibel alarm to warn those in and around the house of danger
- Ⓓ 3 years battery lifespan, low power consumption



CP-CS01W

WiFi Smoke+ Carbon Monoxide Alarm


- Ⓐ Ultra thin Tuya WIFI APP Control smart combination co smoke alarm smoke carbon monoxide detector in one
- Ⓑ Big test button for easy operation.
- Ⓒ DC 3V battery operated, low power consumption



CP-WSA01

WiFi Smoke Alarm

- Ⓐ Get alerted if the door or window is opened
- Ⓑ Link with more lighting, security and control devices
- Ⓒ Ultra low power consumption, Low battery reminder



CP-SLFB01

Fingerbot

World's smallest robot for smartly controlling different types of buttons and switches

- Ⓑ Control your existing home appliances with robotic clicks
- Switch lights via app, schedule a morning coffee, activate your vacuum cleaner with voice command - Google home or Alexa



CP-S06

WIFI IR Controller

Support multi-brand and multi-type infrared products, with massive remote control code base
360 degree cover, long distance control up to 10m
Alexa and Google Home voice control



CP-SLFB02

Smart Fingerbot

- Ⓐ New updated switchbot/ Smart Fingerbot
- Ⓑ Control your existing home appliances with robotic clicks
- Ⓒ Includes Smart Fingerbot+accessories parts



CP-S11

WIFI IR+RF Controller

- Ⓐ Infrared and RF 2 in 1 design
- Ⓑ Remote control RF433 curtain, roller shutter, garage door, RF switch etc.,
- Ⓒ Alexa and Google Home voice control



CP-W06

WIFI Water Leak Detector

- A Real-time detect water leak
- B Low battery reminder
- C Ideal for bathroom, laundry, basement, hot water heater, garage, sump pump, sink, kitchen, furnace humidifier, etc



Real time monitoring



Water leak alarm



Mobile notification



CP-P06

Motion Sensor

- A Get alerted if someone is moving in your house
- B 128°detect angle and 10 meters distance
- C Link with more lighting, security and control devices



128°angle



Detect movement



Unauthorized entry alarm



IFTTT



CP-WSF01

WIFI Water Leak Detector with Buzzer


- A Latest fashion design
- B WIFI Water Leak Detector with Buzzer
- C Beeps and send alert when a leak is detected



Real time monitoring



Water leak alarm



Mobile notification



CP-D06

WIFI Door& Window Sensor

- A Get alerted if the door or window is opened
- B Link with more lighting, security and control devices
- C Ultra low power consumption, Low battery reminder



Detect door and window position



Unauthorized entry alarm



No tools needed



IFTTT



CP-SV01W

WIFI Water/ Gas Valve

- Ⓐ Turn off the water/gas valve with your mobile phone
- Ⓒ Working Current (12VDC): 100mA(Normal), 600mA(Max)
- Ⓓ Torque: 40Kg.CM
- Ⓔ Working Current (12VDC): 100mA(Normal), 600mA(Max)




CP-GD01W


WIFI Garage Door Opener

- Ⓐ Remote open & close your garage door by Smart phone
- Ⓑ Smart Garage Door Opener will remind you when you forgot to close the garage door
- Ⓒ Compatible perfectly with Amazon Alexa/ Google Home

HOME SECURITY SYSTEM - ZIGBEE

Provide reliable smart security system including access control, remote monitoring and security alarm.






CP-S6E

Built-in Alexa Smart Control Panel

Smart Multi-functional Control Panel

- Ⓐ Zigbee & Bluetooth & WIFI 3 protocols in one design. ZigBee gateway function, APP remote control
- Ⓑ 4-inch HD LCD, IPS, multi touch screen, Auto light sensor
- Ⓒ Compatible with Chinese | Southeast Asia standard wall boxes, simple in wall installation
- Ⓓ Built-in Alexa Smart Control Panel
- Ⓔ Built-in Alexa, voice command to control the smart home device freely



Smart Multi-functional Control Panel (EU Standard)

- Ⓐ 4-inch HD LCD, IPS, multi touch screen, Dual array microphone with noise reduction, Auto light sensor, built in 1W speaker
- Ⓑ Zigbee & Bluetooth & WIFI 3 protocols in one design
- Ⓒ ZigBee gateway function, APP remote control
- Ⓓ Compatible with European standard wall boxes



 zigbee

CP-T6E

Zigbee Smart Door Lock

- A 304 stainless + Aluminum + Plastic
- B Multiple unlock mode: Tuya APP, Password, RFID Card, Remote Open, Smart Wristband
- C Temporary password for guests
- D Fit on any door with a thickness of 55-105mm



Card



APP



Password



Temporary
Password



Adjustable



Low Battery
Reminder



CP-ZDL01

Zigbee Smart Digital Fingerprint Lock

- A Tuya Smart Digital Fingerprint Lock
- B 300,000 times life test
- C Aluminum alloy panel/handle materials
- D Back-up USB external power supply interface, in case the power is dead
- E One-Touch-Access Biometric Fingerprint sensor on the reader



Unlocking via
IC card



Unlocking via
APP



Fingerprint
unlocking




Temporary
Password



Unlocking via
mechanical key



WIFI available
(with gateway)



CP-ZDL03



CP-WDL02

WIFI Smart Deadbolt lock

- Ⓐ Tuya Smart Digital Fingerprint Lock
- Ⓑ 38-50mm accepted door thickness
- Ⓒ Ways to Open: APP+Fingerprint+Passcode+Card+Mechanical Key
- Ⓓ 60/70 Adjustable mortise
- Ⓔ Remote Control: Connect wifi Gateway is required for remote access (sold separately)



Unlocking via
IC card



Unlocking via
APP



Fingerprint
unlocking



Temporary
Password



Adjustable



Low Battery
Reminder



CP-WDL03

WIFI Smart Digital Fingerprint Lock

- Ⓐ Tuya Smart Digital Fingerprint Lock
- Ⓑ Aluminum alloy panel/handle materials
- Ⓒ Ways to Open: Fingerprint Code, Card, Mechanical key
- Ⓓ Compatible with various mortise to fit 99% doors. single latch 60/70, European 5050/ 6050 / 3585/ 4585/ 6085/ 6072 / 5572
- Ⓔ 300,000 times life test



Unlocking via
IC card



Unlocking via
APP



Fingerprint
unlocking




Temporary
Password



Unlocking via
mechanical key



Low Battery
Reminder



CP-GWF02

Zigbee Smart Gateway (Wireless Connection)

- Ⓐ Wireless connection
- Ⓑ Stable Zigbee and WiFi signal, high anti-interference ability
- Ⓒ Support total 32 Zigbee devices
- Ⓓ Able to set as a Zigbee Signal Repeater
- Ⓔ Safe encryption



CP-GWF01

Zigbee Smart Gateway (Wired Connection)

- Ⓐ Adopt stable and reliable Zigbee 3.0 protocol
- Ⓑ Connect up to 100 sub-devices
- Ⓒ Control sub-devices locally or away from home
- Ⓓ Automatic devices searching and networking
- Ⓔ Support two-way feedback in real time



CP-GWF03

Mini Multi-Mode Gateway (Zigbee&BLE&sig mesh)

- Ⓐ Mini Multi-Mode Gateway(zigbee&BLE&sig mesh)
- Ⓑ Wireless connection
- Ⓒ Support total 32 Zigbee devices
- Ⓓ Able to set as a Zigbee Signal Repeater
- Ⓔ Safe encryption



CP-ZTH01

Zigbee Temperature& Humidity Sensor

- Ⓐ Adopt stable and reliable Zigbee 3.0 protocol
- Ⓑ Get alerted if someone is moving in your house
- Ⓒ 150°detect angle and 7~10 meters distance
- Ⓓ Link with more lighting, security and control devices
- Ⓔ Ultra low power consumption, low battery reminder



CP-ZTH02

Zigbee Temperature& Humidity Sensor with LCD


- Ⓐ Zigbee temperature& humidity sensor with LCD display
- Ⓑ Temperature and humidity detecting
- Ⓒ Low battery reminder
- Ⓓ Timely status reports
- Ⓔ 3V(AAA*2 battery), low power consumption




Real time monitoring



Real-time display



Changing curve



IFTTT



CP-ZMD01

Zigbee PIR Motion Sensor


- Ⓐ Adopt stable and reliable Zigbee 3.0 protocol
- Ⓑ Get alerted if someone is moving in your house
- Ⓒ 150°detect angle and 7~10 meters distance
- Ⓓ Link with more lighting, security and control devices
- Ⓔ Ultra low power consumption, low battery reminder




Detect movement



Unauthorized entry alarm



IFTTT



Place anywhere



CP-ZDC01

Zigbee Door& Window Sensor

- Ⓐ Adopt stable and reliable Zigbee 3.0 protocol
- Ⓑ Get alerted if the door or window is opened
- Ⓒ Link with more lighting, security and control devices
- Ⓓ Low energy consumption with battery life over 1year
- Ⓔ Tiny yet elegant, easy to hide



Detect door and window position



Unauthorized entry alarm



Alexa



Google home



IFTTT



CP-ZSO01

Zigbee SOS Button

- A Emergency Button for Elder and Children
- B One click button to prevent accident
- C Low battery reminder



One button switch



Timely report



Low battery reminder



Intelligent linkage



Low power consumption



CP-ZWL01

Zigbee Water Leak Detector

- A Detecting water leakage
- B IP66 waterproof level
- C Low battery reminder



Leakage detection



IP66 waterproof design



Low battery reminder



Intelligent linkage



Low power consumption




CP-ZGD01

Zigbee Gas Detector

- A Natural gas (CH₄) detecting
- B Low power consumption
- C Alarm density: 8% LEL±3%LEL



Accurate Detection



Multiple alarm



Alarm sound >70dB



Intelligent linkage



Low power consumption



CP-ZSD01

Zigbee Smoke Detector

- A Get alerted if the smoke is exceeded in your house
- B Live strobe and sound alarm notification
- C Smoke and temperature double monitoring



The smoke and temperature monitoring



Multiple alarm




Ten years on standby



Low battery reminder




Intelligent linkage



LIGHTING CONTROL & ENERGY SYSTEM

Control the lighting by switching at desired time in convenient and energy-saving way.






CP-WPK01

WiFi/ Zigbee UK Smart Plug




CP-WPU01

WiFi/ Zigbee US Smart Plug



CP-WPE01

WiFi/ Zigbee EU Smart Plug



CP-JP1

WiFi Japan Smart Plug



CP-WPU02


WiFi US Smart Plug



CP-DS102-1/2/3

WIFI +BLE Smart Switch- EU - 1/2/3 Gang

- Ⓐ 86*86*42mm dimension
- Ⓑ Exquisite Push Button design, elaborate workmanship
- Ⓒ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓓ 600W/gang (1/2/3 gang) power rating
- Ⓔ Neutral wire or without neutral wire standards both available



CP-DS101-1/2/3/4

WIFI +BLE Smart Switch- EU - 1/2/3/4 Gang

- Ⓐ 86*86*42mm dimension
- Ⓑ Neutral wire or without neutral designs both available
- Ⓒ Full panel touch design, 1/2/3/4 Gangs
- Ⓓ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓔ Remote control the lighting via phone app



CP-DS121-1/2/3/4

WIFI +BLE Smart Switch- US- 1/2/3/4 Gang

- Ⓐ Neutral wire or without neutral wire designs both available
- Ⓑ 120*70*37mm dimension
- Ⓒ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓓ 100,000 times of use
- Ⓔ Remote control the lighting via phone app



CP-Q0

Smart RGB Bulb 8W

- Ⓐ Energy Saving Technology, AC 100-240V power supply, Max. Output 7.5W
- Ⓑ Base Type: E26/E27/B22
- Ⓒ Color Temperature: 6500K+RGB(16 million color lights)
- Ⓓ Colour, brightness, colour temperature can be changeable by phone APP



CP-Q9

Smart RGB Bulb 10W

- Ⓐ AC 100-240V power supply, Max. Output 10W
- Ⓑ Base Type: E26/E27
- Ⓒ Color Temperature: 6500K+ RGB(16 million color lights)
- Ⓓ Colour, brightness, colour temperature can be changeable by phone APP



CP-Q9

BR30 Smart RGB Bulb


- Ⓐ AC 100-240V power supply, Max. Output 9W
- Ⓑ Base Type: E26/E27
- Ⓒ BR30 type
- Ⓓ Color Temperature: 2700-6500K& RGB full color



WIFI Curtain Switch

- Ⓐ WIFI smart curtain switch
- Ⓑ Dimension: 86*86*42MM
- Ⓒ Overload & overheat protections, make your home safer
- Ⓓ ife long: more than 100,000 times


CP-DS151



WIFI Curtain Switch

- Ⓐ WIFI smart curtain switch
- Ⓑ Dimension: 118 * 72 * 35mm
- Ⓒ Operating voltage: 240VAC/50Hz~60Hz
- Ⓓ Overload & overheat protections, make your home safer


CP-DS152



WIFI Water Heater Switch

- Ⓐ Smart water heater switch
- Ⓑ Product size: 86*86*35mm (EU standard)
- Ⓒ Connection method: live wire + neutral wire
- Ⓓ Rated power: 4000W


CP-DS161



WIFI Water Heater Switch

- Ⓐ Smart WIFI water heater switch
- Ⓑ Product size: 86*86*35mm (US/AU standard)
- Ⓒ Control method: APP/voice control/touch control
- Ⓓ Support Alexa/Google Home


CP-DS162



WIFI Dimmer Switch

- Ⓐ Smart WiFi Dimmer Switch
- Ⓑ Input voltage: 100-240V 50/60HZ
- Ⓒ Power rating: 150W
- Ⓓ Works with Alexa/Google Home for voice command


CP-DS171



WIFI Dimmer Switch

- Ⓐ Smart WiFi Dimmer Switch
- Ⓑ Input voltage: 100-240V 50/60HZ
- Ⓒ Dimension: 118 * 72 * 35mm
- Ⓓ Works with Alexa/Google Home for voice command

CP-DS172



CP-DS111-1/2/3/4

Zigbee Smart Switch- EU - 1/2/3/4 Gang

- Ⓐ Neutral wire or without neutral wire designs both available
- Ⓑ 86*86*42mm dimension
- Ⓒ Full panel touch design, 1/2/3/4 Gangs
- Ⓓ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓔ Remote control the lighting via phone app



CP-DS112-1/2/3

Zigbee Smart Switch- EU - 1/2/3/ Gang (Without Neutral wire)


- Ⓐ 86*86*42mm dimension
- Ⓑ Exquisite Push Button design, elaborate workmanship
- Ⓒ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓓ 600W/gang (1/2/3 gang) power rating
- Ⓔ Neutral wire or without neutral wire standards both available



CP-DS153

Zigbee Curtain Switch


- Ⓐ Zigbee smart curtain switch
- Ⓑ Dimension: 86*86*42MM
- Ⓒ Life long: more than 100,000 times
- Ⓓ Overload & overheat protections, make your home safer



CP-DS162Z

Zigbee Water Heater Switch

- Ⓐ Smart ZigBee water heater switch
- Ⓑ Connection method: live wire + neutral wire
- Ⓒ Control method: APP/voice control/touch control
- Ⓓ Product size: 86*86*35mm (US/AU standard)



CP-DS161Z

Zigbee Water Heater Switch

- Ⓐ Zigbee Smart water heater switch
- Ⓑ Connection method: live wire + neutral wire
- Ⓒ Control method: APP/voice control/touch control
- Ⓓ Rated power: 4000W



CP-DS101CNZ

Zigbee Scene Switch


- Ⓐ Zigbee Smart scene switch
- Ⓑ Connection method: live wire + neutral wire
- Ⓒ Control method: APP/voice control/touch control
- Ⓓ Support Alexa/Google Home



CP-DS121CNZ

Zigbee Scene Switch

- Ⓐ Zigbee Smart scene switch
- Ⓑ Connection method: live wire + neutral wire
- Ⓒ Control method: APP/voice control/touch control
- Ⓓ Product size: 118 * 72 * 35mm (US/AU standard)



CP-DS124- 1/2/3/4

ZigBee Smart Switch-US - 1/2/3/4 Gang

- Ⓐ Zigbee 3.0, US Standard
- Ⓑ Neutral Connection(With neutral wire)
- Ⓒ 120*70*37mm dimension
- Ⓓ Works with Amazon Alexa, Google Assistant and IFTTT
- Ⓔ Remote control the lighting via phone app



CP-DS103Z

Zigbee Switch Module - 1 Gang

- Ⓐ Hidden Zigbee smart switch 1 gang
- Ⓑ Dimension: 41*41*20mm
- Ⓒ Hide in the wire box to save installation space
- Ⓓ Remote control, support google home/ alexa
- Ⓔ Can use as 1 gang 2 way switch, 2 Switches Control 1 same Lamp



CP-DS104Z

Zigbee Switch Module - 1 Gang

- Ⓐ Hidden Zigbee smart switch 1 gang
- Ⓑ Dimension: 49*48*23mm
- Ⓒ Hide in the wire box to save installation space
- Ⓓ Can use as 1 gang 2 way switch, 2 Switches Control 1 same Lamp
- Ⓔ Traditional switch and smart switch independent control, non-interfering




Our Shenzhen Office and Factory:

Address: 3F, Yifenghua Innovation Industrial Park, Huaning Rd., Dalang, Longhua Dist., Shenzhen
Phone: +86-755-23087066
Manager: Jason Kwok
Email: sales@cpvans.com



Our Istanbul Office:

Address: Perpa Ticaret Merkezi A Blok Kat:11 No:1572 Sisli, Istanbul, Turkey
Phone: +90 (212) 210 20 30
Manager: Ms. Hulya Cavus
Email: sales@cpvans.com



Our London Office:

Address: 207 Regent Street 3rd Floor London, W1B 3HH, UK (for face to face meetings: Berkeley Sq. House Mayfair)
Phone: +44-2072 922 222
Manager: Ms. Ilayda Kiraz
Email: sales@cpvans.com



Shenzhen CPVAN Automation Technology Co., Ltd

Adds:3F, Nanyu Industrial Park, Huachang Road, Longhua District, Shenzhen 518109, China

Tel: + 86-755-23087066 E-mail: sales@cpvans.com Website: www.cpvans.com | www.cpvansmart.com